



DAILY RAINFALL DERBYSHIRE

1911 - 1920

ALDERWASLEY HALL	1911.
ALDERWASLEY PARSONAGE	1917, 1919.
ALLESTREE VICARAGE	1916.
AMBERGATE	1911.
ASHBOURNE W. W.	1911-17, 1920
ASHBOURNE THE MANSION	1919 - 1920
BAKEWELL CATCLIFF	1911 - 1918
BAMFORD ENGINEER OFFICE	1911 - 1920
BASLOW THE BEECHES	1911 - 1912
BELPER HERBERT STRUTT SCH.	1911, 1913, 1919-20
BELPER QUARRY BANK	1911 - 1920
BELPER HIGHFIELD	1911 - 1914
BELPER FERNSLOPE.	1916 - 1920
BRACKENFIELD LINDWAY RES.	1911 - 1916.
BREADSALL PRIORY	1911 - 1917
BREADSALL LODGE	1911 - 1917
BUXTON PORTOBELLO BAR.	1911 - 1920
BUXTON STANLEY MOOR	1911 - 1920
BUXTON BURBAGE EDGE.	1911 - 1920.
BUXTON DEVONSHIRE HOSPITAL	1911 - 1920
CHATWORTH GDNS	1911 - 1920.
CHELLASTON	1911 - 1916.
CHESTERFIELD LINACRE RES 2 GAUGES.	1911 - 1920
CHESTERFIELD S.W.	1911 - 1920.
CHESTERFIELD GAS WORKS	1911 - 1918
CHESTERFIELD TAPTON GROVE	1911 - 1920
CLAY CROSS PRESS RES.	1912 - 1920.
CODNOR CROSS HILL	1911 - 1920.
CODNOR PARK	1911 - 1920.
DARLEY DALE WHITWORTH INSTITUTE.	1911 - 1920
DARLEY HALL	1911 - 1920
DERBY WILD ST.	1911 - 1920
DERBY L.M.S. RAILWAY	1911-13, 15-20.
DERBY THE ARBORETUM	1911 - 1920
DERBY ROYAL INFIRMARY	1911 - 1920.
DUFFIELD KIRKSTYLES.	1911-1914, 1916 - 1920
DUFFIELD CASTLE HILL HSE.	1911 - 1919
ECKINGTON MOSBROUGH C.E. SCHOOL	1911 - 1920
EDLASTON RECTORY	1911.

ETWALL SEWAGE FARM.	1911 - 1920
ETWALL BLAKELEY LODGE	1911 - 1920
EVAM SCHOOL	1911.
EVAM VIEW.	1911 - 1915
EVAM BRETTON	1911 - 1912.
EVAM THE RECTORY	1911 - 1917.
FROGATT EDGE STOKE FLAT FILTERS	1917 - 1920
FROGATT EDGE MOORLANDS	1915 - 1919
GLOSSOP W.W. SWINESHAW.	1911 - 1920
GRASSMOOR COLLIERY	1911 - 1920.
GRINLEFORD GROUSE INN.	1915 - 1917
HOLESFIELD BARBROOK RES.	1911 - 1920
HOPE	1915 - 1920
LITTLEOVER.	1912.
MATLOCK ROCKSIDE.	1911 - 1916.
MATLOCK THE GARLES.	1911 - 1918.
MELLOR THE MANOR HSE	1911, 1918
MICKLEOVER ASIYLUM	1915 - 1920
MICKLEOVER MANOR	1911 - 1920.
MILFORD DERWENT HSE	1919 - 1920
NORTON	1911 - 1916
QUARNDON FAIRFIELD	1919 - 1920.
REPTON THE CROFT.	1912 - 1920
SNELSTON RECTORY	1912, 1914, 17, 18.
SPONDON THE HOMESTEAD	1914 - 1919.
SPONDON S.W.	1911 - 1920
SPONDON HALL	1913.
STANTON-BY-BRIDGE W.W.	1915 - 1920
TOTLEY HALL	1911 - 1920
TROWELL ILKESTON	1915 - 1920
WHALEY BRIDGE MOSLEY HALL	1911 - 1920
WHALEY BRIDGE ELMOR LANE.	1911 - 1912
WHATSTANDWELL W.W.	1912-15, 20
WILLINGTON MILTON W.W.	1912-13, 1915
WIRKSWORTH BRIDGE HSE	1911 - 1915.
WIRKSWORTH MANOR HSE	1911 - 1920.

Conform

RE

ALDERWASLEY

Kept at Alderwasley

in the County of

by F. C. A. Hunt

ALDERWASLEY
HALL
DERBY
1911

9112

Snowdon gauge

top in.

above Ground on ground

Sea Level 530 ft.

Name

What's land well?

Distance

Direction

FORM A2.
BRITISH RAINFALL.

11 MAY 1912

Jan. 1, following.

(—)
esta.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.15		.06		.09				.05		1
2			.14								.03		2
3			.02							.01	.03	.16	3
4					.12					.03	.12		4
5	.02		.02	.08	.30	.18				.06		.19	5
6	.09		.01	.03						.03			6
7	.80			.02					.15	.12	.30	.58	7
8	.02							.05		.03	.15		8
9	.10		.29								.24	.70	9
10								.03					10
11	.03	.05	.27					.15				.68	11
12	.13								.18		.33		12
13	.05		.40								.30		13
14			.03								.15	.35	14
15		.06	.05		.92							.80	15
16		.17	.08	.01							.02	.14	16
17		.09				.18				.10	.20	.09	17
18				.02		.50			.26		.07	.50	18
19		.35		.06		.18					.23	.09	19
20		.11		.01		.07				.12	.07	.10	20
21		.12		.19		.01			.20			.15	21
22		.43							.08	.25		.05	22
23		.03		.04				.34		.23	.02	.27	23
24		.13	.10			.20		.07		.05		.27	24
25		.12	.04	.20		.72			.58	.28		.10	25
26	.03	.25	.01	.30					.11			.10	26
27		.03		.26	.17			.01		.33	.35	.47	27
28		.27	.10	.33	.08				.22		.04		28
29				.27		.04			.09		.20	.03	29
30						.07		.45	.27	.49			30
31										.28			31
Total	1.31	2.21	1.71	1.82	1.66	2.15	.09	1.10	2.14	2.48	2.90	5.82	TOTAL for year 141
No. of Rain Days.	109	1415	1514	1415	65	1011	10	7	10	1516	1918	20	141
W. 8,000, X. 11	27	2.36	1.56	1.88	1.59	2.24	.00	1.10	2.14	2.46	2.85	5.82	25.27

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

Kept at ALDERWASLEY Hall
in the County of Derby
by F. C. A. Hunt

RAIN GAUGE { Pattern Suodan gauge
Diameter of top _____ in.
Height of top above Ground on ground in.
" " " Sea Level 536 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Whitlandwell
Distance W Direction 1 mile

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.15		.06		.09				.05		1
2			.14								.03		2
3			.02							.01	.03	.16	3
4					.12					.03	.12		4
5	.02		.02	.08	.30	.18				.06		.19	5
6	.09		.01	.03						.03			6
7	.80			.02					.16	.12	.30	.58	7
8	.02							.05		.03	.15		8
9	.10		.29								.24	.70	9
10								.03					10
11	.03	.05	.27					.15				.68	11
12	.13								.18		.33		12
13	.05		.40								.30		13
14			.03								.15	.35	14
15		.06	.05		.92							.80	15
16		.17	.08	.01							.02	.14	16
17		.09				.18				.10	.20	.09	17
18				.02		.50			.26		.07	.50	18
19		.35		.06		.18					.23	.09	19
20		.11		.01		.07				.12	.07	.10	20
21		.12		.19		.01			.20			.15	21
22		.43							.08	.25		.05	22
23		.03		.04				.34		.23	.02	.27	23
24		.13	.10			.20		.07		.05		.27	24
25		.12	.04	.20		.72			.58	.28		.10	25
26	.03	.25	.01	.30					.11			.10	26
27		.03		.26	.17			.01		.33	.35	.47	27
28		.27	.10	.33	.08				.22		.04		28
29				.27		.04			.09		.20	.03	29
30						.07		.45	.27	.49			30
31										.28			31
Total	1.31	2.21	1.71	1.82	1.65	2.15	.09	1.10	2.14	2.48	2.90	5.82	TOTAL for year 15.37
No. of Rain Days.	109	1415	1514	1415	65	1011	10	7	10	1516	1918	20	141
W. 8,000, X. 11	27	2.36	1.56	1.88	1.59	2.24	.00	1.10	2.14	2.46	2.85	5.82	25.27

REGISTER

Kept at *Alderwasley*
 in the County of *Derby*
 by *Rev. C. E. A. A.*

ALDERWASLEY
PARSONAGE
DERBY

1917, 1919

32' W
0 am
at Alderwasley
 Gauge *5* in.
 Ground *1* ft. in.
 Sea Level *540* ft.

FORM A.
 BRITISH RAINFALL
 3 JAN 1918

IMPORTANT NOTE.—R

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.20		.06		.56	.17		.07	.11	1
2	.19					.16		.20			.02		2
3	.01	.09				.01		.18		.40	.05		3
4	.18	.03	.22					.02		.41			4
5	.18		.17					.01		.15	.13		5
6	.07			.12		.88				.50	.12	.05	6
7	.82					.06				.55	.12	.04	7
8	.73			.26		.03		.55		.91	.23	.06	8
9	.12		.16	.30	.05			.19		.08	.25		9
10	.40		.86	.19	.45			.25					10
11	.08			.20				.02		.40	.01		11
12	.10	.01			.24			.23	.09	.15		.08	12
13	.20			.17				.40	.18	.02	.01	.03	13
14				.07	.01			.16	.01			.10	14
15	.06				.03		.14	.07		.09		.17	15
16		.10		.31		.02	.08	.15				.42	16
17		.03	.01	.09	.30		.37	.60	.07	.20		.07	17
18	.07			.04	.20		.74	.01	.68	.01			18
19	.09	.28	.29		.10	.30		.09	.01				19
20	.04	.17	.01		.21	.12		.01	.15		.13	.01	20
21		.03	.12		.03	.04		.05		.06			21
22			.11				Trace	.14	.04	.05	.02		22
23		.11			.33	.06		.04	.02	.28		.01	23
24		.01				.50	.13	.18		.73	.28	.01	24
25		.02	.11				.01	.02		.04	.09		25
26	.04					.07	.04	.55	.07	.13	.37		26
27			.12			.33	.25	.68			.18	.02	27
28			.13			.02		.32	.02			.14	28
29					1.23		.06			.36		.18	29
30	.02	X	.28				.05	.30		.09	.13		30
31		X	.20	X		X		.13	X	.01	X		31
Total	3.42	.88	2.79	1.95	3.18	2.66	1.87	6.41	1.51	5.62	2.21	1.50	33.70
Rain Days.	21.22	11.88	14	11	12	15	10	28	12	22	18	16	194

YEAR'S TOTAL

Refer only to the 7th + on Dec.

REGISTER OF RAINFALL

Kept at Alaerwasley Parsonage
 in the County of Derby
 by Rev. C. E. B. Deacon

Lat. 53° 5' Long. 1° 32' W
 Time of Observation 9-10 am
 Nearest Railway Station Whetstow
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 540 ft.

FORM A.
 BRITISH RAINFALL
 ORGANIZATION
 JAN. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.20		.06		.56	.17		.07	.11	1
2	.19					.16		.20			.02		2
3	.01	.09				.01		.18		.40*	.05		3
4	.18	.03	.22					.02		.41			4
5	.18		.17					.01		.15	.13		5
6	.07			.12		.88				.50*	.12	.05	6
7	.82					.06				.55	.12	.04	7
8	.73			.26		.03		.55		.91	.23	.06	8
9	.12		.165	.30	.05			.19		.08	.25		9
10	.40		.86	.19	.45			.25					10
11	.08			.20				.02		.40	.01		11
12	.10	.01			.24			.23	.09	.15		.08	12
13	.20			.17				.40	.18	.02	.01	.03	13
14				.07	.01			.16	.01			.10	14
15	.06				.03		.14	.07		.09		.17	15
16		.10		.31		.02	.08	.15				.42	16
17		.03	.01	.09	.30		.37	.60	.07	.20		.07	17
18	.07			.04	.20		.74	.01	.68	.01			18
19	.09	.28	.29		.10	.30		.09	.01				19
20	.04	.17	.01		.21	.12		.01	.15		.13	.01	20
21		.03	.12		.03	.04		.05		.06			21
22			.11				Trace	.14	.04	.05	.02		22
23		.11			.33	.06		.04	.02	.28		.01	23
24		.01				.50	.13	.18		.73	.28	.01	24
25		.02	.11				.01	.02		.04	.09		25
26	.04					.07	.04	.55	.07	.13	.375		26
27			.12			.33	.25	.68			.18	.02	27
28			.13			.02		.32	.02			.14	28
29					1.23		.06			.36		.18	29
30	.02	X	.28				.05	.30		.09	.13		30
31		X	.20	X		X		.13	X	.01	X		31
Total	3.42	.88	2.79	1.95	3.18	2.66	1.87	6.41	1.51	5.62	2.21	1.50	33.70
Rain Days.	21.22	11.88	14	11	12	15	10	28	12	22	18	16	19.4

REGISTER OF RAINFALL

Kept at Aldersley Parsonage
 in the County of Sally
 by Rev C. E. B. Deacon

Lat. 53° 5' N Long. 1° 32' W
 Time of Observation 9-10 am
 Nearest Railway Station Whitstandwell
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 5 ft.
 Sea Level 54.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.67	.03	.07		.26		.13	.01	.06	.24	.05	.30	182 1
2	.18	.03	.05				.17	.01	.02	.06	.26	.08	.86 2
3	1.09		.01		.10	.10	.24		.12		.26	.10	2.02 3
4			.28			.01	.02	.25	.24		.03	.29	1.12 4
5		.08			.02		.01		.44			.28	.83 5
6	.01		.31		.60						.02	.11	1.05 6
7	.01		.22	.01									.24 7
8	.23		.03			.03				.01	.01		.31 8
9			.06	.01							.04		.11 9
10			.39	.06							.03	.31	.79 10
11	.02		.70	.03	.15		.14					.06	1.10 11
12	.01		.51	.12		.39				.03	.04	.03	1.13 12
13	.47			.39			.05		.03	.23		.02	1.19 13
14	.40	.01		.32					.60	.05	.05	.03	1.46 14
15	.32	.18	.03	.02					.02	.03	.01	.60	1.21 15
16	.15	.85									.20	.01	1.21 16
17	.09	.39		.045	.065	.11	.06	.05			.40		1.20 17
18			.31				.02	.42	.01		.04	.45	1.28 18
19	.31		1.35			.09	.60	.45	.12		.21	.05	3.78 19
20	.98	.41	.20			.08	.31	.06	.02		.14	.235	2.43 20
21	.06	.47	.09				.23	.04	.07		.01	.36	1.33 21
22		.08						.04	.90		.09	.62	1.73 22
23				.01		.01		.01		1.25	.02	.02	1.32 23
24				.07	.45		.11			.39	.10	.07	1.19 24
25	.11			.08	.16	.01		.58			.08	.16	1.18 25
26	.17		.40	.09		.01		.24	.11			.69	1.84 26
27	.19		.06	.22				.07			.02	.03	.59 27
28	.02	.02		.08				.97		.06		.47	1.62 28
29	.09	X	.01	.07		.02		.03		.86	.04	.07	1.12 29
30	.07	X	.09	.07		.19		.03		.04	.29	.42	1.20 30
31	X	X	X	X		X	.07	X	X	.05	X	X	.12 31
1	5.48	2.55	5.17	1.62	1.80	1.05	2.16	3.26	2.76	3.30	2.44	5.86	37.45
2	21	11	20	16.17	8	12	14	16	14	13	24	26	196

YEARS TOTAL

REGIS

ALLESTREE

VICARAGE

DERBY

1916

Kept at

Allestree

in the County of

Derby

by

W. S. Carter

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.01	.36	—	—	.12	.21			—	.25		1
2	.28	.09	.13	—	—	.03	.43			.36	.22		2
3	.01	.28	.01	—	.02	—	.10			.33	.04		3
4	.14	.05	—	—	.50	.87	—			.08	.19		4
5	.07	.01	.01	—	.02	.09	—			.12	.18		5
6	.18	.24	.20	—	.28	.01	.46			.08	.29		6
7	.07	—	.15	—	.02	—	.04			.29	.05	.20	7
8	—	—	—	—	—	—	—			.05	.06	.20	8
9	—	—	.02	—	.42	—	—			—	.01	.07	9
10	—	.13	.04	.11	.01	—	.02		.01	.09	—	.03	10
11	.03	.29	.07	.23	.03	.07	.01		.05	—	—	.07	11
12	.02	.04	.14	.12	.47	.02	.13	.02	.03	.03	—	—	12
13	—	.19	.05	.19	.03	—	.05	.15	.01	.02	—	.07	13
14	—	.17	—	.17	.12	—	—	.17	—	.04	.01	.03	14
15	—	.24	.56	.01	.01	—	.03	.27	—	.04	—	—	15
16	.03	.19	.43	.19	.02	—	.21	.09	—	.01	—	—	16
17	.04	.11	.01	.51	—	—	.04	.08	.13	.03	—	—	17
18	—	.14	.02	.03	—	—	—	.03	.13	.03	.80	—	18
19	.05	.04	.27	.05	—	—	—	.04	.08	—	.30	.17	19
20	(.29)	—	.11	.09	—	—	—	—	—	—	.01	.03	20
21	.03	—	.04	.01	—	—	.10	—	—	—	—	—	21
22	—	.03	—	—	—	—	—	—	—	.01	.01	—	22
23	.05	.10	—	.02	—	—	—	—	—	.02	.15	.21	23
24	—	(.46)	—	.02	—	.01	—	.05	—	.02	.01	.03	24
25	—	.10	.13	—	.06	—	—	.22	—	.03	—	—	25
26	.02	.14	.01	—	—	.06	—	.01	—	.04	.28	—	26
27	.01	.11	.30	—	—	—	—	.29	.01	.47	.01	—	27
28	—	.23	.13	.02	—	—	—	.02	—	.04	.01	.13	28
29	—	.30	—	—	—	.39	—	.49	—	.32	—	.39	29
30	—	X	—	—	—	.17	—	.04	—	.05	—	.01	30
31	—	X	—	X	—	X	—	—	X	.17	X	.10	31
Total	1.34	3.64	3.19	1.77	2.01	1.84	1.83	1.97	.45	2.47	2.88	1.74	YEAR'S TOTAL 25.13 198 200
Rain Days.	17	24	22	15	14	11	13	15	8	25	19	15	

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Allestree Reservoir
in the County of Derby
by W. C. Partidge

Lat. _____ Long. _____
Time of Observation 9
Nearest Railway Station Derby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.01	.36	—	—	.12	.21			—	.25		1
2	.28	.09	.13	—	—	.03	.43			.36	.22		2
3	.01	.28	.01	—	.02	—	.10			.33	.04		3
4	.14	.05	—	—	.50	.87	—			.08	.19		4
5	.07	.01	.01	—	.02	.09	—			.12	.18		5
6	.18	.24	.20	—	.28	.01	.46			.08	.29		6
7	.07	—	.15	—	.02		.04			.29	.05	.20	7
8	—	—	—	—	—	—	—			.05	.06	.20	8
9	—	—	.02	—	.42	—	—			—	.01	.07	9
10	—	.13	.04	.11	.01	—	.02		.01	.09	—	.03	10
11	.03	.29	.07	.23	.03	.07	.01		.05	—	—	.07	11
12	.02	.04	.14	.12	.47	.02	.13	.02	.03	.03	—	—	12
13	—	.19	.05	.19	.03	—	.05	.15	.01	.02	—	.07	13
14	—	.17	—	.17	.12	—	—	.17	—	.04	.01	.03	14
15	—	.24	.56	.01	.01	—	.03	.27	—	.04	—	—	15
16	.03	.19	.43	.19	.02	—	.21	.09	—	.01	—	—	16
17	.04	.11	.01	.51	—	—	.04	.08	.13	.03	—	—	17
18	—	.14	.02	.03	—	—	—	.03	.13	.03	.80	—	18
19	.05	.04	.27	.05	—	—	—	.04	.08	—	.30	.17	19
20	(.29)	—	.11	.09	—	—	—	—	—	—	.01	.03	20
21	.03	—	.04	.01	—	—	.10	—	—	—	—	—	21
22	—	.03	—	—	—	—	—	—	—	.01	.01	—	22
23	.05	.10	—	.02	—	—	—	—	—	.02	.15	.21	23
24	—	(.40)	—	.02	—	.01	—	.05	—	.02	.01	.03	24
25	—	.10	.13	—	.06	—	—	.22	—	.03	—	—	25
26	.02	.14	.01	—	—	.06	—	.01	—	.04	.28	—	26
27	.01	.11	.30	—	—	—	—	.29	.01	.47	.01	—	27
28	—	.23	.13	.02	—	—	—	.02	—	.04	.01	.13	28
29	—	.30	—	—	—	.39	—	.49	—	.32	—	.39	29
30	—	X	—	—	—	.17	—	.04	—	.05	—	.01	30
31	—	X	—	X	—	X	—	—	X	.17	X	.10	31
Total	1.34	3.64	3.19	1.77	2.01	1.84	1.83	1.97	.45	2.47	2.88	1.74	YEAR'S TOTAL 25.13
Rain Days.	17	24	22	15	14	11	13	15	8	25	19	15	198 200

P. T. O.

REGIS

AMBERGATE
RESERVOIR

Kept at Ambergate Reservoir

in the County of Derbyshire

by Derwent Valley Waterworks Co.

DERBY
1911

FORM A2.
BRITISH RAINFALL
26 JAN 1912
in.
ound - ft. 6 in.
a Level 670 ft.
ame D. Y. W. B. doe
istance 1/2 mile Direction South

IMPORTANT NOTE.—
previous day. If an Observer
requested to add the reading
for it at the end of this paragraph. Full instructions for
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

he result entered to the
sal rule, he is earnestly
r in the space provided

Jan. 1, following.

nothing

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	former sheet	-	-	-	-	-	-	0.04	-	-	-	0.01	1
2	0.15	-	-	-	0.06	-	-	0.15	-	-	0.03	0.01	2
3	0.01	-	0.10	0.04	0.20	-	-	0.04	-	0.07	0.05	0.10	3
4	-	-	0.02	0.06	-	-	-	-	-	0.07	0.11	-	4
5	0.08	-	0.02	0.05	-	-	-	0.22	0.13	-	-	0.10	5
6	0.53	-	-	-	-	-	-	0.11	-	0.09	0.17	-	6
7	-	-	-	-	-	-	-	-	-	-	0.07	0.38	7
8	0.13	-	0.27	-	-	0.02	-	-	-	-	0.16	-	8
9	-	-	0.22	-	-	-	-	-	0.23	-	0.05	0.32	9
10	0.12	0.03	-	-	-	-	-	-	-	-	-	-	10
11	0.04	-	-	-	-	-	-	0.06	-	0.03	-	0.32	11
12	0.02	-	0.33	-	-	-	-	-	-	-	0.44	-	12
13	0.02	-	0.04	-	-	-	-	-	0.25	-	0.11	-	13
14	-	0.05	0.06	-	0.95	-	-	-	-	-	-	0.29	14
15	-	0.16	0.09	-	-	-	-	-	-	0.06	-	0.54	15
16	-	0.05	0.01	-	-	0.13	-	-	-	0.02	0.02	0.11	16
17	-	-	-	-	-	-	-	-	-	-	0.17	-	17
18	-	-	0.01	0.07	-	0.75	-	-	-	-	0.04	0.37	18
19	-	0.31	-	-	-	-	-	-	0.08	0.11	-	0.04	19
20	0.01	0.10	-	0.16	-	0.08	0.02	0.24	0.05	-	0.30	0.05	20
21	-	0.38	-	-	-	-	-	0.10	-	-	0.45	0.01	21
22	-	0.03	-	0.05	-	-	-	-	-	-	-	-	22
23	-	0.07	0.07	-	-	-	-	-	-	0.10	-	0.20	23
24	-	0.10	-	0.20	-	-	-	-	0.47	0.14	-	-	24
25	0.03	-	-	0.18	-	1.02	-	-	-	-	-	-	25
26	-	0.26	-	0.25	0.21	-	-	-	0.10	0.28	0.33	0.70	26
27	-	0.19	0.16	0.21	-	-	-	0.27	0.16	-	-	-	27
28	-	-	-	0.28	-	0.04	-	-	-	-	0.02	0.05	28
29	-	-	0.02	-	-	0.06	-	-	0.28	-	0.17	0.04	29
30	-	-	0.01	0.05	0.17	0.10	-	-	-	0.27	-	-	30
31	-	-	0.24	-	-	-	-	-	-	-	-	-	31
Total	1.14	1.73	1.65	1.60	1.59	2.20	0.02	1.23	1.75	2.06	2.25	3.76	TOTAL for year 145
No. of Rain Days.	11	12	17	12	5	10	1	9	9	16	20	23	145

REGISTER

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Ambergate Reservoir

in the County of Derbyshire.

by Derwent Valley Water Board.

RAIN GAUGE Pattern Negretti & Zamboni
Diameter of top 5 in.
Height of top above Ground — ft. 6 in.
" " " Sea Level 670 ft.
Time of Observation 9 am.
Nearest Railway Station { Name D. Y. W. B.
Distance 1 1/2 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

nothing

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	~~Former sheet~~	-	-	-	-	-	-	0.04	-	-	-	0.01	1	
2	0.15	-	-	-	0.06	-	-	0.15	-	-	0.03	0.01	2	
3	0.01	-	0.10	0.04	0.20	-	-	0.04	-	0.07	0.05	0.10	3	
4	-	-	0.03	0.06	-	-	-	-	-	0.07	0.11	-	4	
5	0.08	-		0.05	-	-	-	0.22	0.13	-	-	0.10	5	
6	0.53	-	-	-	-	-	-	0.11	-	0.09	0.17	-	6	
7	-	-	-	-	-	-	-	-	-	-	0.07	0.38	7	
8	0.13	-	0.27	-	-	0.02	-	-	-	-	0.16	-	8	
9	-	-	0.22	-	-	-	-	-	0.23	-	0.05	0.32	9	
10	0.12	0.03	-	-	-	-	-	-	-	-	-	0.32	10	
11	0.04	-	0.33	-	-	-	-	0.06	-	0.03	0.44		-	11
12	0.02	-		-	-	-	-	-	-	-			-	12
13	0.02	-	0.04	-	-	-	-	-	0.25	-	0.11	-	13	
14	-	0.05	0.06	-	0.95	-	-	-	-	0.06	-	0.29	14	
15	-	0.16	0.09	-	-	-	-	-	-		-	-	0.54	15
16	-	0.05	0.01	-	-	0.13	-	-	-	0.02	0.02	0.11	16	
17	-	-	-	-	-	0.75	-	-	-	-	0.17	0.37	17	
18	-	0.31	0.01	0.07	-		-	-	-	-	-		0.04	18
19	-	-	-	-	-	-	-	-	0.08	0.11	0.30	0.04	19	
20	0.01	0.10	-	0.16	-	0.08	0.02	0.24	0.05	-		0.05	20	
21	-	0.38	-	-	-	-	-	0.10	-	0.45	0.01	0.13	21	
22	-	0.03	-	0.05	-	-	-	-	-		-	-	-	22
23	-	0.07	0.07	-	-	-	-	-	-	0.10	-	0.20	23	
24	-	0.10	-	0.20	-	1.02	-	-	0.47	0.14	-	0.70	24	
25	0.03	-	-	0.18	-		-	-	-	-	-		-	25
26	-	0.26	-	0.25	0.21	-	-	-	0.10	0.28	0.33		26	
27	-	0.19	0.16	0.21	-	-	-	0.27	0.16	-	-	-	27	
28	-	-	-	0.28	-	0.04	-	-	-	0.37	0.02	0.05	28	
29	-	-	0.02	-	-	0.06	-	-	0.28		-	0.17	0.04	29
30	-	-	0.01	0.05	0.17	0.10	-	-	-	0.27	-	-	30	
31	-	-	0.24	-	-	-	-	-	-	-	-	-	31	
Total	1.14	1.73	1.65	1.60	1.59	2.20	0.02	1.23	1.75	2.06	2.25	3.76	TOTAL for Year 20.95	
No. of Rain Days.	11	12	17	12	5	10	1	9	9	16	20	23	145	

REGI

ASHBOURNE

Kept at Ashbourne,
in the County of Derby
by Mr. J. W. Turgiss

W. W
DERBY
1911 - 1917, 1920

5 in.
e Ground 1 ft.
Sea Level 582 ft.

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Name
Distance Direction

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			32		03		07	09			03	02	1
2	03		10		06			05			06	06	2
3					32			05			18		3
4	01		04	04				08	14	03	14	24	4
5	11			08				09					5
6	68		02					10		18	05	41	6
7	05												7
8	18		25								15	65	8
9	01								07		05		9
10	06	04	25								03	75	10
11	09										35		11
12	01	01	35						40		40	01	12
13			03								20	40	13
14	01	11	01		51						01	95	14
15		20	03							08	04	23	15
16	01	14		01		15				02	20	08	16
17			01	03	01	36				01	05	26	17
18		40		01		31					04	17	18
19		07		01		70	02	02		24	10	08	19
20	01	11		15				80	15	07		17	20
21	02	36	05	01		02		13	30	20		03	21
22	01	08		05		03				44		25	22
23	01	13	03			08			70	08	01	23	23
24		18	01	32		63		03		30		11	24
25	01	40		40	02	02			07	04		20	25
26		04		32	18	17				26	24	51	26
27		23	12	43				65	27		05	11	27
28		30		28		05			10		16		28
29						14	11		34	45	01	05	29
30				05		05				25	03		30
31			20							05		02	31
Total	1.31	2.80	1.82	2.19	1.13	2.71	.20	2.09	2.54	2.70	2.58	5.99	TOTAL for year 28.06
No. of Rain Days	17	16	16	15	7	13	3	11	10	16	23	24	171

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Ashbourne, Water Works
in the County of Derbyshire
by Mr. J. W. Twigg

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 582 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.03		.32		.03		.07	.09			.03	.02	2
3			.10		.06			.05			.06	.06	3
4	.01			.32				.05			.18		4
5	.01		.04	.04				.08	.14	.03	.14	.24	5
6	.11			.08				.09					6
7	.68		.02					.10		.18	.05	.41	7
8	.05												8
9	.18		.25						.07		.15	.65	9
10	.01										.05		10
11	.06	.04	.25								.03	.75	11
12	.09										.35		12
13	.01	.01	.35						.40		.40	.01	13
14			.03								.20	.40	14
15	.01	.11	.01		.51						.01	.95	15
16		.20	.03							.08	.04	.23	16
17	.01	.14		.01		.15				.02	.20	.08	17
18			.01	.03	.01	.36				.01	.05	.26	18
19		.40		.01		.31					.04	.17	19
20		.07		.01		.70	.02	.02		.24	.10	.08	20
21	.01	.11		.15				.80	.15	.07		.17	21
22	.02	.36	.05	.01		.02		.13	.30	.20		.03	22
23	.01	.08		.05		.03				.44		.25	23
24	.01	.13	.03			.08			.70	.08	.01	.23	24
25		.18	.01	.32		.63		.03		.30		.11	25
26	.01	.40		.40	.02	.02			.07	.04		.20	26
27		.04		.32	.18	.17				.26	.24	.51	27
28		.23	.12	.43				.65	.27		.05	.11	28
29		.30		.28		.05			.10		.16		29
30						.14	.11		.34	.45	.01	.05	30
31			.05		.05					.25	.03		31
			.20							.05		.02	
Total	1.31	2.80	1.82	2.19	1.13	2.71	.20	2.09	2.54	2.70	2.58	5.99	TOTAL for year 28.06
No. of Rain Days	17	16	16	15	7	13	3	11	10	16	23	24	171

add month
- by numbers } 11-11-13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

Kept at Ashbourne Water Works
in the County of Derbyshire
by J. H. Twigg

RAIN GAUGE { Pattern
Diameter of top _____ in.
Height of top above Ground _____ ft. in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			29			11	04	02	07			68 12	1
2			10	02		26	35		03			16	2
3	21		04		03	10		1.03	13				3
4	26		68	04	13	33		38			47		4
5	35	06		02	11	24		20					5
6	96	16	01		10			35	02			02	6
7	02	09			09	05		02	28			02	7
8	64	53	15	03		05	01		24		01	08	8
9	02	03	17	15		47		18				01	9
10	12	01				02		03	02		48		10
11	10							15			06	81	11
12	08	38	23			03	1.08				02	01	12
13	02		01			33				05	03	11	13
14	18		65		47	25		22		02		12	14
15	32	16	20		07	14		02				20	15
16	1.08	03	42			08		20		23	01		16
17	1.07	02	30			58	12	40			05	25	17
18	1.10		07			02				18	01	07	18
19	55	11				02	29	38		20	05	03	19
20	17		30		09	01	12	14	01	48	05	01	20
21		03	16		54		60			62	03	05	21
22	01	15			42	10	18	70		02		32	22
23	04	13	47				43	75			23	02	23
24	03		06			20	03	12			02	20	24
25	01		01			09		16			38	40	25
26			05			20	50	73		93	25	02	26
27		03	06			42	19			91		32	27
28		02	02			21	35	72		36	85	17	28
29		03	12		01	03	38	05		06		02	29
30	01		03		14	02	05		05	07			30
31			04		08		23	15	34		36	03	31
Total	7.35	1.97	4.64	26	2.28	4.36	4.95	7.40	1.19	4.13	3.09	4.13	TOTAL for year
No. of Rain Days.	23	17	25	5	13	26	17	23	10	13	18	25	215

SL ✓ *and marks 3.1.14-14*
by B
REGISTER OF RAINFALL IN 1913
Jan. cov. by sun. state 11-IV-14
 Kept at Ashbourne Water Works
 in the County of Derbyshire
 by J. W. Swigg
 Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.
 " " " " _____ ft.
 " " " " _____ ft.
 " " " " _____ ft.

by J. W. Levegg

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

JAN 1914

A. RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			15	05							05		1
2	01	15	03			02				01	07		2
3	08		28		55				02	17		32	3
4	80				09		06			21	23	63	4
5	07	06	09		14	14	03		02	85	01	01	5
6	06	08	14		45	09	55			50		02	6
7		20			10	07	01			45	15	03	7
8		05	03		17	03				02	03		8
9		38	11	01	09	95					20	06	9
10			01	15	02	03		18		05	20		10
11	08			54	01	14		23		01	35		11
12	1.07			01	10	03					52		12
13		05	35	01				01	12		20		13
14		05	52	06					01	17	06		14
15	09	01	48	87					02		17		15
16	02	01	38	03			01		03		10		16
17	04			12	08	15	06		15	01	03	02	17
18	03		30	21	10		04				09		18
19	11		03		01	09			44		01		19
20	23		10	17		01				02	27		20
21			01	01	25		10	04			20		21
22	56		95					95	36			01	22
23	02				01	09		04	11		03		23
24	14			05							06		24
25				05					05	03	01	05	25
26		10	05	18				01	01	09		35	26
27		10		43							01		27
28	42		26	35	04					04		02	28
29	02		48	93	07			35				03	29
30	40									45	03		30
31			18		15								31
Total	4.25	1.24	4.93	4.23	2.43	1.84	.86	1.81	1.34	3.08	3.07	1.55	30.63
Rain Days.	19	12	21	19	18	13	8	8	12	16	24	12	182

REGISTRATION CARD FOR RAINFALL OBSERVERS
REGISTER OF RAINFALL IN 1914

Kept at Ashbourne Water Works

in the County of Derby

by James W. Twigg

Lat. Long.
Time of Observation 9
Nearest Railway Station Ashbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.04	—	—	—	1.59	.14	—	—	—	.18	1
2	—	—	—	—	—	—	.43	.49	—	—	.38	.27	2
3	.15	—	.25	.05	.39	—	.10	.20	—	—	.01	.44	3
4	.20	—	.21	.35	.25	—	—	—	—	—	.42	.45	4
5	.12	—	.34	.32	.32	.10	.07	—	—	—	.05	.06	5
6	—	.07	.02	.10	.30	—	.10	.15	—	—	—	.20	6
7	.01	.04	.42	.03	.28	—	.10	.11	—	—	—	.21	7
8	.23	—	—	.05	.35	.40	.32	.41	.02	—	—	—	8
9	.35	.03	.01	.09	.01	.55	—	.58	.20	—	.03	.01	9
10	.17	.06	.02	.08	.15	—	—	—	.20	—	—	.01	10
11	—	.15	.65	—	.16	.03	—	—	.12	—	1.02	.65	11
12	—	.04	.17	—	—	—	—	—	.50	—	.25	.33	12
13	—	.21	.22	—	—	—	.04	—	.10	.33	.50	.38	13
14	.02	.48	.10	—	—	—	.07	—	.02	.38	.42	.17	14
15	—	.04	.20	—	—	—	—	—	—	.01	.09	—	15
16	.02	.43	.05	—	—	—	1.05	—	.10	—	—	—	16
17	.01	.23	.17	—	—	—	.10	—	.58	—	—	.43	17
18	—	—	.02	—	—	.01	.07	—	.10	—	—	.47	18
19	—	.02	—	—	—	—	.05	—	.10	—	.02	.10	19
20	—	.24	.02	—	—	.01	.80	—	—	—	—	.08	20
21	—	.43	.04	—	—	—	—	—	—	—	.01	.21	21
22	—	.8	.03	.03	.22	.15	—	.13	—	.35	—	.02	22
23	—	.10	.22	.02	.12	.03	.23	—	—	.05	—	—	23
24	.03	—	.70	.05	.03	.01	.25	.10	—	.05	.15	—	24
25	.06	—	—	—	—	—	.25	.40	—	1.0	.05	.43	25
26	—	—	—	—	—	—	.06	.30	—	.15	.38	.25	26
27	.03	—	.01	—	—	—	—	—	—	—	.18	.70	27
28	.31	.16	.16	—	—	—	—	—	—	.04	.05	.33	28
29	.11	—	.35	—	.03	—	—	—	—	.23	.10	.01	29
30	—	X	.09	.01	—	—	—	—	—	.02	.30	.28	30
31	.28	X	—	X	—	X	.48	—	X	.10	X	.08	31
Total	2.10	2.40	4.55	1.08	2.59	1.29	6.16	3.01	2.04	2.71	4.41	6.75	3919
Rain Days.	16	17	25	12	13	9	19	11	11	12	19	26	190

REGISTER OF RAINFALL IN 1915

Kept at Ashbourne Waterworks

in the County of Derby

by James Lugg

Lat. 53°30' Long. 1°43' W

Time of Observation 9.15 AM

Nearest Railway Station Ashbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.



Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.40	.09	—	.45	—	—	.08	.02	—	—	.20	1
2	.05	.05	.32	.12	—	.14	—	.88	—	.32	—	.02	2
3	.55	—	.03	.17	—	—	—	.31	—	—	—	.33	3
4	.02	.02	—	—	.18	—	.61	—	—	—	—	1.00	4
5	.07	.30	.04	—	—	—	.43	.06	—	—	.02	.66	5
6	.10	.04	.03	.15	—	—	.38	—	—	—	.02	.18	6
7	.25	.43	—	.02	—	—	.06	1.02	—	—	—	.16	7
8	.43	.12	—	.12	—	—	—	.09	—	—	.06	.02	8
9	—	.05	—	.02	—	—	—	—	—	—	.30	.52	9
10	.77	—	.03	.01	—	—	—	.13	—	.02	.30	.04	10
11	.15	—	—	.04	.32	—	.16	.15	—	—	.65	.18	11
12	.18	—	—	.05	.15	—	.08	.04	—	.05	.72	—	12
13	.12	.62	—	—	.20	—	—	.01	—	—	.02	.10	13
14	.03	—	—	—	—	—	—	.08	.18	.02	—	.33	14
15	.47	—	—	—	.7	—	.05	.12	—	—	.42	.25	15
16	—	.47	—	—	.12	—	2.10	.01	—	—	—	.05	16
17	—	.21	.01	—	—	—	.13	—	—	—	—	—	17
18	—	.25	.15	—	—	—	.01	.01	—	—	.02	—	18
19	—	.12	.05	—	.10	—	.15	.01	—	—	—	—	19
20	.27	—	—	.05	.02	—	—	.04	—	—	—	.11	20
21	.08	—	—	.08	—	—	.32	—	—	—	—	.05	21
22	—	—	.20	.01	—	—	.02	—	—	—	—	.08	22
23	.02	.04	.06	—	—	.11	.23	—	.02	1.0	—	.06	23
24	—	—	.05	.02	—	—	—	—	.22	.02	—	.32	24
25	—	—	—	.01	—	1.17	.17	—	.01	.10	—	.22	25
26	—	.21	—	—	—	—	.10	—	.02	—	—	.45	26
27	—	.07	—	—	—	—	.65	—	—	.85	—	.22	27
28	—	.50	.01	—	—	.78	—	.26	—	.05	—	—	28
29	—	—	—	—	—	.05	—	.01	—	.01	.08	.30	29
30	.15	X	—	.03	—	.28	.08	.03	—	.05	.03	.03	30
31	.15	X	—	X	—	X	.09	.05	X	.27	X	.33	31
Total	4.11	3.90	1.06	.90	1.61	2.53	5.71	3.38	.47	2.76	2.64	6.21	YEAR'S TOTAL 35.28 35.29
Rain Days.	19	17	13	15	9	6	19	20	6	12	12	26	174

REGISTER OF RAINFALL IN 1916

Kept at Ashbourne Water Works.

in the County of Derbyshire

by Jas W Twigg

Lat. Long. Time of Observation 9 AM Nearest Railway Station Ashbourne Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground 1 ft. in. Sea Level 582 ft.

FORM A. BRITISH RAINFALL. 2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

130

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	.03	.50	—	—	.23	.15	—	—	—	.21	—	1
2	.30	.15	.05	—	—	.12	.55	—	.12	.48	.14	—	2
3	—	.29	—	—	—	.01	.13	—	.28	.40	.10	—	3
4	.18	.06	—	—	.40	.63	—	—	.09	.20	.25	—	4
5	.08	.08	—	—	.03	.16	—	—	—	.38	.43	—	5
6	.32	.35	.08	—	.55	—	.35	—	—	.10	.48	—	6
7	.13	—	.18	—	.03	—	.08	—	—	.8	.18	.21	7
8	—	—	.15	—	.02	—	—	—	—	—	.04	.22	8
9	.02	—	.03	—	.38	.01	.02	—	—	—	.05	.20	9
10	.02	.15	.05	.02	.01	.04	.05	—	.12	.20	—	.05	10
11	.08	.20	.07	.61	.03	.11	.02	—	.10	—	—	.02	11
12	.10	.12	.19	.16	.50	—	.27	—	.05	.09	—	.05	12
13	.01	.20	.15	.23	—	—	—	.55	—	.08	—	.08	13
14	.01	.18	—	.26	.23	—	—	.18	.05	.12	—	.05	14
15	—	.40	.65	.03	—	—	.04	.26	—	.13	—	—	15
16	.03	.18	.34	.38	.05	—	.03	.03	.28	.04	—	—	16
17	.12	.15	—	.66	—	—	.02	.58	.22	.20	—	—	17
18	.01	.25	.03	.26	—	—	.04	.06	—	.05	.63	.22	18
19	.18	—	.23	.02	—	—	—	.02	.09	—	.25	.06	19
20	.18	—	.08	.17	—	—	—	—	—	—	—	.05	20
21	.04	—	.04	—	—	—	.44	—	—	—	.01	.20	21
22	—	.14	—	.02	—	.15	—	.02	—	.08	—	.33	22
23	.05	.18	.03	.05	—	.02	—	.17	—	.05	.17	.35	23
24	—	.24	—	—	—	—	—	.10	—	.08	.02	.17	24
25	—	.28	.15	—	.06	—	—	.17	—	.15	.45	—	25
26	.03	.20	.04	—	—	.02	—	.02	—	.13	.13	—	26
27	—	.10	.34	—	—	.02	.05	.10	.05	.38	.05	—	27
28	—	.08	.20	.02	—	—	—	—	—	.08	—	.21	28
29	—	.35	—	—	—	.70	—	.26	—	.54	—	.50	29
30	—	X	—	—	.04	.12	—	—	—	.32	—	—	30
31	—	X	—	X	—	X	—	.03	X	.28	X	.30	31
Total	2.01	4.31	3.58	2.89	2.33	2.34	2.24	2.55	1.45	5.36	3.59	3.27	YEAR'S TOTAL 35.92
Rain Days.	20	23	21	14	13	14	15	15	11	24	17	18	205

REGISTER OF RAINFALL IN 1917

Kept at Ashbourne Water Works
in the County of Derby
by (Late Mr J W Turgg) A R Turgg

Lat. 53.30 Long. 1.43
Time of Observation 9 a.m.
Nearest Railway Station ashbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 582 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.13		.15		.38	.16		.12	.15	1
2	.15					.07						.01	2
3	.08	.17				.03		.16		.35		.04	3
4	.15	.02	.20					.02		.55	.03	.01	4
5	.13		.15	.12					.03	.31	.15		5
6	.05		.02			.07				.30	.13		6
7	.78					.40				.68	.25	.13	7
8	.33			.16				.62		<u>1.02</u>	.27		8
9	.05		.14	.40	.08			.40			.30		9
10	.45		.70	.06	.38			.20	.05		.15		10
11	.14			.24				.06		.37	.01	.05	11
12	.10				.40			.33		.20		.06	12
13	.03			.13				.25	.18		.01	.04	13
14	.08	.01	.01	.07	.08			.18			.01	.15	14
15	.02			.05	.05		.21			.05		.09	15
16	.03	.15		.20		.15	.02	.05	.02		.01	.06	16
17	.02	.02	.03	.13	.35		.22	.50	.08	.08	.01		17
18	.02	.01		.02	.28		.70	.03	.64	.11			18
19	.07	.26	.30		.04	.20		.03	.16		.03		19
20	.05	.33	.01		.28	.27		.08	.04		.25		20
21		.03	.15		.23	.08		.03					21
22	.02		.05					.09	.08	.04	.05		22
23		.15			.24	.03		.05	.03	.03			23
24	.02	.02			.05	.66		.19	.02	.25	.18		24
25		.03	.12					.03		.50	.05		25
26						.06		.60	.10	.01	.95		26
27			.02		.02	.29	.28	.45		.14	.33		27
28			.03			.07		.85				.07	28
29			.04		.15		.06	.21		.27		.12	29
30	.02	X					.02	.42		.03	.12		30
31		X	.08	X		X		.13	X	.01	X		31
Total	2.80	1.20	2.05	1.71	2.63	2.53	151	6.34	1.69	5.30	3.41	.98	32.05
Rain Days.	23	12	16	12	14	14	7	26	13	20	21	13	191

REGISTER OF RAINFALL IN 1920.

Kept at Ashbourne Waterworks
in the County of Derby
by Edwin Wright

Lat. 53.30 N. Long. 1.43
Time of Observation 9 a.m.
Nearest Railway Station Ashbourne 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan 1, following.
04

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.16	-	.09	.24	.03	.16	-	-	.10	.28	.12	1
2	.05	-	-	.12	.39	.01	.18	-	.14	.14	-	.22	2
3	-	-	-	.14	.01	-	.68	-	.12	.34	-	.21	3
4	.05	.03	-	.30	.01	-	.73	-	.11	.25	-	.06	4
5	-	-	-	.09	-	-	-	.77	.01	.27	-	-	5
6	-	-	.09	.03	.77	-	.10	.19	.24	.19	-	.02	6
7	-	-	.09	.03	.17	-	.12	-	-	-	-	-	7
8	.03	-	-	.02	.03	-	.21	-	-	-	-	-	8
9	.18	.03	-	.38	.10	-	.08	.01	-	-	-	-	9
10	.54	.38	-	.38	-	-	.03	-	-	-	-	-	10
11	.32	.54	.08	.20	-	-	.61	-	-	-	.05	-	11
12	.30	-	.07	.15	.54	.21	.02	-	-	-	-	.14	12
13	.08	.03	-	.45	.01	.29	.05	.01	-	-	.10	-	13
14	.12	.13	.05	.39	-	.45	-	-	-	-	.03	.07	14
15	.01	.04	.43	.18	-	.74	.08	-	.65	.12	.36	-	15
16	-	.12	.09	.41	-	-	-	-	.14	.35	.04	-	16
17	-	-	.03	.11	-	.45	.47	-	.03	.16	-	-	17
18	-	-	.02	-	.16	-	-	-	.41	.03	-	.01	18
19	.10	-	-	.04	.19	-	.09	.07	.06	-	-	-	19
20	.19	1.33	-	.08	.20	.15	-	-	.05	-	-	-	20
21	.16	-	-	.28	-	.22	.03	.09	-	-	-	-	21
22	.03	-	-	-	-	-	.19	-	-	.01	-	-	22
23	.03	-	-	.28	-	-	.24	.05	-	-	-	.12	23
24	-	-	.01	-	-	-	.18	.03	-	-	-	.48	24
25	-	-	.41	-	-	-	.65	-	-	-	-	.19	25
26	.04	.05	.10	.17	-	.03	-	.03	-	-	-	-	26
27	.33	.09	.15	.19	.40	-	.01	-	-	-	-	.03	27
28	.03	.03	-	.18	.31	.23	-	-	-	-	.34	.28	28
29	.71	-	.07	.16	.10	.12	-	-	-	-	-	.11	29
30	.03	~~X~~	.11	-	.20	.04	.29	-	-	-	.18	.63	30
31	.16	~~X~~	~~X~~	~~X~~	.04	~~X~~	-	-	~~X~~	-	~~X~~	.30	31
TOTAL	3.51	2.96	1.80	4.85	3.87	2.97	5.10	1.25	7.96	1.96	1.38	2.99	34.62
Days with ".01 in. or more	3.65	2.80	1.89	5.00	3.66	3.10	4.94		2.06	2.14	1.22	2.91	18.3
Days with ".04 in. or more	1.65	.89	1.25	2.82	1.13	1.1	1.17	5	9.10	9	7	13	14.4
YEAR'S TOTAL													34.60

ASHBOURNE
THE MANSION
DERBYSHIRE

ORGANIZATION.

919.

ing.

8 a.m.

on

Rain Gauge in.

above Ground ft. in.

Sea Level 396 ft.

Kept at Ashbourne
in the County of Derby
by R. E. & E. A. Sae

1919 - 1920

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26		04		23		21	01	09	19	02	23	1
2	14		05	03			15	055	03	025	13	10	2
3	98		63		09	16	11		14		20	14	3
4			24					29	31		06	38	4
5					005				27			45	5
6	03		37	01	42							13	6
7	08		14	02									7
8	20		05	01		06							8
9			04	03					01		02		9
10	02		37	08							03	24	10
11	02		80	05	12		08					03	11
12			52	13		26	01			05	20	02	12
13	15			35					51	07		02	13
14	67			33					005	02		03	14
15	33	50	03	15						03		50	15
16	24	75						005			13		16
17	09	32		54	03	14	10	03			70	02	17
18		01	32		03		02	31	04		02	36	18
19	24	24	85			07	125	50	30		09	03	19
20	92	13	42			02	12	08			55	25	20
21	08	46	07				18	10	19		02	56	21
22		08	03			02		01	66		17	90	22
23						06				1.48	03	05	23
24				16	25		01	02		32	14	01	24
25		01		18	17	08		52			05	01	25
26			32	09		03		20	10			65	26
27			06	19				02			08	02	27
28				015				71		02		47	28
29				02		03		08		62		10	29
30		X	21	08		12				02	22	29	30
31		X	04	X		X	09		X	01	X	06	31
TOTAL	4.45	2.50	5.60	2.465	1.345	1.55	2.33	2.94	2.655	2.855	2.86	6.05	37.60
Days with 01 in. or more	16	9	21	19	8	12	12	15	13	12	19	27	183

REGISTER OF RAINFALL IN 1919.

Kept at Ashbourne
in the County of Derbyshire
by R. E. & E. A. Sadler

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 396 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jgn. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26		04		23		21	01	09	19	02	23	1
2	14		05	03			15	055	03	025	13	10	2
3	98		63		09	16	11		14		20	14	3
4			24					29	31		06	38	4
5					005				27			45	5
6	03		37	01	42							13	6
7	08		14	02									7
8	20		05	01		06							8
9			04	03					01		02		9
10	02		37	08							03	24	10
11	02		80	05	12		08					03	11
12			52	13		26	01			05	20	02	12
13	15			35					51	07		02	13
14	67			33					005	02		03	14
15	33	50	03	15						03		50	15
16	24	75						005			13		16
17	09	32		54	03	14	10	03			70	02	17
18		01	32		03		02	31	04		02	36	18
19	24	24	85			07	125	50	30		09	03	19
20	92	13	42			02	12	08			55	25	20
21	08	46	07				18	10	19		02	56	21
22		08	03			02		01	66		17	90	22
23						06				1.48	03	05	23
24				16	25		01	02		32	14	01	24
25		01		18	17	08		52			05	01	25
26			32	09		03		20	10			65	26
27			06	19				02			08	02	27
28				015				71		02		47	28
29				02		03		08		62		10	29
30		~~X~~	21	08		12				02	22	29	30
31		~~X~~	04	~~X~~		~~X~~	09		~~X~~	01	~~X~~	06	31
TOTAL	4.45	2.50	5.60	2.465	1.345	1.55	2.33	2.94	2.655	2.855	2.86	6.05	37.60
Days with 01 in. or more	16	9	21	19	8	12	12	15	13	12	19	27	183

REGISTER OF RAINFALL IN 1920.

Kept at Ashbourne
 in the County of Derby
 by R. E. Sadler

Lat. 53° 2" Long. 1° 45' W
 Time of Observation 9 a.m.
 Nearest Railway Station Ashbourne N. SR., LNWR
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 0 ft. 11½ in.
 " " " " Sea Level approx 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	-	.01	.10	.38	.01	.23	trace	.13	.19	.01	.22	1
2	-	-	-	.17	.02	-	.59	-	.12	.29	-	.20	2
3	.08	.04	-	.37	.02	.01	.72	.03	.13	.29	-	.07	3
4	.01	-	-	.12	.01	-	trace	.71	.24	.54	-	.01	4
5	-	-	.09	-	.76	-	.03	.20	-	.20	-	.02	5
6	-	-	.11	.03	.20	-	.13	trace	-	.02	-	.06	6
7	.01	-	.10	.02	.04	-	.20	-	-	trace	-	-	7
8	.24	.04	-	.40	.11	-	.09	.03	-	-	-	-	8
9	.55	.40	-	.40	-	-	.06	-	-	-	trace	-	9
10	.36	.62	.08	.22	-	-	.58	-	-	-	.06	-	10
11	.24	.01	.07	.18	.54	.22	.04	-	-	-	-	.10	11
12	.08	.02	-	.42	.02	.27	.05	.03	-	-	.09	trace	12
13	.14	.13	.05	.36	-	.40	-	-	.58	-	.04	-	13
14	.02	.04	.50	.18	-	.77	.10	-	.13	.16	.26	.09	14
15	.005	.10	.08	.39	-	-	-	trace	.01	.33	.05	-	15
16	-	trace	.04	.13	.02	.51	.50	-	.39	.20	-	-	16
17	trace	-	-	-	.15	-	trace	.07	.05	.06	-	-	17
18	.11	-	-	.05	.18	.02	.04	.03	.04	-	-	.01	18
19	.21	1.53	-	.15	.17	.16	-	trace	-	-	-	-	19
20	.17	.19	-	.31	-	.20	.04	-	-	-	-	.005	20
21	.05	-	-	trace	-	-	.05	.09	-	-	-	.05	21
22	.05	-	-	.29	-	.01	.27	.10	-	-	-	.08	22
23	-	-	.02	trace	-	-	.14	.06	-	-	-	.48	23
24	-	-	.36	.01	-	-	-	-	-	-	-	.23	24
25	-	.06	.11	.18	-	.03	.72	.07	-	-	-	trace	25
26	.21	.08	.11	.22	.70	.01	.04	-	-	-	-	.02	26
27	.22	-	trace	.21	.30	.27	trace	-	-	-	.30	.29	27
28	.82	.04	.06	-	.09	.11	trace	-	-	-	-	.11	28
29	.31	-	.09	-	.23	.02	.27	-	-	-	.18	.70	29
30	.18	X	-	.25	.03	.18	.03	-	.06	-	.11	.44	30
31	.15	X	.09	X	.02	X	.02	-	X	.30	X	.15	31
TOTAL	4.30	3.30	1.97	5.16	3.99	3.20	4.94	1.42	1.90	2.58	1.10	3.33	YEAR'S TOTAL
Days with .01 in. or more	22	14	17	24	20	17	24	11	12	11	9	20	37.24
Days with .04 in. or more	19	12	15	20	13	10	20	7	10	10	8	15	158

REG

BAKEWELL

"CATCLIFF"

DERBY

1911 - 1918

Kept at Calcey: B

in the County of Derby

by Thomas T

12 in.

ve Ground 2 ft.

Sea Level 411 ft.

Am.

Name Bakewell

Distance 3/4 mi. Direction ENE

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.27				.02	.09			.12		1
2	.18		.09		.17		.01				.11	.21	2
3					.38			.02			.35	.01	3
4	.03		.01	.1	.01			.01	.05	.06	.58	.49	4
5	.06			.08				.1		.27			5
6	.6							.24		.12	.17	.77	6
7										.02	.26		7
8	.13		.11							.03	.18	.77	8
9	.01											.05	9
10	.04	.02	.16									1.07	10
11	.22										.37	.04	11
12			.23						.5		.65		12
13			.01								.18	.42	13
14		.2	.02		.66						.04	.84	14
15		.25	.07		.01					.05	.02	.3	15
16		.36				.12				.02	.18	.1	16
17				.01		.6					.19	.4	17
18		.53		.01		.14					.1	.21	18
19		.12		.04		.08	.02		.36	.09	.34	.09	19
20		.16		.22			.01	.5	.22	.02		.26	20
21		.49	.01					.03		.29		.01	21
22	.02	.09								.24	.05	.29	22
23		.29	.01			.14			.26	.12		.22	23
24		.06		.17		.83		.01		.1		.12	24
25	.04	.35		.25		.03	.01		.18	.03	.03	.29	25
26		.03		.26	.13			.02		.37	.43	.54	26
27		.22	.13	.48				.59	.31			.05	27
28		.21		.2		.03		.21	.09		.13	.12	28
29				.07		.05			.45	.49	.01	.04	29
30				.08	.39	.08				.45	.03		30
31			.23							.08			31
Total	1.33	3.38	1.35	1.97	1.75	2.10	.07	1.82	2.42	2.85	4.52	7.71	TOTAL 31.27
No. of Rain Days.	10	15	13	13	7	10	5	11	9	18	22	25	158

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Calcey: Bakerwell
in the County of Derry
by Thomas Fennell

RAIN GAUGE { Pattern
Diameter of top 12 in.
Height of top above Ground 2 ft.
" " " Sea Level 4.11 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Bakerwell
Distance 3.4 mi Direction ENE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.27				.02	.09			.12		1
2	.18		.09		.17		.01				.11	.21	2
3					.38			.02			.35	.01	3
4	.03		.01	.1	.01			.01	.05	.06	.58	.49	4
5	.06			.08				.1		.27			5
6	.6							.24		.12	.17	.77	6
7										.02	.26		7
8	.13		.11							.03	.18	.77	8
9	.01											.05	9
10	.04	.02	.16									1.07	10
11	.22										.37	.04	11
12			.23						.5		.65		12
13			.01								.18	.42	13
14		.2	.02		.66						.04	.84	14
15		.25	.07		.01					.05	.02	.3	15
16		.36				.12				.02	.18	.1	16
17				.01		.6					.19	.4	17
18		.53		.01		.14					.1	.21	18
19		.12		.04		.08	.02		.36	.09	.34	.09	19
20		.16		.22			.01	.5	.22	.02		.26	20
21		.49	.01					.03		.29		.01	21
22	.02	.09								.24	.05	.29	22
23		.29	.01			.14			.26	.12		.22	23
24		.06		.17		.83		.01		.1		.12	24
25	.04	.35		.25		.03	.01		.18	.03	.03	.29	25
26		.03		.26	.13			.02		.37	.43	.54	26
27		.22	.13	.48				.59	.31			.05	27
28		.21		.2		.03		.21	.09		.13	.12	28
29				.07		.05			.45	.49	.01	.04	29
30				.08	.39	.08				.45	.03		30
31			.23							.08			31
Total	1.33	3.38	1.35	1.97	1.75	2.10	.07	1.82	2.42	2.85	4.52	7.71	TOTAL 31.27
No. of Rain Days.	10	15	13	13	7	10	5	11	9	18	22	25	158

cont for month 11-11-13

REGISTER OF RAINFALL IN 1912

Kept at Calcegg, Bakerslee
in the County of Derby
by Thomas F. Enslin, Jr. D. B. Sc.

Lat. 53° 15' Long. 1° 40' W
Time of Observation 9 A.M.
Nearest Railway Station Bakerslee
Diameter of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. 1 in.
" " " " Sea Level 411 ft.

BRITISH RAINFALL
FORM A.
2 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.25			.18		.06	.05			.97	1
2		.02	.14	.01		.03	.48		.03			.09	2
3	.22				.01	.14		.88	.24			.04	3
4	.27		.98	.21	.15	.33		.37	.03		.19		4
5	.44	.04			.06	.1		.12	.09		.01		5
6	.8	.15			.08			.31				.02	6
7		.08			.02	.02		.06	.06			.03	7
8	.51	.41	.22	.01		.04	.29		.11				8
9	.11	.04	.2	.38		.54		.18			.02	.13	9
10	.06	.16		.01		.02		.19			.63		10
11	.14						.01				.06	.6	11
12	.07	.44	.22			.05	1.25				.01		12
13		.03						.08		.13	.03		13
14	.1		.41			.12		.04				.27	14
15	.25	.06	.29		.66	.17						.38	15
16	.95		.19		.19	.12		.07		.22			16
17	.36	.01	.14			.29	.03	.26			.02	.54	17
18	.18		.14					.04		.09		.3	18
19	.38	.09	.09			.02	.5	.35		.04	.01		19
20	.26		.18		.23		.02	.17		.38		.02	20
21		.02	.21		.57		.26			.5	.03	.03	21
22		.12			.77	.12	.16	.57				.13	22
23	.08		.3			.01	.67	.39			.15	.03	23
24	.14		.04			.16	.05	.1				.21	24
25		.02				.69		.05			.51	.17	25
26		.13	.09				.34	.73		1.05	.34	.25	26
27			.09			.24	1.1			.96		.15	27
28		.04	.08			.3	.29	.55	.07	.28	.54	.06	28
29			.06	.02		.1	.22		.54	.06		.06	29
30	.06		.08		.14					.07			30
31			.12		.18		.18	.18				.02	31
Total	5.38	1.87	4.45	.64	3.06	3.79	5.85	5.75	1.22	3.78	2.55	4.50	42.84
Rain Days.	19	18	22	6	12	22	16	22	9	11	14	22	193

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Calcey, Bakershall
in the County of Derby
by J. Thomas Foulton

Lat. 53° 15' Long. 10° 40' W
Time of Observation 9 A.M.
Nearest Railway Station Bakershall
Diameter of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. 1 in.
" " " " Sea Level 411 ft.

FORM A.
BRITISH RAINFALL
- 3 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.18	.06	.07				.2		.07		1
2		.06	.04	.06		.02					.1		2
3		.02	.27		.36				.03	.36	~~.42~~	.25	3
4	.08	.5	.08		.06	.01	.06		.02	.15	.02	.66	4
5	.8	.03	.17			.44			.17	.51	.01	.02	5
6	.1	.19	.17		.36	.08	.77			1.17	~~.12~~	.01	6
7	.05	.65	.06		.18	.16				.64	~~.10~~	.01	7
8		.08	.03		.26	.06		.12		.1	.18		8
9		.55	.07	.01	.12	.58	.05				~~.15~~	.03	9
10	.08			.15	.01	.01	.04			.01	~~.2~~		10
11	1.19			.47		.11		.1			.34	.01	11
12											.22		12
13	.01		.33	.02					.18		.23		13
14	.17	.04	.56	.04						.09	.23		14
15	.15	.05	.64	.72					.07		.57	.01	15
16		.01	.25	.02				.03	.13		.14		16
17	.03	.02	.01	.21	.12	.05			.69		.04		17
18			.3	.22			.06		.04		.17	.05	18
19	.21		.01	.1					.19		.02		19
20	.16		.17	.03					.03		.38		20
21					.13		.04	.04			.18		21
22	.3		.91					1.01	.27				22
23	.05				.04			.04	.05		.05		23
24	.29					.02					.01		24
25				.05					.04	.02		.18	25
26		.02	.16	.43						.08		.59	26
27		.03		.43									27
28	.25		.18	.41						.01		.06	28
29			.45	.51	.02			.45				.08	29
30	.61									.53	.05	.02	30
31	.04		.09		.09								31
Total	4.57	2.25	5.13	3.94	1.82	1.54	1.02	1.79	2.11	3.67	3.52	1.98	YEAR'S TOTAL 33.34
Rain Days.	18	14	22	18	13	11	6	7	14	12	22	14	171

REGISTER OF RAINFALL IN 1914.

Kept at Catchiff: Bakewell
 in the County of Derby
 by Thomas Fentem.

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Bakewell
 Diameter of Rain Gauge 12 in.
 Height of top of Gauge above Ground 3 ft. 1 in.
 " " " " Sea Level 414 ft.

FORM A.
 BRITISH RAINFALL
 19 JAN 1915

IMPORTANT NOTE Rain should be measured daily at 9 a.m.

TELEGRAMS:
 FENTEM, BAKEWELL.

PHILIP S. FENTEM, M.D.
 THOMAS FENTEM, M.D., B.Sc.

Catchiff.
Bakewell.

9. iv. 1915. 190

Dear Dr. Mill,

I am much obliged to you for your letter pointing out the discrepancies between the totals given for the months of July and December of last year rainfall and the sums of the daily entries.

I have gone over my figures again and the totals you give me are the correct ones for those months. I am sorry to have been the means of causing needless trouble. The work done by yourself and Staff is of sufficient magnitude without that.

Sincerely yours,

Thomas Fentem.

31	21	X	07	X	X	31	X	16	X		31		
Total	2.39	2.42	3.92	1.29	1.64	3.03	4.69	1.8	2.3	3.17	5.65	7.94	40.24
Rain Days.	16	12	24	11	11	8	18	11	12	13	18	24	178

Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11				1.04	.07				.29	1
2							.74	.33			.49	.21	2
3	.1		.2		.21		.04	.04				.86	3
4	.55		.22	.28	.37						.45	.61	4
5	.16		.33	.23	.19	.21	.05				.21	.03	5
6		.05	.07	.33	.12		.15	.01				.29	6
7		.07	.29	.05	.01	.01						.19	7
8	.28				.25	.8	.01			.01			8
9	.29	.01		.09	.02	1.		.13	.03		.03	.01	9
10	.22	.19	.05	.15					.05		.06		10
11		.13	.38	.03	.08	.06	.32		.32		1.38	.52	11
12		.19	.18				.1		.49		.32	.36	12
13		.25	.23						.09	.19	1.24	.27	13
14	.06	.34	.09				.05		.04	.45	.35	.23	14
15			.22						.01		.03		15
16	.04		.08				.73		.13				16
17	.12	.34	.17						.95			.75	17
18			.05				.01		.08			.3	18
19			.12				.12		.09		.06	.11	19
20		.23	.04					.04				.01	20
21		.56				.76				.19		.15	21
22		.06			.15	.15	.07	.03	.02	.44			22
23			.09	.03	.21	.04	.03						23
24	.06		.4	.06	.03		.39	.41		.03	.13	.03	24
25	.08						.5	.17		.69	.03	.3	25
26			.12				.03	.56		.26	.21	.36	26
27	.01									.03	.2	1.05	27
28	.14		.13							.08	.03	.24	28
29	.04		.19	.02						.57	.16	.2	29
30	.03	~~X~~	.09	.02				.01	~~X~~	.07	.27	.57	30
31	.21	~~X~~	.07	~~X~~		~~X~~	.31		~~X~~	.16	~~X~~		31
Total	2.39	2.42	3.92	1.29	1.64	3.03	4.69	1.8	2.3	3.17	5.65	7.94	48.24
Rain Days.	16	12	24	11	11	.8	18	11	12	13	18	24	178

REGISTER OF RAINFALL IN 1915

Kept at Calceys Park
 in the County of Dorset
 by Thomas Fennell M.D.

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL
 6 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.4	.31	.1		.49			.08	.07		.02	.49	1
2	.07	.02	.15	.35		.06		.41		.16			2
3	.76		.04	.07			.3	.14				.48	3
4	.02	.02			.2		1.2					1.0	4
5	.08	.61	.06					.09			.02	.89	5
6	.3	.11	.02	.2			.36	.1				.35	6
7	.25	.39		.32			.13	.61				.17	7
8	.43	.2		.14				.22			.2	.07	8
9		.06		.04				.02		.03	.36	.48	9
10	.74		.01					.09		.03	.26	.05	10
11	.43				.52		.17				.56	.28	11
12	.08			.02	.16			.06		.03	1.34		12
13	.13	.91			.14			.22				.1	13
14	.13							.23	.12			.31	14
15	.96							.32			.17	.28	15
16		.75			.15		1.68	.01				.01	16
17		.44	.04				.1						17
18		.3	.14										18
19		.07	.02	.03			.16			.02			19
20	.14			.01			.03	.04				.1	20
21	.14						.1					.03	21
22			.23	.09			.57						22
23	.03	.05	.07			.05	.11		.01	.42		.26	23
24			.07	.01					.45	.05		.45	24
25						.81	.07			.01		.14	25
26	.01	.6				.04	.08		.05			.58	26
27		.21				.17	.07			.43		1.01	27
28		.58					.04	.28		.16			28
29					.07	.84					.2	.47	29
30	.19	X		.02		.14	.02	.01				.04	30
31	.23	X	.01	X		X	.05	.06	X		X	.52	31
Total	5.52	5.43	.96	1.20	1.73	2.11	5.24	2.99	.70	1.34	3.13	8.56	39.01
Rain Days.	20	17	13	12	7	7	18	18	5	10	9	24	160

REGISTER OF RAINFALL IN 1916

Kept at Calceiff: Bake Well
in the County of Derry
by D. Thomas Fennell

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bake Well
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. 1 in.
Sea Level 411 ft.

FORM A.
BRITISH RAINFALL.
26 FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.04	.00			.10	.18				.34		1
2	.31	.28	.22						.08	.3	.11		2
3		.61					.12		.33	.3	.2		3
4	.16	.08			.53	.57				.5	.4		4
5	.07	.01			.03	.50				.62	.79		5
6	.52	.59	.23		.51	.01	.31			.21	.77		6
7	.1		.15		.24		.12			.09	.19	.19	7
8			.33			.05					.31	.2	8
9	.01		.06		.44	.04					.1	.2	9
10		.08	.05	.13		.06			.19	.17			10
11	.02	.34	.21	.24		.16			.86			.17	11
12	.13	.1	.23	.06	.57		.25	.01		.07			12
13		.09	.12	.11			.02	.32		.13		.08	13
14		.59	.01	.25	.18			.2		.12		.03	14
15		.62	.58				.01		.02				15
16		.5	.54	.18	.02		.22	.08		.02			16
17	.07	.48		.95			.06		.37	.14			17
18		.36		.26					.39	.13	1.0	.2	18
19	.24	.06	.4	.16				.01	.03		.47		19
20	.2		.22	.21								.17	20
21	.06		.08	.04			.09					.31	21
22		.07				.03				.08		.25	22
23		.2		.05				.06		.01		.35	23
24		.59				.09		.04		.12		.16	24
25	.02	.07	.42					.1		.15	.43		25
26		.16	.07					.3		.21			26
27		.35	.19				.03	.08		.45			27
28		.31	.17							.09	.08	.23	28
29		.37				.02		.05		1.12		.56	29
30		X				.08				.32			30
31		X		X	.01	X		.01	X	.27	X	.23	31
Total	2.14	6.95	4.37	2.64	2.33	2.61	1.41	1.26	1.47	5.60	4.59	3.33	38.70
Rain Days.	14	24	20	12	9	22	11	12	8	23	13	15	173

REGISTER OF RAINFALL IN 1917.

Kept at Calcey, Bakerslee
in the County of Derby
by Thomas Fidler

Lat. 53° 30' N Long. 1° 10' W
Time of Observation Same as before
Nearest Railway Station Calcey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft.
" " " " Sea Level 2 ft.

FORM A.
BRITISH RAINFALL
FEB 1910

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.22		.07		.16	.2		.08	.39	1
2	.24					.13		.10	.01		.04		2
3	.02	.04				.04		.07		.36	.01		3
4	.37	.03	.16					.02		.45			4
5	.15		.18	.06					.02	.2	.12		5
6	.05					.43				.3	.17		6
7	.52					.37				.63	.23		7
8	.94			.23				.53		.9	.23	.15	8
9	.02		.06	.27	.04			.02		.1	.36	.04	9
10	.25		.79	.25	.11			.19					10
11	.21			.26				.11	.01	.03			11
12	.1				.05			.38		.06		.1	12
13	.07			.21				.27	.25	.09			13
14	.17			.01	.06			.27				.17	14
15	.02			.02			.11	.2		.1		.16	15
16	.04	.03		.02		.38	.04	.08				.67	16
17				.09	.32	.26	.17	.44	.02	.07		.06	17
18	.03		.04	.01	.05		.63	.05	.51	.03			18
19	.06	.08	.44		.07	.47		.27	.05		.07		19
20	.04	.06	.01		.16	.36			.05		.29	.01	20
21		.03	.13		.01	.04		.02		.06			21
22								.15	.03	.11	.05		22
23		.06			.16	.09		.06		.41		.03	23
24						.36		.13		.66	.31	.03	24
25		.01	.15					.01					25
26							.01	.86	.15	.12	.65		26
27						.13	.23	.06			.35	.03	27
28			.09			.06		.59	.02			.11	28
29			.03		.46		.06	.03		.66		.34	29
30		X	.15					.14		.07	.09		30
31		X	.28	X		X		.06	X		X		31
Total	3.30	.34	2.51	1.65	1.49	3.19	1.25	6.17	1.32	5.41	3.05	2.29	32.47
Rain Days	18	8	13	12	11	14	7	27	12	20	15	14	171

REGISTER OF RAINFALL IN 1918

Kept at Casaj, Bakerwee
in the County of Dumfries
by J. Thomas Graham

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station As in previous year.
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07		.06					.64	.07	.46		1
2		.26		.03				.42	.26	.01		.66	2
3		.03	.05		.57			.35	.07	.01	.09		3
4	.04	.03	.01		.16			.1	.85	.12	.64	.53	4
5			.04	.02				.14	.25	.28			5
6		.66	.01	.44		.06		.02		.2		.01	6
7	.1	.1		.41					.61	.28	.22		7
8		.17	.13						.46	.08	.03	.02	8
9	.68	<u>1.10</u>		.1		.3			.65	.36	.03	.04	9
10	.13	.17		.01			.65				.15	.05	10
11	.24	.16		.02	.05		.01		.07			.12	11
12	.06	.22		.05	.03		.65		.15			.18	12
13									.22	.7			13
14	.87					.06	.09		.36	.05		.28	14
15	.3					.06	.33		.84			.12	15
16						.14	.03	.03	.22	.08		.37	16
17	.24				.09		.85	.07	.07	.06		.38	17
18	.37		.02			.1	.15		.82			.53	18
19	.18		.19	.16			.09	.01	.09	.06		.42	19
20	.21	.17		.08		.05	.12		.12	.01			20
21	.14	.25		.34	.15	.13	.01		.37	.1		.04	21
22		.01			.3	.15	.05		.05	.06		.81	22
23	.07				.96		.47		.12			.12	23
24		.08					.03		.06			.14	24
25						.05	.1	.35	.03	.01			25
26							.15	.04	.1			.09	26
27		.1						.47	.29		.07	.43	27
28		.08	.35					.22	.22		.2	.66	28
29									.24			.1	29
30		X	.46	.01				.08			.1	.12	30
31		X	.35	X		X		.19	X		X		31
Total	3.63	3.66	1.61	1.73	2.21	7.10	3.78	2.49	8.24	2.53	1.99	6.22	38.49
Rain Days.	14	17	10	13	8	10	16	14	27	18	10	23	180

YEAR'S TOTAL

RE

BAMFORD

19 11

2682
FORM A2.
BRITISH RAINFALL
2 - FEB 1912Kept at *Engineers*

in the County of

by *Edward*ENGINEERS OFFICE
DERBY

1911 - 1920

top 8 in.

p above Ground 2 ft. in.

,, Sea Level 509.5 ft.

9 am.

Name *Bamford*
Distance Directionand the result entered to the
universal rule, he is earnestly
ing year in the space provided

Jan. 1, following.

IMPORTANT NOTE
previous day. If an Obs
requested to add the read
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Paragraph. Full instructions for the measurement of rain,

the British Rainfall

"Rules for Rainfall Observers," sent post-free on application to

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	-	.56	-	-	-	.08	.08	-	-	.11	-	1
2	.31	-	.12	-	.13	-	-	-	-	.04	.03	.10	2
3	.04	-	-	.02	.33	-	-	-	.04	.02	.29	.04	3
4	.06	-	.05	.08	.02	.04	-	-	.09	.16	.39	.27	4
5	.09	-	-	.02	-	-	-	.22	-	.23	-	.02	5
6	.61	-	.03	.01	-	-	-	.17	-	.08	.59	.77	6
7	.05	-	-	-	-	-	-	-	-	.02	.14	-	7
8	.16	-	.16	-	-	-	-	-	.04	.03	.09	.63	8
9	.01	-	.02	.01	-	-	-	-	-	-	-	.12	9
10	.05	.01	.03	-	-	-	-	-	-	.01	-	.78	10
11	.26	.01	.03	-	-	.01	-	.02	-	-	.34	-	11
12	.04	-	.14	-	.02	-	-	-	.63	.01	.33	.01	12
13	.02	-	.04	-	-	-	-	-	-	-	.10	.42	13
14	.01	.20	.04	-	.14	-	-	-	-	-	.07	.65	14
15	-	.19	.11	.03	.12	-	-	-	.01	.07	.04	.22	15
16	.01	.57	.05	.07	-	.10	.04	-	-	.03	.24	.11	16
17	-	-	-	-	-	.42	-	-	-	-	.17	.19	17
18	-	.58	.04	.01	-	.05	-	-	-	.01	.19	.15	18
19	-	.12	.02	.02	-	.18	.08	.07	.17	.17	.30	.10	19
20	-	.23	-	.13	-	.02	.03	.67	.12	.02	-	.20	20
21	.02	.62	.03	.02	-	.03	.03	.28	.05	.24	.02	.05	21
22	.03	.08	-	.01	-	-	-	.01	.01	.53	.07	.29	22
23	-	.46	.01	-	-	.38	-	.01	.28	.06	.02	.25	23
24	.01	.08	.03	.11	-	.93	-	.02	.01	.09	-	.24	24
25	.11	.36	-	.27	-	.04	.01	-	.22	.01	.04	.67	25
26	-	.05	-	.27	.10	.05	-	-	-	.41	.54	.49	26
27	-	.22	.10	.53	-	-	-	.61	.35	.01	.03	.07	27
28	.01	.24	-	.26	-	.07	-	.05	.07	-	.09	.21	28
29	-	~~X~~	-	.25	-	.08	-	-	.32	.30	.02	.09	29
30	-	~~X~~	-	.02	.14	.21	-	-	.01	.48	.05	-	30
31	-	~~X~~	.09	~~X~~	.02	~~X~~	-	-	~~X~~	.12	~~X~~	.01	31
Total	2.00	4.02	1.70	2.14	1.02	2.61	.27	2.21	2.42	3.15	4.30	7.15	TOTAL 32.99
No. of Rain Days.	20	16	20	19	9	15	6	12	16	24	25	27	209

Kept at *Engineer's Office, Bamford*
in the County of *Derby.*
by *Edward Audeman*

Pattern
RAIN Gauge Diameter of top 8 in.
Height of top above Ground 2 ft. 1 in.
" " " Sea Level 509.5 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name *Bamford*
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	-	.56	-	-	-	.08	.08	-	-	.11	-	1
2	.31	-	.12	-	.13	-	-	-	-	.04	.03	.10	2
3	.04	-	-	.02	.33	-	-	-	.04	.02	.29	.04	3
4	.06	-	.05	.08	.02	.04	-	-	.09	.16	.39	.27	4
5	.09	-	-	.02	-	-	-	.22	-	.23	-	.02	5
6	.61	-	.03	.01	-	-	-	.17	-	.08	.59	.77	6
7	.05	-	-	-	-	-	-	-	-	.02	.14	-	7
8	.16	-	.16	-	-	-	-	-	.04	.03	.09	.63	8
9	.01	-	.02	.01	-	-	-	-	-	-	-	.12	9
10	.05	.01	.03	-	-	-	-	-	-	.01	-	.78	10
11	.26	.01	.03	-	-	.01	-	.02	-	-	.34	-	11
12	.04	-	.14	-	.02	-	-	-	.63	.01	.33	.01	12
13	.02	-	.04	-	-	-	-	-	-	-	.10	.42	13
14	.01	.20	.04	-	.14	-	-	-	-	-	.07	.65	14
15	-	.19	.11	.03	.12	-	-	-	.01	.07	.04	.22	15
16	.01	.57	.05	.07	-	.10	.04	-	-	.03	.24	.11	16
17	-	-	-	-	-	.42	-	-	-	-	.17	.19	17
18	-	.58	.04	.01	-	.05	-	-	-	.01	.19	.15	18
19	-	.12	.02	.02	-	.18	.08	.07	.17	.17	.30	.10	19
20	-	.28	-	.13	-	.02	.03	.67	.12	.02	-	.20	20
21	.02	.62	.03	.02	-	.03	.03	.28	.05	.24	.02	.05	21
22	.03	.08	-	.01	-	-	-	.01	.01	.53	.07	.29	22
23	-	.46	.01	-	-	.38	-	.01	.28	.06	.02	.25	23
24	.01	.08	.03	.11	-	.93	-	.02	.01	.09	-	.24	24
25	.11	.36	-	.27	-	.04	.01	-	.22	.01	.04	.67	25
26	-	.05	-	.27	.10	.05	-	-	-	.41	.54	.49	26
27	-	.22	.10	.53	-	-	-	.61	.35	.01	.03	.07	27
28	.01	.24	-	.26	-	.07	-	.05	.07	-	.09	.21	28
29	-	X	-	.25	-	.08	-	-	.02	.30	.02	.09	29
30	-	X	-	.03	.14	.21	-	-	.01	.48	.05	-	30
31	-	X	.09	X	.02	X	-	-	X	.12	X	.01	31
Total	2.00	4.02	1.70	2.14	1.02	2.61	.27	2.21	2.42	3.15	4.30	7.15	TOTAL year 32.99
No. of Rain Days.	20	16	20	19	9	15	6	12	16	24	25	27	209

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
16 JAN 1913
2682

Kept at *Engineers Office, Bamford*
in the County of *Derby*
by *The Derwent Valley Water Board*
L.P. Wincock - Engineer

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Bamford*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *2* ft. *1* in.
" " " " Sea Level *509.5* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.05	.14	-	-	.22	.06	.04	.17	-	.04	~~.43~~	1
2	-	"	.06	.05	.02	.11	.71	-	.02	-	.01	.05	2
3	.50	-	.03	"	.04	.22	.91	.71	.27	-	"	.11	3
4	.34	-	.81	.37	.10	.55	-	.55	-	-	.23	"	4
5	.47	.03	-	.01	.07	.12	-	.14	.34	-	.04	.07	5
6	.68	.23	"	"	.05	.02	-	.49	.01	.01	-	.01	6
7	.01	.05	.01	.02	.05	.03	-	.27	.24	.01	-	.02	7
8	.43	.33	.21	.12	.01	.02	.06	.28	.76	.01	"	"	8
9	.11	.04	.10	.40	.01	.21	-	.19	"	.01	.06	.12	9
10	.07	.01	-	.04	-	.06	-	.02	"	.01	.62	.01	10
11	.12	.01	"	.01	"	.01	.02	.06	"	.01	.12	.78	11
12	.08	.54	"	"	"	.09	.74	.01	"	.01	.03	.04	12
13	.01	.05	"	"	"	"	"	.12	"	.04	.07	.20	13
14	.09	-	.35	"	"	"	"	.10	.01	.02	"	.40	14
15	.24	.07	.03	"	.87	.25	"	.03	"	"	"	.03	15
16	.81	-	.18	"	.19	.03	"	.10	"	.17	"	.04	16
17	.08	.02	.11	"	.02	.62	.02	.18	"	.01	.02	.71	17
18	.09	"	.15	"	"	.02	"	.06	"	.23	.03	.24	18
19	.28	.09	.22	"	"	.02	.61	.37	"	.05	.05	.02	19
20	.29	"	.14	"	.21	.09	.02	.30	"	.41	"	.02	20
21	.01	.01	.12	"	.30	.01	.30	.02	"	.22	.02	.02	21
22	.01	.08	"	"	.42	.18	.06	.30	"	.01	"	.08	22
23	.06	.05	.26	"	.02	.01	.58	.53	"	"	.19	.02	23
24	.18	.01	.02	"	.04	.17	.03	.09	"	"	.01	.17	24
25	"	.01	.03	"	.01	.22	.01	.05	"	"	.43	.27	25
26	"	.14	.17	"	"	.01	.21	.78	"	1.06	.22	.15	26
27	"	"	.25	"	"	.28	.51	.07	"	.73	.03	.14	27
28	"	.03	.07	"	"	.03	.31	.46	.14	.43	.46	.02	28
29	"	.01	.17	.07	"	.10	.21	"	.59	.04	.03	.15	29
30	"	~~X~~	.12	"	.08	"	.09	"	.01	.04	"	"	30
31	"	~~X~~	.18	~~X~~	.90	~~X~~	.27	.32	~~X~~	"	~~X~~	.01	31
Total	4.96	1.86	3.93	1.09	3.41	3.70	4.83	6.83	2.01	3.35	2.76	5.27	44.00
Rain Days.	22	21	24	9	19	27	20	28	12	21	20	28	251

REGISTER OF RAINFALL IN 1913.

Kept at *Engineer's Office, Bamford*
 in the County of *Derby*
 by *The Derwent Valley Water Board*
S.B. Winsor, Engineer.

Lat. _____ Long. _____
 Time of Observation *9 a.m.*
 Nearest Railway Station *Bamford*
 Diameter of Rain Gauge *8* in.
 Height of top of Gauge above Ground *2* ft. *1* in.
 " " " " Sea Level *509.5* ft.

2682
 FORM A.
 BRITISH RAINFALL
 14 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.20	.07	.02	—	—	—	.13	—	.14	—	1
2	.01	.07	.11	.10	—	.02	—	—	—	.20	.04	.01	2
3	.04	.03	.35	—	.62	—	—	—	.04	.28	—	.61	3
4	.70	.06	—	.03	.02	.05	.11	—	.06	.08	.13	.71	4
5	.07	.05	.11	—	—	.29	.02	.01	.09	.85	.01	—	5
6	.02	.10	.17	—	.43	.06	.79	—	.02	.96	.04	.03	6
7	.01	.42	.05	—	.23	.31	.01	—	.01	.83	.08	.02	7
8	—	.05	.07	—	.30	.02	—	.23	—	.15	.12	.09	8
9	—	.41	.12	.01	.13	.39	.01	.03	—	—	.15	.08	9
10	.02	.02	.04	.11	.03	—	.01	—	.01	.02	.20	—	10
11	.53	—	—	.36	—	.27	—	.03	.01	.01	.22	.01	11
12	.05	.01	—	—	.01	.02	—	—	—	.01	.24	—	12
13	.01	—	.23	.02	—	—	.04	.02	.26	.01	.30	—	13
14	.12	.09	.38	.11	—	—	—	.02	.01	.16	.53	.01	14
15	.15	.03	.46	.41	—	.01	.01	—	.14	.01	.60	.03	15
16	.01	.02	.16	.04	—	—	.01	.09	.11	.02	.73	.03	16
17	.04	.04	.05	.27	.14	.05	.02	—	<u>1.10</u>	.01	.04	—	17
18	.04	—	.26	.47	.07	.03	.04	—	—	—	.12	—	18
19	.27	—	.02	.08	.01	.04	.01	—	.13	—	.04	—	19
20	.29	—	.11	.12	.02	—	.01	—	.02	.21	.25	—	20
21	.03	—	.05	—	.19	—	.13	.03	.01	.01	.38	.01	21
22	.39	—	.67	.01	.02	.01	—	.82	.23	.01	.02	—	22
23	.19	—	.02	—	.23	.15	—	.13	.09	—	.03	.05	23
24	.35	—	—	.01	.01	.13	—	.05	.01	.01	.02	.04	24
25	—	—	—	.07	—	—	—	.01	.10	.01	.01	.34	25
26	—	.01	.11	.26	.01	.01	—	—	.01	.08	—	.83	26
27	.02	.02	.02	.22	—	—	—	—	—	.03	—	.28	27
28	.30	—	.24	.26	.01	—	—	—	.02	.02	—	.10	28
29	.01	~~—~~	.45	.42	.02	—	—	.27	—	.02	.02	.14	29
30	.59	~~—~~	.01	—	—	—	—	—	—	.60	.07	.03	30
31	.02	~~—~~	.11	~~—~~	.21	~~—~~	.01	—	~~—~~	.02	~~—~~	.02	31
Total	4.24	1.43	4.57	3.45	2.73	1.86	1.23	1.74	2.61	4.62	4.03	3.47	YEAR'S TOTAL 35.98
Rain Days.	27	16	26	21	21	17	15	13	22	26	26	21	251

S.B. Winsor

REGISTER OF RAINFALL IN 1914

Kept at Engineer's Office, Bamford
in the County of Derby
The Derwent Valley Water Board,
by S. B. Winsor Engineer.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bamford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 1 in.
" " " " Sea Level 509.5 ft.

2682
FORM A.
BRITISH RAINFALL
16 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.11	.01	—	.01	.85	.09	.01	.04	.01	.39	1
2	.01	—	—	—	—	—	1.04	.37	.01	.01	.50	.22	2
3	.28	—	.33	—	.12	—	.03	.02	.01	.03	.03	.94	3
4	.61	—	.50	.12	.28	.01	—	.10	—	—	.51	.27	4
5	rain & snow .22	—	.49	.30	.26	.14	.03	.01	—	—	.30	.48	5
6	rain & snow .02	.02	.25	.43	.14	.04	.10	.05	.01	—	.03	.16	6
7	.01	.04	.25	.26	.15	.02	—	.07	—	—	.02	.11	7
8	.35	—	.01	.04	.27	.80	.03	.15	.09	.05	.01	.07	8
9	.25	.01	—	.09	.03	1.00	—	.19	.01	—	.04	.01	9
10	.16	.16	snow .01	.16	.04	—	—	—	.11	.01	.21	.02	10
11	—	.25	.49	.04	.05	.16	.03	.01	.46	—	1.40	.47	11
12	—	.15	.19	—	.05	.01	.07	—	.70	—	.37	.64	12
13	.02	.12	.15	.03	—	—	.04	—	.11	.14	.81	.24	13
14	.05	.25	.12	—	.01	—	.11	—	.14	.43	snow .31	.23	14
15	.02	.02	.32	.01	—	—	—	—	.03	.03	.20	.01	15
16	.06	—	.14	—	—	—	.60	—	.23	—	.01	—	16
17	.05	.43	.16	—	—	—	.02	.01	.60	—	—	.63	17
18	—	.01	.09	—	—	.03	—	—	.12	—	.01	.17	18
19	—	—	.13	—	—	—	.08	—	.10	.01	.09	.18	19
20	.01	.16	.07	—	—	—	—	—	.01	.05	—	.01	20
21	—	.48	.01	—	—	.38	—	.01	.01	.08	.04	.21	21
22	—	.07	—	—	.28	.14	.02	.08	.01	.14	—	.01	22
23	.01	.02	.11	.06	.21	.11	.14	.01	.01	.01	—	.03	23
24	.05	.01	.26	.08	.13	.03	.67	.05	.01	—	.10	—	24
25	.06	—	—	—	.01	—	.32	.15	.01	.85	.05	.27	25
26	.05	—	.07	—	—	—	.03	.09	—	.22	.15	.23	26
27	.03	—	.01	—	—	—	—	.01	—	.06	.14	.83	27
28	.14	.13	.12	—	—	.01	.01	—	—	.06	.06	.31	28
29	.12	~~X~~	.10	.01	.03	—	—	—	.01	.68	.11	.14	29
30	—	~~X~~	.05	—	—	—	.01	—	.01	.05	.18	.35	30
31	.11	~~X~~	—	~~X~~	.02	~~X~~	.24	—	~~X~~	.17	~~X~~	—	31
Total	2.69	2.33	4.54	1.64	2.08	2.89	4.47	1.47	2.82	3.12	5.69	7.63	41.37
Rain Days.	23	17	26	14	17	15	21	18	24	20	26	28	249

S. B. Winsor

REGISTER OF RAINFALL IN 1915.

2832
FORM A.
BRITISH RAINFALL
28 JAN 1916

Kept at Engineer's Office, Bamford,
(No 60)
in the County of Derby
by Derwent Valley Water Board,
S.B. Winser, Engineer.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bamford,
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 1 in.
" " " " Sea Level 509.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.21	.04	-	.55	-	.02	.07	.19	-	.11	.38	1
2	.08	.21	.43	.28	-	.03	.05	.59	.01	.10	.01	.02	2
3	.80	-	.03	.10	-	-	.41	.14	.01	-	.06	.43	3
4	.02	.06	-	.01	.17	-	.79	.01	.01	-	.01	1.01	4
5	.09	.40	.19	-	-	-	.01	.07	.01	.03	.03	.61	5
6	.21	.15	.07	.28	-	-	.35	.19	-	-	-	.41	6
7	.34	.44	.01	.15	-	-	.14	.37	-	-	-	.21	7
8	.16	.34	-	.25	-	-	-	.13	-	-	.27	.08	8
9	-	.05	-	.04	-	-	-	.07	-	.01	.36	.46	9
10	.80	-	.02	-	-	-	.02	.05	-	.01	.55	.07	10
11	.38	.01	.02	.03	.39	-	.12	.01	-	-	.63	.43	11
12	.11	-	-	.06	.27	-	.03	.04	-	.13	1.85	-	12
13	.23	1.34	.01	-	.03	-	.01	-	-	.02	-	.12	13
14	.05	.01	.02	-	.01	-	.01	.25	.08	.01	-	.44	14
15	1.08	-	-	-	-	-	.12	.49	.03	-	.21	.19	15
16	-	.45	-	-	.13	-	1.45	.16	-	-	.04	-	16
17	-	.26	.06	-	-	-	.26	.06	-	.01	-	.02	17
18	-	.28	.12	-	-	-	-	-	-	-	.03	-	18
19	.01	.06	.05	.04	.03	-	.06	.01	-	.02	-	-	19
20	.11	-	.04	-	.01	-	.11	.04	-	.01	-	.19	20
21	.11	.02	-	.05	-	-	.18	-	-	-	-	.05	21
22	.01	-	.19	.03	-	-	.54	-	-	.02	-	.11	22
23	.05	.03	.09	-	-	.01	.14	-	.01	.29	-	.10	23
24	-	-	.14	.04	-	-	.01	-	.33	.03	-	.29	24
25	.01	-	.01	.01	-	.58	.05	-	.01	.02	-	.31	25
26	.04	.51	-	-	-	.08	.13	.01	.07	-	-	.59	26
27	-	.18	-	-	-	.58	.10	.01	.01	.58	-	.83	27
28	-	.50	.02	-	-	.28	.02	.29	-	.20	-	.01	28
29	.01	~~X~~	-	-	.03	.08	-	.01	.01	.01	.12	.47	29
30	.21	~~X~~	-	.04	.01	.13	.01	.05	-	.01	.03	.05	30
31	.10	~~X~~	-	~~X~~	-	~~X~~	.02	.11	~~X~~	.58	~~X~~	.52	31
Total	5.31	5.51	1.56	1.41	1.63	1.77	5.16	3.23	0.78	2.09	4.31	8.40	YEAR'S TOTAL 41.16
Rain Days.	24	20	19	15	11	8	27	24	13	19	15	27	222

S.B. Winser

REGISTER OF RAINFALL IN 1916

Kept at Engineer's Office, Bamford.

in the County of Derby. (Gauge No. 60)

by Derwent Valley Water Board.
S.B. Winser. Engineer.

Lat. Long.
Time of Observation 9.A.M.
Nearest Railway Station Bamford.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 1 in.
" " " " Sea Level 509.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.06	.32	--	--	.18	.17	--	--	--	.21	--	1
2	.27	.21	.32	.01	--	.02	--	--	.16	.24	.03	--	2
3	--	.27	.01	--	.01	--	.04	--	.28	.19	.18	.01	3
4	.16	.21	--	.01	.46	.45	.03	--	.24	.39	.57	--	4
5	.19	.15	--	--	.03	.73	--	--	.01	.55	.59	--	5
6	.62	.87	.23	--	.35	.05	.37	--	.01	.13	.48	.01	6
7	.19	.01	.04	.01	.07	.01	.44	--	--	.31	.02	.18	7
8	.01	.03	.20	.01	.01	.20	.01	--	.01	.01	.29	.21	8
9	.05	--	.02	--	.39	.04	.03	--	.01	--	.14	.16	9
10	.07	.10	.02	.15	--	.09	.08	.02	.08	.07	.01	.13	10
11	.04	.38	.21	.40	--	.12	.01	--	.09	--	--	.08	11
12	.21	.13	.35	.12	.28	.03	.28	.03	.01	.09	--	.01	12
13	.02	.08	.13	.27	.02	--	--	.52	--	.14	--	.07	13
14	.01	.27	.01	.13	.23	--	--	.35	.01	.16	--	.12	14
15	.01	.71	.88	.02	--	--	.03	.11	.13	.16	--	.01	15
16	.02	.47	.44	.18	--	--	.20	.20	.01	.03	--	.01	16
17	.04	.21	.01	1.00	--	--	.06	--	.36	.15	--	--	17
18	--	.78	.01	.37	--	--	--	.03	.29	.22	1.10	.23	18
19	.21	.05	.35	.41	.01	--	--	.06	.02	--	.46	.11	19
20	.15	--	.21	.06	.42	--	.03	.07	.01	--	.01	.06	20
21	.13	--	.09	--	.01	--	.03	.01	--	--	.01	.03	21
22	.01	.10	.01	.01	--	.05	--	--	--	.11	--	.15	22
23	.04	.09	.01	.03	--	.03	.01	.08	--	.03	.17	.37	23
24	--	.10	--	.01	--	.09	.01	.05	.01	.08	--	.15	24
25	--	.04	.40	--	.06	--	--	.27	--	.17	.36	.02	25
26	.03	.05	.13	.01	.01	--	--	.21	--	.16	.07	--	26
27	--	.18	.02	--	.01	--	.07	.36	--	.34	.01	--	27
28	--	.28	.09	--	--	.07	--	--	.01	.10	--	.19	28
29	.01	.40	--	--	.04	.45	--	--	--	.47	--	.55	29
30	--	X	--	--	.05	.10	.01	.01	--	.22	--	.07	30
31	.01	X	--	X	.03	X	.01	.02	X	.27	X	.54	31
Total	2.85	6.23	4.56	3.21	2.49	2.71	1.91	2.40	1.75	4.79	4.71	3.47	YEAR'S TOTAL 41.08
Rain Days.	24	26	25	19	19	17	20	17	19	25	18	24	253

REGISTER OF RAINFALL IN 19 17

Kept at Engineer's Office, Bamford.
in the County of Derbyshire. (Gauge No. 60)
Derwent Valley Water Board.
by S.B. Winser. Engineer.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Bamford.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 1 in.
" " " " Sea Level 509.5 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	--	--	.04	--	.06	--	.16	.25	.01	.14	.17	1
2	.58	--	--	--	--	.13	--	.09	.04	--	.01	--	2
3	.05	.07	--	--	--	.10	--	.07	.01	.18	.04	.05	3
4	.23	--	.06	.01	--	--	--	.06	--	.20	.01	--	4
5	.30	--	.14	.05	--	--	--	.01	.01	.16	.23	--	5
6	.02	--	.01	--	--	.15	--	.01	--	.44	.30	.05	6
7	.39	--	--	--	--	.43	--	--	.01	.23	.09	.09	7
8	.78	--	--	.45	--	.01	.07	.48	--	.78	.46	.11	8
9	.03	--	.04	.15	.01	--	--	.01	--	.12	.50	--	9
10	.18	--	.62	.12	.17	--	--	.18	.02	.02	.02	--	10
11	.23	--	.01	.42	--	--	--	.19	.01	.41	.01	.01	11
12	.15	.01	.01	.04	.33	--	--	.24	--	.06	--	.07	12
13	.13	--	--	.21	--	--	--	.37	.22	.03	.04	.08	13
14	.16	--	.01	.10	--	--	--	.04	.01	.01	--	.22	14
15	.04	--	--	.06	--	--	.16	.02	--	.05	.01	.30	15
16	.05	.09	.01	.20	--	.11	.04	.14	--	.01	--	.51	16
17	--	.03	.05	.14	.42	.03	.19	.42	.05	.10	.01	.07	17
18	.04	--	.06	.02	.02	--	.63	.08	.27	.08	--	.01	18
19	.03	.19	.31	.01	.13	.26	.01	--	.03	.01	.08	.01	19
20	.03	.19	.01	--	.25	.21	--	.02	.26	--	.35	.01	20
21	--	.03	.06	--	.04	.03	--	.05	--	.05	--	--	21
22	.01	--	.06	--	--	.03	--	.16	.07	.13	.09	--	22
23	--	.02	--	--	.18	.10	--	.22	.01	.29	.02	.04	23
24	--	--	--	--	.01	.10	--	.32	--	.69	.37	.01	24
25	--	.03	.20	--	--	--	--	.04	--	.01	.30	--	25
26	--	.01	.01	--	--	--	--	.92	.21	.10	.69	--	26
27	--	--	.02	--	--	.18	.10	.92	--	--	.36	.07	27
28	--	.01	.15	--	--	.06	--	.54	.01	.01	.05	.13	28
29	.01	X	.04	--	.10	--	.09	.19	--	.43	--	.33	29
30	.01	X	.36	--	--	--	.01	.14	.01	.15	.02	--	30
31	--	X	.25	X	.02	X	--	.05	X	.01	X	.09	31
Total	3.42	0.62	2.49	2.02	1.63	1.99	1.23	6.20	1.50	5.37	4.10	2.43	YEAR'S TOTAL 33.11
Rain Days.	22	11	22	15	12	16	8	29	18	28	24	21	226

S.B. Winser

REGISTER OF RAINFALL IN 1918.

Kept at Engineer's Office, Bamford.

in the County of Derby

by S. B. Winsor

Lat. Long. Time of Observation 9 A.M.

Nearest Railway Station Bamford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 1 in.

Sea Level 509.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.05	.01	.03	.04	--	--	--	.62 .82	.04	.35 .35	.03	1
2	--	.15	--	.03	--	--	--	.37 .37	.33	--	--	.48	2
3	--	.02	.04	--	.64	--	--	.18 .18	.03	.04	.12	.01	3
4	.01	.01	.01	--	.01	--	--	.08 .08	.36 .36	.28 .88	.30 .30	.43	4
5	--	--	.03	.05	.11	.16	--	.13 .13	.20	.31	--	.01	5
6	.03	.73	.01	.47	--	.34	.01	.11	.01	.19	--	.01	6
7	.06	.10	--	.22	--	--	--	.01	.45 .45	.17	.19	.01	7
8	.02	.19	.09	.02	--	--	.38 .03	.03	.64 .84	.06	.10	.01	8
9	.79	.97	.01	.11	--	.18	.01	.01	.56 .56	.56	.03 .03	.03	9
10	.15	.11	.02	.03	--	--	.26	--	.01	.07	.20	.06	10
11	.39	.18	.02	.02	.10	--	.21	.01	.11	--	--	.10	11
12	.10	.17	.03	.35	.06	.06	.60 .60	--	.54 .54	.01	.01	.35 .35	12
13	.02	.01	.01	.04	.07	.02	--	--	.53 .53	.11	--	.01	13
14	.74	--	--	.01	--	.17	.24	--	.65 .06	.06	.02	.32	14
15	.23	--	.01	--	--	.05	.34	--	.69	.01	.01	.17	15
16	--	--	--	--	--	.05	.14 .03	.03	.31 .31	.02	--	.41	16
17	.26	--	--	--	.11	--	.40	.08	.16 .09	.09	--	.28	17
18	.33	--	.02	--	--	.20	.36	.01	.50 .50	--	--	.41	18
19	.14	.02	.38	.10	--	--	.10	.12	.30 .30	.11	--	.48	19
20	.10	.19	--	.08	--	.07	.12	--	.08	.20	.01	.01	20
21	.14	.29	.01	.07	.26	.18	.01	--	.31 .31	.12	.13	.01 .09	21
22	.02	.03	--	--	.43	.15	.11	.02	.09 .09	.03	--	1.14	22
23	.04	.02	--	--	1.32	--	.12	--	.28	--	.04	.12	23
24	--	.05	--	--	--	--	.16	.01	.04	.05	.07	.16	24
25	--	--	--	--	--	.13	.03	.21	.06	.07	--	.01	25
26	--	.08	--	.01	--	--	.34	.06	.24	.01	.09	.08	26
27	--	.11	.01	--	--	.03	.01	.28	.67	--	.15	.58	27
28	--	.07	.28	--	--	--	--	.19	.26	--	.18	.88	28
29	--	X	--	--	--	--	.01	--	.20	--	--	.22	29
30	--	X	.41	--	--	.01	.01	.08	.01	--	.18	.18	30
31	--	X	.25	X	--	X	--	.10	X	--	X	.03	31
Total	3.58	3.55	1.55	1.64	3.15	1.79	3.97	2.02	9.29	2.61	2.06	7.05	42.26
Rain Days	19	21	19	16	11	15	22	21	30	22	18	31	245

S. B. Winsor

REGISTER OF RAINFALL IN 1919....

Kept at Engineer's Office, Bamford
 in the County of Derby
 by S. B. Winser

Lat. _____ Long. _____
 Time of Observation 9 A.M.
 Nearest Railway Station Bamford
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 2 ft. 1 in.
 " " " " Sea Level 509.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67	.02	.03	.08	.48	--	.48	.07	.12	.13	.26	.30	1
2	.17	.01	.03	.01	--	--	.31	.30	.07	.04	.20	.08	2
3	1.02	--	--	--	.04	.16	.76	.01	.07	.01	.42	.32	3
4	.10	--	.19	--	--	--	.14	.14	.19	.01	.03	.32	4
5	.01	.03	--	--	.03	--	.01	.01	.10	.01	.01	.65	5
6	.01	--	.44	--	.55	--	--	--	--	.02	.01	.39	6
7	.03	--	.26	--	.03	--	--	--	.01	.01	.03	--	7
8	.21	--	.03	--	--	.03	--	--	--	--	.01	--	8
9	.07	--	.09	.01	--	--	--	--	.01	--	.06	--	9
10	--	--	.26	.10	--	--	--	--	.01	--	.05	.20	10
11	.01	--	1.34	.06	.10	--	--	--	--	.01	--	.03	11
12	--	--	.90	.18	--	.18	.07	--	.06	.01	--	.01	12
13	.24	--	.01	.23	--	.04	.02	.01	1.28	.08	.02	.07	13
14	.26	.01	--	.26	--	--	--	.02	.05	.01	.10	.01	14
15	.18	.09	.04	.05	--	--	--	--	.01	--	.03	.40	15
16	.30	.98	--	.04	--	.04	--	--	.01	.01	.16	.01	16
17	.17	.50	--	.03	.02	.09	.05	.12	.01	--	.81	.01	17
18	--	--	.21	--	.03	--	.02	.31	.11	.01	.01	.52	18
19	.07	.27	.79	--	--	.07	1.22	.50	.09	.01	.41	.11	19
20	.43	.10	.26	--	--	.18	.25	.08	.02	--	.35	.57	20
21	.07	.41	.02	--	--	.11	.12	.06	.03	--	.01	.40	21
22	--	.13	--	--	--	.02	.01	.09	.42	.02	.14	.68	22
23	--	.01	.01	--	--	.26	--	.02	.01	.74	.09	.52	23
24	.01	.01	--	.12	.07	.02	.01	.03	.16	.41	.13	.17	24
25	.07	--	--	.33	.11	.04	--	.60	--	.01	.19	.02	25
26	.02	--	.62	.12	--	.08	.01	.63	.15	--	.02	.80	26
27	.13	--	.13	.20	--	--	--	.08	.01	--	.07	.03	27
28	.04	.01	--	.06	--	.02	--	.48	--	.06	--	.55	28
29	.16	~~---~~	.05	.02	--	.03	--	.02	~~---~~	1.68	--	.11	29
30	.03	~~---~~	.16	.10	--	.15	.01	.01	--	.12	.16	.25	30
31	.01	~~---~~	.03	~~---~~	--	~~---~~	.18	--	~~---~~	.09	~~---~~	.07	31
TOTAL	4.49	2.58	5.90	2.05	1.46	1.52	3.67	3.59	3.00	3.50	3.78	7.60	YEAR'S TOTAL
Days with ".01 in. or more	26	14	22	18	10	17	17	21	23	22	26	28	43.14

S. B. Winser

REGISTER OF RAINFALL IN 1920

Kept at Engineer's Office, Bamford,

in the County of Derby

by S. B. Winsor

Lat. _____ Long. _____

Time of Observation 9 A.M.

Nearest Railway Station Bamford, Mid. Rly.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 1 in.

Sea Level 509.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	--	.01	.16	.38	.02	.27	.02	.17	.19	.14	.13	1
2	.01	--	.01	.28	.01	--	.08	--	.17	.32	--	.23	2
3	.03	.03	--	.28	.13	.02	.74	.06	.12	.37	.01	.29	3
4	.01	--	--	.05	--	--	.11	.42	.03	.55	--	.09	4
5	--	.01	.04	.10	.48	--	.07	.13	.18	.12	--	.02	5
6	--	.01	.29	.11	.07	--	.05	.01	.01	.03	--	.11	6
7	.18	.01	.14	.01	--	--	.25	--	--	.01	.01	--	7
8	.23	.02	--	.36	.12	--	.15	.08	--	.01	.02	--	8
9	.39	.46	--	.30	--	--	.10	.06	--	--	.02	--	9
10	.70	.87	.05	.09	--	--	.23	--	.01	--	--	.01	10
11	.31	.15	.10	.18	.32	.33	.01	--	.01	--	--	.10	11
12	.06	.05	.03	.46	.01	.12	.04	.23	--	--	.10	.04	12
13	.24	.23	.21	.22	.01	.75	.03	.01	.01	.01	.11	.04	13
14	.04	.04	.33	.15	--	.71	.03	--	.55	.02	.38	.02	14
15	.01	.08	.23	.30	--	--	--	.01	.06	.07	.04	--	15
16	--	.01	.12	.12	.05	.02	.64	--	.05	.11	.10	--	16
17	.02	--	.04	.01	.18	--	--	.06	.25	.05	.01	--	17
18	.05	.01	--	.07	.24	--	.02	.03	.09	.01	.00	--	18
19	.54	2.05	--	.10	.29	.17	--	.08	--	.01	--	--	19
20	.14	.04	--	.28	--	.16	.07	--	--	--	--	.04	20
21	.08	.01	.01	.03	--	--	.40	.08	--	.01	--	.14	21
22	.09	.01	.01	.32	--	.02	.28	.01	--	.01	--	.17	22
23	--	.01	.01	.02	--	--	.29	--	--	--	.02	.49	23
24	.07	.01	.32	.02	--	--	--	--	--	.01	--	.14	24
25	.01	.06	.08	.17	--	.01	.43	.01	.01	.01	.01	--	25
26	.16	.15	.14	.37	.01	.01	.14	--	--	--	.01	.02	26
27	.46	.06	.04	.24	.45	.39	.02	--	--	.01	.21	.14	27
28	1.46	--	.13	.18	.11	.03	.03	--	--	--	.11	.16	28
29	.14	--	.13	.01	.74	.03	.24	--	--	--	.11	.72	29
30	.19	~~---~~	.01	.27	.16	.04	.01	--	.16	--	.17	.37	30
31	.20	~~---~~	.12	~~---~~	.07	~~---~~	.03	--	~~---~~	.59	~~---~~	.12	31
TOTAL	5.84	4.38	2.60	5.26	3.83	2.83	4.76	1.30	1.88	2.52	1.47	3.59	YEAR'S TOTAL
Days with ".01 in. or more	27	23	24	30	19	16	27	16	17	21	19	22	90
Days with ".04 in. or more	20	12	17	24	15	8	19	9	10	9	8	18	169

REG

BASLOW

THE BEECHES

Kept at

The Beech

in the County of

by

Rev: W. Vale

1911-1912

11

Snowdon

5 in.

above Ground 1 ft.

Sea Level 440 ft.

9.30 a.m. daily

Name Bakewell

Distance 4 Direction S.W.

FORM A2.
BRITISH RAINFALL.

JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.22	—	—	—	.05	.11	—	—	.07	—	1
2	.22	—	.06	—	.14	—	—	—	—	—	.03	.14	2
3	.02	—	—	—	.31	—	—	—	—	.01	.22	—	3
4	.02	—	—	.12	—	—	—	.02	.05	.08	.41	.33	4
5	.09	—	.02	.09	—	—	—	.06	—	.16	—	—	5
6	.45*	—	.01	—	—	—	—	.20	—	.05	.12	.80	6
7	.07	—	—	—	—	—	—	—	—	—	.16	—	7
8	.08	—	.18	—	—	—	—	—	—	.05	.12	.66	8
9	—	—	—	—	—	—	—	—	—	—	—	.05	9
10	.03	—	.12	—	—	—	—	—	—	—	—	.92*	10
11	—	—	—	—	—	—	—	—	—	—	.35	—	11
12	.29	.03	.18	—	—	—	—	.55*	.55*	—	.38	—	12
13	—	—	.05	—	—	—	—	—	—	—	.14	.48	13
14	—	.07	.03	—	.45*	—	—	—	—	.01	.02	.91	14
15	—	.14	.12	—	.02	—	—	—	—	.09	—	.02	15
16	—	.26	.01	.04	—	.11	—	—	—	.04	.19	.07	16
17	—	—	—	.02	—	.51	—	—	—	—	.15	.33	17
18	—	.27	.02	.02	.01	.21	—	—	—	—	.10	.21	18
19	—	.09	.01	.03	—	.06	—	—	.22	.10	.27	.07	19
20	—	.32*	—	.21	—	—	.04	.63*	.16	.03	—	.17	20
21	—	.17	.01	—	—	—	—	.01	.06	.23	.01	—	21
22	.02	.05	—	—	—	—	—	—	—	.21	.08	.29	22
23	—	.21	.03	—	—	.31	—	—	.27	.04	.01	.18	23
24	—	.06	.03	.08	—	.77*	—	.05	—	.07	—	.09	24
25	.02	.22	—	.15	—	.01	.01	—	.15	—	.04	.25	25
26	—	.04	—	.16	.11	—	—	—	—	.30	.48*	.44	26
27	—	.19	.14	.57*	—	—	—	.62	.37	.02	—	.07	27
28	—	.15	—	.17	—	.02	—	.16	.08	—	.10	.05	28
29	—	~~—~~	—	.07	—	.01	—	—	.42	.43*	—	.05	29
30	—	~~—~~	—	.07	.14	.08	—	—	—	.41	.01	—	30
31	—	~~—~~	.31*	~~—~~	~~—~~	~~—~~	—	—	~~—~~	.04	~~—~~	—	31
Total	1.25	2.27	1.55	1.80	1.18	2.09	0.10	1.86	2.33	2.37	3.46	6.58	TOTAL (over year) 26.84
No. of Rain Days.	11	15	18	14	7	10	3	9	10	19	22	22	160

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

Kept at The Breeches, Baslow
in the County of Derbyshire
by Rev. W. Vale Bagshawe

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 440 ft.
Time of Observation 9.30 a.m. daily
Nearest Railway Station { Name Bakewell
Distance 4 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.22	—	—	—	.05	.11	—	—	.07	—	1
2	.22	—	.06	—	.14	—	—	—	—	—	.03	.14	2
3	.02	—	—	—	.31	—	—	—	—	.01	.22	—	3
4	.02	—	—	.12	—	—	—	.02	.05	.08	.41	.33	4
5	.09	—	.02	.09	—	—	—	.06	—	.16	—	—	5
6	.45*	—	.01	—	—	—	—	.20	—	.05	.12	.80	6
7	.07	—	—	—	—	—	—	—	—	—	.16	—	7
8	.08	—	.18	—	—	—	—	—	—	.05	.12	.66	8
9	—	—	—	—	—	—	—	—	—	—	—	.05	9
10	.03	—	.12	—	—	—	—	—	—	—	—	.92*	10
11	—	—	—	—	—	—	—	—	—	—	.35	—	11
12	.29	.03	.18	—	—	—	—	.55*	—	—	.38	—	12
13	—	—	.05	—	—	—	—	—	—	—	.14	.48	13
14	—	.07	.03	—	.45*	—	—	—	—	.01	.02	.91	14
15	—	.14	.12	—	.02	—	—	—	—	.09	—	.02	15
16	—	.26	.01	.04	—	.11	—	—	—	.04	.19	.07	16
17	—	—	—	.02	—	.51	—	—	—	—	.15	.33	17
18	—	.27	.02	.02	.01	.21	—	—	—	—	.10	.21	18
19	—	.09	.01	.03	—	.06	—	—	.22	.10	.27	.07	19
20	—	.32*	—	.21	—	—	.04	.63*	.16	.03	—	.17	20
21	—	.17	.01	—	—	—	—	.01	.06	.23	.01	—	21
22	.02	.05	—	—	—	—	—	—	—	.21	.08	.29	22
23	—	.21	.03	—	—	.31	—	—	.27	.04	.01	.18	23
24	—	.06	.03	.08	—	.77*	—	.05	—	.07	—	.09	24
25	.02	.22	—	.15	—	.01	.01	—	.15	—	.04	.25	25
26	—	.04	—	.16	.11	—	—	—	—	.30	.48*	.44	26
27	—	.19	.14	.57*	—	—	—	.62	.37	.02	—	.07	27
28	—	.15	—	.17	—	.02	—	.16	.08	—	.10	.05	28
29	—	~~—~~	—	.07	—	.01	—	—	.42	.43*	—	.05	29
30	—	~~—~~	—	.07	.14	.08	—	—	—	.41	.01	—	30
31	—	~~—~~	.31*	~~—~~	—	~~—~~	—	—	~~—~~	.04	~~—~~	—	31
Total	1.25	2.27	1.55	1.80	1.18	2.09	0.10	1.86	2.33	2.37	3.46	6.58	TOTAL for year 26.84
No. of Rain Days.	11	15	18	14	7	10	3	9	10	19	22	22	160

REGISTER OF RAINFALL IN 1912

Kept at The Beeches Baslow
in the County of Derby
by Rev. W. Dale Bagshawe

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 440 ft.
Time of Observation 9.30 A.M. daily
Nearest Railway Station { Name Baslow
Distance 4 Direction S. W.

FORM A2.
BRITISH RAINFALL
14 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. —	in. .04	in. .16	in. —	in. —	in. .24	in. .03	in. .05	in. .05	in. —	in. —	in. .94	1
2	—	—	.05	.06	—	.05	.56	—	.06	—	—	.06	2
3	.29	—	.05	—	.03	.17	—	.90	.16	—	—	.01	3
4	.31	—	.80	.22	.13	.35	—	.48	—	—	.16	—	4
5	.41	—	—	.01	.06	.20	—	.19	.14	—	.03	.01	5
6	.79	.17	—	—	.08	—	—	.40	—	—	—	.05	6
7	—	.06	.03	—	.02	.03	—	.19	.05	—	—	.04	7
8	.41	.39	.19	.06	—	.14	.29	—	.07	—	—	—	8
9	.16	.01	.15	.35	—	.48	—	.17	—	—	.10	.12	9
10	.15	—	—	—	—	.05	—	.05	—	—	.51	.05	10
11	.02	.02	—	—	—	—	—	.02	—	—	.08	.50	11
12	.06	.51	.13	—	—	.07	2.28	—	—	—	.01	—	12
13	—	.03	—	—	—	.02	—	.10	.02	.09	.07	.07	13
14	.09	—	.45	—	—	.06	.01	.04	—	—	—	.38	14
15	.24	.05	.23	—	.59	.20	—	.01	—	—	—	.41	15
16	.98	—	.16	—	.21	.07	—	.05	—	.11	—	.05	16
17	.35	.02	.13	—	—	.29	.05	.22	—	—	.02	.38	17
18	.15	—	.12	—	—	—	—	.07	—	.06	—	.31	18
19	.28	.09	.19	—	.03	.04	.56	.52	—	.05	—	—	19
20	.23	—	.20	—	.22	.06	.05	.12	—	.31	.02	.10	20
21	—	.02	.16	—	.43	—	.13	—	—	.50	.02	—	21
22	—	.09	—	—	.41	.09	.11	.73	—	—	—	.11	22
23	.16	.02	.24	—	—	.07	.67	.32	—	—	.11	.01	23
24	.11	—	.04	—	—	.14	.09	.15	—	—	—	.19	24
25	—	—	.01	—	—	.43	—	.17	—	—	.45	.38	25
26	—	.16	.08	—	—	.01	.72	.65	—	.93	.21	.01	26
27	—	—	.07	—	.01	.29	2.25	.04	—	.90	—	.11	27
28	—	.03	.02	—	—	.11	.51	.52	.11	.20	.58	.05	28
29	—	.02	.37	.23	.03	.04	.20	—	.64	.10	—	.03	29
30	.07	—	.06	—	.13	—	.02	—	.02	.06	—	—	30
31	.01	—	.07	—	.68	—	.17	.18	—	—	—	.01	31
Total	5.27	1.73	4.18	.73	3.06	3.70	8.70	6.34	1.32	3.31	2.37	4.38	TOTAL for year 45.09
No. of Rain Days	20	17	25	6	15	25	18	25	10	11	14	25	211

RECORDED

BELPER

Kept at *The Herbert School*

in the County of *Derby*

by *W. D. Duncleiffe, B.S.*
J. W. Raistrick, B.S.

HERBERT STRUTT SCHOOL

DERBY

1911, 1913, 1919-20

411
BRITISH RAINFALL
Form A2
1912
8 in.
Ground 1 ft. in.
Sea Level 223 ft.
Name *Belper*
Distance *3 1/2* miles Direction *N.*

IMPORTANT NOTE.

previous day. If an Observer is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'00	'00	'13	'00	'00	'00	'02	'05	'00	'00	'04	'00	1
2	'15	'00	'02	'00	'04	'00	'00	'09	'00	'00	'03	'07	2
3	'00	'01	'00	'00	'20	'00	'00	'11	'00	'05	'10	'00	3
4	'02	'00	'02	'04	'00	'08	'00	'03	'11	'05	'18	'14	4
5	'04	'00	'01	'05	'00	'00	'00	'14	'00	'00	'00	'00	5
6	'50	'00	'00	'00	'00	'00	'00	'17	'00	'10	'07	'43	6
7	'03	'01	'00	'00	'00	'00	'00	'00	'00	'03	'07	'03	7
8	'09	'00	'21	'00	'00	'00	'00	'00	'01	'00	'21	'35	8
9	'07	'00	'00	'00	'00	'01	'00	'00	'00	'00	'04	'00	9
10	'03	'02	'26	'06	'00	'00	'00	'00	'00	'00	'00	'41	10
11	'16	'00	'00	'00	'00	'00	'00	'10	'00	'00	'34	'00	11
12	'02	'00	'31	'00	'00	'00	'00	'00	'22	'00	'24	'01	12
13	'00	'00	'04	'00	'00	'00	'00	'00	'00	'00	'11	'35	13
14	'00	'06	'03	'00	'67	'00	'00	'00	'00	'01	'00	'81	14
15	'00	'17	'09	'00	'00	'00	'00	'00	'00	'06	'03	'18	15
16	'00	'06	'01	'00	'00	'13	'00	'00	'00	'02	'19	'09	16
17	'00	'00	'04	'02	'00	'74	'00	'00	'00	'00	'04	'26	17
18	'00	'30	'00	'07	'00	'11	'00	'00	'00	'00	'16	'06	18
19	'00	'12	'00	'00	'01	'19	'02	'01	'04	'08	'18	'04	19
20	'00	'08	'00	'20	'00	'00	'01	'20	'06	'08	'00	'13	20
21	'00	'38	'01	'00	'00	'00	'00	'11	'00	'18	'00	'00	21
22	'00	'01	'00	'05	'00	'00	'00	'00	'00	'26	'00	'28	22
23	'00	'13	'08	'00	'00	'20	'00	'00	'53	'05	'00	'17	23
24	'00	'12	'04	'23	'00	'72	'00	'01	'00	'22	'00	'07	24
25	'00	'28	'10	'24	'10	'00	'00	'00	'05	'00	'02	'11	25
26	'00	'02	'00	'21	'11	'00	'00	'00	'00	'33	'32	'38	26
27	'00	'22	'15	'29	'00	'00	'00	'66	'13	'00	'00	'08	27
28	'02	'27	'00	'26	'00	'05	'00	'00	'04	'00	'17	'07	28
29	'00	~~'00~~	'00	'00	'00	'13	'00	'00	'27	'36	'00	'00	29
30	'00	~~'00~~	'00	'04	'00	'06	'00	'00	'00	'27	'02	'00	30
31	'00	~~'00~~	'09	~~'00~~	'00	~~'00~~	'00	'00	~~'00~~	'03	~~'00~~	'00	31
Total	1'01	2'26	1'57	1'70	1'16	2'42	0'05	1'68	1'46	2'18	2'56	4'41	TOTAL for year
No. of Rain Days.	11	17	17	12	6	11	3	12	10	17	20	22	2'46

RE

Kept at The Herbert Street School Beefer
in the County of Derbyshire
by W. W. Dunscliffe, B.Sc.
J. W. Raistrick, B.Sc.

RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 223 ft.
Time of Observation 9 AM
Name Beefer
Nearest Railway Station Distance 3 mi Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'00	'00	'13	'00	'00	'00	'02	'05	'00	'00	'04	'00	1
2	'15	'00	'02	'00	'04	'00	'00	'09	'00	'00	'03	'07	2
3	'00	'01	'00	'00	'20	'00	'00	'11	'00	'05	'10	'00	3
4	'02	'00	'02	'04	'00	'08	'00	'03	'11	'05	'18	'14	4
5	'04	'00	'01	'05	'00	'00	'00	'14	'00	'00	'00	'00	5
6	'50	'00	'00	'00	'00	'00	'00	'17	'00	'10	'07	'43	6
7	'03	'01	'00	'00	'00	'00	'00	'00	'00	'03	'07	'03	7
8	'09	'00	'21	'00	'00	'00	'00	'00	'01	'00	'21	'35	8
9	'07	'00	'00	'00	'00	'01	'00	'00	'00	'00	'04	'00	9
10	'03	'02	'26	'06	'00	'00	'00	'00	'00	'00	'00	'41	10
11	'16	'00	'00	'00	'00	'00	'00	'10	'00	'00	'34	'00	11
12	'02	'00	'31	'00	'00	'00	'00	'00	'22	'00	'24	'01	12
13	'00	'00	'04	'00	'00	'00	'00	'00	'00	'00	'11	'35	13
14	'00	'06	'03	'00	'67	'00	'00	'00	'00	'01	'00	'81	14
15	'00	'17	'09	'00	'00	'00	'00	'00	'00	'06	'03	'18	15
16	'00	'06	'01	'00	'00	'13	'00	'00	'00	'02	'19	'09	16
17	'00	'00	'04	'02	'00	'74	'00	'00	'00	'00	'04	'26	17
18	'00	'30	'00	'07	'00	'11	'00	'00	'00	'00	'16	'06	18
19	'00	'12	'00	'00	'01	'19	'02	'01	'04	'08	'18	'04	19
20	'00	'08	'00	'20	'00	'00	'01	'20	'06	'08	'00	'13	20
21	'00	'38	'01	'00	'00	'00	'00	'11	'00	'18	'00	'00	21
22	'00	'01	'00	'05	'00	'00	'00	'00	'00	'26	'00	'28	22
23	'00	'13	'08	'00	'00	'20	'00	'00	'53	'05	'00	'17	23
24	'00	'12	'04	'23	'00	'72	'00	'01	'00	'22	'00	'07	24
25	'00	'28	'00	'24	'10	'00	'00	'00	'05	'00	'02	'11	25
26	'00	'02	'00	'21	'11	'00	'00	'00	'00	'33	'32	'38	26
27	'00	'22	'15	'29	'00	'00	'00	'66	'13	'00	'00	'08	27
28	'02	'27	'00	'26	'00	'05	'00	'00	'04	'00	'17	'07	28
29	'00	~~'00~~	'00	'00	'00	'13	'00	'00	'27	'36	'00	'00	29
30	'00	~~'00~~	'00	'04	'00	'06	'00	'00	'00	'27	'02	'00	30
31	'00	~~'00~~	'09	~~'00~~	'00	~~'00~~	'00	'00	~~'00~~	'03	~~'00~~	'00	31
Total	1'01	2'26	1'54	1'70	1'16	2'42	0'05	1'68	1'46	2'18	2'56	4'41	TOTAL for year
No. of Rain Days.	11	17	17	12	6	11	3	12	10	17	20	22	2'46

REGISTER OF RAINFALL IN 1913

Kept at The "Herbert Street" School, Beep
in the County of Derbyshire
by W. W. Trenchard & J. W. Raistrick

Lat. 53° 1' 6" Long. 1° 29'
Time of Observation 9 AM
Nearest Railway Station Beep Midland
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 223 ft.

2664
14 JAN 1914
BRITISH RAINFALL FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.12	.02	.00	.00	.00	.00	.14	.00	.06	.00	1
2	.00	.13	.21	.06	.00	.00	.00	.00	.02	.00	.03	.20	2
3	.08	.00	.00	.00	.44	.00	.00	.00	.03	.07	.00	.10	3
4	1.09	.00	.06	.00	.11	.03	.02	.00	.02	.30	.23	.39	4
5	.08	.01	.00	.06	.00	.03	.11	.01	.02	1.22	.00	.10	5
6	.03	.00	.16	.00	.38	.07	.62	.00	.00	.56	.01	.03	6
7	.00	.02	.00	.00	.22	.07	.00	.00	.00	.48	.15	.00	7
8	.00	.02	.00	.00	.23	.06	.00	.02	.02	.13	.03	.00	8
9	.00	.12	.06	.00	.01	.65	.00	.00	.00	.00	.17	.03	9
10	.07	.00	.00	.14	.02	.00	.00	.23	.00	.04	.28	.00	10
11	1.44	.00	.00	.31	.00	.00	.00	.05	.00	.03	.55	.00	11
12	.00	.00	.00	.00	.12	.00	.00	.00	.03	.00	.32	.00	12
13	.04	.00	.27	.02	.00	.00	.00	.00	.13	.00	.17	.00	13
14	.10	.05	.49	.01	.00	.00	.00	.04	.00	.09	.04	.00	14
15	.03	.11	.32	.76	.00	.00	.00	.00	.10	.00	.14	.00	15
16	.03	.00	.31	.00	.00	.00	.00	.03	.08	.00	.05	.00	16
17	.02	.00	.02	.13	.00	.00	.00	.00	.21	.00	.03	.00	17
18	.03	.00	.18	.21	.17	.00	.09	.00	.00	.00	.04	.04	18
19	.07	.00	.05	.00	.00	.05	.02	.00	.35	.02	.01	.02	19
20	.14	.01	.05	.10	.00	.01	.00	.00	.02	.02	.15	.00	20
21	.00	.00	.10	.00	.00	.00	.06	.02	.00	.00	.20	.00	21
22	.47	.00	.59	.00	.00	.00	.00	.68	.32	.00	.00	.00	22
23	.01	.00	.00	.00	.00	.07	.00	.02	.07	.00	.02	.00	23
24	.14	.00	.00	.01	.00	.02	.00	.04	.00	.00	.03	.00	24
25	.00	.00	.00	.00	.00	.00	.00	.00	.04	.02	.00	.04	25
26	.00	.10	.15	.14	.00	.00	.00	.02	.01	.16	.00	.32	26
27	.00	.06	.02	.49	.00	.00	.00	.00	.00	.01	.00	.00	27
28	.36	.03	.20	.46	.16	.00	.00	.00	.00	.03	.00	.01	28
29	.00	X	.49	.41	.01	.00	.00	.60	.00	.00	.00	.21	29
30	.66	X	.01	.00	.04	.00	.00	.00	.00	.30	.03	.07	30
31	.00	X	.06	X	.00	X	.00	.00	X	.00	X	.00	31
Total	4.83	.63	3.92	3.33	1.91	1.05	.92	1.76	1.61	3.48	2.74	1.56	YEAR'S TOTAL 27.77
Rain Days.	19	11	21	16	12	9	6	12	17	16	22	13	174

REGISTER OF RAINFALL IN 1919

Kept at Belper [School] [M]

in the County of Derby.

by W. W. Lunncliffe B. Sc F.C.S

Lat. 53.1' N. Long. 1.29' W.

Time of Observation 9.15 A.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. in.

Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.35	0.04	0.04	0.02	0.20		0.15		0.10	0.19	0.25	0.25	1
2	0.14	0.04	0.05				0.14	0.01	0.07	0.08	0.10	0.05	2
3	0.93		0.02		0.11	0.10	0.11	0.03	0.13		0.09	0.06	3
4			0.29				0.03	0.31	0.14			0.25	4
5		0.09			0.02		0.02		0.27			0.31	5
6	0.01	0.01	0.16		0.51						0.04	0.06	6
7			0.20		0.01								7
8	0.14		0.15			0.02				0.01	0.01		8
9			0.04								0.02		9
10			0.23								0.06	0.17	10
11	0.01		0.66	0.07	0.06		0.15			0.01		0.02	11
12			0.63	0.11		0.31	0.03		0.04	0.03	0.12	0.02	12
13	0.37			0.33					0.29	0.16		0.02	13
14	0.41			0.27							0.04	0.02	14
15	0.38	0.16	0.01							0.01	0.075	0.52	15
16	0.19	0.96		0.05							0.18	0.01	16
17	0.21	0.42			0.07	0.09					0.35		17
18		0.01	0.25				0.04	0.24			0.02	0.30	18
19	0.22	0.23	1.35			0.05	0.55	0.11	0.12		0.095	0.065	19
20	0.39	0.13	0.35			0.03	0.25	0.07			0.225	0.14	20
21	0.10	0.49	0.07			0.01	0.19	0.02	0.01		0.02	0.40	21
22		0.15				0.01			0.86		0.035	0.55	22
23				0.12						0.60	0.015	0.02	23
24				0.03	0.37		0.09			0.86	0.125		24
25	0.06	0.13		0.06	0.22			0.35	0.06	0.02	0.06	0.13	25
26			0.37	0.27		0.03		0.08				0.54	26
27	0.11			0.09				0.03			0.10	0.045	27
28				0.10				0.75		0.03	0.05	0.38	28
29	0.07	X	0.01					0.06		0.68	0.05	0.05	29
30	0.03	X	0.13			0.16				0.01	0.15	0.25	30
31	0.03	X		X		X	0.06		X	0.16	X	0.02	31
Total	4.70	2.91	5.56	1.52	1.57	0.81	1.81	2.36	2.09	2.85	2.28	4.65	YEAR'S TOTAL 33.11
Rain Days	19	13	19	12	9	10	13	12	11	14	24	26	182

REGISTER OF RAINFALL IN 1920

Kept at Belper School
in the County of Derby
by Leil Round (M.D.)

Lat. 53° 1' N Long. 1° 29' W
Time of Observation 9 am
Nearest Railway Station Belper
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. — in.
" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace	—	trace	.16	.33	.01	.52	.02	.08	.09	.36	.17	1
2	trace	trace	—	.12	—	.01	1.07	—	.09	.21	trace	.24	2
3	.06	.03	—	.36	—	.02	.86	.10	X.10	.13	—	.10	3
4	.02	—	—	.13	.02	—	.03	.74	trace	.22	—	.02	4
5	—	trace	.05	.02	.53	—	.16	.10	.08	.53	—	trace	5
6	.02	trace	.15	.05	.17	—	.10	.01	—	.10	—	.07	6
7	.02	trace	.05	.04	.02	—	.18	—	—	trace	—	—	7
8	.22	.05	Snow .01	.52	.07	—	.22	—	—	—	—	—	8
9	.52	.15	—	.41	—	—	.01	.01	—	—	—	—	9
10	.41	.49	.09	.27	—	—	.32	—	—	—	—	—	10
11	.24	.01	.04	.09	.46	.25	.02	.06	—	—	—	.14	11
12	.05	.02	.03	.39	trace	.35	.05	.12	—	—	—	.06	12
13	.11	.12	.07	.44	trace	.52	—	—	—	—	.05	Snow	13
14	.03	.05	.65	.12	trace	1.16	.06	—	—	—	.02	Snow lying	14
15	trace	.11	Snow .21	.22	trace	.02	—	—	.23	—	.14	Snow lying .04	15
16	trace	trace	Snow lying .03	.07	.04	.02	.46	—	.11	.21	.01	—	16
17	—	—	.03	—	.17	—	—	—	—	.17	—	—	17
18	.07	trace	—	.02	.19	—	.04	—	.50	.05	—	—	18
19	.16	1.58	—	.26	.11	.23	trace	.06	.17	—	—	—	19
20	.09	Snow .07	—	.28	trace	.23	.03	trace	.16	—	—	.09	20
21	trace	Snow lying	—	.03	trace	.01	.22	.05	trace	—	—	—	21
22	.04	Snow lying .02	—	.29	—	.02	.22	.12	trace	—	—	.04	22
23	—	Snow lying trace	—	.02	—	—	.10	—	.01	—	—	.44	23
24	.05	trace	.25	.05	—	—	—	—	trace	—	—	.20	24
25	.02	.05	.11	.16	—	.05	.77	—	—	—	—	trace	25
26	.24	.06	.09	.09	.14	.04	.12	—	—	—	—	.15	26
27	.07	.03	.05	.12	.08	.17	.07	—	trace	—	.08	.06	27
28	1.05	.02	.11	.15	.04	.12	.04	—	—	—	.26	.20	28
29	.05	trace	.13	—	.46	.01	.17	—	trace	—	.19	.75	29
30	.10	X	.01	.22	.03	.11	trace	—	.09	—	.20	.58	30
31	.16	X	.12	X	.06	X	.02	trace	X	.36	X	.03	31
TOTAL	3.78 3.69	2.87	2.28	5.10	2.92	3.35	5.86 4.96	1.39	1.62 1.63	1.98 1.72	.95 1.33	3.28 3.30	YEAR'S TOTAL 35.44
Days with ".01 in. or more	22	16	20	28	17	19	25	11	10	9	8	18	204
Days with ".04 in. or more	18	10	15	24	14	11	120	8	10	9	6	15	168

REGISTER OF RAINFALL IN 1920.

Kept at Belper (School)
in the County of Derbyshire
by W. W. Lunnichffe B. Sc. F.C.S.

Lat. 53° 1' N Long. 1° 29' W
Time of Observation 9h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0.16	0.33	0.01	52	02	0.08	0.210	-	0.175	1
2	-	-	-	0.12	-	0.01	1.07	-	0.09	0.130	-	0.235	2
3	0.06	0.03	-	0.36	-	0.02	86	10	0.10	0.215	-	0.105	3
4	0.015	-	-	0.13	0.02	-	03	74	-	0.530	-	0.02	4
5	-	-	0.05	0.02	0.53	-	16	10	0.08	0.100	-	-	5
6	-	-	0.15	0.05	0.17	-	10	01	-	-	-	0.07	6
7	0.02	-	0.05	0.04	0.02	-	78	-	-	-	-	-	7
8	0.22	0.05	0.01	0.52	0.07	-	22	-	-	-	-	-	8
9	0.52	0.15	-	0.41	-	-	01	01	-	-	-	-	9
10	0.41	0.49	0.09	0.27	-	-	32	-	-	-	-	-	10
11	0.24	0.02	0.04	0.09	46	0.25	02	06	-	-	-	0.135	11
12	0.05	0.02	0.03	0.39	-	0.35	05	12	-	-	0.05	0.06	12
13	0.11	0.12	0.07	0.44	-	0.52	-	-	-	-	0.015	-	13
14	0.03	0.05	0.65	0.12	-	1.16	06	-	23	-	0.14	0.04	14
15	-	0.11	0.21	0.22	-	0.02	-	-	-	0.215	0.01	-	15
16	-	-	0.03	0.07	0.04	0.02	46	-	11	0.165	-	-	16
17	-	-	0.03	-	0.19	-	-	-	50	0.050	-	-	17
18	0.07	-	-	0.02	0.19	-	04	-	17	-	-	-	18
19	0.16	1.58	-	0.26	0.11	0.23	-	06	16	-	-	0.025	19
20	0.09	0.07	-	0.28	-	0.23	03	-	12	-	-	0.05	20
21	-	-	-	0.03	-	0.01	22	05	-	-	-	0.035	21
22	0.04	0.02	-	0.29	-	0.02	22	12	-	-	-	0.445	22
23	-	-	-	0.02	-	-	10	-	0.01	-	-	0.20	23
24	0.05	-	0.25	0.05	-	-	-	-	-	-	-	-	24
25	0.02	0.05	0.11	0.16	-	0.05	77	-	-	-	-	0.15	25
26	0.24	0.06	0.09	0.09	0.14	0.04	12	-	-	-	0.08	0.06	26
27	0.07	0.03	0.05	0.12	0.08	0.17	07	-	-	-	0.265	0.20	27
28	1.05	0.02	0.11	0.15	0.04	0.12	04	-	-	-	-	0.75	28
29	0.05	-	0.13	-	0.46	0.01	17	-	-	-	0.185	0.55	29
30	0.10	X	0.01	0.22	0.03	0.11	-	-	09	-	0.20	0.03	30
31	0.16	X	0.12	X	0.06	X	02	-	16	0.365	X	0.04	31

TOTAL	3.78	2.87	2.28	5.10	2.92	3.35	5.86	1.39	1.24	1.980	0.95	3.28	35.38
Days with "01 in. or more	22	16	20	28	17	19	25	11	11	9	8	18	204
(44,283).	58	218	7500	1019	Gp.132	A.&E.M.	11	20	8	10	9	6	15

REGIS'

BELPER
QUARRY BANK

DERBY
1911-1920

Kept at *Belper*
in the County of *Derby*
by *John Hunter*
amsc

IMPORTANT NOTE.—Ra
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL.
8 JAN 1912
n.
id — ft. 8 in.
level 280.56.

Belper
nce *3/4* in. Direction *S*
result entered to the
rule, he is earnestly

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.13	—	—	—	.01	.05	—	—	.03	—	1
2	.13	—	.02	—	.07	—	—	.08	—	—	.03	.09	2
3	—	.04	—	—	.22	—	—	.10	—	.04	.09	—	3
4	.03	—	.03	.05	—	.21	—	.03	.12	.05	.18	.16	4
5	.04	—	—	.05	—	—	—	.15	—	—	—	—	5
6	.60	—	—	—	—	—	—	.16	—	.10	.08	.45	6
7	.02	.01	—	—	—	—	—	—	—	.02	.08	.04	7
8	.10	—	.29	—	—	—	—	~~.10~~	.09	—	.20	.41	8
9	—	—	—	—	—	.03	—	—	—	—	.03	—	9
10	.04	.04	.25	—	—	—	—	—	—	—	—	.45	10
11	.12	—	—	—	—	—	—	.05	—	—	.31	—	11
12	.02	—	.29	—	—	—	—	.10	.21	—	.21	.01	12
13	—	—	.04	—	—	—	—	—	—	—	.11	.35	13
14	—	.06	.03	—	.89	—	—	—	—	—	.02	.79	14
15	—	.19	.09	—	—	—	—	—	—	.06	.02	.12	15
16	—	.07	.01	—	—	.14	—	—	—	.02	.20	.09	16
17	—	—	.04	.02	—	.76	—	—	—	—	.04	.28	17
18	—	.30	—	.08	.61	.05	—	—	—	—	.16	.05	18
19	—	.13	—	—	—	—	.02	.01	.04	.09	.21	.05	19
20	—	.09	—	.21	—	.13	.01	.20	.05	.03	—	.25	20
21	—	.39	.01	—	—	—	—	.06	—	.22	.01	—	21
22	—	—	—	.06	—	.01	—	~~.10~~	—	.26	—	.31	22
23	—	.11	.10	—	—	.19	—	—	.50	.04	.01	.15	23
24	—	.11	.05	.23	—	.75	—	.01	—	.28	—	.10	24
25	.01	.29	—	.24	.07	—	—	—	.07	—	—	.09	25
26	—	.03	—	.24	.13	—	—	—	—	.33	.34	.40	26
27	—	.22	.16	.26	—	—	—	.68	.13	—	.01	.07	27
28	—	.17	—	.29	—	.04	—	—	.05	—	.18	—	28
29	—	—	—	—	—	.10	—	—	.31	.39	—	—	29
30	—	—	—	.06	—	.05	—	—	—	.28	.02	—	30
31	—	—	.10	—	—	—	—	—	—	.03	—	.03	31
Total	1.11	2.25	1.64	1.79	1.39	2.46	0.04	1.58	1.57	2.24	2.57	4.74	TOTAL for year 23.38
No. of Rain Days.	10	16	16	12	6	12	3	12	10	16	23	22	158

REGIS'

FORM A2.
BRITISH RAINFALL.
JAN 1912

Kept at *Belvoir Linn*
in the County of *Derby*
by *John Hunter*
35 years

RAIN GAUGE Diameter of top in.
Height of top above Ground ft. 8 in.
" " " Sea Level 280.56 ft.
Time of Observation 9 am
Nearest Railway Station Name *Belvoir*
Distance *3/4 m* Direction *S*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.13	—	—	—	.01	.05	—	—	.03	—	1
2	.13	—	.02	—	.07	—	—	.08	—	—	.03	.09	2
3	—	.04	—	—	.22	—	—	.10	—	.04	.09	—	3
4	.03	—	.03	.05	—	.21	—	.03	.12	.05	.18	.16	4
5	.04	—	—	.05	—	—	—	.15	—	—	—	—	5
6	.60	—	—	—	—	—	—	.16	—	.10	.08	.45	6
7	.02	.01	—	—	—	—	—	—	—	.02	.08	.04	7
8	.10	—	.29	—	—	—	—	.09	—	.20	.41	—	8
9	—	—	—	—	—	.03	—	—	—	—	.03	—	9
10	.04	.04	.25	—	—	—	—	—	—	—	—	.45	10
11	.12	—	—	—	—	—	—	.05	—	—	.31	—	11
12	.02	—	.29	—	—	—	—	.21	—	—	.21	.01	12
13	—	—	.04	—	—	—	—	—	—	—	.11	.35	13
14	—	.06	.03	—	.89	—	—	—	—	—	.02	.79	14
15	—	.19	.09	—	—	—	—	—	—	.06	.02	.12	15
16	—	.07	.01	—	—	.14	—	—	—	.02	.20	.09	16
17	—	—	.04	.02	—	.76	—	—	—	—	.04	.28	17
18	—	.30	—	.08	.01	.05	—	—	—	—	.16	.05	18
19	—	.13	—	—	—	—	.02	.01	.04	.09	.21	.05	19
20	—	.09	—	.21	—	.13	.01	.20	.05	.03	—	.25	20
21	—	.39	.01	—	—	—	—	.06	—	.22	.01	—	21
22	—	—	—	.06	—	.01	—	—	—	.26	—	.31	22
23	—	.11	.10	—	—	.19	—	—	.50	.04	.01	.15	23
24	—	.11	.05	.23	—	.75	—	.01	—	.28	—	.10	24
25	.01	.29	—	.24	.07	—	—	—	.07	—	—	.09	25
26	—	.03	—	.24	.13	—	—	—	—	.33	.34	.40	26
27	—	.22	.16	.26	—	—	—	.68	.13	—	.01	.07	27
28	—	.17	—	.29	—	.04	—	—	.05	—	.18	—	28
29	—	—	—	—	—	.10	—	—	.31	.39	—	—	29
30	—	—	—	.08	—	.05	—	—	—	.28	.02	—	30
31	—	—	.10	—	—	—	—	—	—	.03	—	.03	31
Total	1.11	2.25	1.64	1.79	1.39	2.46	0.04	1.58	1.57	2.24	2.57	4.74	TOTAL for year 23.38
No. of Rain Days.	10	16	16	12	6	12	3	12	10	16	23	22	158

508 255
REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Quarry Bank Becher

in the County of Derby

by John Hunter Amble

Pattern Suandon
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground — ft. 8 in.
" " " Sea Level 280 ft. 56
Time of Observation 9 am
Nearest Railway Station { Name Becher
Distance 7 1/4 Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.11	—	—	.28	—	—	.03	—	—	.41	1
2	—	.02	.11	.03	—	.05	.33	—	—	—	—	.05	2
3	.11	—	—	—	.07	.25	—	.80	.11	—	—	.06	3
4	.13	—	.54	—	.15	.38	—	.49	.03	—	.27	—	4
5	.62	.05	—	.01	.09	.10	.01	.09	.04	—	—	—	5
6	.86	.17	—	—	.04	—	—	.29	—	—	—	.02	6
7	.01	.10	—	—	.03	.06	—	.08	.02	—	.01	—	7
8	.50	.37	.15	.06	—	.01	.01	—	.06	—	—	—	8
9	.04	.02	.15	.23	—	.64	—	.17	—	—	—	.13	9
10	—	—	—	.01	—	.06	—	.10	—	—	.41	—	10
11	.14	—	—	—	—	.02	—	.04	—	—	.10	.58	11
12	.08	.34	.19	—	—	.06	.32	—	—	—	—	—	12
13	.03	.03	—	—	—	.07	—	.02	—	.06	.07	.04	13
14	.13	—	.48	—	—	.15	—	.18	—	—	—	.04	14
15	.26	.10	.14	—	.43	.08	—	—	—	—	—	.24	15
16	.96	—	.31	—	.05	.03	—	.15	—	.16	—	—	16
17	.47	.01	.29	—	—	.30	.06	.45	—	—	.03	.29	17
18	.32	—	.06	—	—	—	—	—	—	.05	—	.09	18
19	.34	.13	—	—	.02	—	.45	.32	.02	.19	.02	—	19
20	.27	—	.18	—	.09	.01	.06	.05	—	.42	—	—	20
21	—	.03	.27	—	.63	—	1.91	—	—	.52	.04	.03	21
22	—	.18	—	—	.56	.42	.31	.59	—	—	—	.25	22
23	.04	.06	.30	—	—	—	.51	.38	—	—	.20	.02	23
24	.10	—	.03	—	—	.15	.26	.12	—	—	.02	.18	24
25	~~.03~~	.01	—	—	—	.29	.02	.34	—	—	.39	.19	25
26	—	.07	.06	—	—	.08	.40	1.07	—	.92	.25	.13	26
27	—	—	.03	—	—	.19	.08	.04	—	.83	—	.31	27
28	—	—	—	—	—	.04	.21	.68	.05	.55	.88	.25	28
29	—	—	.05	—	.01	.01	.21	.02	.57	.06	.04	—	29
30	.03	—	—	—	.28	—	.01	—	.11	.03	—	—	30
31	—	—	.15	—	.25	—	.31	.10	—	—	—	.02	31
Total	5.44	1.69	3.54	0.34	2.70	3.73	5.47	6.57	1.04	3.79	2.73	3.33	TOTAL for year 1912 40.40
No. of Rain Days.	20	16	19	5	14	24	18	23	10	11	14	20	194 days.

REGISTER OF RAINFALL IN 1913

Kept at Zamary Bank Belper
in the County of Derby
by John Hunter. AM.ICE

Lat. 53° 13' 4" Long. 1° 28' 32"
Time of Observation 9 A.M.
Nearest Railway Station Belper
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" " " " Sea Level 280 ft.

FORM A.
BRITISH RAINFALL
2 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.15	.01					.13		.05		1
2	.02	.13		.07							.03	.02	2
3	.07		.27		.44				.04	.12		.07	3
4	.05		.01		.11	.03	.04		.02	.25	.24	.34	4
5	.06	.03	.09			.03	.10	.02	.03	1.31	.02		5
6	.03	.03	.17		.38	.06	.69			.68		.02	6
7		.12	.02		.24	.05				.48	.14	.02	7
8		.02			.25	.10		.03	.03	.10	.03		8
9		.36	.05	.02	.05	.62					.17		9
10	.03			.11	.02		.01	.22		.04	.38		10
11	1.31			.38				.66		.03	.58	.02	11
12	.04				.12	.03			.04		.32		12
13			.25	.05					.15		.14		13
14	.14	.04	.48	.04		.4		.05		.09	.05		14
15	.03	.13	.35	.73					.14		.12		15
16		.01	.30					.03	.04		.04		16
17	.02	.02	.07	.14	.05	.01			.25		.03		17
18	.03		.22	.23	.11		.07				.04	.02	18
19	.07		.06			.03			.35			.02	19
20	.16		.05	.12					.03	.02	.12		20
21			.13	.01	.11		.08	.01			.20		21
22	.46		.64			.09		.68	.30				22
23	.02					.02		.02	.08		.02		23
24	.12			.04				.06			.04		24
25				.06					.03	.02		.02	25
26		.07	.17	.11	.01					.17		.32	26
27		.05		.57									27
28	.36		.21	.45						.03		.02	28
29			.50	.44	.10			.63				.20	29
30	.63				.15					.29	.02	.04	30
31			.07										31
Total	4.65	1.01	4.26	3.52	2.14	1.07	0.99	1.81	1.66	3.63	2.68	1.13	YEAR'S TOTAL 28.55
Rain Days.	19	12	21	18	14	11	6	11	15	14	20	13	175

REGISTER OF RAINFALL IN 1914

Kept at Quarry Bank, Belper
in the County of Derby
by John Hunter
a member of the Belper & District Rainfall Committee

Lat. 53° 13' Long. 1° 28' 32"
Time of Observation 9 A.M.
Nearest Railway Station Belper
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft. in.
" " " " Sea Level 280 ft.

FORM A.
BRITISH RAINFALL
7 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.10				1.44	.20				.10	1
2							.02	.25			.45	.12	2
3			.04	.02	.19		.14	.04				.26	3
4	.26		.09	.36	.15			.03			.49	.40	4
5	.08		.21	.32	.22	.13	.09				.06	.02	5
6		.09		.12	.18		.05	.04				.10	6
7		.11	.36	.10	.12		.02	.08				.29	7
8	.14			.02	.12	.43	.12	.33					8
9	.26	.04		.03	.02	.46		.41	.24		.02		9
10	.22	.10	.02	.12	.04	.09			.08				10
11		.10	.45	.10	.04	.02			.06		.98	.54	11
12		.04	.14				.03		.34		.14	.33	12
13	.02	.18	.15						.03	.29	.58	.41	13
14	.02	.26	.12				.06		.01	.36	.40	.22	14
15	.04	.02	.23						.01		.20		15
16	.03		.05				.64		.04				16
17		.18	.13				.03		.50			.44	17
18		.48				.02	.04		.03			.42	18
19			.01				.12				.03	.10	19
20		.18	.03			.02	.04	.02		.03		.01	20
21		.36	.01			.06				.12	.02	.14	21
22		.09	.02		.66	.16		.04		.29			22
23		.04	.19	.03	.10	.01	.05			.02		.02	23
24		.02	.13	.02	.03		.10	.08		.09	.12		24
25	.05		.05				.16	.33		.84	.02	.40	25
26			.03				.03	.14		.18	.13	.26	26
27	.03										.19	.71	27
28	.21	.12	.10							.04	.08	.42	28
29	.08		.33							.40	.11	.05	29
30		X	.03					.01		.05	.30	.24	30
31	.19	X		X		X	.48		X	.13	X	.04	31
Total	1.63	1.99	3.05	1.24	1.93	2.00	3.48	2.09	1.34	2.84	4.32	6.16	32.40
Rain Days.	14	16	24	11	12	10	19	14	10	13	18	24	185

REGISTER OF RAINFALL IN 1915

Kept at Quarry Bank, Belper
in the County of Derby
by Wm. H. H. H. H. H.

Lat. 53° 13' 4" Long. 1° 28' 32"
Time of Observation 9 a.m.
Nearest Railway Station Belper
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 ft. 9 in.
" " " " Sea Level 700 ft.

FORM A.
BRITISH RAINFALL
5. JAN. 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62; Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	.31	.11	—	.46	—	—	.70	.04	—	.25	.12	1
2	.10	.13	.18	.18	—	.26	—	.47	—	.21	—	.02	2
3	.64	—	.02	.72	—	—	.86	.26	.01	—	—	.33	3
4	.05	—	—	—	.06	—	.73	—	—	—	—	—	4
5	.04	.34	—	—	—	—	—	.86	—	.02	.02	.60	5
6	.06	.10	—	.15	—	—	.45	—	—	—	—	.72	6
7	.24	.48	—	—	—	—	.02	.51	—	—	—	.20	7
8	.35	.09	—	.83	—	—	—	.10	—	—	.05	—	8
9	—	.05	—	.02	—	—	—	—	—	—	.75	.62	9
10	.59	.04	.04	—	—	—	—	.06	—	.03	.04	.01	10
11	.08	—	—	.02	.24	—	.35	.10	—	—	.60	.12	11
12	.06	—	—	.12	.20	—	—	—	—	.04	.20	—	12
13	.03	.64	—	—	.24	—	—	—	—	—	—	.06	13
14	—	.04	—	—	—	—	—	.01	.19	—	—	.33	14
15	.38	—	—	—	.03	—	—	.20	—	.01	.02	.01	15
16	—	.45	—	—	.05	—	1.60	.04	—	—	—	.01	16
17	—	.25	—	—	—	—	.10	—	—	—	.08	—	17
18	—	.29	.26	—	—	—	—	—	—	—	—	—	18
19	—	.09	—	—	.09	—	.19	—	.00	—	—	—	19
20	.19	—	—	.24	—	—	—	—	—	—	—	.04	20
21	.05	—	—	.04	—	—	.19	—	—	—	—	.05	21
22	—	—	.28	.02	—	—	.10	—	—	.01	—	.06	22
23	—	.04	.06	—	—	.09	.79	—	.02	.26	—	.04	23
24	—	—	.12	.05	—	—	—	—	.38	.04	—	.29	24
25	—	—	—	.01	—	.01	.21	—	.01	.06	—	.04	25
26	.02	.25	—	—	—	—	.24	—	—	—	.01	.05	26
27	—	.04	—	—	—	.04	.15	—	—	.18	—	.08	27
28	—	.59	.03	—	—	.39	.02	.84	—	.04	—	—	28
29	—	—	—	—	.06	—	.02	—	—	—	.15	.38	29
30	.11	X	—	.03	—	.04	—	—	—	—	.03	.02	30
31	.15	X	—	X	—	X	.03	.14	X	.36	X	.25	31
Total	3.32	4.31	1.10	.96	1.48	1.59	5.28	2.52	.60	2.03	2.82	5.95	31.96
Rain Days.	18	18	9	13	9	6	17	13	7	12	12	25	159

REGISTER OF RAINFALL IN 1916

Kept at Quarry Bank, Belper
in the County of Derby
by John Hunter
Ass. M. S. E. J. A. Mus.

Lat. 53° 13' 4" Long. 1° 28' 32" W.
Time of Observation 9 A.M.
Nearest Railway Station Belper
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 2800 ft.

2762
FORM A.
BRITISH RAINFALL
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.05	.12	.32			.05	.29				.26		1
2	.25		.24		.03		.29		.05	.29	.12		2
3		.36				.01	.12		.65	.45	.08		3
4	~~.24~~	.05			~~.55~~	~~.72~~	.06		.01	.08	.28		4
5	.10				.03	.11				.24	.30		5
6	.18	.37	.24		.39		.42			.08	.47		6
7	.05		.25		.03		.12			.13	.15	.21	7
8			.19								.04	.18	8
9			.03		.50	.02					.02	.13	9
10		.14	.06	.06		.07	.05		.13	.19		.07	10
11	.03	.28	.07	.24	.02	.18			.01			.06	11
12	.05	.08	.29	.11	.43	.03	.12	.01		.03		.03	12
13		.19	.12	.19			.06	.30		.06		.06	13
14		.18		.25	.17			.43		.08	.02	.02	14
15		.23	.67	.01	.01		.03	.16		.01			15
16	.01	.29	.51	.23			.17	.14					16
17		.19		.36			.02	.79	.19	.12			17
18	.07	.29	.01	.02					.33	.09	1.03	.11	18
19	.11	.05	.39	.13				.01	.03		.39	.10	19
20	.13		.20	.20								.06	20
21	.01		.12	.08			.05					.06	21
22		.07	.03	.02		.07				.03	.01	.36	22
23	.05	.27		.02				.07		.04	.17	.29	23
24		1.45				.20		.05		.03	.01	.15	24
25		.10	.20		.06			.18		.03	.42		25
26	.01	.22	.01			.04				.07	.07		26
27	.02	.16	.58				.89	.05	.01	.24			27
28		.23	.17							.04	.01	.19	28
29		.40				.64		.44		.47		.34	29
30		X			.09	.10				.21			30
31		X		X	.07	X		.02	X	.23	X	.26	31
Total	1.32	5.66	4.80	1.92	2.38	2.24	2.69	2.65	1.41	3.24	3.85	2.68	YEAR'S TOTAL 34.84
Rain Days	16	22	21	14	13	13	14	13	9	23	18	18	194

REGISTER OF RAINFALL IN 1917

Kept at Quarry Bank, Belper
in the County of Derby
by John Hunter
Ass M. J. M. C. E.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Belper
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 280.56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	—	.16	—	.13	—	.47	.09	—	.07	.10	1
2	.18	—	—	.01	—	.09	—	.15	—	—	.04	—	2
3	.02	.02	—	—	—	.01	—	.09	—	.31	.03	—	3
4	.15	.03	.17	—	—	—	—	—	—	.47	—	—	4
5	.11	—	.14	.10	—	—	—	—	.03	.16	.10	—	5
6	.02	—	—	—	—	.23	—	—	—	.25	.17	.03	6
7	.62	—	—	—	—	.03	—	—	—	.84	.14	.02	7
8	.77	—	—	.19	—	—	—	.87	—	.83	.20	.07	8
9	.11	—	.13	.29	.07	—	—	.04	—	.01	.26	—	9
10	.30	—	.70	.10	.43	—	—	.18	.09	—	—	—	10
11	.07	—	—	—	—	—	—	.03	—	.27	—	—	11
12	.06	—	—	—	.23	—	—	.60	—	.08	—	.06	12
13	.03	—	.01	.12	—	—	—	.30	.12	.02	—	—	13
14	.16	.01	—	.12	.02	—	—	.25	—	—	—	.08	14
15	.02	—	—	—	.02	—	.10	—	—	.01	—	.07	15
16	.06	.11	—	.20	—	.01	.05	.06	—	—	—	.59	16
17	.03	.02	.01	.07	.28	—	.23	.28	.06	.13	—	.02	17
18	.01	—	—	.03	.25	—	.60	—	.69	.01	—	—	18
19	.08	.19	.23	—	.07	.32	—	.04	.01	—	.02	—	19
20	.03	.25	.01	—	.24	.01	—	.02	.17	—	.10	.01	20
21	—	.02	.09	—	.05	.10	—	.05	—	.03	—	—	21
22	.01	—	.09	—	—	—	—	.03	.05	.07	—	—	22
23	.01	.09	—	—	.31	.02	—	.10	.03	.23	—	—	23
24	—	—	—	—	—	.50	.01	.09	—	.61	.19	—	24
25	—	.01	.09	—	—	.23	.23	.01	—	.05	.10	—	25
26	—	—	—	—	—	—	—	.53	.11	.11	.24	—	26
27	—	—	.08	—	—	.39	.24	.56	—	—	.15	.02	27
28	—	—	.05	—	—	.07	—	.18	—	—	—	.14	28
29	—	X	—	—	.50	—	.05	.03	—	.35	—	.17	29
30	.02	X	.10	—	—	—	.04	.22	—	—	.05	—	30
31	—	X	.15	X	—	X	.01	.08	X	—	X	.02	31
Total	2.91	0.75	2.05	1.39	2.47	2.41	1.56	5.26	1.45	4.94	1.96	1.40	28.55
Rain Days	23	10	15	11	12	13	10	25	11	20	15	14	179

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Quarry Bank Beck
in the County of Derby
by John Hunter
Asst. M. Inst. C.E.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Beck
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 280.56 ft.

FORM A.
BRITISH RAINFALL
7.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		~~10~~	—	—	—	—	—	—	—	—	—	—	
1	.03	.10	.02	—	—	—	—	—	.07	.06	.18	.03	1
2	—	.10	—	.04	—	—	—	.68	.03	.03	—	.53	2
3	—	.02	.04	—	.66	—	—	.34	.06	—	.23	—	3
4	—	.03	.01	—	—	—	—	.09	1.27	.09	.45	.61	4
5	—	~~.23~~	—	.08	.15	—	—	.17	.47	.29	—	—	5
6	.07	.23	.03	.25	—	.11	—	—	.01	.20	—	.01	6
7	.03	.05	—	.22	—	—	—	—	.06	.01	.13	—	7
8	—	.31	.13	—	—	—	.01	—	.06	.05	—	.02	8
9	.17	.49	—	.15	—	.06	.02	—	.59	.29	.02	.02	9
10	.08	.16	—	.06	—	—	.16	—	—	.02	.04	.10	10
11	.07	.15	—	.02	.07	—	.17	—	.08	—	—	.06	11
12	—	.16	—	—	.10	—	.12	—	.09	—	—	.15	12
13	—	—	—	—	.19	.01	—	—	.25	.09	—	—	13
14	.45	—	—	.01	—	.04	.13	—	.31	.14	—	—	14
15	.30	—	—	.04	.04	.03	.33	—	.43	—	—	.31	15
16	—	—	—	.03	—	.03	.33	.01	.49	.05	—	.12	16
17	.25	—	—	—	.11	—	.22	.06	.08	.07	—	.24	17
18	.44	—	—	—	—	.12	.27	—	.54	—	—	.23	18
19	.05	.02	.16	.13	—	—	.16	—	—	.05	—	.22	19
20	.11	.12	—	.18	—	.07	.64	—	.03	.01	.02	—	20
21	.13	.11	—	.15	.35	.06	.02	—	.14	.03	—	.04	21
22	.03	—	—	—	.61	.07	.14	—	.03	.06	—	.54	22
23	.08	—	—	—	.57	—	.06	—	—	—	—	.02	23
24	—	.04	—	—	—	—	.06	—	.04	.02	.07	.01	24
25	—	—	—	—	—	—	.09	.48	.02	—	—	—	25
26	—	—	—	—	—	—	.33	.02	.09	.01	.14	.10	26
27	—	.04	—	—	—	.01	—	.32	.18	—	.06	.23	27
28	—	.15	.29	—	—	—	—	.04	.02	—	.25	.74	28
29	—	X	—	—	—	—	—	—	.14	—	—	.01	29
30	—	X	.66	—	—	—	—	.04	—	—	.15	.10	30
31	—	X	.13	X	—	X	—	.01	X	—	X	—	31
Total	2.29	2.37	1.47	1.36	2.85	0.61	3.36	2.26	5.98	1.57	1.74	4.44	30.30
Rain Days	15	17	9	13	10	11	18	12	26	19	12	23	185

REGISTER OF RAINFALL IN 1919.

Kept at Quarry Bank, Belper
in the County of Derby.
by JOHN HUNTER
Ass. M. INST C.E.

Lat. 53° 1' 47" Long. 1° 28' 52" W.
Time of Observation 9 A.M.
Nearest Railway Station Belper
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 280.56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	39	.04	.05	—	.08	—	.19	—	.09	.19	.01	.27	1
2	~~31~~	.04	.04	—	—	—	.15	—	.06	.08	.22	.05	2
3	.03	—	—	—	.09	.10	.13	—	.12	—	.24	.08	3
4	.08	—	.30	—	~~.09~~	—	.03	.31	.11	—	.01	.30	4
5	—	.08	—	—	—	—	.01	—	.28	—	.01	.27	5
6	—	—	.16	—	.53	—	—	—	—	—	—	.04	6
7	—	—	.31	.02	~~.05~~	—	—	—	—	—	—	—	7
8	.15	—	.03	—	—	.03	—	—	—	—	.01	—	8
9	.01	—	.03	.01	—	—	—	—	—	—	—	—	9
10	—	—	.29	.05	—	—	—	—	—	—	.07	.17	10
11	.02	—	.68	.03	.06	—	.14	—	—	—	—	.02	11
12	—	—	.57	.11	—	.36	.03	—	.03	.02	.11	.02	12
13	.39	—	—	.36	—	—	—	—	.29	.19	—	.02	13
14	.40	—	—	.25	—	—	—	—	—	—	.04	.01	14
15	.33	.19	—	.03	—	—	—	—	—	.02	.05	.51	15
16	.17	.95	—	—	—	—	—	—	—	—	.20	—	16
17	.15	.49	—	.04	.04	.10	.07	—	—	—	.34	—	17
18	—	—	.25	—	—	—	.03	.36	.03	—	.01	.33	18
19	.23	.30	1.74	—	—	.07	.54	.35	.11	—	.11	.07	19
20	.83	.13	.34	—	—	.04	.25	.06	—	—	.19	.11	20
21	.10	.40	.02	—	—	—	.18	.01	.05	—	.01	.38	21
22	—	.11	—	—	—	—	—	—	.75	—	.05	.33	22
23	—	—	—	—	—	—	—	—	—	1.06	.03	.01	23
24	—	—	—	.12	.31	.02	.07	—	—	.40	.11	—	24
25	.06	.10	—	.03	.25	—	—	.32	—	—	.04	.15	25
26	—	—	.36	.02	—	—	—	.16	.07	—	—	.53	26
27	.10	.01	.02	.23	—	—	—	.06	—	—	.05	.03	27
28	.01	—	—	.10	—	—	—	.75	—	.01	—	.39	28
29	.07	~~—~~	—	—	—	—	—	.04	—	.69	.08	.05	29
30	.02	~~—~~	.11	—	—	.16	—	—	—	.05	.16	.26	30
31	—	~~—~~	.01	~~—~~	—	~~—~~	.05	—	~~—~~	.03	~~—~~	—	31
TOTAL	4.58	2.84	5.31	1.40	1.36	0.88	1.87	2.42	1.99	2.74	2.15	4.60	32.14
Days with "01 in. or more	20	12	15	14	7	8	14	10	12	11	23	24	173 days

YEAR'S TOTAL

Ex. Cab. 4/2/20
REGISTER OF RAINFALL IN 1919

Kept at Belper (Quarry Bank) [MO]

in the County of Derby

by John Hunter

Lat. 53° 2' N Long. 1° 29' W

Time of Observation 9h 57m

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 281 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.39	0.04	0.05	-	0.08	-	0.19	-	0.09	0.19	0.01	0.27	1
2	0.14	0.04	0.04	-	-	-	0.15	-	0.06	0.08	0.22	0.05	2
3	0.93	-	-	-	0.09	0.10	0.13	-	0.12	-	0.24	0.08	3
4	0.08	-	0.80	-	-	-	0.03	0.31	0.11	-	0.01	0.30	4
5	-	0.08	-	-	-	-	0.01	-	0.28	-	0.01	0.27	5
6	-	-	0.16	-	0.53	-	-	-	-	-	-	0.04	6
7	-	-	0.31	0.02	-	-	-	-	-	-	-	-	7
8	0.15	-	0.03	-	-	0.03	-	-	-	-	0.01	-	8
9	0.01	-	0.03	0.01	-	-	-	-	-	-	-	-	9
10	-	-	0.29	0.05	-	-	-	-	-	-	0.07	0.17	10
11	0.02	-	0.68	0.03	0.06	-	0.14	-	-	-	-	0.02	11
12	-	-	0.57	0.11	-	0.36	0.03	-	0.03	0.02	0.11	0.02	12
13	0.39	-	-	0.36	-	-	-	-	0.29	0.19	-	0.02	13
14	0.40	-	-	0.25	-	-	-	-	-	-	0.04	0.01	14
15	0.33	0.19	-	0.03	-	-	-	-	-	0.02	0.05	0.51	15
16	0.17	0.95	-	-	-	-	-	-	-	-	0.20	-	16
17	0.15	0.49	-	0.04	0.04	0.10	0.07	-	-	-	0.34	-	17
18	-	-	0.25	-	-	-	0.03	0.36	0.03	-	0.01	0.33	18
19	0.23	0.30	1.74	-	-	0.07	0.54	0.35	0.11	-	0.11	0.07	19
20	0.83	0.13	0.34	-	-	0.04	0.25	0.06	-	-	0.19	0.11	20
21	0.10	0.40	0.02	-	-	-	0.18	0.01	0.05	-	0.01	0.38	21
22	-	0.11	-	-	-	-	-	-	0.75	-	0.05	0.53	22
23	-	-	-	-	-	-	-	-	-	1.06	0.03	0.01	23
24	-	-	-	0.12	0.31	0.02	0.07	-	-	0.40	0.11	-	24
25	0.06	0.10	-	0.03	0.25	-	-	0.32	-	-	0.04	0.15	25
26	-	-	0.36	0.02	-	-	-	0.16	0.07	-	-	0.53	26
27	0.10	0.01	0.02	0.23	-	-	-	0.06	-	-	0.05	0.03	27
28	0.01	-	-	0.10	-	-	-	0.75	-	0.01	-	0.39	28
29	0.07	-	-	-	-	-	-	0.04	-	0.69	0.08	0.05	29
30	0.02	X	0.11	-	-	0.16	-	-	-	0.05	0.16	0.26	30
31	-	X	0.01	X	-	X	0.05	-	X	0.03	X	-	31
Total	4.58	2.84	5.31	1.40	1.36	0.88	1.87	2.42	1.99	2.74	2.15	4.60	32.14
Rain Days.	20	12	18	14	7	8	14	10	12	11	23	24	173

REGISTER OF RAINFALL IN 1920

Knot at Quarry Bank, Belper
in the County of Derby
by JOHN HUNTER

Lat N. 53° 1' 47" Long 1° 28' 50" W.
Time of Observation 9 A.M.
Nearest Railway Station BELPER
Diameter of Funnel of Rain Gauge 2.5 in.
Height of top of Gauge above Ground 16 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.14	.31		.51	.01	.06	.09		.15	1
2	.01			.10			.80	.01	.09	.25		.24	2
3	.04	.03		.34	.03		.79	.05	.08	.25		.15	3
4				.07				.57		.50		.01	4
5			.05		.53		.17	.07	.08	.09		.03	5
6			.16	.03	.09		.05			.01		.07	6
7	.01	.02	.05	.04	.04		.20				.01	.01	7
8	.19	.04		.48	.07		.14	.01					8
9	.49	.19		.41			.01						9
10	.42	.46	.08	.27	~~.45~~		.35						10
11	.31		.05	.12	.45	.16	.02	.08				.12	11
12	.04	.01	.03	.33		.39	.01	.12		.01	.05	.05	12
13	.10	.12	.07	.40		.67					.01	.01	13
14	.03	.02	.60	.11		.86	.04		.38		.20	.01	14
15		.12	.23	.25			.01			.46	.02		15
16			.03	.04	.02		.39		.01	.15			16
17					.18			.03	.48	.05		.02	17
18	.08			.04	.19		.03	.04	.13				18
19	.15	1.68		.26	.12	.11		.03	.13				19
20	.08	.05		.27		.23	.05						20
21							.18	.09				.04	21
22	.04			.27			.22		.02			.03	22
23							.09					.47	23
24	.03		.29	.02								.22	24
25		.05	.11	.16		.04	.70						25
26	.26	.04	.09	.16	.25	.02	.07					.01	26
27	.07	.03	.04	.10	.05	.14	.04				.34	.30	27
28	.92		.10	.19	.04	.10	.02					.08	28
29	.04		.13		.32		.7				.18	.74	29
30	.11	~~X~~		.23	.02	.17			.09		.24	.43	30
31	.13	~~X~~	.07	~~X~~		~~X~~			~~X~~	.33	~~X~~	.11	31
TOTAL	3.55	2.86	2.18	4.83	2.71	2.89	5.07	1.41	1.55	2.19	1.05	3.30	YEAR'S TOTAL
Days with ".01 in. or more	21	14	17	25	16	11	24	12	11	11	5	22	33.29 days
Days with ".04 in. or more	17	9	15	23	13	10	18	7	9	9		14	74.9

REGISTER OF RAINFALL IN 1920.

Kept at Belper (Field Head Ho.)
(Quarry Bank of HWR)
in the County of Derbyshire
by John Hunter

Lat. 53° 2' N Long. 1° 29' W
Time of Observation 9h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0.14	0.31	-	0.51	0.01	0.06	0.09	-	0.15	1
2	0.01	-	-	0.10	-	-	0.80	0.01	0.09	0.25	-	0.24	2
3	0.04	0.03	-	0.34	0.03	-	0.79	0.05	0.08	0.25	-	0.15	3
4	-	-	-	0.07	-	-	-	0.57	-	0.50	-	0.01	4
5	-	-	0.05	-	0.53	-	0.17	0.07	0.08	0.09	-	0.03	5
6	-	-	0.16	0.03	0.09	-	0.05	-	-	0.01	-	0.07	6
7	0.01	0.02	0.05	0.04	0.04	-	0.20	-	-	-	0.01	0.01	7
8	0.19	0.04	-	0.48	0.07	-	0.14	0.01	-	-	-	-	8
9	0.49	0.19	-	0.41	-	-	0.01	-	-	-	-	-	9
10	0.42	0.46	0.08	0.27	-	-	0.35	-	-	-	-	-	10
11	0.31	-	0.05	0.12	0.45	0.16	0.02	0.08	-	-	-	0.12	11
12	0.04	0.01	0.03	0.33	-	0.39	0.01	0.12	-	0.01	0.05	0.05	12
13	0.10	0.12	0.07	0.40	-	0.67	-	-	-	-	0.01	0.01	13
14	0.03	0.02	0.60	0.11	-	0.86	0.04	-	0.38	-	0.20	0.01	14
15	-	0.12	0.23	0.25	-	-	0.01	-	-	0.46	0.02	-	15
16	-	-	0.03	0.04	0.02	-	0.39	-	0.01	0.15	-	-	16
17	-	-	-	-	0.18	-	-	0.03	0.48	0.05	-	0.02	17
18	0.08	-	-	0.04	0.19	-	0.03	0.04	0.13	-	-	-	18
19	0.15	1.68	-	0.26	0.12	0.11	-	0.03	0.13	-	-	-	19
20	0.08	0.05	-	0.27	-	0.23	0.05	-	-	-	-	-	20
21	-	-	-	-	-	-	0.18	0.09	-	-	-	0.04	21
22	0.04	-	-	0.27	-	-	0.22	-	0.02	-	-	0.03	22
23	-	-	-	-	-	-	0.09	-	-	-	-	0.47	23
24	0.03	-	0.29	0.02	-	-	-	-	-	-	-	0.22	24
25	-	0.05	0.11	0.16	-	0.04	0.70	-	-	-	-	-	25
26	0.26	0.04	0.09	0.16	0.25	0.02	0.07	-	-	-	-	0.01	26
27	0.07	0.03	0.04	0.10	0.05	0.14	0.04	-	-	-	0.34	0.30	27
28	0.92	-	0.10	0.19	0.04	0.10	0.03	-	-	-	-	0.08	28
29	0.04	-	0.13	-	0.32	-	0.17	-	-	-	0.18	0.74	29
30	0.11	~~X~~	-	0.23	0.02	0.17	-	-	0.09	-	0.24	0.43	30
31	0.13	~~X~~	0.07	~~X~~	-	~~X~~	-	-	~~X~~	33	~~X~~	0.11	31
TOTAL	3.55	2.86	2.18	4.83	2.71	2.89	5.07	1.11	1.55	2.19	1.05	3.30	YEAR'S TOTAL
Days with "01 in. or more	21	14	17	25	16	11	24	12	11	11	8	22	192

REG

BELPER

HIGHFIELD

DERBY

1911 - 1914

Kept at *Highfield*
in the County of *Derb*
by *1st Col. M. H. A. H. A.*

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

8 in.
Above Ground ft. 8 in.
Sea Level 310.48 ft. π
Name *Belper*
Distance *3 miles* Direction *SW.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.14	—	—	—	.01	.05	—	—	.04	—	1
2	.15	—	.01	—	.08	—	—	.08	—	—	.04	.10	2
3	—	—	—	—	.23	—	—	.12	—	.04	.11	—	3
4	.07	—	.03	.04	—	.11	—	.04	.13	.06	.19	.17	4
5	.05	—	—	.05	—	—	—	.15	—	—	—	—	5
6	.55	—	—	—	—	—	—	.16	—	.08	.09	.60	6
7	.02	—	—	—	—	—	—	—	—	.02	.08	.01	7
8	.10	—	.26	—	—	—	—	—	.05	—	.21	.40	8
9	—	—	—	—	—	—	—	—	—	—	.03	—	9
10	.03	.04	.27	—	—	—	—	—	—	—	—	.48	10
11	.10	—	—	—	—	—	—	.10	—	—	.32	—	11
12	—	—	.33	—	—	—	—	—	.20	—	.24	—	12
13	—	—	—	—	—	—	—	—	—	—	.12	.38	13
14	—	.06	.07	—	.79	—	—	—	—	—	—	.80	14
15	—	.18	.10	—	—	—	—	—	—	.07	.03	.15	15
16	—	.07	—	—	—	.15	.01	—	—	.02	.21	.10	16
17	—	—	.05	.02	—	.79	—	—	—	—	.03	.27	17
18	—	.33	—	.09	—	.07	—	—	—	—	.16	.04	18
19	—	.13	—	—	—	.27	.03	.01	.04	.10	.22	.04	19
20	—	.09	—	.22	—	—	.01	.23	.06	.03	—	.14	20
21	—	.43	—	—	—	—	—	.08	—	.23	—	.01	21
22	—	.01	—	.07	—	.01	—	—	—	.25	—	.30	22
23	—	.12	.10	—	—	.19	—	—	.52	.05	.07	.16	23
24	—	.12	.02	.24	—	.77	—	—	—	.27	—	.10	24
25	—	.31	—	.25	.08	—	—	—	.06	—	.01	.10	25
26	—	.02	—	.23	.14	—	—	—	—	.34	.32	.40	26
27	—	.23	.14	.27	—	—	—	.67	.13	—	.04	.08	27
28	—	.20	—	.28	—	.05	—	—	.05	—	.16	.07	28
29	—	—	—	.06	—	.11	—	—	.31	.40	—	.01	29
30	—	—	.10	.06	—	.06	—	—	—	.31	.02	.07	30
31	—	—	—	—	—	—	—	—	—	.04	—	—	31
Total	1.07	2.34	1.62	1.88	1.32	2.58	.06	1.69	1.55	2.31	2.68	4.76	TOTAL 258.6
No. of Rain Days.	8	15	13	13	5	11	4	11	10	16	22	24	152

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

Kept at *Highfield Belper*
in the County of *Derby*
by *1st Col. A. Hunter*

RAIN GAUGE { Pattern
Diameter of top *8* in.
Height of top above Ground *5* ft. *5* in.
" " " Sea Level *310.45* ft. *N*
Time of Observation *9 AM*
Nearest Railway Station { Name *Belper*
Distance *3 miles* Direction *SW*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.14	—	—	—	.01	.05	—	—	.04	—	1
2	.15	—	.01	—	.08	—	—	.08	—	—	.04	.10	2
3	—	—	—	—	.28	—	—	.12	—	.04	.11	—	3
4	.07	—	.03	.04	—	.11	—	.04	.13	.06	.19	.17	4
5	.05	—	—	.05	—	—	—	.15	—	—	—	—	5
6	.55	—	—	—	—	—	—	.16	—	.08	.09	.50	6
7	.02	—	—	—	—	—	—	—	—	.02	.08	.01	7
8	.10	—	.26	—	—	—	—	—	.05	—	.21	.40	8
9	—	—	—	—	—	—	—	—	—	—	.03	—	9
10	.03	.04	.27	—	—	—	—	—	—	—	—	.48	10
11	.10	—	—	—	—	—	—	.10	—	—	.32	—	11
12	—	—	.33	—	—	—	—	—	.20	—	.24	—	12
13	—	—	—	—	—	—	—	—	—	—	.12	.38	13
14	—	.06	.07	—	.79	—	—	—	—	—	—	.80	14
15	—	.18	.10	—	—	—	—	—	—	.07	.03	.15	15
16	—	.07	—	—	—	.15	.01	—	—	.02	.21	.10	16
17	—	—	.05	.02	—	.79	—	—	—	—	.03	.27	17
18	—	.33	—	.09	—	.07	—	—	—	—	.16	.04	18
19	—	.13	—	—	—	.27	.03	.01	.04	.10	.22	.04	19
20	—	.09	—	.22	—	—	.01	.23	.06	.03	—	.14	20
21	—	.43	—	—	—	—	—	.08	—	.23	—	.01	21
22	—	.01	—	.07	—	.01	—	—	—	.25	—	.30	22
23	—	.12	.10	—	—	.19	—	—	.52	.05	.07	.16	23
24	—	.12	.02	.24	—	.77	—	—	—	.27	—	.10	24
25	—	.31	—	.25	.08	—	—	—	.06	—	.01	.10	25
26	—	.02	—	.23	.14	—	—	—	—	.34	.32	.40	26
27	—	.23	.14	.27	—	—	—	.67	.13	—	.04	.08	27
28	—	.20	—	.28	—	.05	—	—	.05	—	.16	.07	28
29	—	—	—	.06	—	.11	—	—	.31	.40	—	.01	29
30	—	—	.10	.06	—	.06	—	—	—	.31	.02	.07	30
31	—	—	—	—	—	—	—	—	—	.04	—	—	31
Total	1.07	2.34	1.62	1.88	1.32	2.58	.06	1.69	1.55	2.31	2.68	4.76	TOTAL 2586
No. of Rain Days.	8	15	13	13	5	11	4	11	10	16	22	24	152

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
17 JAN 1913

Kept at Highfield Belper

in the County of Derby

by St Col M Hunter

RAIN GAUGE { Pattern
Diameter of top 8 in.
Height of top above Ground 8 ft. 8 in.
" " " Sea Level 310.48 ft. N
Time of Observation 9 AM
Nearest Railway Station { Name Belper
Distance 1/3 mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.08	-	-	.29	-	-	.03	-	-	.43	1
2	-	-	.14	.03	-	.05	.30	-	-	-	-	.04	2
3	.12	-	-	-	.05	.26	-	.83	.11	-	-	.06	3
4	.13	.01	.55	-	.15	.37	-	.43	.01	-	.27	-	4
5	.61	.05	-	-	.07	.10	.01	.08	.05	-	-	-	5
6	.83	.18	-	-	.03	-	-	.29	-	-	-	.04	6
7	.54	.11	-	.09	.05	.06	-	.10	.03	-	-	-	7
8	.50	.38	.15	-	-	-	-	-	.06	-	-	-	8
9	.04	.02	.15	.25	-	.56	-	.18	-	-	-	.13	9
10	-	-	-	.01	-	.06	-	.09	-	-	.44	-	10
11	.15	.02	-	-	-	.03	-	.03	-	-	.10	.61	11
12	.09	.34	.20	-	-	.05	.30	-	-	-	-	-	12
13	.03	-	-	-	-	.06	-	.01	-	.08	.09	.04	13
14	.14	-	.51	-	-	.14	-	.19	-	-	-	.05	14
15	.27	.11	.12	-	.43	.09	-	-	-	-	-	.22	15
16	.12	-	.33	-	.06	.04	-	.16	-	.18	-	-	16
17	.55	.01	.29	-	-	.31	.06	.47	-	-	.02	.31	17
18	.63	-	.05	-	-	-	-	-	-	.06	-	.10	18
19	.33	.13	-	-	-	.02	.47	.32	.02	.23	-	-	19
20	.25	-	.17	-	.12	-	.07	.08	-	.42	-	-	20
21	-	.02	.29	-	.60	-	1.80	-	-	.57	.05	.03	21
22	-	.19	-	-	.54	.42	.30	.59	-	-	-	.26	22
23	.04	.07	.30	-	-	-	.50	.41	-	-	.21	.02	23
24	.11	.01	.03	-	-	.19	.25	.11	-	-	-	.20	24
25	-	-	.01	-	-	.33	-	.34	-	-	.42	.20	25
26	.01	.08	.06	-	-	.13	.41	1.01	-	.90	.27	.15	26
27	-	-	.04	-	-	.20	.08	.04	-	.81	-	.33	27
28	-	.02	.01	-	-	.11	.25	.68	.05	.51	.91	.25	28
29	-	-	.04	-	.02	-	.24	.01	.60	.06	.03	.01	29
30	.02	-	-	-	.30	-	.03	-	.11	.03	-	-	30
31	-	-	.13	-	.30	-	.36	.10	-	-	-	.02	31
Total	5.51	1.76	3.65	.38	2.72	3.87	5.43	6.55	1.07	3.85	2.81	3.50	TOTAL for year 11.40
No. of Rain Days.	21	18	21	4	13	22	16	23	10	11	11	21	191

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
3-JAN 1914

Kept at Highfield Belper
in the County of Derby
by Mr Col M Hunter

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Belper
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft.
Sea Level 310.45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.13	.02	—	—	—	—	.15	—	.07	—	1
2	—	.14	.01	.06	—	—	—	—	—	—	.03	.02	2
3	.07	—	.25	—	.46	—	—	—	.03	.11	—	.03	3
4	1.11	—	—	—	.09	.01	.06	—	.01	.25	.23	.41	4
5	.07	.03	.08	—	—	.05	.11	—	.03	1.23	.01	—	5
6	.03	.13	.18	.01	.41	.07	.71	—	—	.67	—	.03	6
7	—	—	.01	—	.28	.08	—	—	—	.49	.14	.02	7
8	—	.02	—	—	.27	.07	—	—	.02	.15	.03	—	8
9	—	.36	.05	.02	.05	.66	—	—	—	—	.19	.02	9
10	.03	—	—	.11	—	—	—	.31	—	.03	.28	—	10
11	1.30	—	—	.38	—	—	—	.08	—	.04	.58	—	11
12	—	—	—	—	.15	.01	—	—	.03	—	.33	—	12
13	—	—	.26	.05	—	—	—	.05	.14	—	.16	—	13
14	.12	.02	.51	.03	—	—	—	—	—	.09	.06	—	14
15	.03	.13	.34	.76	—	—	—	—	.17	—	.13	—	15
16	.02	.01	.21	.02	—	—	—	.03	.05	—	.04	—	16
17	.01	—	.15	.13	.05	—	—	—	.15	—	.03	—	17
18	.02	—	.22	.27	.08	—	.09	—	—	—	.05	.03	18
19	.07	—	.03	.01	—	.03	—	—	.36	—	—	—	19
20	.16	—	—	.15	—	—	—	—	.04	.04	.16	—	20
21	—	—	.17	.01	.09	—	.08	.01	—	—	.26	—	21
22	.43	—	.63	—	—	—	—	.70	.21	—	—	—	22
23	.01	—	—	—	—	.08	—	.03	.08	—	.01	—	23
24	.14	—	—	.03	—	.01	—	.05	—	—	.03	—	24
25	—	—	—	.05	—	—	—	—	.03	.01	—	.03	25
26	—	.11	.16	.11	—	—	—	.01	.01	.17	—	.33	26
27	—	.04	—	.50	—	—	—	—	—	—	—	—	27
28	.37	—	.22	.49	.02	—	—	—	—	.04	—	.01	28
29	—	—	.50	.45	.07	—	—	.65	—	—	—	.05	29
30	.68	—	—	—	.12	—	—	—	—	.29	.02	.04	30
31	—	—	.06	—	—	—	—	—	—	—	—	.14	31
Total	4.67	.99	4.17	3.66	2.14	1.07	1.05	1.92	1.51	3.61	2.84	1.16	YEARS TOTAL 28.79
Rain Days.	18	10	20	21	13	10	6	10	16	14	21	13	171

REGISTER OF RAINFALL IN 1914

Kept at Highfield, Belper
in the County of Derby
by Lt Col M Hunter

Pattern *old*
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 310.48 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Belper
Distance 1/2 mile Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the to this almost universal rule, he is earnestly of the following year in the space provided s for the measurement of rain, ulars as to the British Rainfall " sent post-free on application to

Jan. 1, following.

Belper record 73 Collington St
Luton
26.4.15

Dear Sir,

Please do as you suggest I should fancy a mistake has been made.

When I get home again I shall continue the readings now my house is shut up.

Yours sincerely,
M Hunter Lt Col.

y.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
(10)	in.	in.	in.	in.	in.	
1	.20	-	-	.01	.10	1
2	.25	-	-	.46	.14	2
9	.04	-	-	.01	.28	3
	.04	-	-	.49	.40	4
1	-	-	-	.05	.02	5
4	.07	-	-	-	.12	6
2	.08	-	-	.02	.33	7
	.33	-	-	-	.01	8
-	.41	.16	-	.02	-	9
-	-	.07	-	-	.01	10
-	-	.06	-	.96	.57	11
23	-	.34	-	.16	.34	12
-	-	.03	.31	.56	.42	13
27	-	.03	.38	.41	.22	14
-	-	.02	.01	.20	-	15
26	-	.05	-	-	-	16
23	-	.55	-	-	.48	17
1	-	.04	-	-	.44	18
19	-	.01	-	.03	-	19
9	.02	-	.01	-	.02	20
21	-	.37	.02	-	.03	21
22	-	.07	-	.01	.66	.15
23	.06	.19	.03	.10	-	.08
24	.02	.02	.19	.02	.03	-
25	.03	-	.03	-	-	.16
26	-	-	.03	-	-	.35
27	.03	-	-	-	-	.05
28	.21	.13	.08	-	-	.19
29	.08	-	.35	-	.01	-
30	.01	-	.02	-	-	.01
31	.21	-	.02	-	-	-
Total	1.76	2.02	3.21	1.29	1.98	1.87
No. of Rain Days	20	16	24	11	13	8

ALL IN 1914

Pattern *old*
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 310.48 ft. *↑*
Time of Observation 9 AM

FORM A2
BRITISH RAINFALL
15 JAN 1915

Nearest Railway Station { Name *Belper*
Distance *1/3 mile* Direction *SW*

daily at 9 a.m., and the result entered to the to this almost universal rule, he is earnestly of the following year in the space provided s for the measurement of rain, ulars as to the British Rainfall " sent post-free on application to

Jan. 1, following.

Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	(1.60) ~~1.46~~	in.	in.	in.	in.	in.	1
2	.01	-	-	-	-	-	.02	.25	-	-	.46	.14	2
3	-	-	.09	.02	.20	-	.19	.04	-	-	.01	.28	3
4	.27	-	.06	.38	.11	-	-	.04	-	-	.49	.40	4
5	.07	-	.22	.33	.24	.14	.11	-	-	-	.05	.02	5
6	-	.10	-	.13	.19	-	.04	.07	-	-	-	.12	6
7	.01	.11	.39	.12	.14	-	.02	.08	-	-	.02	.33	7
8	.14	-	-	-	.13	.69	-	.33	-	-	-	.01	8
9	.26	.05	-	.04	.02	.76	-	.41	.16	-	.02	-	9
10	.27	.10	.02	.16	.07	.06	-	-	.07	-	-	.01	10
11	-	.12	.48	.05	.08	.02	-	-	.06	-	.96	.57	11
12	.01	.08	.12	-	-	-	.03	-	.34	-	.16	.34	12
13	.01	.20	.17	-	-	-	-	-	.03	.31	.56	.42	13
14	.03	.24	.13	-	-	-	.07	-	.03	.38	.41	.22	14
15	.05	-	.26	-	-	-	-	-	.02	.01	.20	-	15
16	.03	-	.06	-	-	-	.66	-	.05	-	-	-	16
17	.01	-	.14	-	-	-	.03	-	.55	-	-	.48	17
18	-	.19	-	-	-	.03	.11	-	.04	-	-	.44	18
19	-	.01	.01	-	-	-	.09	-	.01	-	.03	-	19
20	-	.17	.03	-	-	-	.09	.02	-	.01	-	.02	20
21	-	.37	.02	-	-	.03	-	-	-	.12	.03	.18	21
22	-	.07	-	.01	.66	.15	-	.07	-	.28	-	.02	22
23	-	.06	.19	.03	.10	-	.08	-	-	.02	-	-	23
24	.02	.02	.19	.02	.03	-	.14	.08	-	.10	.13	-	24
25	.03	-	.03	-	-	-	.16	.35	-	.87	.03	.42	25
26	-	-	.03	-	-	-	.05	.19	-	.19	.13	.28	26
27	.03	-	-	-	-	-	-	-	-	-	.20	.68	27
28	.21	.13	.08	-	-	-	-	-	-	.06	.02	.46	28
29	.08	-	.35	-	.01	-	-	-	-	.42	.11	.05	29
30	.01	-	.02	-	-	-	-	.01	-	.05	.33	.27	30
31	.21	-	.02	-	-	-	-	-	-	.12	-	.06	31
Total	1.76	2.02	3.21	1.29	1.98	1.87	~~2.05~~ 3.49	2.14	1.36	2.94	4.36	6.32	24.74
No. of Rain Days	20	16	24	11	13	8	17	14	11	14	21	25	194

REG
Kept at *Fernslope*
in the County of *Derby*
by *F. J. J.*

BELPER
FERNSLOPE
DERBY
1916 - 1920

16
ong. *9 a.m.*
on *Beeper*
Rain Gauge *5* in.
e above Ground *1* ft. in.
" Sea Level *356* ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	02	35	—	—	08	30	—	—	—	25	—	1
2	26	11	25	—	03	04	29	—	05	31	13	—	2
3	—	32	01	—	—	—	14	—	86	46	08	—	3
4	17	03	—	—	59	91	09	—	—	06	27	—	4
5	10	—	01	—	03	10	—	—	—	24	34	—	5
6	15	36	32	—	40	—	35	—	—	10	49	—	6
7	03	—	33	—	03	—	21	—	—	15	11	21	7
8	—	—	20	—	—	—	—	—	—	—	03	23	8
9	—	—	03	—	50	03	03	—	02	—	02	10	9
10	—	14	08	06	—	05	—	—	11	14	—	07	10
11	02	33	16	25	01	18	—	—	01	—	—	07	11
12	03	09	25	11	46	04	12	—	—	02	—	—	12
13	—	—	11	17	01	—	09	32	—	06	—	11	13
14	—	35	—	22	14	—	—	51	—	06	02	02	14
15	—	20	74	02	01	—	04	26	—	01	—	—	15
16	—	27	54	22	—	—	20	09	—	14	—	—	16
17	08	16	—	26	—	—	03	1.05	14	09	—	—	17
18	—	30	—	04	—	—	—	—	28	—	1.13 ^{8+R}	20	18
19	08	05	41	11	—	—	—	—	10	—	43	10	19
20	13	—	20	23	—	—	05	—	—	—	—	10	20
21	—	—	12	09	—	—	—	—	—	—	—	26	21
22	—	10	04	02	—	06	—	—	—	04	02	40	22
23	05	36	—	01	—	—	—	09	—	04	17	25	23
24	—	1.47	—	01	—	18	—	06	—	04	02	15	24
25	—	07	18	07	—	—	—	20	—	04	37	—	25
26	01	23	01	—	—	05	—	—	—	06	07	—	26
27	02	17	1.17	—	—	—	54	06	01	24	—	—	27
28	—	28	21	—	—	—	—	—	—	04	01	20	28
29	—	42	—	—	—	60	—	48	—	47	—	28	29
30	—	X	—	—	09	40	—	—	—	23	—	—	30
31	—	X	—	X	—	X	—	02	X	22	X	14	31
Total	1.16	5.83	5.72	1.82	2.37	2.42	2.48	3.14	1.58	3.26	3.94	2.91	YEAR'S TOTAL 36.63
Rain Days.	14	22	22	15	13	13	14	11	9	23	17	17	190

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Fenslope - Beeper
in the County of Derby
by F. J. Jackson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Beeper
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.02	.35	—	—	.08	.30	—	—	—	.25	—	1
2	.26	.11	.25	—	.03	.04	.29	—	.05	.31	.13	—	2
3	—	.32	.01	—	—	—	.14	—	.86	.46	.08	—	3
4	.17	.03	—	—	.59	.91	.09	—	—	.06	.27	—	4
5	.10	—	.01	—	.03	.10	—	—	—	.24	.34	—	5
6	.15	.36	.32	—	.40	—	.35	—	—	.10	.49	—	6
7	~~.23~~	—	.33	—	.03	—	.21	—	—	.15	.11	.21	7
8	—	—	.20	—	—	—	—	—	—	—	.03	.23	8
9	—	—	.03	—	.50	.03	.03	—	.02	—	.02	.10	9
10	—	.14	.08	.06	—	.05	—	—	.11	.14	—	.07	10
11	.02	.33	.16	.25	.01	.18	—	—	.01	—	—	.07	11
12	.03	.09	.25	.11	.46	.04	.12	—	—	.02	—	—	12
13	—	—	.11	.17	.01	—	.09	.32	—	.06	—	.11	13
14	—	.35	—	.22	.14	—	—	.51	—	.06	.02	.02	14
15	—	.20	.74	.02	.01	—	.04	.26	—	.01	—	—	15
16	—	.27	.54	.22	—	—	.20	.09	—	.14	—	—	16
17	.08	.16	—	.26	—	—	.03	1.05	.14	.09	—	—	17
18	—	.30	—	.04	—	—	—	—	.28	—	1.13 ⁸	.20	18
19	.08	.05	.41	.11	—	—	—	—	.10	—	.43	.10	19
20	.13	—	.20	.23	—	—	.05	—	—	—	—	.10	20
21	—	—	.12	.09	—	—	—	—	—	—	—	.26	21
22	—	.10	.04	.02	—	.06	—	—	—	.04	~~.02~~	.48	22
23	.05	.36	—	.01	—	—	—	.09	—	.04	.17	.25	23
24	—	1.47	—	.01	—	.18	—	.06	—	.04	.02	.15	24
25	—	.07	.18	~~.04~~	.07	—	—	.20	—	.04	.37	—	25
26	.01	.23	.01	—	—	.05	—	—	—	.06	.07	—	26
27	.02	.17	1.17	—	—	—	.54	.06	.01	.24	—	—	27
28	—	.28	.21	—	—	—	—	—	—	.04	.01	.20	28
29	—	.42	—	—	—	.60	—	.48	—	.47	—	.28	29
30	—	~~X~~	—	—	.09	.10	—	—	—	.23	—	—	30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	.02	~~X~~	.22	~~X~~	.14	31
Total	1.16	5.83	5.72	1.82	2.37	2.42	2.48	3.14	1.58	3.26	3.94	2.91	YEAR'S TOTAL 36.63
Rain Days.	14	22	22	15	13	13	14	11	9	23	17	17	190

REGISTER OF RAINFALL IN 1917

Kept at Fernslope - Belper
in the County of Derby
by F. J. Jackson

Lat. _____ Long. 9 a. m.
Time of Observation _____
Nearest Railway Station Belper
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 540 ft.

FORM A.
BRITISH RAINFALL
3 JAN 1918
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	--	--	13	--	15	--	49	08	--	07	09	1
2	16	--	--	01	--	10	--	15	--	--	04	--	2
3	--	06	--	--	--	01	--	10	--	37 31	02	--	3
4	15	04	15	--	--	--	--	--	--	44	--	--	4
5	10	--	13	12	--	--	--	--	04	15	08	--	5
6	03	--	--	--	--	59	--	--	--	38	18	02	6
7	69	--	--	--	--	13	--	--	--	69	11	02	7
8	94	--	--	14	--	--	--	87	--	73	20	08	8
9	12	--	12	27	--	--	--	04	--	01	21	02	9
10	37	--	68	10	56	--	--	19	10	--	--	--	10
11	06	--	--	19	--	--	--	04	--	30	--	--	11
12	06	--	--	--	24	--	--	61	--	18	--	06	12
13	05	--	02	07	--	--	--	33	10	02	--	--	13
14	27	--	--	12	02	--	--	31	--	--	--	08	14
15	04	--	--	--	03	--	11	--	--	01	--	08	15
16	08	14	--	20	--	02	09	04	--	--	--	70	16
17	02	01	--	07	20 29	--	18	31	06	14	--	03	17
18	04	--	--	04	24	--	74	--	73	01	--	--	18
19	11	20	17	--	12	40	--	02	02	--	01	--	19
20	01	26	01	--	28	01	--	03	11	--	08	--	20
21	01	03	12	--	05	14	--	06	--	02	--	--	21
22	02	--	10	--	--	--	--	02	07	08	--	--	22
23	01	09	--	--	30	01	--	17	01	20	--	--	23
24	01	--	--	--	02	50	--	11	--	62	12	--	24
25	--	01	10	--	--	--	37	01	--	--	08	--	25
26	--	--	--	--	--	--	--	58	10	10	27	--	26
27	--	~~08~~	08	--	~~34~~	34 39	29	54	--	--	11	01	27
28	--	--	05	--	--	12	--	17	--	--	--	17	28
29	--	--	--	--	54	--	07	02	--	31	--	14	29
30	--	X	10	--	--	--	05	24	--	--	05	--	30
31	--	X	20	X	--	X	01	08	X	--	X	01	31
Total	3.36	.84	2.03	1.46	2.69	2.52	1.91	5.53	1.42	4.70	1.63	1.51	YEAR'S TOTAL 29.60
Rain Days.	23	9	14	12	12	13	9	25	11	19	15	14	176

REGISTER OF RAINFALL IN 1918

Kept at Fernslope - Belper
in the County of Derby
by F. J. Jackson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Belper
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 356 ft.

FORM A.
BRITISH RAINFALL
7.1.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	11	03	-	-	-	-	-	31	05	18	02	1
2	-	18	-	04	-	-	-	69	04	03	01	52	2
3	-	02	05	-	70	-	-	34	04	-	24	-	3
4	-	02	01	-	-	-	-	10	1.10	07	44	56	4
5	-	-	-	05	17	-	-	15	46	32	-	-	5
6	05	19	03	31	-	07	-	-	02	19	-	02	6
7	04	-	-	22	-	06	-	-	13	-	12	-	7
8	-	39	12	-	-	-	02	-	07	07	-	03	8
9	13	45	-	15	-	07	13	-	59	28	01	02	9
10	06	14	-	07	-	-	14	-	-	02	02	10	10
11	06	12	-	02	07	-	07	-	09	-	-	05	11
12	-	16	-	-	11	-	25	-	07	-	-	-	12
13	-	01	-	02	19	01	-	-	19	10	-	-	13
14	41	-	-	-	-	03	12	-	30	15	-	43	14
15	36	-	-	06	04	03	31	-	49	-	-	30	15
16	-	-	-	03	-	03	28	04	54	05	-	12	16
17	25	-	-	-	10	01	19	07	08	07	-	23	17
18	42	-	-	-	-	12	27	-	50	-	-	23	18
19	04	01	15	13	-	-	16	-	-	04	-	21	19
20	10	12	-	18	-	06	83	-	03	02	-	-	20
21	12	10	-	16	46	06	03	-	15	05	-	05	21
22	02	-	-	-	31	06	14	-	-	06	-	54	22
23	07	-	-	-	85	-	09	-	-	-	02	02	23
24	-	-	-	-	-	-	06	-	03	02	06	01	24
25	-	-	-	-	-	-	09	48	02	02	-	-	25
26	-	03	-	-	-	-	66	04	08	-	15	10	26
27	-	03	-	-	-	-	-	35	16	-	05	21	27
28	-	17	28	-	-	-	-	03	02	-	20	76	28
29	-	-	-	-	-	-	-	-	47	-	-	-	29
30	-	X	67	-	-	-	-	09	-	-	13	10	30
31	-	X	10	X	-	X	-	01	X	-	X	-	31
Total	2 .16	2 .25	1 .44	1.44	3.00	.61	3.84	2.39	5.98	1.61	1.63	4.63	30.98
Rain Days	15	17	9	13	10	12	18	12	25	18	13	22	184

REGISTER OF RAINFALL IN 1919.

Kept at Farnslope - Belper

in the County of Derby

by P. J. Jackson

Date..... Long.....

Time of Observation 9 a.m.

Nearest Railway Station Belper

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 10 in.

Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1 following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	-.4	-.4	-	.17	-	.21	-	-.5	.20	-.1	.25	1
2	.14	-.4	-.4	-	-	-	.15	-	.11	-.7	.22	-.4	2
3	1.21	-	-.1	0	-.8	-.9	.11	-	.12	-	.24	-.5	3
4	-	-	.29	-	-	-.2	-.2	.34	.10	-	-.2	.28	4
5	-	-.8	-	-	-	-	-.1	-	.32	-	-	.30	5
6	-	-	.16	-	.54	-	-	-	-	-	-.2	-.3	6
7	-	-	.30	-.2	-	-	-	-	-	-	-	-	7
8	.14	-	-.2	-.2	-	-.3	-	-	-	-	-.1	-	8
9	-.1	-	-.3	-.1	-	-	-	-	-	-	-.1	-	9
10	-	-	.29	-.4	-	-	-	-	-	-	.10	.16	10
11	-.2	-	.68	-.2	-.5	-	.15	-	-	-	-.7	-.4	11
12	-	-	.51	.10	-	.35	-.3	-	-.5	-.3	.12	-.1	12
13	.39	-	-	.34	-	-	-	-	.29	.16	-	-.1	13
14	.38	-	-	.28	-	-	-	-	-	-	-.2	-.1	14
15	.36	.18	-	-.2	-	-	-	-	-	-.2	.10	.55	15
16	.16	1.21	-	-	-.4	-	-	-	-	-	.19	-	16
17	.14	.43	-	-.4	-	-.8	-.5	-	-	-	.31	-	17
18	~~.20~~	~~.31~~	.25	-	-	-	-.3	.31	-	-	-.1	.31	18
19	.20	.31	1.84	-	-	-.4	.56	.36	.11	-	.10	-.6	19
20	.84	.13	.28	-	-	-	.26	-.7	-.2	-	.19	.14	20
21	-.8	.42	-.6	-	-	-.4	.20	-.2	-.4	-	-	.31	21
22	-	.12	-	-	-	-	-	-	.86	-	-.4	.51	22
23	-	-	-	-	-	-	-	-	-	1.14	-.2	-.2	23
24	-	-	-	.12	.36	-.1	-.8	-	-	.39	.11	-.2	24
25	-.6	.12	-	-.2	.27	-	-	.33	-	-	-.4	.14	25
26	-	-	.34	-.3	-	-.1	-	-.8	-.6	-	-	.53	26
27	.11	-	-.3	.25	-	-	-	-.7	-	-	-.9	-.3	27
28	-	-	-	.10	-	-	-	.73	-	-	-	.39	28
29	-.8	-	-	-	-	-	-	.44	-	.74	.10	~~.24~~	29
30	-.4	~~X~~	-.9	-.7	-	.14	-	-	-	-.5	.14	-	30
31	-.2	~~X~~	-	~~X~~	-	~~X~~	-.4	-	~~X~~	-.2	~~X~~	-.1	31
TOTAL	4.74	3.08	5.26	1.46	1.51	.81	1.90	2.35	2.13	2.82	2.22	4.48	YEAR'S TOTAL 32.76
Days with ".01 in. or more	19	10	18	15	7	10	14	10	12	10	24	26	176

REGISTER OF RAINFALL IN 1920.

Kept at Fernslope - Belper
in the County of Derby
by F. J. Jackson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Belper
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.16	.31	—	.46	.02	.04	.14	—	.15	1
2	.01	—	—	.11	—	—	.97	—	.09	.21	—	.25	2
3	.03	—	—	.44	—	—	.87	.08	.09	.25	—	.13	3
4	—	—	—	.06	—	—	.01	.60	—	.57	—	.02	4
5	—	—	.05	—	.58	—	.18	.06	.05	.09	—	.03	5
6	—	.02	.14	.04	.10	—	.06	.01	—	.01	—	.06	6
7	—	—	.05	.03	.02	—	.22	—	—	—	—	.01	7
8	.18	.04	—	.49	.06	—	.14	.01	—	—	—	—	8
9	.50	.17	—	.42	—	—	.01	—	—	—	—	—	9
10	.40	.46	.12	.33	—	—	.34	—	—	—	—	—	10
11	.26	—	.04	.12	.46	.16	.02	.02	—	—	—	.11	11
12	—	.01	.03	.33	—	.35	.01	.10	—	—	.05	.10	12
13	.13	.10	.06	.43	—	.72	—	—	—	—	.01	—	13
14	.02	.02	.73	.12	—	.87	.04	—	.41	—	.17	—	14
15	—	.11	.14	.23	—	—	.03	—	—	.35	—	—	15
16	—	—	.03	.05	.02	—	.42	—	.01	.16	—	.01	16
17	—	—	.02	—	.17	—	.03	.03	.51	.06	—	.02	17
18	.07	—	—	.01	.20	—	—	.04	.15	—	—	—	18
19	.14	1.85	—	.29	.08	.11	—	.03	.10	—	—	—	19
20	.07	.03	—	.29	—	.23	.04	—	—	—	—	.01	20
21	—	—	—	—	—	—	.18	.10	—	—	—	—	21
22	.03	—	—	.29	—	—	.21	—	.01	—	—	.06	22
23	—	—	—	—	—	—	.08	—	—	—	—	.47	23
24	.04	—	.28	.03	—	—	—	—	—	—	—	.21	24
25	.01	.04	.12	.15	—	.04	.75	—	—	—	—	—	25
26	.25	—	.09	.10	.19	.02	.08	—	—	—	—	.01	26
27	.05	.03	.04	.11	.05	.15	.06	—	—	—	.32	.30	27
28	1.02	—	.11	.17	.04	.09	.03	—	—	—	—	.08	28
29	.03	—	.12	—	.42	—	.15	—	—	—	.18	.72	29
30	.12	~~—~~	—	.24	.03	.15	—	—	.09	—	.23	.49	30
31	.13	~~—~~	.08	~~—~~	.05	~~—~~	—	—	~~—~~	.30	~~—~~	.08	31
TOTAL	3.49	2.88	2.25	5.04	2.78	2.89	5.39	1.10	1.55	2.14	.96	3.32	YEAR'S TOTAL 33.79
Days with "01 in. or more	20	12	18	25	16	11	25	12	11	10	6	21	187
Days with "04 in. or more	14	7	15	22	13	10	18	6	9	9	5	14	142

RE

BRACKENFIELD

LINDWAY RES.

DERBY

1911-1916

Kent at Lindway
Brack
in the County of Derb
by R. S. Hard
to the Alfreton
IMPORTANT NOTE

previous day. If an Observer requested to add the reading for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL.
1 JAN 1912
when
5 in.
e Ground 1 ft. in 2663
Sea Level 595 ft. 00.
Name Mingfield
Distance 25 1/2 Direction S.E.
the result entered to the
versal rule, he is earnestly
ear in the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11	.21	.05		.02	.05			.02	.17	1
2			.09		.13			.03			.06		2
3	.10		.03		.30			.10			.15		3
4	.07			.06						.15	.26		4
5				.16				.16		.06		.21	5
6	.63							.12	.12	.06		.54	6
7	.02		.02							.02	.03	.08	7
8	.09		.17						.07		.14	.52	8
9						.01					.17	.02	9
10	.03		.10								.04	.52	10
11	.14							.10			.32		11
12			.27		.03				.24		.27		12
13		.02										.36	13
14		.07	.05		.91						.08	.82	14
15		.18	.04							.06	.05	.12	15
16		.08	.09			.20					.01	.08	16
17			.04	.03		.42					.17	.45	17
18		.27		.03		.20				.05	.12		18
19		.04	.03	.07	.03			.02		.09	.06	.10	19
20				.03		.07		.37	.12	.05	.30	.24	20
21		.08		.13					.12	.28			21
22		.31		.04				.09		.18	.03	.24	22
23		.03	.06			.23			.46			.20	23
24		.12	.03			.80				.04		.10	24
25		.09		.12		.01				.22	.02	.09	25
26		.17		.24	.19					.34	.23	.45	26
27		.03		.19		.03			.09	.02		.06	27
28		.25	.16	.23		.03		.33	.16		.27		28
29		X	.01	.22		.03			.11	.52	.02	.05	29
30		X	.01	.01	.07	.10			.16				30
31		X	.01	X		X			X	.25	X		31
Total	1.08	1.74	1.32	1.77	1.71	2.13	.02	1.57	1.65	2.39	2.82	5.42	TOTAL for year
No. of Rain Days.	7	14	18	15	8	12	1	10	10	16	22	21	23.62

RE

FORM A2.
BRITISH RAINFALL.

11 JAN 1912

Kept at Lindway Reservoir,
Brackenfield,in the County of Derbyby R. S. Ward, Surveyor
J. Hemmington, Water Bailiff
to the Alfreton U.D. CouncilRAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in. 2663
" " " Sea Level 595 ft. OD.
Time of Observation 9am
Nearest Railway Station { Name Mingfield
Distance 2 1/2 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11	.21	.05		.02	.05			.02	.17	1
2			.09		.13			.03			.06		2
3	.10		.03		.30			.10			.15		3
4	.07			.06						.15	.26		4
5				.16				.16		.06		.21	5
6	.63							.12	.12	.06		.54	6
7	.02		.02							.02	.03	.08	7
8	.09		.17						.07		.14	.52	8
9						.01					.17	.02	9
10	.03		.10								.04	.52	10
11	.14							.10			.32		11
12			.27		.03				.24		.27		12
13		.02										.36	13
14		.07	.05		.91						.08	.82	14
15		.18	.04							.06	.05	.12	15
16		.08	.09			.20					.01	.08	16
17			.04	.03		.42					.17	.45	17
18		.27		.03		.20				.05	.12		18
19		.04	.03	.07	.03			.02		.09	.06	.10	19
20				.03		.07		.37	.12	.05	.30	.24	20
21		.08		.13					.12	.28			21
22		.31		.04				.09		.18	.03	.24	22
23		.03	.06			.23			.46			.20	23
24		.12	.03			.80				.04		.10	24
25		.09		.12		.01				.22	.02	.09	25
26		.17		.24	.19					.34	.23	.45	26
27		.03		.19		.03			.09	.02		.06	27
28		.25	.16	.23		.03		.53	.16		.27		28
29		X	.01	.22		.03			.11	.52	.02	.05	29
30		X	.01	.01	.07	.10			.16				30
31		X	.01	X		X			X	.25	X		31
Total	1.08	1.74	1.32	1.77	1.71	2.13	.02	1.57	1.65	2.39	2.82	5.42	TOTAL for year
No. of Rain Days.	7	14	18	15	8	12	1	10	10	16	22	21	23.62

REGISTER OF RAINFALL IN 1912.

Kept at *Lindway Reservoir*

in the County of *Derby*

by *R. Ward, Surveyor to the*

Alfreton U.D. Council.

Lat.

Long.

Time of Observation

9 a.m.

Nearest Railway Station

Wingfield

Diameter of Rain Gauge

5 in.

Height of top of Gauge above Ground

1 ft. *59.5* in.

" " " " Sea Level

59.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		.03			.31		.02	.06	.19		.62	1
2	-		.19	.04		.06	.42			.01			2
3	.10	.02	.09		.08			.88	.17			.10	3
4	.14	.02	.11		.23	.15		.43				.03	4
5	.23		.89	.04	.08	.63			.10		.08		5
6	.70	.01	.03			.37		.09			.05		6
7		.08	.01			.04		.59	.02				7
8		.24	.23		.03	.06		.03	.12				8
9	.40	.37	.20	.05		.09	.03	.04					9
10	.12	.16		.22		.24		.24			.30.20	.10	10
11	.18	.01				.01		.06				.61	11
12	.08	.04	.17			.04	.68				.11.06		12
13	.05	.30							.05		.02.01		13
14	.08		.42			.16		.07			.13.04	.12	14
15		.10	.16		.59	.10						.38	15
16	.34	.01	.29		.07	.07		.15		.11			16
17	1.03	.01	.35				.06	.42				.19	17
18	.42					.19				.04		.07	18
19	.22		.09			.03	.56			.05			19
20	.33	.16	.03			.02	.22	.33		.32			20
21	.26	.03	.55		.12		1.80	.04			.07.05	.05	21
22		.22			.71	.32		.51		.35	.23.13	.20	22
23		.05	.31		.61		.33	.43					23
24	.20		.04		.03		.73	.11				.21	24
25		.01				.40	.16	.02				.07	25
26			.08				.30			1.10	.28	.21	26
27		.07				.04	.21	1.35		1.01	.22.14	.20	27
28			.04			.15	.16	.70	.08		.90.52	.02	28
29		.04				.15		.11	.48	.64	.03.01		29
30		X			.23	.01				.10		.04	30
31		X	.08	X	.24	X	.24	.13	X	.05	X		31
Total	4.88	1.95	4.39	.35	3.02	3.64	5.90	6.75	1.03	4.02	2.52	3.22	41.67
Rain Days.	17	20	22	4	12	23	14	22	7	13	12	17	183

REGISTER OF RAINFALL IN 1918.

Kept at Lindway Reservoir
 in the County of Derby
 by R. H. Ward, Water Engineer to the
Sheffield Urban District Council.

Lat. _____ Long. _____
 Time of Observation 8 am.
 Nearest Railway Station Wingfield.
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 575 ft.

2668
 FORM A.
 BRITISH RAINFALL
 9-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.25	.05							.06		1
2		.10	.04	.04					.11		.05		2
3	.05				.44				.03	.34		.20	3
4	.99	.05	.22		.15	.06	.08		.03	.10	.19	.30	4
5	.04	.04	.01				.04		.14	1.10		.07	5
6		.03	.06		.38	.09							6
7	.04	.43			.30		.86			.60			7
8		.03	.01		.31					.58	.19		8
9		.36	.03		.08		.05	.04		.07	.16		9
10				.15	.02	.43	.02	.03		.06			10
11	.59			.44						.01	.33		11
12								.39			.37		12
13			.18	.06	.05			.02	.15	.06	.33		13
14	.15		.43					.03			.09		14
15		.15	.57	.04							.13		15
16	.05	.01	.42	.63			.02	.10	.11		.23		16
17				.03	.04				.04		.05		17
18	.11	.05	.26	.14	.05		.10		.84		.03		18
19			.09	.19		.16			.23		.16		19
20			.15	.08			.03		.12		.01	.11	20
21	.20		.07	.12	.16			.03			.20		21
22	.30		.59				.10	.80			.18		22
23	.07				.04			.04	.26				23
24	.18			.02		.05		.01	.09				24
25	.02			.08		.03			.05		.03		25
26		.08	.17	.15						.15		.29	26
27		.03		.47								.03	27
28	.33		.25		.02				.01	.02		.02	28
29	.01	X	.43	.46				.54		.06			29
30	.75	X	.01	.56	.22					.40	.01	.26	30
31		X		X		X			X		X		31
Total	3.88	1.36	4.18	3.71	2.26	.82	1.30	2.03	2.21	3.55	2.80	1.28	29.38
Rain Days.	16	12	20	18	14	6	9	11	14	13	19	8	160

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Brackenfield
in the County of Serby
by E. J. Ward

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2668
FORM A.
BRITISH RAINFALL
30 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.01	.16	.02	.	.	1.24	.25	.	.01	.13	.10	1
2	.	.	.	.	.	.	1.19	.24	.	.	.	.20	2
3	.09	.	.04	.	.32	.	.14	.	.	.	.14	.41	3
4	.29	.	.09	.43	.	.	.	.18	.	.	.11	.29	4
5	.	.	.15	.23	.20	.11	.	.	.	.	.53	.02	5
6	.02	.12	.	.	.20	.	.13	.09	.	.	.12	.28	6
7	.04	.04	.31	.04	.15	.	.01	.	.	.	.	.25	7
8	.02	.	.	.13	.15	.	.25	.26	.	.	.	.02	8
9	.35	.	.	.05	.10	.90	.	.50	.14	.	.	.	9
10	.16	.06	.01	.14	.01	.99	.	.	.04	.	.	.02	10
11	.	.13	.45	.04	.05	.06	.	.	.10	.	.89	.38	11
12	.	.11	.08	.	.	.02	.04	.	.	.	.06	.20	12
13	.	.08	.23	.	.	.	.	.	.29	.15	.60	.33	13
14	.06	.21	.06	.	.	.	.04	.	.	.51	.46	.	14
15	.02	.39	.15	.	.	.	.	.	.08	.03	.33	.25	15
16	.	.	.	.	.	.	.63	.	.	.	.	.	16
17	.11	.28	.08	.	.	.	.01	.	.	.	.	.45	17
18	.	.	.03	.	.	.	.	.	.06	.	.	.48	18
19	.	.	.10	.	.	.	.14	.	.60	.	.04	.10	19
20	.	.19	.06	.	.	.	.	.04	.03	.04	.	.01	20
21	.	.42	.03	.	.	.28	.	.02	.	.04	.	.10	21
22	.	.04	.	.	.41	.	.	.11	.	.45	.	.	22
23	.	.	.	.	.19	.05	.02	.	.	.	.	.	23
24	.03	.09	.18	.	.03	.	.18	.	.	.06	.11	.	24
25	.03	.04	.19	.	.	.	.30	.09	.	.84	.02	.40	25
26	.	.	.13	.	.	.	.01	.24	.	.	.25	.32	26
27	.04	.	.02	.	.	.	.	.26	.	.15	.11	.82	27
28	.12	.13	.10	.	.	.	.	.	.	.03	.06	.38	28
29	.08	X	.38	.	.	.	.	.	.	.08	.12	.02	29
30	.02	X	.	.	.	.	.	.	.	.55	.29	.30	30
31	.20	X	.05	X	.	X	.50	.	X	.04	X	.10	31
Total	1.78	2.34	3.08	1.14	1.81	2.41	4.98	2.31	1.34	3.04	4.38	6.43	YEAR'S TOTAL 34.90
Rain Days.	14	16	23	8	11	4	16	12	8	14	18	25	145

REGISTER OF RAINFALL IN 1915

Kept at Brackenfield (Lindway Reservoir)
in the County of Leicestershire
by Alfred Urban District Council
James A. King Surveyor

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Wingfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 595 ft.

BRITISH RAINFALL FORM A.
2668
13 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	11	24	10		37			01	08		06	27	1
2	08	09	11	25				40		19	01	02	2
3	68	01	03	76	06	08	47	38				44	3
4	10						76			01		108	4
5	05	44			04			09			04	90	5
6	09	19		29			44	03				13	6
7	23	46					05	54			59	15	7
8	14	13		12				10			07	70	8
9	03	09									15	03	9
10	52							49		10	14	19	10
11	09			04	25		34	06		01	43		11
12	04			13	18			19		05	165		12
13	03	14			18							35	13
14	02	02					02	14				34	14
15	52							09			29		15
16	02	70			08		150	01				01	16
17		27					29						17
18		24	60										18
19	01	04			01					05		11	19
20	08			05								04	20
21	14				06		25					11	21
22	01	01	20	07			01			33		06	22
23			10			04	09		02	11		29	23
24									48				24
25			01	07		38	09			09		54	25
26	03	36				06	13		07			47	26
27		02				11	09			56			27
28		40	02			14	01			25		51	28
29						15		27				04	29
30	14							04			25	21	30
31	20							06		36			31
Total	336	445	117	118	123	96	454	290	65	211	368	699	3322
Rain Days.	23	18	8	9	9	7	15	16	4	12	11	23	155

REGISTER OF RAINFALL IN 1916.

Kept at Lindway Reservoir
in the County of Derbyshire
by Alfreton Urban District Council

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wagfield N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 595 in.
" " " " Sea Level 595 ft.

BRITISH RAINFALL FORM A. 2663
5 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	07		23			19	24				20		1
2	24	18	34			04	03			31	20		2
3		38					14	1.02	1.02	09	24		3
4	14	07		8	62	51				41	34		4
5	06	01			06	26				37	35		5
6	15	35	30		49		41			06	60		6
7	05		25		04		24			09	15	25	7
8			26								07	13	8
9					39	13		8	02	16	03	25	9
10		15	13	05		12			22			25	10
11		41	18	14		11			01			05	11
12	05	04	38	02	51		16			05		10	12
13		11	19		04		04	40		06			13
14		19	01	19	13	01		14		08			14
15		37	60				02	04		09			15
16		18	61	23			15	09		02			16
17	07	26		26			09	36		08			17
18		21		03					21	08			18
19	11	13	33	17				05	25		73	36	19
20	18		28						14		71	04	20
21	07		14	03									21
22						06	01			06		31	22
23	06	04					01				18	41	23
24		1.29				03							24
25		02			02			26				15	25
26	03	28	15					06		15	04		26
27		20	65				02	14		37		16	27
28		35	27			09			02	05	01	30	28
29		46				74		40		50		06	29
30		X						03		34		28	30
31		X		X		X			X	22	X		31
Total	1.28	5.68	5.30	1.12	2.30	2.29	156	237	189	3.64	3.85	2.84	YEAR'S TOTAL 34.15
Rain Days.	13	22	18	9	9	12	13	11	8	21	14	14	154

REC

BREADSALL
PRIORY
DERBY
1911 - 1917

Kept at Breadsall
in the County of Derby
by Miss Haslam

911 -
72

FORM A2.
BRITISH RAINFALL

5 in.
above Ground 1 ft. 6 in.
Sea Level 380 ft.
9 A.M.
Name Breadsall
Distance 1 1/8 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.12		.09				.02	.05			.05		2
3	.05	.01			.14			.10			.08		3
4	.05		.04	.12				.21		.05	.06	.06	4
5	.04		.01	.02				.02	.10	.06		.09	5
6	.31			.01				.06		.02			6
7		.02	.02					.15		.04	.07	.34	7
8			.21							.07	.08	.08	8
9	.03			.01							.13	.25	9
10	.02	.03	.11							.19	.01		10
11	.14							.05			.38		11
12	.02		.40							.33	.01		12
13			.04					.09	.20		.18	.01	13
14	.02	.04	.01		.44						.11	.34	14
15		.14	.10								.66		15
16		.05				.10				.08	.01	.13	16
17				.01		.51			.51	.03	.18	.08	17
18		.20		.02	.01	.12				.04	.22		18
19		.05				.19	.03		.06	.09	.14	.05	19
20		.17		.10			.01	.17	.08	.07		.15	20
21		.34	.01					.12		.27		.05	21
22		.07	.02	.05		.05				.20		.20	22
23		.22	.10			.21			.51		.02	.16	23
24		.11	.02	.20		.82		.01		.27		.20	24
25		.30	.02	.22	.12				.02			.14	25
26		.02		.22	.18	.01				.27	.28	.36	26
27		.24	.11	.12				.59	.19		.05	.08	27
28		.15		.26		.06					.10		28
29					.14	.01			.22	.30	.02	.01	29
30				.05		.06				.20	.01	.01	30
31			.08										31
Total	.80	2.16	1.42	1.41	.89	2.27	.07	1.62	1.89	2.03	2.19	4.11	TOTAL for year
No. of Rain Days	10.	17.	18.	14.	5.	11.	4.	12.	9.	16.	21.	26.	20.86

REC

Kept at Breadrall Priory
in the County of Derbyshire - 6
by Miss Haslam

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 6.9
" " " Sea Level 380 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Breadrall
Distance 1 1/8 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.12		.03				.02	.05			.05		2
3	.05	.01			.14			.21		.05	.06	.06	3
4	.05		.04	.12				.02	.10	.06		.09	4
5	.04		.01	.02				.06		.02			5
6	.31			.01				.15		.04	.07	.34	6
7		.02	.02							.07	.08	.08	7
8			.21								.13	.25	8
9	.03			.01							.19	.01	9
10	.02	.03	.11					.05				.38	10
11	.14										.33	.01	11
12	.02		.40					.09	.20		.18	.01	12
13			.04								.11	.34	13
14	.02	.04	.01		.44							.66	14
15		.14	.10							.08	.01	.13	15
16		.05				.10			.51	.03	.18	.08	16
17				.01		.51					.04	.22	17
18		.20		.02	.01	.12				.01	.06	.04	18
19		.05				.19	.03		.06	.09	.14	.05	19
20		.17		.10			.01	.17	.08	.07		.15	20
21		.34	.01					.12		.27		.05	21
22		.07	.02	.05		.05				.20		.20	22
23		.22	.10			.21			.51		.02	.16	23
24		.11	.02	.20		.82		.01		.27		.20	24
25		.30	.02	.22	.12				.02			.14	25
26		.02		.22	.18	.01				.27	.28	.36	26
27		.24	.11	.12				.59	.19		.05	.08	27
28		.15		.26		.06					.10		28
29						.14	.01		.22	.30	.02	.01	29
30				.05		.06				.20	.01	.01	30
31			.08										31
Total	.80	2.16	1.42	1.41	.89	2.27	.07	1.62	1.89	2.03	2.19	4.11	TOTAL for year
No. of Rain Days	10.	17.	18.	14.	5.	11.	4.	12.	9.	16.	21.	26.	20.86

REGISTER OF RAINFALL IN 1912.

Rept at Breadall Priory, Derby
in the County of Derbyshire
by Hilda A. Haslam

Lat. _____ Long. _____
Time of Observation 9. A.M.
Nearest Railway Station Breadall
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380 ft.

FORM A.
BRITISH RAINFALL
5-FEB 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04			.55		.05	.03			.43	1
2		.03		.01		.21	.35					.04	2
3	.09		.04		.06	.27		.77	.04			.07	3
4	.09		.44	.01	.13	.43		.31			.23		4
5	.32	.05	.01		.07	.09		.08	.03		.01		5
6	.77	.20			.02			.46				.01	6
7		.07			.04	.07		.08					7
8	.47	.32	.15	.03		.05	.01	.05	.03				8
9	.07	.01	.04	.15		.42						.12	9
10		~~.01~~				.04		.08			.43	.02	10
11	.13	.03	.15			.08		.06			.07	.80	11
12	.09	.43				.09	.44						12
13	.02	.01				.04				.07	.08	.03	13
14	.12		.60			.08		.13		.02		.01	14
15	.20	.10	.08		.35	.08						.08	15
16	1.09		.24		.08	.06		.14		.20	.02		16
17	.49		.17			.27	.04	.39			.04	.28	17
18	.26		.08							.07		.07	18
19	.28	.12			.03	.01	.39	.39		.09			19
20	.24		.13		.08		.04	.07		.24			20
21		.01	.25		.62		.37			.53	.01	.04	21
22	.01	.15			.70		.26	.59		.01		.19	22
23	.02	.13	.35			.58	.60	.49			.15	.02	23
24	.10		.04			.24	.35	.15			.02	.16	24
25			.02			.50		.29			.42	.22	25
26		.10	.05			.09	.24	1.04		.71	.17	.12	26
27			.03		.02	.25	.09	.02		.92	.02	.20	27
28		.02	.01			.02	.14	.54	.04	.35	.66	.31	28
29			.06		.12	.27	.12	.03	.56	.06		.01	29
30			.03		.58		.03		.18	.01			30
31			.09		.25		.28	.10				.01	31
Total	4.86	1.78	3.10	.20	3.15	4.79	3.75	5.31	.91	3.28	2.33	3.24	36.70
Rain Days.	19.	16.	23.	4.	15.	24.	16.	23.	7.	13.	14.	22.	196.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
23 JAN 1914

Kept at, *Breadsall Priory*
in the County of *Derbyshire*
by *Miss Haslam*

Lat. _____ Long. _____
Time of Observation *9 o'clk. A.M.*
Nearest Railway Station *Breadsall S. & N.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
" " " " Sea Level *380* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05	.02					.11		.03		1
2	.01	.12	.01	.02					.03		.02		2
3	.03		.20		.67				.02	.01		.05	3
4	.96		.02		.11	.02	.03		.01	.43	.21	.42	4
5	.04	.01	.09			.02			.06	1.43		.01	5
6	.02	.01	.19		.43	.08	.62			.55		.02	6
7		.07	.01		.13	.02				.46	.10	.02	7
8		.02			.19	.15			.01	.07	.03		8
9		.38	.04		.04	.62					.15		9
10	.01			.09	.01	.03		.16		.02	.36	.02	10
11	.98			.35				.20			.46		11
12					.13						.41		12
13	.03		.27	.07				.02	.11		.15		13
14	.08	.05	.53	.03				.08		.11	.02		14
15	.03	.09	.29	.42					.06		.08		15
16	.03	.01	.37	.01				.06	.12		.03		16
17	.01	.02	.02	.10	.11	.01			.15		.01		17
18			.18	.12	.09		.07				.02	.05	18
19	.06		.02			.04			.32		.01	.01	19
20	.19		.06	.06					.01	.09	.08		20
21	.01		.10	.01	.06		.08				.24		21
22	.42		.48					.75	.31				22
23	.03		.01			.08			.09		.02		23
24	.09			.06		.02		.02			.03		24
25				.04					.04			.02	25
26		.11	.17	.05					.01	.19		.26	26
27		.07	.02	.55									27
28	.47		.20	.71	.03					.03			28
29	.01		.35	.48	.04			.63				.24	29
30	.26									.19		.05	30
31			.05										31
Total	3.77	.96	3.73	3.19	2.04	1.09	.80	1.92	1.46	3.58	2.46	1.17	26.17
Rain Days.	21.	12.	24.	18.	13.	11.	4.	8.	16.	12.	20.	12.	171.

YEAR'S TOTAL

end 5.11.15
REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
8 JAN 1915

Kept at Bradwell Priory, Derby
in the County of Derbyshire
by Miss Haslam

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Bradwell (G.N.R.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05				1.60	.27				.12	1
2							.01	.30			.58	.11	2
3			.04	.02	.14		.22	.10			.01	.01	3
4	.36		.06	.24	.07						.51	.33	4
5	.06		.17	.23	.20		.09				.01	.02	5
6		.07		.04	.16	.15	.03	.03				.17	6
7		.03	.36	.09	.18		.02	.05				.37	7
8	.10		.01	.02	.10	.62	.17	.11				.02	8
9	.28	.02	.02	.02		.85		.31					9
10	.22	.06	.01	.18	.05	.02		.07	.10				10
11		.06	.42	.03	.04	.02			.04		.79	.44	11
12		.04	.15								.07	.32	12
13	.01	.13	.14						.01	.26	.32	.35	13
14		.12	.04				.05			.11		.20	14
15	.05		.21									.01	15
16	.02		.03				.50						16
17		.13	.06				.06		.23			.43	17
18	.01						.02		.10			.48	18
19							.17					.09	19
20		.14	.02			.83	.14					.02	20
21		.30				.03				.15		.02	21
22		.02			.54	.14		.13					22
23		.09	.15	.02	.12	.01	.19			.20			23
24	.03	.01	.20	.01	.08		.12	.04		.11	.15		24
25							.13	.35		.51	.02	.40	25
26			.02				.03	.41		.18	.08	.13	26
27	.03										.15	.62	27
28	.23	.08	.04							.04		.50	28
29	.07	~~X~~	.26							.18	.02	.01	29
30		~~X~~	.01		.02	.07				.05	.38	.11	30
31	.09	~~X~~		~~X~~		~~X~~	.45		~~X~~	.12	~~X~~	.08	31
Total	1.56	1.30	2.48	.90	1.70	1.94	4.09	2.17	.48	1.91	3.09	5.36	YEAR'S TOTAL
Rain Days.	14	15	22	11	12	10	18	12	5	11	13	25	26.89

REGISTER OF RAINFALL IN 1915

Kept at *Breadsall Priory*
in the County of *Derbyshire*
by _____

Lat. _____ Long. _____
Time of Observation *9-0AM*
Nearest Railway Station *Breadsall GNR*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
" " " " Sea Level *380* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.19	.03	.12	.42			.02	.11		.05	.12	1
2	.08	.11	.18	.11		.06		.45		.19		.03	2
3	.45		.01						.02			.26	3
4	.03				.06		.50	.51				.97	4
5	.02	.17			.22			.05				.37	5
6	.09	.08		.06			.60	.01				.04	6
7	.16	.25				.01		.44				.22	7
8	.14	.03		.07				.05			.04		8
9	.35	.02					.02				.15	.53	9
10				.03						.02	.21		10
11	.05		.06		.33						.54	.05	11
12	.03	.45		.17	.22			.02		.04	<i>1.13</i>		12
13	.02				.30							.05	13
14		.02						.01	.09			.26	14
15	~~.30~~ ~~.05~~				.02			.01			.36	.12	15
16		.18			.03		<u>2.23</u>						16
17		.16					.08			.01			17
18		.10	.19										18
19	.19	.07			.03		.21						19
20												.05	20
21	.07			.04			.19					.06	21
22	.01		.19	.02			.02		.01	.02			22
23	.01		.04	.01		.10	.23		.09	.43			23
24			.08	.03			.03		.58 .05	.03		.25	24
25						.49			.01	.08			25
26		.14					.15		.01			.15	26
27		.07	.03		~~+~~	.10	.53			.87		.35	27
28		.41				.41	.05	.25		.13		.19	28
29					.01	.06					.10	.37	29
30	.09	~~X~~		.02		.16			~~X~~		.02	.01	30
31	.12	~~X~~		~~X~~		~~X~~	.01	.07	~~X~~	.30	~~X~~	.22	31
Total	2.28	2.45	.81	.68	1.64	1.39	4.85	1.89	.84 ~~.25~~	2.12	2.6	4.67	~~22.99~~ 25.22
Rain Days.	19	16	9	11	10	8	14	12	8	11	9	20	148

REGISTER OF RAINFALL IN 1916

Kept at Breadsall Priory
in the County of Derby
by Miss Haslam

Lat. _____ Long. _____
Time of Observation 9-0 A.M.
Nearest Railway Station Breadsall G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380 ft.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.39			.12	.28			.02	.21		1
2	.29	.08	.13		.03	.17	.44		.6	.34	.20		2
3		.27					.12		.49	.35	.11		3
4	.15	.15			.56	.97					{ .45		4
5	.06	.01				.07				.09			5
6	.03	.26	.23		.22		.41				.32	.21	6
7							.21			.44	.08		7
8			.12	.08						.03	.03		8
9			.03		.62				.01		.01		9
10		.14	.05		.01					.10			10
11	.01	.23	.11	.21		.10						.06	11
12	.04	.09	.16	.16	.55	.10	.14	.01		.03			12
13		.20	.09	.11	.05		.05	.14					13
14		.07	.68	.20	.13			.20			.01	.12	14
15		.31	.65				.06	.26					15
16	.03	.16	.34				.20	.06					16
17	.06	.13	.01	.39			.06	.13	.15				17
18		.14		.01					.18		1.05		18
19	.06		.34	.05				.01	.12		.41		19
20	.23		.24	.12								.21	20
21	.03		.06										21
22		.05				.05						.09	22
23	.05	.08		.02				.13		.07	.17	.98	23
24		.95						.05		.03	.01		24
25		.06	.12		.07			.19					25
26	.02		.01			.05							26
27	.01	.23	.21					.15	.04	.11			27
28		.23	.30							.04	.05	.17	28
29		.39				.39		.48		.41	.01	.33	29
30		~~X~~	~~X~~	~~X~~	.05	.07				.02			30
31		~~X~~	~~X~~	~~X~~		~~X~~		.04	~~X~~	.11	~~X~~	.09	31
Total	1.07	4.23	4.27	1.35	2.19	2.09	1.96	1.85	1.59	2.19	3.12	2.26	28.17
Rain Days.	14	21	20	10	10	10	10	13	7	15	16	9	155

REGISTER OF RAINFALL IN 1911

Kept at *Breadsall Priory*
in the County of *Derbyshire*
by *E.S. Haslam*

Lat. _____ Long. _____
Time of Observation *9-0 AM*
Nearest Railway Station *Breadsall*
Diameter of Funnel of Rain Gauge *5*
Height of top of Gauge above Ground *1* ft. *6* in.
" " " " Sea Level *380* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				.25		.12		.61	.14		.07	.01	1
2						.39		.13			.02	.02	2
3		.13						.15		.36			3
4	.13		.18							.45			4
5	.09		.11	.09					.06	.15	.07		5
6	.04					.43				.24	.14		6
7	.45					.15				.52	.09	.13	7
8	.90			.14				.58		.55	.09		8
9			.18	.19	.03			.10			(.39)		9
10	.46			.05	.60				.04		.01		10
11				.15						.24			11
12					.19					.15		.04	12
13			.03	.11				.03					13
14				.05	.01			.55	.14			.06	14
15	.19			.03									15
16		.10		.18			.09					.37	16
17				.05	.19		.16	.27	.07	.22			17
18	.09				.27		.51						18
19	.02	.19			.07	.23		.18	.60				19
20	.06	.22			.30	.04			.31	.02			20
21		.03	.26		.05	.11		.07	.09				21
22			.08					.05					22
23		.07			.24	.01		.10					23
24						.53	.05	.14		.11	.13		24
25			.08				.40	.12		.43			25
26								.46		.03	.37		26
27			.12			.37	.21	.54		.05	.10		27
28						.23		.22				.17	28
29					.29	.03	.11	.04		.23		.19	29
30	.05	X	.03			.02		.22					30
31		X	.05	X		X		.07	X		X		31
Total	2.48	.74	1.12	1.29	2.24	2.66	1.53	4.63	1.45	3.75	1.38	.99	24.26
Rain Days.	11	6	10	11	11	13	7	20	8	15	11	7	130

REG

BREADSALL
LODGEKept at *Breadsall*in the County of *Der*by *Col. W. B. 1*

DERBY

1911 - 1917

11

FORM A2.
BRITISH RAINFALL
6 - JAN 1918

5 in.

ve Ground 1 ft.

Sea Level 280 ft.

A.M.

Name *Breadsall*Distance *1/4 mi*Direction *P.P.h*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.12		.02		.07			.08			.08	.06	2
3	.02	.01			.12			.18		.06	.05		3
4	.03		.04	.10				.02	.09	.06	.14	.09	4
5	.04			.01	.01			.05		.02	.06		5
6	.29			.02				.12		.04		.35	6
7		.02	.02							.07	.07	.06	7
8	.10		.19								.12	.25	8
9	.03		.01								.22	.01	9
10	.01	.03	.09	.01				.07				.39	10
11	.15							.09			.23		11
12	.03		.38						.22		.18	.02	12
13			.05								.11	.31	13
14	.01	.03	.02		.47							.65	14
15		.12	.11							.07		.15	15
16		.05	.01							.03	.17	.07	16
17			.01	.01		.11					.05	.22	17
18		.17		.04	.01	.51				.01	.09	.05	18
19		.06				.11	.02		.06	.07	.14	.05	19
20	.02	.07		.08		.24		.16	.08	.07		.15	20
21		.28	.02	.01				.15	.04	.25		.05	21
22		.08	.02	.04						.22		.21	22
23		.19	.09			.04			.49	.01	.02	.22	23
24		.11	.02	.18		.20				.23		.11	24
25		.37	.01	.19	.13	.80			.03		.02	.10	25
26		.02		.22		.01		.02		.25	.28	.36	26
27		.22		.15	.11			.57	.18		.06	.08	27
28		.13	.09	.24		.06			.04		.10	.01	28
29				.02		.14	.01		.24	.31	.01		29
30				.06		.05				.22		.01	30
31			.08							.01			31
Total	.85	1.96	1.37	1.38	.92	2.27	.06	1.56	1.47	2.00	2.24	4.03	TOTAL for year 20.44
No. of Rain Days	12	17	20	16	7	11	3	12	10	18	21	25	172

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6-JAN-1912

Kept at Breadsall Lodge
in the County of Derby
by Col. W. B. Woodforde

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 280 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Kremer
Distance 1 1/2 miles Direction P.P.H.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.09				.03	.05			.04		1
2	.12		.02		.07			.08			.08	.06	2
3	.02	.01			.12			.18		.06	.05		3
4	.03		.04	.10				.02	.09	.06	.14	.09	4
5	.04			.01	.01			.05		.02	.06		5
6	.29			.02				.12		.04		.35	6
7		.02	.02							.07	.07	.06	7
8	.10		.19								.12	.25	8
9	.03		.01								.22	.01	9
10	.01	.03	.09	.01				.07				.39	10
11	.15							.09			.23		11
12	.03		.38						.22		.18	.02	12
13			.05								.11	.31	13
14	.01	.03	.02		.47							.65	14
15		.12	.11							.07		.15	15
16		.05	.01							.03	.17	.07	16
17			.01	.01		.11					.05	.22	17
18		.17		.04	.01	.51				.01	.09	.05	18
19		.06				.11	.02		.06	.07	.14	.05	19
20	.02	.07		.08		.24		.16	.08	.07		.15	20
21		.28	.02	.01				.15	.04	.25		.05	21
22		.08	.02	.04						.22		.21	22
23		.19	.09			.04			.49	.01	.02	.22	23
24		.11	.02	.18		.20				.23		.11	24
25		.37	.01	.19	.13	.80			.03		.02	.10	25
26		.02		.22		.01		.02		.25	.28	.36	26
27		.22		.15	.11			.57	.18		.06	.08	27
28		.13	.09	.24		.06			.04		.10	.01	28
29				.02		.14	.01		.24	.31	.04		29
30				.06		.05				.22		.01	30
31			.08							.01			31
Total	.85	1.96	1.37	1.38	.92	2.27	.06	1.56	1.47	2.00	2.24	4.03	TOTAL for year 20.11
No. of Rain Days	12	17	20	16	7	11	3	12	10	18	21	25	172

REGISTER OF RAINFALL IN 1912

Kept at *Breadsall Lodge, nr Derby*
 in the County of *Derby*
 by *Col. H. B. Woodford*

Lat. *52. 57. 53 N* Long. *1 26. 31 W*
 Time of Observation *9 a.m.*
 Nearest Railway Station *Breadsall & N. 13.*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *3* in.
 " " " " Sea Level *290* ft.

BRITISH RAINFALL FORM A.
 -1 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04			.51	.01	.06	.03			.39	1
2			.03	.02		.18	.34					.05	2
3	.09		.05		.05	.20	.01	.82	.05			.07	3
4	.09		.38	.01	.12	.43		.33			.23	.01	4
5	.35	.07			.06	.09		.09	.05				5
6	.70	.20	.04		.02			.41					6
7		.07			.03	.07			.02			.01	7
8	.48	.29	.13		.01	.06		.01	.05			.02	8
9	.06		.04	.18		.47	.01	.06				.12	9
10	.08					.06		.09			.45		10
11	.10	.10				.07		.07			.07	.59	11
12	.08	.32	.16			.15	.54						12
13		.02				.06				.06	.09	.02	13
14	.10		.59			.08		.16				.02	14
15	.19	.10	.08		.34	.12				.02		.09	15
16	1.06		.23		.06	.01		.13		.19	.01		16
17	.40		.13		.01	.27	.04	.37			.03	.27	17
18	.24		.08							.07		.06	18
19	.26	.10					.38	.38		.07	.02	.01	19
20	.20		.15		.08	.01	.03	.08		.21			20
21		.02	.21		.63		.29	.01		.52		.03	21
22	.01	.13			.51	.60	.25	.62				.18	22
23	.04	.12	.35		.01		.45	.37			.14	.01	23
24	.10	.02	.03			.21	.29	.16		.01	.01	.13	24
25			.02			.46		.27			.33	.33	25
26		.09	.05			.11		1.02		.68	.18	.01	26
27			.03		.02	.24	.09	.07		.86		.20	27
28		.02	.03			.05	.14	.52	.05	.31	.48	.28	28
29			.05		.13	.20	.11	.02	.64	.06	.26	.01	29
30			.05		.40	.01	.03		.15				30
31			.07		.36		.28	.12				.02	31
Total	4.63	1.67	3.02	.21	2.84	4.72	3.29	6.24	1.04	3.06	2.30	2.93	35.95
Rain Days.	19	15	24	3	17	25	17	24	8	12	13	24	201

YEAR'S TOTAL

REGISTER OF ^{and M} RAINFALL IN 1913

Kept at Breadan Lodge
in the County of Derry
by Col. H. B. Rodford

Lat. 52° 57' 53" N Long. 1° 26' 21" W
Time of Observation 9 a.m.
Nearest Railway Station Breadan
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 290 ft.

FORM A.
BRITISH RAINFALL
JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.11	.06										1
2			.01						.14		.02		2
3	.05		.20		.61				.04	.01			3
4	.94		.02		.11	.02	.04		.02	.36	.20	.45	4
5	.04	.01	.06			.02	.03	.01		1.26			5
6	.02	.01	.16		.39	.10	.54		.09	.62			6
7		.06			.12	.03				.44	.11	.04	7
8		.02			.19	.17				.09	.01		8
9		.37	.03	.01	.04	.62						.02	9
10				.09	.02	.01	.01	.15			.34		10
11	1.11			.35		.03	.19	.19		.01	.44		11
12					.14	.01					.38		12
13			.29	.08							.13		13
14	.11		.50	.03			.08	.08		.10	.02		14
15	.03	.10	.27	.41							.09		15
16	.02	.01	.32				.02	.03			.02		16
17	.01	.02	.17	.11	.06				.11		.01		17
18	.01		.17	.14	.08		.06				.03	.04	18
19	.05		.02	.07		.12	.01		.36		.01	.02	19
20	.19		.05						.01	.06	.07		20
21			.11	.03	.06		.08	.01			.22		21
22	.47		.47					.69	.30				22
23						.07		.02	.08		.01		23
24	.09			.07		.02				.01	.03	.07	24
25				.05					.04				25
26		.11	.15	.07					.01	.18		.24	26
27		.07		.48									27
28	.37		.18	.65	.02					.02			28
29			.36	.46	.04			.52				.21	29
30	.25									.16	.01	.01	30
31			.05							.04			31
Total	3.76	.89	3.65	3.10	1.88	1.22	.77	1.70	1.20	3.36	2.15	1.04	24.72
Rain Days.	16	11	.21	16	13	12	7	9	11	14	19	9	158

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Breadsall Lodge
in the County of Derby
by Col. A. Beadon Monckton

Lat. 52° 57' 53" Long. 1° 26' 21" W
Time of Observation 9 A.M.
Nearest Railway Station Breadsall
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 290 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04				1.50	.28			.01	.11	1
2				.01			.02	.28			.45	.08	2
3			.04	.02	.13		.24	.10				.11	3
4	.36		.05	.24	.07			.05			.52	.33	4
5			.16	.22	.19	.14	.10				.03	.02	5
6	.03	.06		.04	.16		.01	.04				.07	6
7	.04	.04	.35	.06	.16	.01	.03	.15			.01	.38	7
8	.11			.03	.10	.60	.14	.28		.01			8
9	.28	.03		.03	.01	.86		.08	.06		.01		9
10	.18	.07		.13	.06	.02			.08		.82		10
11		.05	.46	.02	.05	.02			.04			.53	11
12	.01	.05	.17				.01		.22		.13	.40	12
13	.02	.13	.10						.02	.31	.34	.40	13
14	.02	.11	.04				.04		.02		.06	.18	14
15	.04		.19					.01	.02	.16	.41		15
16	.03		.03				.50		.23				16
17	.01	.14	.08						.13			.52	17
18						.01	.05		.04			.45	18
19		.01					.15		.04		.08	.10	19
20		.12	.03			.02	.20			.02		.02	20
21		.32				.02	.07	.06		.13	.01	.32	21
22		.02			.46	.12		.08		.25			22
23		.09	.13	.02	.11	.03	.12						23
24	.03	.01	.18	.01	.09		.12			.03	.13		24
25			.04				.15	.38		.70		.38	25
26	.01						.03	.40		.18	.09	.16	26
27	.02										.15	.58	27
28	.21	.07	.06				.02			.03	.04	.56	28
29	.06		.26		.02					.32	.04		29
30		X	.01	.02		.07				.06	.44	.17	30
31	.11	X		X		X	.45		X	.09	X	.01	31
Total	1.57	1.32	2.42	.85	1.61	1.92	3.95	2.19	.90	2.29	3.77	5.88	28.87
Rain Days.	18	16	19	13	13	12	20	13	11	13	19	22	189

YEAR'S TOTAL
28.87
189

REGISTER OF RAINFALL IN 1915

Kept at Breadhead Lodge
in the County of Derby
by Col. A. B. Hoadford

Lat. 52° 57' 53" N Long. 1° 26' 31" W
Time of Observation 9 AM
Nearest Railway Station Breadwell G. N.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 290 ft.

FORM A.
BRITISH RAINFALL
4-1 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.35	.04		.42		.01	.02	.11			.09	1
2	.10	.11	.19	.15		.07		.41	.04	.20		.03	2
3	.60			.08			.48	.50				.25	3
4	.04		.01		.07		.63	.01				.98	4
5	.07	.25			.20			.05		.01	.05	.48	5
6	.04	.08		.08			.65					.06	6
7	.18	.37		.02		.03	.03	.41				.22	7
8	.17			.09				.06			.05		8
9		(.03)		.02							.16	.58	9
10	.41		.05	.01				.01		.02	.23		10
11	.04			.03	.28		.11	.02			.63	.14	11
12	.05	.45		.17	.20		.02	.03		.04	1.19		12
13	.04				.35							.06	13
14		.01						.04	.09			.26	14
15	.29							.03			.30	.11	15
16		.18			.06		2.23			.02		.02	16
17		.19					.12						17
18		.11	.21				.01				.02		18
19		.08			.05		.17						19
20	.20			.06			.01			.01		.06	20
21	.10						.17					.07	21
22			.23				.16		.01			.04	22
23	.02	.04	.04			.11	.11		.07	.44		.12	23
24				.04					.49	.02		.22	24
25						.56	.04			.09		.14	25
26		.14					.15		.03			.37	26
27		.08	.03			.09	.53			.86		.13	27
28		.40				.50	.06	.26		.10			28
29					.02	.34		.01			.09	.33	29
30	.09	X		.02		.16				.06	X	.01	30
31		X		X		X	.01	.07	X	.22	X	.19	31
Total	2.55	2.87	.80	.77	1.65	1.86	5.70	1.93	.84	2.09	2.72	4.96	28.74
Rain Days.	17	16	8	12	9	8	20	15	7	13	9	24	158

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Breadnall Lodge
in the County of Derby
by Col. H. B. Thompson

Lat. 52° 57' 53" N Long. 1° 26' 31" W
Time of Observation 9 AM
Nearest Railway Station Breadnall G. N.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	01				12	26				24		1
2	27	07	34		03	15	43	06		34	19		2
3		27	14				07		48	33	05		3
4	15	05	01		51	83			01	04	23		4
5	06				02	10				12	18		5
6	15	24			23		48			08	29		6
7	06		23		02		14			19	07	22	7
8										03	04	15	8
9	01		03		55	06			01				9
10	01	16	06	07			02		07	09		13	10
11	01	33		20	03				03		01	06	11
12	02	05		10	54		12	01		05			12
13		18	34	14	03		04	11		02		10	13
14		10		21	11			19		05	01	03	14
15		30	70	01	01		04	24		01			15
16	04	11	48	17	02		20	07					16
17	05	16	01	35			05	11	13	16			17
18		17	02	02					17	03	11		18
19	10	01	32	06				03			40		19
20	14		11	10								26	20
21	02		06	01			03						21
22		04	01		01	06				03	01	09	22
23	04	x		04				03		06	13	87	23
24		x		01				05		04			24
25		x	12		07			17			25		25
26	02	(200)-				05		01		18	04	7	26
27	02	x	20					21	05	10		17	27
28		x	53			01		01		04			28
29		x				39		48		37		28	29
30		X			04	08				03			30
31		X		X		X		03	X	16	X	09	31
Total	1.23	(4.25)	3.71	1.49	2.22	1.85	1.88	1.81	.95	2.55	3.25	2.45	YEAR'S TOTAL 23.64
Rain Days.	18	16	18	14	15	10	12	16	8	23	16	12	178 (184)

REGISTER OF RAINFALL IN, 1917

Kept at

Breadsall Lodge

in the County of

Derby

by

Col. W. Beadon Woodforde

Lat. $52^{\circ}57'53''$

Long. $1^{\circ}26'21''$

Time of Observation

9 AM

Nearest Railway Station

Breadsall G. M.

Diameter of Funnel of Rain Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

3

in.

"

"

"

"

Sea Level

290

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.05		.13		.58	.12		.08	.08	1
2	.19			.04		.40		.14			.01		2
3	.01	.25		.01		.02		.13		.40	.05		3
4	.08		.17					.02		.38			4
5	.11		.10	.09					.04	.15	.07		5
6	.02					.54				.34	.14	.03	6
7	.20					.06				.48	.09	.02	7
8	.90			.15				.80		.59	~~.23~~	.04	8
9	.10		.13	.16	.05			.10		.01	.29		9
10	.35	.10	.60	.07	.69			.09	.05		.01		10
11	.06		.01	.13						.22			11
12	.05				.20	.01			.01	.16		.09	12
13	.02		.02	.14				.33	.10	.03	.02	.01	13
14			.01	.05	.02			.59				.07	14
15	.19						.08			.02		.10	15
16			.15			.01						.34	16
17			.02	.06	.21		.17	.26	.06				17
18	.07			.03	.30		.49		.58				18
19	.02	.35	.12		.03	.24		.20	.01				19
20	.06	.21	.02		.27	.04			.31		.06		20
21		.03	.08		.06	.12		.09					21
22			.07					.05	.12	.06		.03	22
23		.07			.23	.01		.12	.01	.15	.01		23
24					.03	.53	.06	.12		.47	.13		24
25			.06				.29	.01		.01	.06		25
26								.58	.12	.06	.33		26
27			.05			.44	.21	.56			.09		27
28			.04					.18				.17	28
29					.23	.01	.11	.05		.23		.19	29
30	(.05)	X	.03				.03	.23			.02		30
31		X	.08	X		X		.09	X		X	.04	31
Total	2.48	1.01	1.61	1.13	2.32	2.56	1.44	5.32	1.53	3.76	1.60	1.21	YEAR'S TOTAL 25.97
Rain Days.	17	6	17	13	12	14	8	22	12	17	17	13	168

REGIS

BUXTON

Kept at Portobello B.

in the County of Derby

by Buxton Urban Dist.

PORTOBELLO BAR

DERBY

1911 - 1920

11.

8 in.

ve Ground 1 ft. in.

Sea Level 1600 ft.

Name Buxton

Distance 2 miles Direction N.E.

d the result entered to the
iversal rule, he is earnestly
ear in the space provided

Jan. 1, following.

IMPORTANT NOTE.—R
previous day. If an Observe
requested to add the reading a
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	69	—	02	—	14	09	—	01	19	01	1
2	09	—	44	01	35	—	01	04	—	—	21	29	2
3	04	—	01	01	74	—	—	01	01	—	54	09	3
4	04	—	20	05	02	—	01	09	07	02	39	21	4
5	08	—	04	02	02	—	—	38	—	05	—	02	5
6	109	—	09	01	—	—	—	86	—	25	16	82	6
7	26	—	02	—	—	—	—	—	—	03	25	—	7
8	28	—	55	—	—	—	01	—	03	—	21	82	8
9	02	—	06	—	—	—	—	—	—	01	04	14	9
10	21	12	46	01	—	—	—	—	—	—	—	124	10
11	31	01	—	—	—	—	—	—	01	01	25	04	11
12	02	—	34	—	01	—	—	—	02	01	69	—	12
13	—	02	04	—	—	—	—	—	38	01	34	45	13
14	04	69	04	—	24	—	—	—	01	—	16	88	14
15	—	33	08	01	01	—	—	—	—	03	14	80	15
16	02	65	08	02	—	09	05	—	—	05	24	23	16
17	01	01	05	01	—	42	05	—	01	04	24	22	17
18	—	30	02	05	—	46	—	01	—	—	30	18	18
19	—	11	03	20	01	14	12	—	24	02	22	14	19
20	—	12	—	40	—	09	05	43	28	35	01	66	20
21	—	96	04	04	—	04	01	14	01	07	01	05	21
22	03	04	01	16	—	02	11	—	—	33	04	15	22
23	03	31	01	01	06	28	—	—	48	40	01	42	23
24	02	23	02	33	—	140	—	06	01	23	—	16	24
25	12	36	—	98	—	18	02	01	38	25	01	31	25
26	—	02	—	59	04	50	01	15	01	14	16	62	26
27	—	54	06	134	02	—	—	109	88	54	05	13	27
28	—	35	02	32	—	15	—	41	29	—	04	53	28
29	—	—	02	24	01	13	03	06	90	—	02	18	29
30	—	—	—	11	—	31	—	—	01	41	09	—	30
31	—	—	39	—	—	—	—	—	—	41	—	11	31
Total	2.41	5.20	3.84	4.92	1.61	4.24	.62	4.13	4.03	4.24	5.10	9.96	TOTAL for year 50.63
No. of Rain Days	18	18	26	22	13	14	13	15	19	23	24	28	236

Kept at *Portobello Bar*

in the County of *Derby*

by *Buxton Urban District Council.*

RAIN GAUGE
Diameter of top *8* in.
Height of top above Ground *1* ft. in.
" " " Sea Level *1600* ft.
Time of Observation _____
Nearest Railway Station { Name *Buxton*
Distance *2 miles* direction *N.E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	<i>.69</i>	—	<i>.02</i>	—	<i>.14</i>	<i>.09</i>	—	<i>.01</i>	<i>.19</i>	<i>.01</i>	1
2	<i>.09</i>	—	<i>.44</i>	<i>.01</i>	<i>.35</i>	—	<i>.01</i>	<i>.04</i>	—	—	<i>.21</i>	<i>.29</i>	2
3	<i>.04</i>	—	<i>.01</i>	<i>.01</i>	<i>.74</i>	—	—	<i>.01</i>	<i>.01</i>	—	<i>.54</i>	<i>.09</i>	3
4	<i>.04</i>	—	<i>.20</i>	<i>.05</i>	<i>.02</i>	—	<i>.01</i>	<i>.09</i>	<i>.07</i>	<i>.02</i>	<i>.39</i>	<i>.21</i>	4
5	<i>.08</i>	—	<i>.04</i>	<i>.02</i>	<i>.02</i>	—	—	<i>.38</i>	—	<i>.05</i>	—	<i>.02</i>	5
6	<i>1.09</i>	—	<i>.09</i>	<i>.01</i>	—	—	—	<i>.86</i>	—	<i>.25</i>	<i>.16</i>	<i>.82</i>	6
7	<i>.26</i>	—	<i>.02</i>	—	—	—	—	—	—	<i>.03</i>	<i>.25</i>	—	7
8	<i>.28</i>	—	<i>.55</i>	—	—	—	<i>.01</i>	—	<i>.03</i>	—	<i>.21</i>	<i>.82</i>	8
9	<i>.02</i>	—	<i>.06</i>	—	—	—	—	—	—	<i>.01</i>	<i>.04</i>	<i>.14</i>	9
10	<i>.21</i>	<i>.12</i>	<i>.46</i>	<i>.01</i>	—	—	—	—	—	—	—	<i>1.24</i>	10
11	<i>.31</i>	<i>.01</i>	—	—	—	—	—	—	<i>.01</i>	<i>.01</i>	<i>.25</i>	<i>.04</i>	11
12	<i>.02</i>	—	<i>.34</i>	—	<i>.01</i>	—	—	—	<i>.02</i>	<i>.01</i>	<i>.69</i>	—	12
13	—	<i>.02</i>	<i>.04</i>	—	—	—	—	—	<i>.38</i>	<i>.01</i>	<i>.34</i>	<i>.45</i>	13
14	<i>.04</i>	<i>.69</i>	<i>.04</i>	—	<i>.24</i>	—	—	—	<i>.01</i>	—	<i>.16</i>	<i>.88</i>	14
15	—	<i>.33</i>	<i>.08</i>	<i>.01</i>	<i>.01</i>	—	—	—	—	<i>.03</i>	<i>.14</i>	<i>.80</i>	15
16	<i>.02</i>	<i>.65</i>	<i>.08</i>	<i>.02</i>	—	<i>.09</i>	<i>.05</i>	—	—	<i>.05</i>	<i>.24</i>	<i>.23</i>	16
17	<i>.01</i>	<i>.01</i>	<i>.05</i>	<i>.01</i>	—	<i>.42</i>	<i>.05</i>	—	<i>.01</i>	<i>.04</i>	<i>.24</i>	<i>.22</i>	17
18	—	<i>.30</i>	<i>.02</i>	<i>.05</i>	—	<i>.46</i>	—	<i>.01</i>	—	—	<i>.30</i>	<i>.18</i>	18
19	—	<i>.11</i>	<i>.03</i>	<i>.20</i>	<i>.01</i>	<i>.14</i>	<i>.12</i>	—	<i>.24</i>	<i>.02</i>	<i>.22</i>	<i>.14</i>	19
20	—	<i>.12</i>	—	<i>.40</i>	—	<i>.09</i>	<i>.05</i>	<i>.73</i>	<i>.28</i>	<i>.35</i>	<i>.01</i>	<i>.66</i>	20
21	—	<i>.96</i>	<i>.04</i>	<i>.04</i>	—	<i>.04</i>	<i>.01</i>	<i>.14</i>	<i>.01</i>	<i>.04</i>	<i>.01</i>	<i>.05</i>	21
22	<i>.03</i>	<i>.04</i>	<i>.01</i>	<i>.16</i>	—	<i>.02</i>	<i>.11</i>	—	—	<i>.33</i>	<i>.04</i>	<i>.15</i>	22
23	<i>.03</i>	<i>.31</i>	<i>.01</i>	<i>.01</i>	<i>.06</i>	<i>.28</i>	—	—	<i>.48</i>	<i>.40</i>	<i>.01</i>	<i>.42</i>	23
24	<i>.02</i>	<i>.23</i>	<i>.02</i>	<i>.33</i>	—	<i>1.40</i>	—	<i>.06</i>	<i>.01</i>	<i>.23</i>	—	<i>.16</i>	24
25	<i>.12</i>	<i>.36</i>	—	<i>.98</i>	—	<i>.18</i>	<i>.02</i>	<i>.01</i>	<i>.38</i>	<i>.25</i>	<i>.01</i>	<i>.31</i>	25
26	—	<i>.02</i>	—	<i>.59</i>	<i>.04</i>	<i>.50</i>	<i>.01</i>	<i>.15</i>	<i>.01</i>	<i>.14</i>	<i>.16</i>	<i>.62</i>	26
27	—	<i>.54</i>	<i>.06</i>	<i>1.34</i>	<i>.02</i>	—	—	<i>1.09</i>	<i>.88</i>	<i>.54</i>	<i>.05</i>	<i>.13</i>	27
28	—	<i>.35</i>	<i>.02</i>	<i>.32</i>	—	<i>.15</i>	—	<i>.41</i>	<i>.29</i>	—	<i>.04</i>	<i>.53</i>	28
29	—	—	<i>.02</i>	<i>.24</i>	<i>.01</i>	<i>.13</i>	<i>.03</i>	<i>.06</i>	<i>.90</i>	—	<i>.02</i>	<i>.18</i>	29
30	—	—	—	<i>.11</i>	—	<i>.31</i>	—	—	<i>.01</i>	<i>.41</i>	<i>.09</i>	—	30
31	—	—	<i>.39</i>	—	—	—	—	—	—	<i>.41</i>	—	<i>.11</i>	31
Total	<i>2.41</i>	<i>5.20</i>	<i>3.84</i>	<i>4.92</i>	<i>1.61</i>	<i>4.24</i>	<i>.62</i>	<i>4.13</i>	<i>4.03</i>	<i>4.24</i>	<i>5.10</i>	<i>9.96</i>	<i>50.63</i>
No. of Rain Days	<i>18.</i>	<i>18.</i>	<i>26.</i>	<i>22.</i>	<i>13.</i>	<i>14.</i>	<i>13.</i>	<i>15.</i>	<i>19.</i>	<i>23.</i>	<i>24.</i>	<i>28.</i>	<i>236</i>

cont for with 11-11-13

REGISTER OF RAINFALL IN 1912.

BRITISH RAINFALL
FORM A.
10 JAN 1913

Kept at Portobello Bar
in the County of Derby
by Buxton Urban District Council

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Buxton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1,600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04	.14			.08	.16	.32	.30			1.10	1
2	.02	.05	.14	.15	.10	.14	.53		.10			.20	2
3	.65	.02	.06		.12	.29	.01	.46	.51			.14	3
4	.45		1.20	.20	.16	.44	.01	.94	.24		.86		4
5	.31	.04	.06	.01	.13	.09	.01	.25	.19		.08	.03	5
6	.68	.18	.02		.19			.42	.06	.04		.02	6
7		.09	.02	.02	.22	.02	.01	.20	1.08		.01	.04	7
8	.44	.46	.21	.24		.14	.06	.04	.55		.09	.01	8
9	.26	.03	.33	.54	.01	.18		.23			.11	.20	9
10	.12	.03				.06	.13	.19	.02		.83	.01	10
11	.14	.03		.01	.02	.01	.06	.18			.05	1.05	11
12	.12	.20	.45			.06	.53				.01	.04	12
13	.04	.02	.02					.48	.02	.11	.13	.33	13
14	.09	.02	.44			.28		.64	.09	.02		.63	14
15	.46	.21	.45	.01	.99	.60		.23	.01			.53	15
16	.42	.01	.45		.23	.15		.24		.43	.05		16
17	.15	.04	.24		.11	.96	.06	.46		.01	.01	1.03	17
18	.13	.02	.10			.03	.01			.53	.09	1.03	18
19	.14	.15	.18		.01	.05	.46	.26		.10	.05	.21	19
20	.34	.01	.24		.30	.03	.01	.35		.63	.08	.02	20
21	.01	.04	.09		.34	.02	.22	.04		.51	.09	.09	21
22		.23	.01		.38	.60	.08	.81		.01	.02	.19	22
23	.02	.02	.36				.44	1.44		.01	.50	.29	23
24	.09	.01	.16			.18	.03	.21			.05	.03	24
25	.03	.09	.03			.60		.05		.01	.66	.10	25
26		.18	.28			.10	.45	.53		1.18	.81	.24	26
27		.02	.53		.02	.44	1.18			.96	.05	.36	27
28		.06	.06			.08	.61	.42	.04	.30	.59	.21	28
29		.01	.01			.34	.89	.03	.42	.05		.02	29
30	.05		.33		.14		.04	.01	.01	.06	.01	.08	30
31			.33		.11		.59	.39		.03			31
Total	5.85	2.34	4.63	1.21	3.64	6.03	6.91	10.51	3.64	4.99	5.23	7.26 4.26	65.27
Rain Days.	23	28	29	8	18	26	24	24	15	18	23	24	266

REGISTER OF RAINFALL IN 1913.

Kept at *Portobello Bar*
in the County of *Derby*
Buxton Urban District Council.

Lat. *53° 14' N.* Long. *1° 54' W.*
Time of Observation _____
Nearest Railway Station *Buxton*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *1600* ft.

FORM A.
BRITISH RAINFALL.
8 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.04	.25	.04	.10				.25		.11		1
2	.01	.12	.05	.14		.10				.23	.06	.03	2
3	.16	.04	.36		.46		.02		.06	.85		.34	3
4	.94	.28	.01		.06	.03	.10		.02	.09	.09	.66	4
5	.18	.11	.14		.14	.29	.12		.09	.18	.03	.02	5
6	.14	.25	.24	.01	.63	.20	.48			.56	.01	.05	6
7	.01	.46	.24		.36	.29	.01			.41	.15	.04	7
8	.01	.22	.04		.26	.09			.02	.06	.10	.01	8
9	.02	.66	.31	.14	.12	1.04	.05	.09		.01	.21	.24	9
10	.04		.06	.30	.04	.11	.05	.01	.04	.06	.12	.10	10
11	.40		.06	.49		.34		.03		.02	.14	.24	11
12	.08				.08	.01		.04	.02	.01	.40	.01	12
13	.06		.69	.03			.15		.18	.02	.41	.06	13
14	.85	.01	.54	.12				.11	.01	.45	.40	.09	14
15	.26	.02	.35	.63			.04	.04	.14		.64	.08	15
16	.03	.01	.20	.13			.03	.06	.06	.01	.34	.01	16
17	.13	.03	.03	.39	.14	.04	.08	.01	.32		.11		17
18	.08		.32	.69	.22	.06	.15		.02		.21	.02	18
19	.19		.03	.16	.04	.48	.02		.23	.03	.08		19
20	.15		.14	.08	.04		.03		.04	.05	.94		20
21	.01		.09		.24		.15				.36		21
22	.52		1.14		.04	.04		.04	.34				22
23	.11		.04	.06	.25	.24		1.18	.10		.09	.06	23
24	.33			.30		.52		.14			.06	.08	24
25				.14				.02	.11	.02	.04	.30	25
26		.09	.08	.24		.11			.04	.09		.46	26
27		.04		.45		.09				.03	.04	.14	27
28	.40		.24	.55	.04	.02			.02	.09	.04	.06	28
29	.04		.51	.86	.01					.11	.12	.04	29
30	.45							.29		.85	.29	.01	30
31	.09		.20		.13			.01					31
Total	6.14	2.38	6.48	6.01	3.46	4.22	1.81	2.16	2.14	4.23	5.41	3.53	48.54
Rain Days.	28	15	26	21	20	19	15	14	20	22	24	24	251

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Portobello Bar
in the County of Derby
by Buxton Urban District Council

Lat. 53° 14' N. Long. 1° 54' W.
Time of Observation 9 a.m.
Nearest Railway Station Buxton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1600 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.04	.22		.01	.02	.80	1.40		.05		.52	1
2	.06		.06		.01		.25	.56		.06	.48	.24	2
3	.31		.64	.03	.38		.12	.04		.03	.02	1.01	3
4	.90		.94	.22	.69	.01		.06			.34	.58	4
5	.11		1.09	.28	.40	.34	.09			.02	.23	.08	5
6		.09	.11	.23	.41	.04	.08	.11			.03	.23	6
7	.03	.04	.36	.14	.24	.05	.04	.11			.02	.18	7
8	.40			.05	.91	.35	.25	.64	.10	.03	.02	.08	8
9	.44	.04	.05	.14	.12	.50		.90	.04	.01	.16		9
10	.12	.14	.10	.30	.13	.01			.24		.16	.01	10
11		.33	.52	.09	.10	.09			.65		1.35	.38	11
12		.33	.08		.15	.03	.04		1.36		.60	.29	12
13	.02	.44	.43	.10	.04		.13		.20	.02	.90	.31	13
14	.01	.40	.32				.14		.18	.10	.33	.21	14
15	.02	.04	.49					.03	.04	.02	.08		15
16	.04	.02	.12				1.19		.38	.01			16
17	.09	.64	.29				.04		1.26		.01	.84	17
18		.01	.14				.04		.20		.01	.34	18
19		.02	.10				.36		.19		.10	.14	19
20	.01	.10	.09			.02		.15		.02		.02	20
21		.48	.01			.42		.02		.20	.02	.13	21
22		.26	.01	.04	.34	.22	.06	.13		.50			22
23		.06	.29	.10	.14	.13	.41				.01	.03	23
24	.09	.01	.43	.32	.04	.04	.48	.32		.63	.38		24
25	.22						.99	.34		.99	.15	.26	25
26	.02		.02				.34	1.05		.56	.44	.32	26
27	.34	.02								.13	.18	1.32	27
28	.28	.39	.11			.02	.01		.06	.04	.14	.18	28
29	.11		.15	.40	.01	.01		.01		.26	.29	.14	29
30	.03	X	.33		.01			.03	.01	.05	.25	.43	30
31	.28	X	.20	X	.05	X	.43		X	.16	X	.02	31
Total													YEAR'S TOTAL
Rain Days.													
4.26 3.99 4.43 2.44 4.21 2.63 6.62 5.99 4.94 3.29 6.46 8.35 61.24													
22 21 28 14 19 17 21 17 14 21 26 26 24.6													

REGISTER OF RAINFALL IN 1915

Kept at Portobello Bar.
 in the County of Derby.
 by Buxton Urban District Council.

Lat. 53° 14' N. Long. 1° 57' W.
 Time of Observation 9 am.
 Nearest Railway Station Buxton.
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 1600 ft.

FORM A.
 BRITISH RAINFALL
 13 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.36	.59	.11	---	.54	---	.01	.09	.10	.01	.04	.46	1
2	.04	.27	.40	.51	---	.19	.14	.50	---	.24	---	.02	2
3	.46	.03	.15	.36	---	---	.30	.67	.01	---	.02	.33	3
4	.10	.06	---	---	.10	---	.95	.01	---	---	---	.88	4
5	.06	.57	.60	.01	---	.02	---	.07	---	---	---	.74	5
6	.58	.06	.08	.30	---	---	.41	.22	---	---	.03	.31	6
7	.80	.77	.01	.14	---	---	.73	1.28	---	---	.03	.25	7
8	.69	.42	.01	.16	---	---	.03	.21	---	---	.26	.06	8
9	.01	.10	---	.02	---	---	.07	.06	---	.05	.66	.37	9
10	1.25	---	.12	.03	---	---	.09	.06	---	.03	.20	.07	10
11	.35	---	.08	.03	.46	---	.27	.07	---	---	.44	.40	11
12	.57	.01	.01	.23	.10	---	.05	.14	---	.25	.61	---	12
13	.60	.46	.03	---	.05	---	.02	---	---	.02	---	.15	13
14	.27	.02	.02	.07	.02	---	.06	.52	.34	---	---	.54	14
15	1.26	---	---	.01	.02	---	.02	.05	.21	---	.45	.32	15
16	.01	.62	---	.09	.16	---	1.44	.24	---	---	---	.02	16
17	---	.28	.10	---	---	---	.11	---	---	---	---	---	17
18	.10	.80	.15	---	---	---	.01	---	.01	---	.07	.01	18
19	.15	.14	.13	.17	.05	---	.30	---	---	.03	---	---	19
20	.46	.04	.03	.04	---	---	.17	.19	---	---	---	.66	20
21	.28	.02	---	.09	---	---	.56	---	---	---	.01	.30	21
22	.01	---	.20	.02	---	---	.54	.02	---	.02	---	.50	22
23	.05	.03	.23	---	---	.08	.28	---	.01	.63	---	.11	23
24	---	---	.05	.10	---	---	---	---	.24	.06	---	.40	24
25	---	---	---	---	---	1.68	.33	---	.02	.04	---	.46	25
26	.06	.37	---	---	---	.10	.36	---	.15	---	---	.48	26
27	---	.32	.01	---	---	.07	.90	---	---	.75	---	.87	27
28	---	.34	.01	---	---	.47	.11	.68	---	.26	---	.01	28
29	.01	---	---	---	.05	.04	---	---	.01	---	.23	.30	29
30	.41	X	---	.08	---	1.57	---	.11	---	.03	.04	.14	30
31	.46	X	---	X	---	X	.03	.10	X	.49	X	.57	31
Total	9.40	6.32	2.53	2.46	1.55	4.22	8.29	5.29	1.10	2.91	3.09	9.73	56.89
Rain Days.	26	22	21	19	10	9	27	20	10	15	14	28	221

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
24. JAN 1917

at **Portobello Bar**

in the County of **Derby**

The Borough of Buxton.

Lat. **53° 14' N.** Long. **1° 57' W.**

Time of Observation **9 a.m.**

Nearest Railway Station **Buxton.**

Diameter of Funnel of Rain Gauge **8** in.

Height of top of Gauge above Ground **1** ft. **-** in.

" " " " Sea Level **1600** ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.22	.13	---	---	.30	.37	---	---	---	.21	---	1
2	.34	.63	.04	---	---	.02	---	---	.14	.33	.06	.01	2
3	---	.46	---	.06	.02	.07	.38	---	.64	.45	.28	.02	3
4	.36	.35	---	---	.56	1.17	.13	---	.09	.52	.51	---	4
5	.14	.10	---	.01	.07	.94	---	---	---	.96	1.00	.01	5
6	1.35	.80	.11	---	.50	.07	.44	---	---	.40	.42	.06	6
7	.14	.03	.05	---	.10	.06	.20	---	.01	.21	.07	.34	7
8	.05	.04	.13	.02	.11	.06	.02	---	---	.01	.69	.15	8
9	.16	.02	.02	---	.30	.12	.07	---	.01	.01	.20	.21	9
10	.05	.16	.02	.30	---	.14	.25	---	.06	.15	.02	.06	10
11	.06	.32	.09	.84	.01	.08	.09	---	.38	---	.01	.17	11
12	.32	.20	.19	.20	.02	.02	.99	.10	.18	.26	---	.01	12
13	.02	.20	.09	.12	.26	---	.19	.37	.02	.54	.02	.09	13
14	.07	.23	.02	.24	.03	---	---	.48	.07	.36	.02	.06	14
15	.05	.76	.75	.09	.70	---	.06	.49	.69	.28	---	---	15
16	.11	.29	.52	.85	.05	---	.06	.26	---	.12	---	---	16
17	.24	.32	.01	1.76	.04	---	.06	.13	1.01	.23	.02	---	17
18	.02	1.06	.03	.98	---	---	---	.05	.87	.20	.34	.55	18
19	.41	.04	.28	.16	---	.01	---	.18	.11	.01	.14	.07	19
20	.24	---	.27	.26	---	---	.01	.01	---	---	.04	.09	20
21	.09	---	.04	.04	.02	---	.45	---	---	---	.01	.20	21
22	---	.04	---	.03	---	.09	---	---	---	.15	.01	.17	22
23	.12	.09	.05	.07	---	.15	---	.25	---	.07	.23	.72	23
24	---	.24	.01	.01	---	.39	---	.10	---	.15	.01	.15	24
25	.12	.08	.62	---	.06	.01	---	.21	---	.17	.70	.06	25
26	.08	.10	.17	---	.01	.01	---	.42	.01	.18	.07	---	26
27	.01	.10	.01	---	---	---	---	.50	.06	.73	---	---	27
28	.01	.12	.01	---	---	.01	---	.01	.01	.18	.17	.57	28
29	.01	.33	.01	---	---	.56	---	.01	.01	.61	.02	.51	29
30	---	X	.01	.01	---	.16	---	.01	---	.28	.01	.05	30
31	---	X	---	X	.03	X	.05	.26	X	.54	X	.81	31
YEAR'S TOTAL													
Total	4.77	7.33	3.68	6.05	2.89	4.44	3.82	3.84	4.37	8.10	5.28	5.14	59.71
Rain Days.	26	27	26	19	18	21	17	18	18	27	26	24	267

REGISTER OF RAINFALL IN 1917

Kept at Portobello Bar
 in the County of Derbyshire
 by Langley & Co Surveyors & Water Engineers Sutton

Lat. _____ Long. _____
 Time of Observation 9 am
 Nearest Railway Station Sutton
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " Sea Level 1600 ft.

FORM A.
 BRITISH RAINFALL
 17. JAN 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.01	—	.19	—	.22	—	.50	.42	—	.10	.27	1
2	.94	—	—	—	—	.23	—	.12	.01	.11	.10	.01	2
3	.18	.20	—	—	—	.25	—	.04	—	.42	.05	.02	3
4	.24	.01	.05	.01	—	—	—	.01	—	.84	.01	—	4
5	.86	—	.18	.16	—	—	—	.08	.04	.46	.45	.01	5
6	.14	—	—	—	—	.22	—	—	—	.27	.38	.18	6
7	.66	—	.03	—	—	.25	—	—	—	.91	.21	.21	7
8	.40	—	.01	.41	—	—	—	.46	.06	1.16	.60	.06	8
9	.02	—	.04	.28	.02	—	—	.12	—	.21	.40	—	9
10	.41	—	.80	.12	.16	—	—	.14	.02	.04	—	—	10
11	.12	.01	—	.14	—	—	—	.89	.03	.46	.03	.02	11
12	.04	.01	.02	.02	.54	—	—	.54	.03	.18	.01	.15	12
13	.06	—	—	.39	—	—	—	.33	.69	.03	.04	.29	13
14	.12	—	.05	.24	.09	—	—	.28	—	.01	—	.11	14
15	.04	—	—	.04	.04	—	.35	.12	.01	.12	.02	.16	15
16	.04	.06	.01	.36	—	.10	.29	.14	.01	.02	.01	.38	16
17	.01	.16	.31	.53	.25	.09	.40	.69	.09	.30	—	.02	17
18	.02	—	.05	.22	.16	—	.92	.16	.56	.08	—	—	18
19	.04	.30	.51	.02	.24	.23	—	.08	.04	—	.14	—	19
20	.03	.32	.03	.02	.20	.38	—	—	.13	.01	1.10	.02	20
21	.61	.04	.08	—	—	.04	—	.03	.01	.22	.06	—	21
22	.02	.01	.05	—	.14	.05	—	.03	.35	.46	.32	—	22
23	.01	.24	—	—	.18	.15	—	.53	.04	.35	.05	.53	23
24	—	.02	.05	—	.02	.13	.02	.15	—	.88	.25	.18	24
25	—	.18	.25	—	—	—	—	.19	—	.02	.08	—	25
26	—	—	.01	—	—	.04	.16	.85	.64	.20	1.49	—	26
27	—	—	.03	.01	.03	.23	.29	.83	—	.02	.54	.02	27
28	.01	.14	.23	.01	.04	.08	—	1.42	.13	.06	.04	.05	28
29	.01	—	.05	—	.09	—	.30	.60	—	.54	—	.11	29
30	.02	X	.33	—	—	—	.01	.27	—	.04	.10	—	30
31	.02	X	.24	X	.03	X	.01	.20	X	.03	X	.02	31
Total	4.29	1.44	3.41	3.14	2.26	2.42	2.45	9.81	3.40	8.53	6.99	2.82	51.92
Rain Days.	24	15	23	18	16	16	10	28	19	29	25	21	244

REGISTER OF RAINFALL IN 1918

Kept at Portobello Gas.
in the County of Derbyshire
by Buxton Corporation *per H. Langley*
Don Ingleton

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Buxton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
Sea Level 1600 ft.

FORM A.
BRITISH RAINFALL
7.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.13	.07	.08	.12	—	—	—	<u>1.75</u>	.20	.60	.19	1
2	—	.20	.07	.13	—	—	—	.11	.58	.04	.01	1.20	2
3	.07	.06	.03	—	.38	—	—	.52	.09	.10	.10	.03	3
4	.12	.04	.02	—	—	—	—	.23	.44	.19	.50	.61	4
5	.52	—	.03	.12	.20	—	.02	.43	.34	.52	—	.03	5
6	.04	1.26	.01	.64	—	.69	.05	.11	.04	.34	—	.03	6
7	.04	.27	—	.57	—	.01	.07	.07	.80	.05	.28	.02	7
8	.03	.50	.13	.07	—	—	.53	.02	.70	.19	.05	.13	8
9	.52	.97	—	.03	—	.72	.03	.01	.55	.88	.05	.06	9
10	.19	.75	.02	.05	—	—	.17	—	.04	.12	(.04)	.24	10
11	.55	.25	.14	.01	.28	—	.46	—	.20	—	.61	.34	11
12	.04	.77	.04	.14	.12	.06	.63	—	.57	—	—	.47	12
13	.07	.07	—	—	.13	—	—	.07	.34	.37	.07	.07	13
14	.52	—	—	—	—	.28	.29	.03	.62	.19	—	.48	14
15	.25	—	.07	—	—	.09	.48	—	1.00	.07	.02	.57	15
16	—	—	—	—	—	.07	.43	.11	.22	.23	—	.64	16
17	.32	—	—	—	.53	—	.25	.31	.09	.08	—	.47	17
18	.44	—	.04	—	—	.35	.09	.02	.60	—	—	.50	18
19	.12	.12	.36	.11	—	.07	.15	.19	.27	.05	—	.61	19
20	.11	.27	—	.09	—	.22	1.09	.03	.16	.09	—	.03 .53	20
21	.14	.48	—	.24	.28	.45	.10	—	.57	.10	.07	.09	21
22	.03	.10	—	—	.33	.45	.45	.07	.08	.05	.07	1.23	22
23	.21	.03	—	—	1.25	.02	.08	—	.40	—	.07	.26	23
24	.07	.16	—	—	.07	—	.26	—	.18	.08	.16	.27	24
25	—	—	—	—	.07	.07	.13	.43	.10	.08	.07	—	25
26	—	.21	—	—	—	—	.42	.31	.48	.07	.23	.17	26
27	.07	.20	.15	—	—	.28	.07	.98	.67	.02	.35	1.21	27
28	—	.02	.85	—	—	.07	—	.07	.24	—	.87	1.15	28
29	—	—	—	—	—	—	—	—	.09	—	.04	.21	29
30	.07	X	.47	.03	—	—	—	.44	.05	.03	.30	.12	30
31	—	X	.87	X	—	X	—	.43	X	—	X	.07	31
Total	3.74	6.80	3.19	2.22	3.64	3.72	6.13	4.93	12.20	4.08	4.32	11.38	66.35
Rain Days.	23	21	17	14	12	16	22	22	30	24	21	30	25.2

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Postobello Bar
in the County of Derby
by Buxton Corporation

Lat. 53° 14' N Long. 1° 54' W
Time of Observation 9 am
Nearest Railway Station Buxton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.06	.06	.02	.62	-	.64	.34	.39	.30	.04	.38	1
2	.66	.03	.08	-	-	-	.56	.52	.23	.24	.06	.36	2
3	.14	-	.01	-	.25	.10	.25	-	.11	-	.21	.46	3
4	.40	.04	.23	.01	.02	.05	.12	.24	.29	-	.06	.40	4
5	.08	.04	.01	.02	.01	-	-	-	.06	-	.01	.90	5
6	.06	.02	.90	-	.63	-	-	-	-	-	.02	.48	6
7	.04	-	.61	.04	-	-	-	-	.05	-	.04	-	7
8	.24	-	.05	.04	-	.04	-	-	.01	-	-	-	8
9	.16	-	.12	.08	-	-	-	-	-	-	.03	-	9
10	.13	-	.98	.14	.02	-	-	-	-	-	.03	.25	10
11	-	-	.45	.26	.04	-	.06	-	-	.06	-	.04	11
12	-	-	.28	.63	-	.46	.08	-	-	.12	.10	.04	12
13	-	-	.01	.43	-	.24	.03	.05	.66	.48	-	.14	13
14	.52	.02	-	.54	-	-	.01	-	.02	.09	.05	.05	14
15	.41	.04	.04	.34	-	-	-	.01	-	.05	.02	.68	15
16	.34	.32	-	.06	-	.14	.01	-	-	-	.32	.05	16
17	.41	.05	-	.25	.09	.28	.03	.44	-	-	1.48	.10	17
18	.26	.05	.35	-	-	-	.03	.64	.22	-	.09	.36	18
19	-	.21	.62	-	-	.36	.85	.34	.45	-	.30	.20	19
20	.18	.18	.15	-	-	.46	.05	.05	.09	-	.29	1.36	20
21	.51	.58	.03	-	-	.03	.25	-	.09	-	.12	.41	21
22	.06	.30	-	-	-	.09	.03	.06	.92	-	.30	1.58	22
23	-	.01	-	-	-	.29	-	.01	-	1.13	.14	.23	23
24	-	-	-	.13	.09	.02	.03	.02	.41	.36	.19	.10	24
25	.01	-	.01	.33	.18	.14	-	.83	.01	-	.40	.11	25
26	.31	-	.83	.08	-	.06	-	1.59	.34	-	.01	.40	26
27	.08	.02	.04	.21	-	.03	-	.04	-	-	.02	.02	27
28	.19	-	.01	.06	-	.11	-	.40	-	.04	-	.33	28
29	.02	-	.06	.05	-	.02	-	.08	-	.45	.01	.14	29
30	.09	~~X~~	.09	.44	-	.35	-	.12	-	.10	.23	.34	30
31	.02	~~X~~	.11	~~X~~	-	~~X~~	.32	.01	~~X~~	.06	~~X~~	.12	31
TOTAL	5.96	1.86	6.43	4.22	1.95	3.60	3.38	6.21	4.38	3.51	4.63	10.39	56.52.
Days with ".01 in. or more	25	14	25	21	10	19	14	19	14	13	26	28	234

REGISTER OF RAINFALL IN 1920

Kept at Cashella Das Buxton
in the County of Cerky
by

Lat. 53° 14' Long. 1° 57' W.
Time of Observation.....
Nearest Railway Station Buxton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	01	04	15	54	03	42	05	10	20	04	25	1
2	-	-	04	23	01	-	04	02	28	06	-	33	2
3	10	14	01	13	04	08	30	04	34	49	-	44	3
4	01	01	-	12	01	-	04	96	14	55	-	04	4
5	-	01	08	-	1.45	-	10	64	1.15	24	-	03	5
6	-	-	50	24	44	-	03	06	02	05	01	12	6
7	19	01	08	04	01	-	24	-	-	-	01	-	7
8	56	09	-	38	34	-	44	26	-	-	-	-	8
9	52	1.05	02	49	-	-	26	12	05	-	05	-	9
10	48	94	24	09	-	-	44	-	-	-	05	-	10
11	52	22	21	24	42	22	02	01	-	-	-	06	11
12	14	20	01	49	06	33	16	33	-	-	28	01	12
13	20	31	16	62	01	60	01	-	01	-	11	01	13
14	09	09	28	33	-	1.08	18	-	1.34	04	63	02	14
15	02	16	21	52	-	-	09	-	04	24	-	-	15
16	-	-	20	49	21	61	83	-	11	15	-	-	16
17	02	-	14	01	26	-	02	20	42	05	-	01	17
18	28	-	-	12	46	01	06	04	15	-	-	-	18
19	23	1.61	-	25	44	16	08	08	20	01	-	-	19
20	24	01	-	65	-	23	22	-	01	-	01	09	20
21	02	-	-	03	-	-	46	09	-	01	-	27	21
22	18	01	02	20	-	05	32	08	-	-	01	14	22
23	01	01	05	09	-	-	36	26	-	-	01	42	23
24	14	-	64	08	-	-	04	02	-	-	01	49	24
25	04	09	16	66	03	04	69	-	-	-	-	-	25
26	34	28	21	94	04	03	23	-	-	-	01	05	26
27	45	04	12	46	64	80	03	-	-	01	35	15	27
28	60	04	20	82	50	14	22	-	04	-	02	22	28
29	15	02	18	15	1.04	04	68	-	01	-	22	84	29
30	10	~~X~~	02	29	21	36	-	-	22	-	16	40	30
31	40	~~X~~	10	~~X~~	38	~~X~~	08	~~X~~	~~X~~	54	~~X~~	17	31
TOTAL	6.88	5.44	3.92	9.47	4.76	4.81	4.34	3.26	4.72	2.75	1.98	4.32	62.68
Days with .01 in. or more	27	22	25	29	24	17	29	17	16	14	17	22	41
Days with .04 in. or more	21	14	20	28	18	16	26	14	14	11	9	18	209

REGIS

BUXTON

11

FORM 2628
BRITISH RAINFALL
10 JAN 1912

Kept at Stanley Moor

in the County of Derby

by Buxton Urban D

STANLEY MOOR

DERBY

1911 - 1920

8 in.

Ground 1 ft. in.

Sea Level 1340 ft.

Name Buxton

Distance 15 miles Direction N.E.

the result entered to the
versal rule, he is earnestly
ar in the space provided

IMPORTANT NOTE.—Re
previous day. If an Observer
requested to add the reading at
for it at the end of this para
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.59	—	.02	—	.12	.08	—	—	.14	.01	1
2	.09	—	.39	.01	.31	—	.01	.03	—	—	.19	.18	2
3	.03	—	.01	.01	.45	—	—	.01	.02	.01	.48	.08	3
4	.03	—	.14	.04	.02	—	.01	.08	.04	.03	.34	.18	4
5	.15	—	.04	.02	.02	—	—	.34	—	.25	—	.01	5
6	.96	—	.04	.01	—	—	—	.68	—	.03	.14	.45	6
7	.21	—	.02	—	—	—	—	—	—	—	.22	—	7
8	.23	—	.58	—	—	—	.01	—	.02	.01	.20	.64	8
9	.01	—	.05	—	—	—	—	—	—	—	.03	.12	9
10	.12	.09	.36	.01	—	—	—	—	.01	.01	—	1.21	10
11	.23	.01	—	—	—	—	—	—	.02	.01	.23	.03	11
12	.01	—	.44	—	.01	—	—	.4	.33	.01	.61	—	12
13	—	.02	.05	—	—	—	—	—	—	—	.34	.44	13
14	.03	.68	.04	—	.29	—	—	—	.01	.03	.14	.63	14
15	—	.22	.05	.01	.01	—	—	—	—	.03	.14	.45	15
16	.02	.61	.04	.02	—	.04	.06	—	—	.03	.29	.22	16
17	.01	.01	.04	.01	—	.34	.05	—	.01	—	.24	.19	17
18	—	.29	.02	.04	—	.38	—	.01	—	.02	.24	.14	18
19	—	.12	.02	.20	.01	.14	.11	—	.24	.35	.16	.19	19
20	—	.18	—	.32	—	.04	.05	.45	.24	.05	.01	.55	20
21	—	.43	.03	.03	—	.03	.01	.13	.01	.29	—	.05	21
22	.01	.02	.01	.16	—	.02	.11	—	—	.34	.03	.15	22
23	.02	.28	.01	.01	.05	.25	—	—	.43	.20	.01	.34	23
24	.03	.14	.01	.33	—	1.25	—	.05	.01	.26	—	.14	24
25	.13	.34	—	.89	—	.12	.02	.01	.33	.13	.01	.33	25
26	—	.02	—	.55	.06	.44	.01	.13	.01	.50	.13	.52	26
27	—	.49	.04	1.33	.02	—	—	1.06	.44	—	.03	.10	27
28	—	.33	.01	.29	—	.14	—	.30	.26	—	.05	.48	28
29	—	X	.01	.23	.01	.10	.03	.05	.86	.64	.02	.20	29
30	—	X	—	.10	—	.21	—	—	.01	.66	.08	.01	30
31	—	X	.31	X	—	X	—	—	X	.14	X	.03	31
Total	2.32	4.64	3.44	4.62	1.58	3.59	.60	3.41	3.63	4.09	4.59	8.43	45.24
No. of Rain Days	18.	18	26.	22.	13.	14.	13.	15.	19	23.	26.	29.	236

Kept at Stanley Moor
in the County of Derbyshire
by Buxton Urban District Council

RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 1340 ft.
Time of Observation _____
Nearest Railway Station { Name Buxton
Distance 3 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.59	—	.02	—	.12	.08	—	—	.14	.01	1
2	.09	—	.39	.01	.31	—	.01	.03	—	—	.19	.18	2
3	.03	—	.01	.01	.45	—	—	.01	.02	.01	.48	.08	3
4	.03	—	.14	.04	.02	—	.01	.08	.04	.03	.34	.18	4
5	.15	—	.04	.02	.02	—	—	.34	—	.25	—	.01	5
6	.96	—	.04	.01	—	—	—	.68	—	.03	.14	.45	6
7	.21	—	.02	—	—	—	—	—	—	—	.22	—	7
8	.23	—	.58	—	—	—	.01	—	.02	.01	.20	.64	8
9	.01	—	.05	—	—	—	—	—	—	—	.03	.12	9
10	.12	.09	.36	.01	—	—	—	—	.01	.01	—	1.21	10
11	.23	.01	—	—	—	—	—	—	.02	.01	.23	.03	11
12	.01	—	.44	—	.01	—	—	—	.33	.01	.61	—	12
13	—	.02	.05	—	—	—	—	—	—	—	.34	.44	13
14	.03	.68	.04	—	.29	—	—	—	.01	.03	.14	.63	14
15	—	.22	.05	.01	.01	—	—	—	—	.03	.14	.45	15
16	.02	.61	.04	.02	—	.04	.06	—	—	.03	.29	.22	16
17	.01	.01	.04	.01	—	.34	.05	—	.01	—	.24	.19	17
18	—	.29	.02	.04	—	.38	—	.01	—	.02	.24	.14	18
19	—	.12	.02	.20	.01	.14	.11	—	.24	.35	.16	.19	19
20	—	.18	—	.32	—	.04	.05	.45	.24	.05	.01	.55	20
21	—	.43	.03	.03	—	.03	.01	.13	.01	.29	—	.05	21
22	.01	.02	.01	.16	—	.02	.11	—	—	.34	.03	.15	22
23	.02	.28	.01	.01	.05	.25	—	—	.43	.20	.01	.34	23
24	.03	.14	.01	.33	—	1.25	—	.05	.01	.26	—	.14	24
25	.13	.34	—	.89	—	.12	.02	.01	.33	.13	.01	.33	25
26	—	.02	—	.55	.06	.44	.01	.13	.01	.50	.13	.52	26
27	—	.49	.04	1.33	.02	—	—	1.06	.44	—	.03	.10	27
28	—	.33	.01	.29	—	.14	—	.30	.26	—	.05	.48	28
29	—	X	.01	.23	.01	.10	.03	.05	.86	.64	.02	.20	29
30	—	X	—	.10	—	.21	—	—	.01	.66	.08	.01	30
31	—	X	.31	X	—	X	—	—	X	.14	X	.03	31
Total	2.32	4.64	3.44	4.62	1.58	3.59	.60	3.41	3.63	4.09	4.59	8.43	45.24
No. of Rain Days	18	18	26	22	13	14	13	15	19	23	26	29	236

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
10 JAN 1913

Kept at Staley Moor
in the County of Derby
by Buxton Urban District Council

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Buxton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.16			.04	.14	.29	.28			1.06	1
2	.02	.06	.14	.14	.09	.13	.50		.09			.22	2
3	.60	.02	.06		.04	.28	.01	.41	.44			.13	3
4	.42		1.11	.19	.14	.45	.01	.90	.22		.46		4
5	.41	.04	.05	.01	.13	.09	.01	.23	.14		.06	.02	5
6	.48	.19	.01		.18			.39	.02	.04		.01	6
7		.04	.02	.01	.21	.02	.01	.22	.98			.04	7
8	.42	.34	.22	.65		.11	.04	.06	.45		.04		8
9	.14	.02	.32	.58	.01	.20		.22			.09	.21	9
10	.14	.02				.05	.12	.18	.02		.49	.01	10
11	.09	.03			.01	.01	.04	.16			.04	1.03	11
12	.10	.18	.43			.06	.48					.06	12
13	.03	.02	.02					.45	.02	.10	.12	.31	13
14	.09	.01	.85			.29		.62	.09	.01		.63	14
15	.41	.14	.43		.91	.62		.21	.01			.50	15
16	.54	.01	.42		.22	.12		.26		.42	.04		16
17	.06	.06	.25		.10	.93	.04	.44		.01	.01		17
18	.11	.02	.10			.02	.01			.45	.04	1.02	18
19	.14	.13	.19		.01	.06	.40	.25		.08	.04	.20	19
20	.26	.01	.23		.38	.02	.01	.36		.59	.04	.01	20
21	.01	.04	.15		.36	.02	.21	.02		.54	.04	.08	21
22		.22	.01		.38	.55	.09	.80		.01	.01	.21	22
23	.02	.01	.33				.38	1.40		.01	.49	.24	23
24	.08	.01	.15			.21	.02	.20			.04	.03	24
25	.02	.10	.02			.49		.06		.01	.62	.09	25
26		.14	.24			.08	.62	.54		1.15	.43	.26	26
27		.02	.54		.02	.48	1.06			.86	.06	.34	27
28		.06	.04			.06	.54	.43	.04	.34	.54	.19	28
29		.01	.01			.33	.82	.02	.40	.05		.01	29
30	.05	X	.32		.16		.05	.01	.01	.06	.01	.06	30
31		X	.35	X	.10	X	.56	.34	X	.03	X	.08	31
YEAR'S TOTAL													
	5.00	2.10	4.53	1.58	3.48	5.45	6.53	10.13	3.24	4.46	4.43	4.11	61.94
	23.	28.	29	6	18	26	24	24	15	18.	21.	24.	262

REGISTER OF RAINFALL IN 1913.

Kept at Stanley Wood
in the County of Derby
by Buxton Urban District Council

Lat. 53° 14' 5" N. Long. 1° 56' 4" W.
Time of Observation _____
Nearest Railway Station Buxton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1340 ft.

FORM A
BRITISH RAINFALL
6-JAN-1914 2618

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.03	.24	.04	.09				.26		.10		1
2		.09	.05	.14		.09			.26	.22	.06	.03	2
3	.14	.03	.35		.44		.01		.02	.81		.34	3
4	.91	.24	.01		.05	.03	.09		.99	.09	.09	.61	4
5	.14	.10	.18		.13	.30	.09			.14	.02	.02	5
6	.16	.24	.23	.01	.40	.21	.45			.54	.01	.04	6
7	.01	.45	.23		.29	.28	.01			.40	.13	.03	7
8	.01	.22	.04		.23	.08			.02	.06	.11	.01	8
9	.01	.62	.32	.12	.09	1.05	.04	.10		.01	.19	.23	9
10	.03	.02	.05	.24	.06	.09	.05	.01	.04	.06	.10	.09	10
11	.25		.06	.42		.35		.03		.02	.14	.25	11
12	.06				.08	.02		.05	.02	.01	.38	.01	12
13	.05		.68	.03			.14		.14	.01	.36	.06	13
14	.12	.01	.53	.12				.10	.02	.43	.39	.04	14
15	.14	.01	.36	.64			.04	.08	.16		.64	.06	15
16	.01	.01	.18	.13			.03	.05	.06	.01	.36	.01	16
17	.12	.02	.02	.44	.15	.06	.04	.02	.30		.11		17
18	.04		.28	.68	.24	.06	.14		.02		.20	.02	18
19	.14		.02	.15	.04	.44	.01		.21	.03	.04		19
20	.14		.15	.08	.03		.02		.04	.05	.45		20
21	.02		.06	.04	.25		.14				.44		21
22	.56		.96		.04	.05		.06	.35				22
23	.13		.02		.23	.23		1.12	.10		.09	.05	23
24	.40			.26		.44		.13			.06	.08	24
25	.01			.13				.03	.10	.02	.04	.24	25
26		.08	.04	.21		.10			.03	.08		.40	26
27		.04		.43		.08				.04	.04	.18	27
28	.35		.26	.53	.06	.03			.01	.09	.03	.05	28
29	.02	X	.50	.48	.01			.24		.10	.08	.03	29
30	.64	X						.01		.86	.30	.01	30
31	.06	X	.21	X	.09	X			X		X		31
Total	4.86	2.24	6.06	5.65	3.60	4.05	1.66	2.06	2.08	4.14	5.38	3.25	45.03
Rain Days.	28	16	26	21	20	19	15	14	20	22	24	24	252

REGISTER OF RAINFALL IN 1914

Kept at Stanley Moor
in the County of Derby
by Buxton Urban District Council

Lat. $53^{\circ} 14' 5''$ N. Long. $1^{\circ} 56' W$
Time of Observation 9 a.m.
Nearest Railway Station Buxton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1340 ft.

2678
FORM A.
BRITISH RAINFALL
7 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.02.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.20		.01	.03	.81	1.36		.05		.48	1
2	.05		.04		.01		.26	.53		.05	.42	.22	2
3	.30		.58	.03	.34		.12	.06		.03	.02	.88	3
4	.84		.49	.22	.65	.01		.06			.33	.54	4
5	.10		1.01	.30	.39	.33	.09			.02	.22	.08	5
6		.04	.11	.26	.42	.04	.06	.09			.02	.24	6
7	.03	.03	.35	.15	.24	.05	.03	.09			.02	.18	7
8	.69			.04	.89	.35	.23	.59		.03	.02	.04	8
9	.46	.04	.05	.15	.11	.49		.48	.10	.01	.18		9
10	.11	.13	.08	.29	.11	.01			.06		.14	.01	10
11		.28	.42	.10	.08	.08			.26		1.38	.39	11
12		.26	.16		.13	.03	.04		.63		.59	.28	12
13	.02	.32	.31	.10	.03		.11		1.32	.02	.93	.32	13
14	.01	.28	.28				.11		.21	.14	.32	.21	14
15	.02	.02	.46					.04	.14	.01	.09		15
16	.04	.01	.11				1.12		.04				16
17	.08	.58	.24				.06		.34			.48	17
18		.01	.16			.01	.03		1.22		.01	.35	18
19		.02	.08				.04		.18		.08	.13	19
20	.01	.10	.10			.01		.14	.14	.02		.02	20
21		.46	.01			.25		.02		.18	.02	.13	21
22		.25	.01	.04	.33	.22	.04	.12		.44			22
23		.05	.28	.09	.14	.14	.39	.31			.01	.02	23
24	.08	.01	.45	.32	.04	.04	.44	.36		.02	.36		24
25	.21						.96			.96	.15	.25	25
26	.01		.02				.33	1.08		.56	.45	.31	26
27	.30	.02								.12	.19	1.24	27
28	.26	.34	.10			.02	.01		.05	.04	.15	.14	28
29	.10	~~X~~	.14	.34	.01	.01		.01		.25	.24	.14	29
30	.02	~~X~~	.33		.01			.03	.01	.05	.24	.40	30
31	.26	~~X~~	.21	~~X~~	.04	~~X~~	.42		~~X~~	.16	~~X~~	.02	31
Total	4.03	3.32	4.11	2.43	4.01	2.15	6.03	5.62	4.49	3.22	6.64	7.92	54.24
Rain Days.	22	21	28	14	19	18	21	14	14	20	25	26	245

REGISTER OF RAINFALL IN 1915

Kept at Stanley Moor.
 in the County of Derby.
 by Buxton Urban District Council.

Lat. 53° 14.5' N Long. 1° 56' W.
 Time of Observation 9 a.m.
 Nearest Railway Station Buxton.
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft.
 " " " " Sea Level 1340 ft.

FORM A.
 BRITISH RAINFALL
 2678
 13 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.53	.09	—	.54	—	.01	.09	.13	.01	.05	.42	1
2	.07	.24	.36	.44	—	.17	.09	.42	—	.23	—	.02	2
3	.43	.02	.13	.31	—	—	.34	.60	—	—	.02	.31	3
4	.11	.05	—	—	.09	—	.97	.01	—	—	—	.80	4
5	.07	.54	.58	.01	—	.02	—	.06	—	—	—	.72	5
6	.64	.04	.08	.30	—	—	.36	.21	—	—	.03	.35	6
7	.77	.75	.01	.13	—	—	.79	1.17	—	—	.02	.28	7
8	.71	.39	.01	.15	—	—	.02	.21	—	—	.22	.07	8
9	.01	.10	—	.02	—	—	.06	.04	—	.04	.65	.40	9
10	1.12	—	.10	.03	—	—	.08	.06	—	.02	.20	.06	10
11	.34	—	.06	.03	.42	—	.30	.07	—	—	.48	.37	11
12	.48	.01	.01	.20	.09	—	.05	.13	—	.23	.59	—	12
13	.49	.45	.02	—	.05	—	.02	—	—	.02	—	.14	13
14	.26	.02	.01	.05	.02	—	.09	.48	.30	—	—	.40	14
15	1.12	—	—	.01	.02	—	.03	.03	.22	—	.43	.30	15
16	.01	.60	—	.08	.17	—	1.37	.23	—	—	—	.02	16
17	—	.27	.07	—	—	—	.06	—	—	—	—	—	17
18	.07	.78	.12	—	—	—	.01	—	.01	—	.05	.01	18
19	.10	.13	.12	.16	.05	—	.28	—	—	.04	—	—	19
20	.42	.04	.03	.04	—	—	.18	.18	—	—	—	.62	20
21	.22	.02	—	.08	—	—	.55	—	—	—	.01	.29	21
22	.01	—	.18	.02	—	—	.40	.01	—	.01	—	.49	22
23	.05	.03	.21	—	—	.06	.34	—	.01	.47	—	.11	23
24	—	—	.04	.08	—	—	—	—	.23	.06	—	.41	24
25	—	—	—	—	—	1.40	.35	—	.02	.04	—	.44	25
26	.05	.38	—	—	—	.05	.31	—	.14	—	—	.47	26
27	—	.31	—	—	—	.10	.76	—	—	.70	—	.86	27
28	—	.33	.01	—	—	.45	.11	.64	—	.31	—	—	28
29	.01	X	—	—	.05	.02	—	—	.01	—	.22	.28	29
30	.36	X	—	.08	—	1.49	—	.10	—	.02	.04	.14	30
31	.44	X	—	X	—	X	.02	.13	X	.48	X	.55	31
Total	8.71	6.03	2.23	2.22	1.50	3.76	7.95	4.87	1.07	2.68	3.01	9.33	53.36
Rain Days.	26	22	20	19	10	9	27	20	9	15	14	27	218
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Stanley Moor
in the County of Derby
by The Borough of Buxton.

Lat. 53° 14' 5" N. Long. 1° 56' W.
Time of Observation 9 a.m.
Nearest Railway Station Buxton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1340 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.18	.15	---	---	.28	.38	---	---	---	.18	---	1
2	.32	.53	.05	---	---	.02	---	---	.14	.33	.05	.01	2
3		.44	---	.07	.02	.05	.38	---	.64	.48	.25	.03	3
4	.32	.33	---	---	.54	1.03	.12	---	.10	.43	.45	---	4
5	.12	.07	---	.01	.07	.86	---	---	---	.88	.90	.01	5
6	1.28	.77	.09	---	.51	.06	.39	---	---	.35	.43	.04	6
7	.18	.03	.07	---	.09	.09	.20	---	.01	.21	.07	.31	7
8	.04	.04	.15	.02	.10	.07	.01	---	---	.01	.70	.13	8
9	.16	.03	.01	---	.31	.12	.06	---	.01	.01	.25	.18	9
10	.04	.14	.02	.30	.01	.13	.23	---	.06	.15	.01	.06	10
11	.06	.31	.08	.80	.02	.07	.06	---	.36	---	.01	.17	11
12	.25	.18	.18	.20	.24	.02	.89	.09	.16	.25	---	.01	12
13	.01	.20	.11	.12	.02	---	.18	.35	.01	.54	.01	.10	13
14	.05	.21	.02	.24	.68	---	---	.28	.05	.34	.01	.06	14
15	.04	.74	.74	.09	.06	---	.07	.44	.59	.30	---	---	15
16	.09	.27	.51	.85	.03	---	.06	.26	---	.14	---	---	16
17	.21	.30	.01	1.70	---	---	.05	.12	.92	.21	.01	---	17
18	.02	11.02	.02	.96	---	---	---	.04	.86	.18	.33	.54	18
19	.39	.07	.29	.16	---	.01	---	.18	.14	---	.14	.06	19
20	.24	---	.19	.25	---	---	.01	.01	---	---	.04	.09	20
21	.08	---	.03	.04	.02	---	.37	---	---	---	.01	.20	21
22		.02	---	.03	---	.08	---	---	---	.14	.01	.18	22
23	.12	.08	.05	.07	---	.16	---	.22	---	.07	.21	.73	23
24		.18	.01	.01	---	.38	---	.08	---	.14	.01	.15	24
25	.11	.06	.61	---	.06	.01	---	.17	---	.16	.70	.05	25
26	.08	.08	.15	---	.01	.02	---	.38	.01	.16	.07	---	26
27	.01	.10	.01	---	---	---	---	.50	.05	.62	---	---	27
28	.01	.11	.01	---	---	.01	---	.01	.01	.13	.16	.55	28
29	.01	.31	.01	---	---	.58	---	.01	.01	.56	.02	.47	29
30		X	.01	.01	---	.17	---	.01	---	.20	.01	.04	30
31		X	---	X	.02	X	.04	.24	X	.47	X	.80	31
Total	4.44	6.78	3.58	5.93	2.81	4.22	3.50	3.39	4.13	7.46	5.04	4.97	56.25
Rain Days.	26	27	26	19	18	21	17	18	18	26	26	24	266

REGISTER OF RAINFALL IN 1914

Kept at Stanley Moor
in the County of Derbys hire
by Langley Road Surveyor & Watering
Duckton

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Buxton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1340 ft.

2678
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.01	-	.18	.02	.02	-	.46	.37	-	.10	.26	1
2	.90	-	-	-	.20	.20	-	.11	.01	.11	.08	.01	2
3	.12	.21	-	-	.19	.19	-	.03	-	.40	.03	.01	3
4	.20	.01	.04	.01	.18	.18	-	.01	-	.49	.01	-	4
5	.34	-	.18	.14	-	-	-	.06	.06	.46	.46	-	5
6	.14	-	-	-	-	-	-	-	-	.25	.38	.15	6
7	.64	-	.02	-	-	.23	-	-	-	.83	.22	.19	7
8	.09	-	.01	.38	-	.22	-	.45	.06	1.15	.61	.06	8
9	.02	-	.03	.26	.02	-	-	.11	-	.22	.40	-	9
10	.39	-	.49	.08	.15	-	-	.18	.02	.06	-	-	10
11	.13	.01	-	.12	-	-	-	.80	.02	.47	.02	.02	11
12	.06	.01	.02	.02	.54	-	-	.53	.02	.17	.01	.15	12
13	.05	-	-	.38	-	-	-	.35	.63	.03	.04	.27	13
14	.09	-	.04	.23	.08	-	-	.33	-	.01	-	.11	14
15	.04	-	-	.04	.04	-	.45	.12	.01	.12	.02	.15	15
16	.04	.05	.01	.25	-	.10	.26	.14	.01	.01	.01	.33	16
17	.01	.15	.29	.32	.24	.10	.38	.70	.09	.30	-	.02	17
18	.02	-	.05	.18	.15	-	.91	.15	.54	.08	-	-	18
19	.03	.27	.49	.02	.20	.19	-	.09	.04	-	.15	-	19
20	.03	.28	.02	.02	.18	.30	-	-	.14	.01	1.04	.01	20
21	.01	.04	.08	-	-	.04	-	.03	.01	.21	.06	-	21
22	.02	.01	.03	-	.16	.06	-	.04	.31	.45	.29	-	22
23	.01	.20	-	-	.14	.14	-	.54	.03	.34	.04	.57	23
24	-	.02	.03	-	.02	.13	.02	.14	-	.84	.22	.17	24
25	-	.17	.24	-	-	-	-	.14	-	.02	.06	-	25
26	-	-	.01	-	-	.04	.15	.80	.61	.20	1.57	-	26
27	-	-	.03	.01	.03	.21	.31	.85	-	.02	.53	.01	27
28	.01	.16	.20	.01	.03	.04	-	1.40	.11	.05	.08	.05	28
29	.01	X	.04	-	.10	-	.28	.64	-	.41	-	.10	29
30	.02	X	.31	-	-	-	.01	.25	-	.08	.10	-	30
31	.03	X	.24	X	.02	X	.01	.18	X	.02	X	.02	31
Total	3.50	1.60	3.24	2.85	2.10	2.45	2.78	9.66	3.12	8.14	6.80	2.60	YEAR'S TOTAL 48.84
Rain Days.	24	15	23	18	16	17	10	28	19	29	25	20	244

REGISTER OF RAINFALL IN 1918.

Report at Stanley Moor
in the County of Derbyshire
Nuxton Corporation per Haughey
Bro. Higgins

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Buxton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
Sea Level 1340 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.13	.01	.04	.09	—	—	.11	<u>1.66</u>	.20	.54	.18	1
2	—	.22	.01	.13	—	—	—	.52	.54	.03	.01	1.12	2
3	.01	.05	.02	—	.36	—	—	.22	.08	.40	.10	.03	3
4	.10	.04	.01	—	—	—	—	.41	.41	.18	.50	.60	4
5	.02	—	.03	.12	.18	—	.02	.10	.32	.50	—	.03	5
6	.04	1.24	.01	.66	—	.40	.05	.06	.03	.24	.30	.01	6
7	.03	.25	—	.53	—	.01	.01	.02	.49	.05	.05	.14	7
8	.03	.52	.13	.01	—	—	.66	.01	.69	.18	.05	.05	8
9	.50	.95	—	.03	—	.40	.03	—	.54	.86	.60	.23	9
10	.19	.44	.02	.04	—	—	.16	—	.04	.11	—	.34	10
11	.53	.30	.10	.01	.24	—	.46	—	.18	—	.01	.45	11
	.04	.80	.04	.13	.11	.06	.64	—	.53	—	—	.01	12
13	.01	.02	—	—	.15	—	—	.02	.32	.35	.01	.44	13
14	.48	—	—	—	—	.24	.28	.03	.63	.18	—	.53	14
15	.23	—	.01	—	—	.10	.44	—	.98	.01	—	.63	15
16	—	—	—	—	—	.04	.42	.10	.21	.24	—	.46	16
17	.31	—	—	—	.42	—	.23	.30	.08	.08	—	.51	17
18	.43	—	.03	—	—	.25	.10	.02	.54	—	—	.59	18
19	.11	.12	.35	.10	—	—	.15	.19	.28	.05	—	.02	19
20	.11	.26	—	.09	—	.20	1.03	.02	.16	.05	—	.04	20
21	.12	.44	—	.23	.26	.44	.09	—	.55	.10	.01	1.21	21
22	.02	.09	—	—	.30	.44	.44	.06	.04	.04	.01	.24	22
23	.20	.03	—	—	1.26	.01	.11	—	.41	—	.06	.26	23
	—	.14	—	—	.01	—	.22	—	.18	.08	.15	—	24
25	—	—	—	—	.01	.01	.11	.40	.10	.08	.01	.15	25
26	—	.19	—	—	—	—	.32	.30	.46	.04	.22	1.14	26
27	.01	.19	.14	—	—	.25	—	.92	.66	.02	.33	1.13	27
28	—	.02	.83	—	—	.01	—	.06	.23	—	.83	.20	28
29	—	X	.01	—	—	—	—	—	.09	—	.04	.12	29
30	.01	X	.45	.02	—	—	—	.40	.05	.02	.28	.01	30
31	—	X	.85	X	—	X	—	.38	X	—	X	—	31
Total	3.53	6.80	3.05	2.14	3.42	3.52	6.03	4.65	11.84	3.85	4.14	10.99	64.02
Rain Days	22	11	18	14	12	15	11	22	30	24	20	30	249

REGISTER OF RAINFALL IN 1919.

Kept at Stanley Moor
in the County of Derby
by Buxton Corporation

Lat. 53° 14' N. Long. 1° 54' W.
Time of Observation 9 A.M.
Nearest Railway Station Buxton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 1340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.02	.06	.02	.63	-	.59	.34	.38	.30	.05	.40	1
2	.17	-	.04	-	-	-	.52	.47	.20	.23	.05	.38	2
3	.45	-	.01	-	.12	.10	.25	-	.10	-	.22	.50	3
4	.05	.03	.22	.01	.02	.05	.10	.26	.26	-	.05	.45	4
5	.06	.04	.01	.01	.01	-	-	-	.05	-	.01	.96	5
6	.07	.02	.87	-	.65	-	-	-	-	-	.01	.49	6
7	.21	-	.59	.03	-	-	-	-	.04	-	.05	-	7
8	.16	-	.05	.03	-	.08	-	-	-	-	-	-	8
9	.13	-	.10	.08	-	-	-	-	-	-	.03	-	9
10	-	-	.97	.13	.04	-	-	-	-	-	.03	.24	10
11	-	-	.73	.25	.07	-	.06	-	-	.05	-	.03	11
12	-	-	.16	.47	-	.64	.09	-	-	.10	.10	.03	12
13	.50	-	-	.40	-	.19	.03	.05	.66	.44	-	.10	13
14	.67	.02	-	.52	-	-	.01	-	.02	.09	.05	.03	14
15	.32	.03	.03	.35	-	-	-	.01	-	.04	.02	.48	15
16	.39	.29	-	.06	-	.15	.01	-	-	-	.33	.03	16
17	.25	.05	-	.23	.07	.27	.03	.40	-	-	1.50	.48	17
18	-	-	.33	-	-	-	.03	.66	.22	-	.09	.35	18
19	.18	.19	.59	-	-	.32	.84	.33	.44	-	.31	.18	19
20	.50	.16	.12	-	-	.44	.04	.05	.09	-	.28	1.24	20
21	.06	.55	.02	-	-	.02	.24	-	.09	-	.11	.32	21
22	-	.32	-	-	-	.09	.03	.05	.82	-	.32	1.56	22
23	-	.01	-	-	-	.25	-	.01	-	1.11	.16	.25	23
24	.01	-	-	.13	.09	-	.03	.01	.36	.34	.19	.10	24
25	.29	-	.01	.32	.17	.12	-	.81	-	-	.38	.10	25
26	.08	-	.81	.06	-	.05	-	1.54	.36	-	.01	.65	26
27	.19	.02	.06	.21	-	.02	-	.05	-	-	.02	.01	27
28	.02	-	.01	.05	-	.10	-	.67	-	.06	-	.31	28
29	.08	X	.03	.03	-	.02	-	.07	-	.46	-	.15	29
30	.02	X	.10	.40	-	.34	-	.10	-	.07	.23	.34	30
31	.01	X	.10	X	-	X	.30	.01	X	.07	X	.10	31
TOTAL	5.50	1.75	6.04	2.78	1.87	3.25	3.20	5.89	4.09	3.36	4.60	9.86	53.19
Days with ".01 in. or more	25	14	24	21	10	18	17	19	15	13	25	28	229

REGISTER OF RAINFALL IN 1920

Kept at Stanley Moor, Buxton
in the County of Derby
by _____

Lat. 53° 14' 36" N Long. 1° 56' 11" W
Time of Observation _____
Nearest Railway Station Buxton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1340 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	—	03	14	42	62	33	04	10	19	05	23	1
2	—	—	03	21	01	—	04	01	24	06	—	20	2
3	11	13	01	11	04	05	28	06	32	44	—	16	3
4	01	01	—	11	01	—	06	86	15	54	—	04	4
5	—	01	04	—	1.52	—	11	56	1.09	24	—	02	5
6	—	—	44	21	30	—	04	03	02	04	01	11	6
7	14	01	04	06	—	—	21	—	—	—	—	—	7
8	44	09	—	34	39	—	40	25	—	—	—	—	8
9	50	94	01	39	—	—	24	10	05	—	05	—	9
10	45	83	26	05	—	—	30	—	—	—	05	—	10
11	50	14	19	23	41	14	02	—	—	—	—	06	11
12	22	22	02	46	05	24	15	31	—	—	26	01	12
13	28	31	15	58	01	58	01	—	—	—	10	01	13
14	08	08	19	32	—	1.03	16	—	1.22	06	60	02	14
15	01	15	04	50	—	—	04	—	04	24	—	—	15
16	—	—	15	44	18	60	85	—	10	13	—	—	16
17	02	—	09	01	35	—	01	20	39	05	—	01	17
18	26	—	—	11	39	01	05	03	12	—	—	—	18
19	22	1.60	—	23	45	15	—	04	14	01	—	—	19
20	33	01	—	64	—	21	21	—	01	—	01	10	20
21	01	—	—	03	—	—	148	08	—	01	—	24	21
22	16	01	01	31	—	04	31	04	—	—	01	13	22
23	—	01	03	08	—	—	28	25	—	01	01	41	23
24	09	—	56	08	—	—	02	03	—	—	01	48	24
25	04	08	12	65	03	03	64	—	—	—	—	—	25
26	31	26	16	1.02	06	03	23	—	—	—	02	05	26
27	43	06	10	40	54	48	03	—	—	01	32	15	27
28	30	02	18	46	33	13	20	—	01	—	01	21	28
29	08	02	16	13	88	04	51	—	01	—	19	82	29
30	08	~~—~~	01	23	19	31	—	—	21	—	15	42	30
31	60	~~—~~	09	~~—~~	31	~~—~~	06	—	~~—~~	56	~~—~~	14	31
TOTAL	6.02	5.02	3.20	8.86	6.93	4.42	6.63	2.92	42.5	2.64	1.85	4.15	YEAR'S TOTAL
Days with "01 in. or more	26.5	21.8	25.5	29.1	21.3	17.2	29.4	16.1	7.5	15.3	16.7	22.5	56.89
Days with "04 in. or more	21	13.5	17.20	27.28	17.8	12.5	25	12.5	13.2	11.1	9	17	254

REGIS

Kept at *Burbage Co*
in the County of *Derby*
by *Buxton Urban Dis*

BUXTON
BURBAGE EDGE
DERBY

1911 - 1920

8 in.
ve Ground *1* ft. *0* in.
Sea Level *1400* ft.

Name *Buxton*
Distance *1 1/2* Direction *E*
and the result entered to the
universal rule, he is earnestly
year in the space provided
ement of rain,

Jan. 1, following.

IMPORTANT NOTE.—
previous day. If an Observ
requested to add the reading
for it at the end of this paragraph.
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	<i>.41</i>	—	<i>.02</i>	—	<i>.13</i>	<i>.08</i>	—	—	<i>.21</i>	<i>.01</i>	1
2	<i>.08</i>	—	<i>.63</i>	<i>.01</i>	<i>.32</i>	—	<i>.01</i>	<i>.03</i>	—	—	<i>.18</i>	<i>.24</i>	2
3	<i>.03</i>	—	<i>.01</i>	<i>.01</i>	<i>.75</i>	—	—	<i>.01</i>	<i>.02</i>	<i>.01</i>	<i>.54</i>	<i>.04</i>	3
4	<i>.03</i>	—	<i>.18</i>	<i>.05</i>	<i>.02</i>	—	<i>.01</i>	<i>.08</i>	<i>.06</i>	<i>.04</i>	<i>.36</i>	<i>.18</i>	4
5	<i>.10</i>	—	<i>.03</i>	<i>.02</i>	<i>.02</i>	—	—	<i>.34</i>	—	<i>.24</i>	—	<i>.01</i>	5
6	<i>1.00</i>	—	<i>.08</i>	<i>.01</i>	—	—	—	<i>.68</i>	—	<i>.02</i>	<i>.13</i>	<i>.79</i>	6
7	<i>.24</i>	—	<i>.02</i>	—	—	—	—	—	—	—	<i>.23</i>	—	7
8	<i>.24</i>	—	<i>.55</i>	—	—	—	<i>.01</i>	—	<i>.02</i>	<i>.01</i>	<i>.20</i>	<i>.74</i>	8
9	<i>.01</i>	—	<i>.05</i>	—	—	—	—	—	—	—	<i>.03</i>	<i>.15</i>	9
10	<i>.20</i>	<i>.10</i>	<i>.39</i>	<i>.01</i>	—	—	—	—	<i>.01</i>	<i>.01</i>	—	<i>1.20</i>	10
11	<i>.25</i>	<i>.01</i>	—	—	—	—	—	—	<i>.02</i>	<i>.01</i>	<i>.22</i>	<i>.03</i>	11
12	<i>.02</i>	—	<i>.40</i>	—	<i>.01</i>	—	—	—	<i>.36</i>	<i>.01</i>	<i>.64</i>	—	12
13	—	<i>.02</i>	<i>.05</i>	—	—	—	—	—	—	—	<i>.34</i>	<i>.44</i>	13
14	<i>.03</i>	<i>.71</i>	<i>.06</i>	—	<i>.33</i>	—	—	—	<i>.01</i>	<i>.03</i>	<i>.10</i>	<i>.64</i>	14
15	—	<i>.28</i>	<i>.04</i>	<i>.01</i>	<i>.01</i>	—	—	—	—	<i>.04</i>	<i>.12</i>	<i>.45</i>	15
16	<i>.02</i>	<i>.63</i>	<i>.08</i>	<i>.02</i>	—	<i>.10</i>	<i>.04</i>	—	—	<i>.04</i>	<i>.22</i>	<i>.21</i>	16
17	<i>.01</i>	<i>.01</i>	<i>.05</i>	<i>.01</i>	—	<i>.43</i>	<i>.04</i>	—	<i>.01</i>	—	<i>.26</i>	<i>.23</i>	17
18	—	<i>.28</i>	<i>.02</i>	<i>.04</i>	—	<i>.45</i>	—	<i>.01</i>	—	<i>.02</i>	<i>.34</i>	<i>.14</i>	18
19	—	<i>.10</i>	<i>.03</i>	<i>.19</i>	<i>.01</i>	<i>.15</i>	<i>.13</i>	—	<i>.19</i>	<i>.34</i>	<i>.26</i>	<i>.19</i>	19
20	—	<i>.13</i>	—	<i>.39</i>	—	<i>.04</i>	<i>.05</i>	<i>.75</i>	<i>.20</i>	<i>.06</i>	<i>.01</i>	<i>.70</i>	20
21	—	<i>.94</i>	<i>.04</i>	<i>.03</i>	—	<i>.04</i>	<i>.01</i>	<i>.13</i>	<i>.01</i>	<i>.30</i>	—	<i>.05</i>	21
22	<i>.01</i>	<i>.03</i>	<i>.01</i>	<i>.15</i>	—	<i>.02</i>	<i>.10</i>	—	—	<i>.39</i>	<i>.03</i>	<i>.19</i>	22
23	<i>.02</i>	<i>.28</i>	<i>.01</i>	<i>.01</i>	<i>.05</i>	<i>.26</i>	—	—	<i>.42</i>	<i>.14</i>	<i>.01</i>	<i>.36</i>	23
24	<i>.03</i>	<i>.20</i>	<i>.02</i>	<i>.34</i>	—	<i>1.31</i>	—	<i>.06</i>	<i>.01</i>	<i>.22</i>	—	<i>.14</i>	24
25	<i>.12</i>	<i>.31</i>	—	<i>.75</i>	—	<i>.20</i>	<i>.02</i>	<i>.01</i>	<i>.30</i>	<i>.12</i>	<i>.01</i>	<i>.30</i>	25
26	—	<i>.02</i>	—	<i>.58</i>	<i>.06</i>	<i>.40</i>	<i>.01</i>	<i>.14</i>	<i>.01</i>	<i>.51</i>	<i>.14</i>	<i>.54</i>	26
27	—	<i>.45</i>	<i>.05</i>	<i>1.35</i>	<i>.02</i>	—	—	<i>1.05</i>	<i>.84</i>	—	<i>.03</i>	<i>.10</i>	27
28	—	<i>.38</i>	<i>.02</i>	<i>.34</i>	—	<i>.12</i>	—	<i>.38</i>	<i>.21</i>	—	<i>.04</i>	<i>.51</i>	28
29	—	—	<i>.01</i>	<i>.22</i>	<i>.01</i>	<i>.11</i>	<i>.03</i>	<i>.05</i>	<i>.76</i>	<i>.71</i>	<i>.02</i>	<i>.19</i>	29
30	—	—	—	<i>.10</i>	—	<i>.32</i>	—	—	<i>.01</i>	<i>.64</i>	<i>.08</i>	—	30
31	—	—	<i>.34</i>	—	—	—	—	—	—	<i>.19</i>	—	<i>.05</i>	31
Total	<i>2.44</i>	<i>4.88</i>	<i>3.94</i>	<i>4.64</i>	<i>1.63</i>	<i>3.98</i>	<i>.59</i>	<i>3.80</i>	<i>3.50</i>	<i>4.13</i>	<i>4.78</i>	<i>8.88</i>	<i>47.19</i>
No. of Rain Days	<i>18.</i>	<i>18.</i>	<i>26.</i>	<i>22.</i>	<i>13.</i>	<i>14.</i>	<i>13.</i>	<i>15.</i>	<i>19.</i>	<i>23.</i>	<i>26.</i>	<i>28.</i>	<i>235</i>

Kept at *Burbage Edge*

in the County of *Derbyshire*

by *Buxton Urban District Council*

RAIN GAUGE Diameter of top *8* in.
Height of top above Ground *1* ft. in.
" " " Sea Level *1400* ft.

Time of Observation

Nearest Railway Station { Name *Buxton*
Distance *1 1/2* Direction *E*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.08	—	.63	.01	.32	—	.01	.03	—	—	.18	.24	2
3	.03	—	.01	.01	.75	—	—	.01	.02	.01	.54	.04	3
4	.03	—	.18	.05	.02	—	.01	.08	.06	.04	.36	.18	4
5	.10	—	.03	.02	.02	—	—	.34	—	.24	—	.01	5
6	1.00	—	.08	.01	—	—	—	.68	—	.02	.13	.49	6
7	.24	—	.02	—	—	—	—	—	—	—	.23	—	7
8	.24	—	.55	—	—	—	.01	—	.02	.01	.20	.44	8
9	.01	—	.05	—	—	—	—	—	—	—	.03	.15	9
10	.20	.10	.39	.01	—	—	—	—	.01	.01	—	1.20	10
11	.25	.01	—	—	—	—	—	—	.02	.01	.22	.03	11
12	.02	—	.40	—	.01	—	—	—	.36	.01	.64	—	12
13	—	.02	.05	—	—	—	—	—	—	—	.34	.44	13
14	.03	.41	.06	—	.33	—	—	—	.01	.03	.10	.64	14
15	—	.28	.04	.01	.01	—	—	—	—	.04	.12	.45	15
16	.02	.63	.08	.02	—	.10	.04	—	—	.04	.22	.21	16
17	.01	.01	.05	.01	—	.43	.04	—	.01	—	.26	.23	17
18	—	.28	.02	.04	—	.45	—	.01	—	.02	.34	.14	18
19	—	.10	.03	.19	.01	.15	.13	—	.19	.34	.26	.19	19
20	—	.13	—	.39	—	.04	.05	.45	.20	.06	.01	.40	20
21	—	.94	.04	.03	—	.04	.01	.13	.01	.30	—	.05	21
22	.01	.03	.01	.15	—	.02	.10	—	—	.39	.03	.19	22
23	.02	.28	.01	.01	.05	.26	—	—	.42	.14	.01	.36	23
24	.03	.20	.02	.34	—	1.31	—	.06	.01	.22	—	.14	24
25	.12	.31	—	.45	—	.20	.02	.01	.30	.12	.01	.30	25
26	—	.02	—	.58	.06	.40	.01	.14	.01	.51	.14	.54	26
27	—	.45	.05	1.35	.02	—	—	1.05	.84	—	.03	.10	27
28	—	.38	.02	.34	—	.12	—	.38	.21	—	.04	.51	28
29	—	—	.01	.22	.01	.11	.03	.05	.46	.41	.02	.19	29
30	—	—	—	.10	—	.32	—	—	.01	.64	.08	—	30
31	—	—	.34	—	—	—	—	—	—	.19	—	.05	31
Total	2.44	4.88	3.94	4.64	1.63	3.98	.59	3.80	3.50	4.13	4.78	8.88	47.19
No. of Rain Days	18	18	26	22	13	14	13	15	19	23	26	28	235

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
10 JAN 1913

Kept at Burbage Edge
in the County of Derby
by Buxton Urban District Council

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Buxton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1,400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		06	18			08	14	31	26			1.08	1
2	02	05	13	16	09	13	54		08			21	2
3	63	03	06		08	25	01	44	45			13	3
4	70		1.22	20	12	51	01	94	19		45		4
5	31	04	06	01	10	09	01	20	14		05	02	5
6	35	14	02		16			36	05	04		01	6
7		08	02	01	19	02	01	16	1.09			03	7
8	33	41	23	24		13	04	04	54		06		8
9	14	02	31	60	01	14		23			09	20	9
10	13	02				04	10	14	01		82	01	10
11	10	03		03	02	01	05	14			03	94	11
12	12	19	44			05	45				01	04	12
13	03	02	02					44	02	10	12	32	13
14	09	01	83			26		63	08	01		64	14
15	40	19	44	02	90	59		22	01			49	15
16	50	01	26		19	11		25		43	04		16
17	09	04	26		10	82	04	45		01	01		17
18	09	02	09			01	01			51	04	94	18
19	15	14	16		01	04	50	24		12	04	15	19
20	24	01	22		29	02	01	36		64	04	02	20
21	01	04	04		30	02	20	03		53	04	08	21
22		23	01		31	58	09	49		01	01	20	22
23	03	01	30				43	1.41		01	44	28	23
24	08	01	16			13	02	19			02	03	24
25	02	10	02			50		04		01	54	08	25
26		14	24			04	60	40		1.12	60	25	26
27		02	55		02	44	1.01			92	04	38	27
28		06	08			10	58	66	04	30	56	20	28
29		01	01			44	40	01	41	05		01	29
30	04		33		16		06	01	01	06	02	04	30
31			36		10		58	34		03			31
Total	4.60	2.22	4.56	1.30	3.15	5.64	6.58	10.12	3.41	4.90	4.55	6.81	60.84
Rain Days.	23	28	29	8	18	26	24	24	15	18	22	26	264

REGISTER OF RAINFALL IN 1913

Kept at *Burbage Edge*
in the County of *Derby*
Buxton Urban District Council

Lat. *53° 15' N.* Long. *1° 54' W.*
Time of Observation _____
Nearest Railway Station *Buxton*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *14 0 0* ft.

BRITISH RAINFALL
FORM A
6-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.03	.25	.04	.10				.26		.10		1
2		.08	.05	.13		.10				.21	.06	.03	2
3	.13	.03	.34		.45		.01		.06	.82		.36	3
4	.90	.24	.01		.05	.05	.08		.02	.09	.09	.64	4
5	.16	.10	.14		.14	.36	.10		.09	.19	.03	.02	5
6	.14	.24	.23	.01	.66	.23	.43			.55	.01	.05	6
7	.01	.44	.24		.34	.24	.01			.39	.14	.04	7
8	.01	.22	.04		.26	.09			.02	.04	.09	.01	8
9	.02	.65	.33	.13	.10	.06	.04	.12		.01	.20	.24	9
10	.08		.05	.26	.06	.10	.06	.01	.04	.06	.09	.08	10
11	.32		.06	.45		.36		.03		.02	.18	.24	11
12	.04				.08	.02		.06	.01	.01	.34	.01	12
13	.06		.68	.03			.15		.18	.02	.39	.06	13
14	.12	.01	.53	.10				.10	.01	.42	.38	.09	14
15	.13	.01	.36	.60			.06	.04	.16		.66	.08	15
16	.01	.01	.18	.12			.03	.06	.05	.01	.34	.01	16
17	.12	.02	.02	.40	.15	.06	.04	.01	.31		.11		17
18	.08		.24	.62	.23	.05	.15		.02		.19	.02	18
19	.20		.01	.12	.04	.45	.01		.20	.03	.04		19
20	.16		.20	.08	.02		.02		.05	.04	.90		20
21	.01		.04	.03	.23		.13				.30		21
22	.54		1.08		.03	.04		.08	.36				22
23	.11		.03		.22	.24		1.14	.11		.08	.05	23
24	.34			.24		.45		.12			.04	.08	24
25	.01			.14				.03	.10	.02	.06	.24	25
26		.08	.06	.21		.09			.04	.08		.70	26
27		.04		.43		.09				.04	.04	.18	27
28	.35		.25	.52	.04	.02			.01	.09	.04	.05	28
29	.02		.44	.49	.01					.11	.10	.04	29
30	.68							.28		.84	.28	.01	30
31	.04		.20		.11			.01					31
Total	4.91	2.23	6.18	5.48	3.62	4.16	1.65	2.15	2.10	4.12	5.34	3.26	45.33
Rain Days.	28	15	26	21	20	19	15	14	20	22	24	24	251

REGISTER OF RAINFALL IN 1914

Kept at Burbage Edge
in the County of Derby
by Buxton Urban District Council

Lat. 53° 15' N Long. 1° 54' W
Time of Observation 9 am
Nearest Railway Station Buxton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 114.00 ft.

FORM A.
BRITISH RAINFALL
7 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
".02."

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.19		.01	.03	.83	1.34		.05		.50	1
2	.05		.03		.01		.24	.55		.05	.45	.23	2
3	.30		.56	.03	.35		.10	.06		.03	.02	.96	3
4	.84		.80	.21	.64	.01		.06			.35	.56	4
5	.10		1.03	.29	.41	.35	.09			.02	.22	.08	5
6	.03	.04	.09	.25	.40	.04	.06	.10			.03	.23	6
7	.69	.03	.30	.15	.23	.06	.04	.12			.02	.19	7
8				.05	.90	.34	.24	.63	.10	.03	.02	.04	8
9	.46	.04	.05	.14	.12	.50		.86	.06	.01	.14		9
10	.11	.16	.10	.28	.11	.01			.25		.14	.01	10
11		.34	.44	.10	.09	.09			.64		1.34	.39	11
12		.31	.14		.13	.03	.04		1.30		.59	.28	12
13	.02	.40	.39	.09	.03		.12		.21	.02	.94	.32	13
14	.01	.31	.29				.12		.18	.14	.31	.22	14
15	.02	.04	.48				X.XX	.03	.04	.01	.10		15
16	.04	.01	.11				1.16		.36				16
17	.09	.54	.28				.06		1.23		.01	.82	17
18		.01	.16			.02	.04		.14		.01	.36	18
19		.02	.08				.06		.19		.09	.14	19
20	.01	.10	.08			.02		.15		.02		.02	20
21		.44	.02			.24		.02		.19	.02	.13	21
22		.26	.02	.04	.34	.23	.05	.13		.49			22
23		.05	.26	.09	.16	.15	.40				.01	.02	23
24	.09	.01	.42	.33	.03	.04	.44	.29		.03	.34		24
25	.20						.98	.35		.94	.15	.24	25
26	.01		.02				.34	1.02		.55	.46	.32	26
27	.26	.02								.13	.18	1.30	27
28	.29	.38	.10			.02	.01		.06	.04	.16	.16	28
29	.13		.14	.36	.01	.01				.25	.28	.14	29
30	.03	X	.32		.01			.03	.01	.05	.25	.42	30
31	.24	X	.20	X	.04	X	.44		X	.16	X	.02	31
Total	4.08	3.62	7.13	2.41	4.05	2.25	6.19	5.44	4.80	3.24	6.45	8.16	58.45
Rain Days.	22	21	28	14	19	18	21	16	14	20	26	26	245

REGISTER OF RAINFALL IN 1915.

Kept at Burbage Edge.
in the County of Derby.
by Buxton Urban District Council.

Lat. 53° 15' N. Long. 1° 57' W.
Time of Observation 9 a.m.
Nearest Railway Station Buxton.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 1400 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39	.52	.09	—	.67	—	.01	.09	.13	.01	.04	.35	1
2	.07	.24	.37	.48	—	.12	.12	.37	—	.24	—	.02	2
3	.45	.01	.14	.33	—	—	" x	.62	—	—	.02	.30	3
4	.13	.06	—	—	.10	—	" x	.01	—	—	—	.78	4
5	.07	.53	.59	.01	—	.02	(2.50) x	.06	—	—	—	.66	5
6	.57	.04	.08	.30	—	—	" x	.22	—	—	.03	.32	6
7	.79	.76	.01	.13	—	—	" -	1.11	—	—	.02	.26	7
8	.73	.41	.01	.16	—	—	" x	.34	—	—	.25	.06	8
9	.01	.10	—	.02	—	—	.07	.10	—	.05	.67	.35	9
10	1.26	—	.09	.03	—	—	.08	.07	—	.02	.25	.07	10
11	.39	—	.06	.03	.44	—	.41	.09	—	—	.42	.45	11
12	.54	.01	.01	.23	.10	—	.10	.12	—	.24	.64	—	12
13	.59	.47	.03	—	.05	—	.01	.01	—	.02	—	.16	13
14	.27	.02	.02	.05	.02	—	.13	.26	.33	—	—	.51	14
15	1.25	—	—	.01	.02	—	.01	.05	.22	—	.38	.30	15
16	.02	.61	—	.09	.17	—	1.40	.24	—	—	—	.02	16
17	—	.27	.09	—	—	—	.11	—	—	—	—	—	17
18	.10	.80	.14	—	—	—	.01	—	.01	—	.08	.01	18
19	.14	.15	.13	.16	.05	—	.21	—	—	—	—	—	19
20	.45	.04	.03	.04	—	—	.18	.21	—	.02	—	.67	20
21	.27	.02	—	.07	—	—	.36	—	—	—	.01	.30	21
22	.01	—	.19	.02	—	—	.47	.02	—	—	—	.51	22
23	.05	.03	.22	—	—	.03	.38	—	.01	.01	—	.12	23
24	—	—	.05	.09	—	—	—	—	.24	.46	—	.39	24
25	—	—	—	—	—	1.43	.17	—	.02	.05	—	.45	25
26	.06	.38	—	—	—	.04	.43	—	.15	—	—	.46	26
27	—	.32	.01	—	—	.22	.79	—	—	.73	—	.85	27
28	—	.35	.01	—	—	.83	.13	.74	—	.19	—	.01	28
29	.01	—	—	—	.06	.03	—	—	.01	—	.22	.29	29
30	.37	X	—	.09	—	1.31	—	.11	—	.01	.04	.13	30
31	.43	X	—	X	—	X	.02	.13	X	.47	X	.53	31
Total	9.42	6.14	2.37	2.34	1.68	4.13	(8.10) 5.66	4.97	1.12	2.52	3.07	9.33	52.69
Rain Days.	26	22	21	19	10	9	(27)	21	9	14	14	28	215 (220)

REGISTER OF RAINFALL IN 1916

Lat. 53° 15' N. Long. 1° 57' W.

Kept at Burbage Edg.

Time of Observation 9 a.m.

in the County of Derby.

Nearest Railway Station Buxton.

by The Borough of Buxton.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

Sea Level 1400 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	.20	.12	---	---	.29	.36	---	---	---	.20	---	1
2	.30	.59	.04	---	---	.03	---	---	.13	.32	.06	.01	2
3	---	.42	---	.06	.02	.06	.39	---	.63	.42	.22	.02	3
4	.35	.33	---	---	.52	1.04	.11	---	.06	.58	.41	---	4
5	.13	.09	---	.01	.07	1.00	---	---	---	.92	.87	.01	5
6	1.34	.80	.10	---	.48	.06	.40	---	---	.38	.43	.05	6
7	.13	.03	.06	---	.10	.08	.20	---	.01	.22	.08	.32	7
8	.04	.04	.14	.02	.09	.08	.01	---	---	.01	.71	.14	8
9	.16	.01	.02	---	.29	.13	.06	---	.01	.01	.24	.19	9
10	.06	.15	.03	.29	.01	.14	.24	---	.06	.14	.01	.06	10
11	.05	.33	.08	.82	.02	.08	.07	---	.37	---	.01	.17	11
12	.34	.20	.18	.20	.25	.02	.88	.08	.17	.24	---	.01	12
13	.02	.19	.10	.11	.03	---	.18	.34	.02	.53	.01	.10	13
14	.06	.22	.02	.22	.67	---	---	.53	.06	.33	.01	.06	14
15	.05	.75	.75	.10	.06	---	.07	.46	.63	.41	---	---	15
16	.10	.30	.49	.83	.03	---	.06	.19	---	.11	---	---	16
17	.24	.30	.01	1.72	---	---	.05	.12	.94	.21	.01	---	17
18	.02	1.09	.02	.95	---	---	---	.06	.84	.18	.32	.53	18
19	.40	.03	.27	.15	---	.01	---	.19	.16	---	.14	.06	19
20	.23	---	.26	.26	---	---	.01	.01	---	---	.04	.09	20
21	.07	---	.04	.05	.02	---	.28	---	---	---	.01	.21	21
22	---	.03	---	.02	---	.07	---	---	---	.13	.01	.16	22
23	.12	.09	.04	.06	---	.15	---	.23	---	.07	.19	.74	23
24	---	.22	.01	.02	---	.37	---	.08	---	.14	.01	.15	24
25	.11	.07	.60	---	.06	.01	---	.17	---	.14	.68	.06	25
26	.09	.09	.14	---	.01	.02	---	.40	.01	.14	.07	---	26
27	.01	.10	.01	---	---	---	---	.49	.04	.60	---	---	27
28	.01	.12	.01	---	---	.01	---	.01	.01	.15	.15	.54	28
29	.01	.30	.01	---	---	.58	---	.01	.01	.60	.02	.49	29
30	---	X	.01	.01	---	.17	---	.01	---	.22	.01	.02	30
31	---	X	---	X	.02	X	.03	.23	X	.47	X	.82	31
Total	4.63	7.09	3.56	5.90	2.75	4.40	3.40	3.61	4.16	7.67	4.92	5.01	YEAR'S TOTAL 571.0
Rain Days.	26	27	26	19	18	21	17	18	18	26	26	24	266

REGISTER OF RAINFALL IN 1917

Kept at *Burbage Edge*
in the County of *Derbyshire*
by *Hansley Bow Surveyor & water engineer. Buckton*

Lat. _____ Long. _____
Time of Observation *9 am*
Nearest Railway Station *Buckton*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. in.
Sea Level *1400* ft.

FORM A.
BRITISH RAINFALL
1917. JANUARY

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.01		.19		.21		.51	.36	—	.11	.25	1
2	.90	—				.22		.10	.01	.12	.08	.01	2
3	.14	.22		—		.22		.04	—	.41	.04	.01	3
4	.27	.07	.04	.01		—		.07	—	.82	.07	—	4
5	.35	—	.18	.12		—		.07	.12	.45	.45	.01	5
6	.15	—	—	—		.29		—	—	.26	.37	.16	6
7	.65	—	.02	—		.30		—	—	.89	.20	.20	7
8	—	—	.01	.39		—		.48	.08	.20	.62	.06	8
9	—	—	.04	.27	.02	—		.13	—	.23	.71	—	9
10	.40	—	.79	.10	.15	—		.20	.02	.07	—	—	10
11	.14	.01	—	.11	—	—		.75	.03	.45	.02	.02	11
12	.09	.01	.01	.02	.52	—		.52	.03	.18	.01	.15	12
13	.05	—	—	.34	—	—		.34	.65	.04	.07	.28	13
14	.11	—	.05	.25	.08	—		.27	—	.07	—	.11	14
15	.04	—	—	.04	.04	—	.32	.10	.07	.13	.02	.16	15
16	.05	.05	.01	.34	—	.10	.28	.15	.07	.07	.01	.35	16
17	.07	.16	.30	.50	.24	.10	.39	.67	.09	.29	—	.02	17
18	.02	—	.05	.21	.15	—	.90	.17	.55	.08	—	—	18
19	.02	.27	.50	.02	.20	.24	—	.08	.06	—	.16	—	19
20	.02	.28	.02	.02	.18	.33	—	—	.14	.07	1.06	.07	20
21	.07	.04	.08	—	—	.07	—	.04	.07	.21	.07	—	21
22	.02	.01	.06	—	.16	.05	—	.04	.34	.44	.30	—	22
23	.07	.19	—	—	.16	.15	—	.44	.05	.35	.04	.52	23
24	—	.02	.05	—	.02	.13	.03	.15	—	.83	.23	.18	24
25	—	.17	.26	—	—	—	—	.18	—	.02	.08	—	25
26	—	—	.07	—	—	.04	.15	.83	.64	.21	1.47	—	26
27	—	—	.03	.07	.04	.22	.30	.82	—	.07	.56	.07	27
28	.01	.17	.22	.07	.03	.08	—	1.38	.12	.06	.07	.05	28
29	.07	—	.04	—	.11	—	.29	.62	—	.46	—	.10	29
30	.02	X	.32	—	—	—	.07	.25	—	.08	.11	—	30
31	.02	X	.24	X	.02	X	.07	.17	X	.02	X	.02	31
Total	3.56	1.62	3.33	2.95	2.12	2.75	2.68	9.51	33.2	8.36	6.87	2.68	YEAR'S TOTAL 49.75
Rain Days.	25	15	23	18	16	16	10	28	19	29	25	21	24.5

REGISTER OF RAINFALL IN 1918

Kept at Burbage Edge.
in the County of Derbyshire.
by Sutton Corporation per Haughey
Howe

Lat. _____ Long. _____
Time of Observation 9 am.
Nearest Railway Station Sutton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 1400 ft.

FORM A.
BRITISH RAINFALL
1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.13	.07	.08	.10	-	-	-	1.62	.20	.59	.19	1
2	-	.21	.07	.14	-	-	-	.10	.56	.03	-	1.14	2
3	.07	.05	.02	-	.37	-	-	.53	.09	.10	.09	.03	3
4	.11	.04	.01	-	-	-	-	.22	.43	.18	.57	.58	4
5	.02	-	.03	.13	.20	-	.02	.42	.33	.49	-	.03	5
6	.04	1.25	.07	.70	-	.54	.05	.10	.02	.28	.04	.03	6
7	.05	.25	-	.57	-	.07	.07	.06	.80	.05	.31	.07	7
8	.53	.53	.14	.07	-	-	.69	.02	.71	.18	.08	.14	8
9	.57	.98	-	.03	-	.68	.04	.07	.53	.89	.05	.05	9
10	.19	.73	.02	.04	-	-	.16	-	.04	.11	.05	.24	10
11	.54	.28	.13	.07	.29	-	.47	-	.21	-	.58	.33	11
12	.04	.76	.04	.14	.11	.06	.65	-	.53	-	-	.46	12
13	.02	.07	-	-	.14	-	-	.02	.33	.34	.07	.07	13
14	.50	-	-	-	-	.25	.29	.03	.64	.20	-	.49	14
15	.24	-	.07	-	-	.11	.44	-	.97	.02	.07	.55	15
16	-	-	-	-	-	.08	.43	.11	.21	.27	-	.62	16
17	.30	-	-	-	.50	-	.24	.31	.09	.07	-	.47	17
18	.42	-	.03	-	-	.20	.09	.02	.56	-	-	.52	18
19	.13	.12	.36	.11	-	.07	.16	.19	.29	.04	-	.60	19
20	.11	.25	-	.09	-	.21	1.05	.03	.17	.06	-	.02	20
21	.13	.48	-	.22	.32	.39	.08	-	.54	.10	-	.08	21
22	.02	.09	-	-	.33	.42	.46	.06	.07	.04	.07	1.19	22
23	.20	.03	-	-	1.20	.07	.11	-	.41	-	.07	.25	23
24	.07	.16	-	-	.07	-	.22	-	.18	.08	.06	.24	24
25	-	-	-	-	.07	.07	.11	.42	.12	.08	.15	-	25
26	-	.20	-	-	-	-	.41	.30	.47	.06	.07	.16	26
27	.07	.19	.13	-	-	.26	-	.95	.68	.03	.22	1.19	27
28	-	.03	.84	-	-	.07	-	.07	.22	-	.34	1.14	28
29	-	-	-	-	-	-	-	-	.10	-	.86	.19	29
30	.07	X	.46	.02	-	-	-	.42	.04	.02	.03	.12	30
31	-	X	.86	X	-	X	-	.40	X	-	X	.02	31
Total	3.64	6.77	3.17	2.29	3.58	3.25	6.18	4.79	11.96	39.2	42.5	11.09	64.83
Rain Days.	23	27	17	14	12	16	27	22	30	24	20+9	30	24+9

YEAR'S TOTAL

250

REGISTER OF RAINFALL IN 1919.

Kept at Burghage Edge
 in the County of Derby
 by Buxton Corporation

Lat. 53° 44' N Long. 1° 54' W
 Time of Observation 9.00
 Nearest Railway Station Buxton
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft 0 in.
 " " " " Sea Level 1400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.03	.06	.02	.63	-	.69	.36	.34	.29	.05	.40	1
2	.14	-	.04	-	-	-	.54	.49	.22	.24	.05	.34	2
3	.45	-	.01	-	.22	.10	.25	.01	.10	-	.21	.48	3
4	.06	.04	.22	.01	.02	.04	.10	.24	.24	-	.05	.46	4
5	.06	.04	.01	.01	.01	-	-	-	.05	-	.01	.94	5
6	.06	.02	.89	-	.64	-	-	-	-	-	.01	.50	6
7	.20	-	.60	.03	-	-	-	-	.05	-	.05	-	7
8	.14	-	.04	.03	-	.08	-	-	.01	-	-	-	8
9	.13	-	.12	.08	-	-	-	-	-	-	.02	-	9
10	-	-	.99	.14	.03	-	-	-	-	-	.04	.24	10
11	-	-	.44	.25	.05	-	.05	-	-	.05	-	.04	11
12	-	-	.18	.54	-	.66	.12	-	-	.11	.10	.03	12
13	.51	-	.01	.42	-	.22	.03	.06	.64	.45	-	.10	13
14	.64	.01	-	.53	-	-	-	.01	.02	.09	.05	.05	14
15	.33	.03	.05	.34	-	-	-	.01	-	.04	.02	.60	15
16	.41	.30	-	.06	-	.14	.01	-	-	-	.31	.04	16
17	.26	.05	-	.24	.04	.24	.04	.43	-	-	1.51	.09	17
18	-	-	.36	-	-	-	.03	.60	.23	-	.09	.35	18
19	.14	.20	.64	-	-	.33	.82	.36	.41	-	.30	.20	19
20	.50	.14	.14	-	-	.45	.05	.05	.09	-	.29	1.34	20
21	.04	.54	.03	-	-	.01	.26	-	.09	-	.11	.40	21
22	-	.34	-	-	-	.08	.03	.05	.84	-	.31	1.55	22
23	-	.01	-	-	-	.24	-	.01	-	1.12	.15	.25	23
24	.01	-	-	.13	.09	.01	.03	.01	.39	.34	.19	.10	24
25	.30	-	.01	.32	.16	.13	-	.84	.01	-	.39	.10	25
26	.08	-	.82	.09	-	.05	-	1.55	.36	-	.01	.64	26
27	.19	.02	.04	.22	-	.02	-	.06	-	-	.02	.02	27
28	.02	-	.01	.05	-	.10	-	.69	-	.08	-	.32	28
29	.09	-	.04	.04	-	.02	-	.08	-	.45	.01	.14	29
30	.02	~~X~~	.09	~~44~~	-	.35	-	.11	-	.04	.24	.35	30
31	.01	~~X~~	.10	~~X~~	-	~~X~~	.31	.01	~~X~~	.06	~~X~~	.11	31
TOTAL	5.89	1.83	6.24	4.02	1.92	3.33	3.39	6.06	4.18	3.39	4.59	10.30	55.14
Days with ".01 in. or more	25	14	25	21	10	19	16	21	14	13	26	28	235

YEAR'S TOTAL

REGISTER OF RAINFALL IN 192.....

Kept at Burbage Edge N. Ruxton
in the County of Derby
by

Lat. 53° 15' N Long. 1° 57' W
Time of Observation.....
Nearest Railway Station Ruxton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 00 in.
" " " " Sea Level 14 00 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	—	04	15	43	02	33	04	10	20	04	24	1
2	—	—	03	22	01	—	04	—	28	03	—	30	2
3	11	16	07	12	04	01	29	06	33	48	—	14	3
4	07	07	—	11	07	—	06	90	15	56	—	04	4
5	—	07	08	—	1.49	—	10	62	1.11	25	—	03	5
6	—	—	49	22	35	—	04	05	02	06	07	11	6
7	18	07	04	06	01	—	22	—	—	—	07	—	7
8	50	08	—	36	35	—	42	26	—	—	—	—	8
9	50	1.07	07	44	—	—	25	10	05	—	05	—	9
10	45	85	26	04	—	—	40	—	—	—	05	—	10
11	49	16	20	22	42	19	02	02	—	—	—	06	11
12	19	22	07	47	05	30	15	29	—	—	24	07	12
13	29	32	16	60	07	62	01	—	—	—	10	07	13
14	08	08	21	32	—	1.05	14	—	1.25	06	62	02	14
15	07	15	15	51	—	—	08	—	05	29	—	—	15
16	—	—	14	49	19	62	84	—	10	13	—	—	16
17	02	—	11	07	35	—	02	20	40	05	—	07	17
18	24	—	—	11	41	02	05	03	13	—	—	—	18
19	22	1.61	—	24	44	14	—	05	14	07	—	—	19
20	34	07	—	66	—	23	21	—	07	—	07	08	20
21	07	—	—	03	—	—	44	09	—	07	—	25	21
22	14	07	07	32	—	04	33	08	—	—	07	13	22
23	07	07	04	08	—	—	28	24	—	—	07	41	23
24	12	—	58	1.06	—	—	02	03	—	—	07	49	24
25	04	09	14	66	07	04	68	—	—	—	—	—	25
26	32	24	18	98	03	03	20	—	—	—	02	05	26
27	44	06	12	42	62	26	03	—	—	07	32	15	27
28	40	03	18	80	40	14	21	—	02	—	07	22	28
29	12	02	16	14	96	04	54	—	01	—	19	83	29
30	09	—	07	26	18	33	—	—	22	—	15	38	30
31	64	—	09	—	33	—	09	—	—	56	—	18	31
TOTAL	6.34	5.17	3.51	9.13	7.12	4.63	6.83	3.06	4.40	2.42	1.818	4.20	58.99
Days with "01 in. or more	27	21	25	29	22	17	29	16	17	14	16	22	48
Days with "04 in. or more	21	14	20	28	19	16	25	15	13	11	9	18	20
YEAR'S TOTAL													58.99

REGIS

BUXTON
DEVONSHIRE HOSPITAL
DERBY

Kept at

in the County of

by

IMPORTANT NOTE.—R

previous day. If an Observer requested to add the reading at for it at the end of this para the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

11

5" in.

re Ground 171 ft. in.

Sea Level 950 ft.

Name

Distance 400 yd. Direction W

the result entered to the versal rule, he is earnestly ear in the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.52	—	—	—	.07	.04	—	—	.29	—	1
2	.19	—	.33	—	.20	—	.07	.01	—	—	.03	.19	2
3	.03	—	—	.01	.50	—	—	trace	trace	trace	.46	.06	3
4	.02	—	.13	.09	—	—	—	.08	—	.03	.34	.29	4
5	.19	—	.01	.03	—	—	—	.35	—	.23	trace	—	5
6	.69	—	.03	—	—	—	—	.45	—	.08	.21	.87	6
7	.07	—	—	—	—	—	—	—	—	—	.23	.01	7
8	.21	—	.45	—	—	—	—	—	.02	trace	.21	.95	8
9	—	—	.07	trace	—	—	—	—	—	—	—	.34	9
10	.16	.03	.30	.01	—	—	—	—	—	—	—	1.10	10
11	.26	—	.30	—	—	—	—	—	.01	—	.39	.04	11
12	.07	—	.35	—	—	—	—	—	.31	trace	.72	—	12
13	—	—	.20	—	—	—	—	—	—	.04	.35	.37	13
14	.03	.64	.20	—	.48	—	—	—	—	.01	.07	.74	14
15	—	.31	.08	.01	.02	—	—	—	—	.05	.12	.45	15
16	—	.50	.08	.02	—	.07	.03	—	—	.03	.29	.19	16
17	—	.01	—	—	—	.18	—	—	—	—	.19	.17	17
18	—	.41	.02	.03	trace	.39	—	trace	—	—	.41	.20	18
19	—	.13	trace	.16	—	.14	.08	—	.14	.42	.23	.22	19
20	—	.24	—	.31	—	—	.03	.52	.21	.03	—	.50	20
21	—	.53	—	—	—	.03	.04	.09	.07	.28	—	.08	21
22	trace	.03	—	.10	—	.03	trace	—	—	.32	.03	.22	22
23	—	.23	trace	trace	.04	.40	—	—	.36	.13	—	.27	23
24	trace	.12	.02	.27	—	1.02	—	.04	—	.18	—	.25	24
25	.08	.36	—	.44	—	.15	trace	—	.30	.06	.01	.34	25
26	—	.05	—	.40	.05	.08	—	.11	—	.46	.20	.53	26
27	—	.23	.07	.88	.08	—	—	.84	.72	—	.09	.07	27
28	—	.29	trace	.35	—	.06	—	.22	.17	—	.19	.34	28
29	—	X	trace	.26	—	.14	.03	—	.62	.41	—	.14	29
30	—	X	—	.14	trace	.19	—	—	trace	.63	.03	—	30
31	—	X	.16	X	—	X	—	—	X	.10	X	.01	31
Total	2.00	4.11	2.80	3.51	1.37	2.88	.35	2.75	2.94	3.45	5.09	8.94	TOTAL for year
No. of Rain Days.	12	16	17	17	7	13	7	11	11	17	22	27	40.19"

REGI

FORM A2.
BRITISH RAINFALL

Kept at

Buxton

in the County of

Derby 6

by

W. Pilkington, F.R.M.S.
Ap. Pharmacy

Pattern *Copper*
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 17 ft.
" " " Sea Level 950 ft.
Time of Observation 9 a.
Nearest Railway Station { Name Buxton
Distance 600 yd Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.52	—	—	—	.07	.04	—	—	.29	—	1
2	.19	—	.33	—	.20	—	.07	.01	—	—	.03	.19	2
3	.03	—	—	.01	.50	—	—	trace	trace	trace	.46	.06	3
4	.02	—	.13	.09	—	—	—	.08	—	.03	.34	.29	4
5	.19	—	.01	.03	—	—	—	.35	—	.23	trace	—	5
6	.69	—	.03	—	—	—	—	.45	—	.08	.21	.87	6
7	.07	—	—	—	—	—	—	—	—	—	.23	.05	7
8	.21	—	.45	—	—	—	—	—	.02	trace	.21	.95	8
9	—	—	.07	trace	—	—	—	—	—	—	—	.34	9
10	.16	.03	.30	.01	—	—	—	—	—	—	—	1.10	10
11	.26	—	.35	—	—	—	—	—	.01	—	.39	.04	11
12	.07	—	.04	—	—	—	—	—	.31	trace	.72	—	12
13	—	—	.20	—	—	—	—	—	—	.04	.35	.37	13
14	.03	.64	.02	—	.48	—	—	—	—	.01	.07	.74	14
15	—	.31	.08	.01	.02	—	—	—	—	.05	.12	.45	15
16	—	.50	.08	.02	—	.07	.03	—	—	.23	.29	.19	16
17	—	.01	—	—	—	.18	—	—	—	—	.19	.17	17
18	—	.41	.02	.03	trace	.39	—	trace	—	—	.41	.20	18
19	—	.13	trace	.16	—	.14	.08	—	.14	.42	.23	.22	19
20	—	.24	—	.31	—	—	.03	.52	.21	.03	—	.50	20
21	—	.53	—	—	—	.03	.04	.09	.07	.28	—	.08	21
22	trace	.03	—	.10	—	.03	trace	—	—	.32	.03	.22	22
23	—	.23	trace	trace	.04	.40	—	—	.36	.13	—	.27	23
24	trace	.12	.02	.27	—	1.02	—	.04	—	.18	—	.25	24
25	.08	.36	—	.44	—	.15	trace	—	.30	.06	.01	.34	25
26	—	.05	—	.40	.05	.08	—	.11	—	.46	.20	.53	26
27	—	.23	.07	.88	.08	—	—	.84	.72	—	.09	.07	27
28	—	.29	trace	.35	—	.06	—	.22	.17	—	.19	.34	28
29	—	X	trace	.26	—	.14	.03	—	.62	.41	—	.14	29
30	—	X	—	.14	trace	.19	—	—	trace	.63	.03	—	30
31	—	X	.16	X	—	X	—	—	X	.10	X	.01	31
Total	2.00	4.11	2.80	3.51	1.37	2.88	.35	2.75	2.94	3.45	5.09	8.94	TOTAL for year
No. of Rain Days.	12	16	17	17	7	15	7	11	11	19	22	27	40.19

REGISTER OF RAINFALL IN 1912

25 JAN 1913
BRITISH RAINFALL
FORM A2

Kept at Buxton
in the County of Derbyshire
by Pilkington

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2		0.5	1.3			0.6	1.2	1.8	2.0			1.04	2
3	5.3	0.2	0.3		0.4	1.9	0.3	8.0	3.2			0.8	3
4	5.4		1.19	1.6	0.3	4.4		1.03	1.2		6.0		4
5	3.4	0.4	0.3		1.3	0.7		1.9	1.2		0.4	0.1	5
6	5.5	1.5			0.9	0.1		4.1	0.2				6
7		1.1	0.2	0.1	0.9	0.2		1.8	6.2			0.3	7
8	4.9	4.3	2.7	1.9		0.9	0.6	0.3	4.3		0.2		8
9	1.9	0.1	3.2	5.2		0.9		1.8	0.1		1.0	1.6	9
10	1.9					0.2	0.5	0.6	0.2		7.5	0.1	10
11	1.5	0.2					0.1	0.2			0.7	1.01	11
12	1.1	2.0	5.4			0.5	5.3				0.1	0.4	12
13			0.3					3.4	0.1	0.6	1.4	3.8	13
14	1.1		4.8			1.9		4.2	0.7	0.1	0.1	4.4	14
15	3.7	1.8	3.7		9.0	5.8		1.6				4.3	15
16	7.4		4.1		2.0	0.4		1.8		3.7	0.1		16
17	3.2	0.3	2.3		2.2	6.2	0.3	2.9		0.1	0.1	1.00	17
18	2.0	0.1	0.8			0.1		0.2		3.3	0.2	3.6	18
19	2.3	0.8	2.3			0.3	5.3	2.7		1.1	0.3	0.1	19
20	1.7		1.6		2.3	0.5		3.2		5.7	0.7	0.4	20
21		0.1	1.5		6.3		0.8	0.3		6.3	0.6	0.6	21
22		1.6			2.9	5.0	0.9	7.5				2.2	22
23	0.1	0.1	2.5				3.5	9.5			4.1	0.1	23
24	0.9		1.0			1.7	3.5	1.7			0.1	2.3	24
25		0.2	0.2			2.2		0.1			5.1	4.0	25
26		1.8	2.2			0.1	5.2	7.1		1.22	5.6	1.2	26
27		0.1	4.0			3.8	6.7			8.2	0.4	1.4	27
28		0.3	0.1			0.5	8.5	6.6	0.4	2.8	5.6		28
29			0.5			1.1	6.1	0.1	5.2	0.4		0.7	29
30	0.7	X	2.9		1.7	0.1	1.4			0.5			30
31		X	4.1	X	0.8	X	5.5	2.7	X	0.1	X	0.5	31
Total	5.40	1.80	6.54	9.8	3.16	4.19	6.03	8.64	2.57	4.51	4.03	6.52	54.37
No. of Rain Days	19	21	27	6	14	26	19	27	14	14	21	25	232

REGISTER OF RAINFALL IN 1913

28 JAN 1914
BRITISH RAINFALL
FORM A.
2/35

Kept at

Buxton

in the County of

Derbyshire

by

H. J. A. Pilkington

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 988 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	08	25	03	03				20		12	01	1
2		10	07	20		06			01	22	04	01	2
3	09	02	27		77				02	69		17	3
4	42	25	05		04	02	06			09	14	74	4
5	39	09	13		12	34	02		04	38	05	02	5
6	15	22	23		47	16	53			49	01	02	6
7	01	47	22		32	32	03			50	16	06	7
8		14	06		29	06		25		02	08	01	8
9		63	26	13	10	95	04	04			22	19	9
10	02	02	08	19	05	01	07	01	02	06	08	09	10
11	41			62		30		06		01	20	09	11
12	09			01	01	01					38		12
13	03		57	01			04	04	24	02	39		13
14	12	01	51	12				04	01	30	39	06	14
15	17		40	68			05	09	02		81	07	15
16			20	06			01	02	06		22		16
17	05	01	01	31	22	02	04		32		10		17
18	03		36	63	15	02	12		01		19	01	18
19	16		01	15	01	27	01		19	02	07		19
20	12		16	10		01			04	05	75		20
21			04	01	22		07	03			31		21
22	59		1.30		02	05		94	32				22
23	03				15	17		22	08		07	02	23
24	42			14	01	35		01			05	10	24
25				07					08		04	27	25
26		02	06	29		04			02	08		68	26
27		06		42		04				03	03	06	27
28	37		40	62	02	04				05	04	19	28
29	01	X	56	86	01			26		16	08	07	29
30	52	X	02							84	15		30
31	02	X	16	X	08	X			X		X		31
Total	4.24	2.12	6.38	5.65	3.09	3.24	1.39	2.01	1.68	4.01	5.17	2.94	41.92
Rain Days.	23	14	25	21	20	20	13	13	17	18	27	21	2

REGISTER OF RAINFALL IN 1914

Kept at Buxton
in the County of Derbyshire
by W. Pilkington

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - 0 in.
" " " " Sea Level 988 ft.

2/35
BRITISH RAINFALL
23 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			20			03	78	1.18		06		50	1
2	04		04				30	39		06	41	25	2
3	13	01	35	02	30		10	05		04		1.17	3
4	87		65	22	63			07			35	43	4
5	02		64	20	39	39	08			01	83	07	5
6		06	06	22	35	02	05	06				28	6
7	14	02	19	12	20	03	01	11				12	7
8	44		01	07	50	44	21	83	10	03	01	11	8
9	46	03	02	09	08	61		59	03		13		9
10	10	12	03	19	05	05			16		08	01	10
11		24	49	04	07	12			62		1.22	49	11
12		23	16		01	06	05		1.13		50	28	12
13		28	21	05	03		09		13	01	95	49	13
14	02	24	17						10	15	33	22	14
15	02		41					02	02	01	03		15
16	05		14				1.08		36				16
17	03	51	25				05		1.07			95	17
18			13			08	01		24	01		25	18
19		01					05		14		07	03	19
20		10	10					04		01		03	20
21		68	01			22				15	03	05	21
22		16			32	21	04	07		55			22
23		03	16	08	14	13	27					02	23
24	09		34	23	02	05	75	25			20		24
25	11						49	29		90	14	28	25
26			01				32	60		64	07	37	26
27	20									06	53	76	27
28	24	19	18						04	03	06	20	28
29	12	X	15			01				30	22	35	29
30	02	X	18					01		03	28	46	30
31	19	X	12	X		X	34		X	13	X		31
Total	3.29	2.91	5.40	1.53	3.09	2.45	5.07	4.56	4.14	3.18	6.44	8.17	50.23
Rain Days.	19	16	27	12	14	15	19	15	13	19	20	25	214

REGISTER OF RAINFALL IN 1915

Kept at Buxton
in the County of Derbyshire
by W. Pilkington

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
11 APR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	.44	.45		.66		.02	.03	.22	.01	.06	.25	1
2	.02	.28	.32	.56		.12	.04	.34		.25		.03	2
3	.68		.12	.18			.43	.75				.31	3
4	.07	.07			.02		.83				.01	.64	4
5	.13	.65	.49		.07			.02			.01	.73	5
6	.55	.10	.05	.28			.32	.06			.01	.44	6
7	.62	.33	.05	.10			.63	.85			.02	.28	7
8	.61	.39	.02	.17			.03	.28			.26	.04	8
9	.03	.10		.03			.03			.01	.56	.60	9
10	1.14		.08	.03			.04	.06		.02	.20	.06	10
11	.38		.05		.38		.30	.04		.01	.61	.18	11
12	.30			.28	.07		.15	.19		.19	.70		12
13	.39	.61	.02		.05			.05				.33	13
14	.18	.02		.06	.01		.13	.19	.22			.34	14
15	1.45						.01	.03	.14		.12	.28	15
16	.01	.77		.05	.26		1.40	.41				.02	16
17		.28	.04				.08				.09		17
18	.08	.63	.62								.04		18
19	.19	.11	.09		.05		.20			.01			19
20	.30	.03	.03	.16			.16	.19				.36	20
21	.29			.05			.48					.23	21
22			.28	.05			.31	.04				.30	22
23	.07	.01	.06			.12	.21			.41		.13	23
24			.12	.06					.22	.02		.36	24
25						1.47	.16			.03		.37	25
26	.02	.37				.05	.40		.07			.58	26
27		.30				.13	.47			.75		1.07	27
28		.36				.23	.04	.47		.21		.01	28
29		X			.05			.01	.01		.23	.33	29
30	.32	X		.06		2.80	.04	.04		.07	.04	.27	30
31	.32	X		X		X	.04	.09	X	.36	X	.42	31
Total	8.47	5.85	2.89	2.12	1.62	4.92	6.95	4.14	.88	2.35	2.96	8.96	YEAR'S TOTAL 52.11
Rain Days.	24	19	17	15	10	7	26	20	6	14	15	27	200

REGISTER OF RAINFALL IN 1916

Kept at Buxton
in the County of Derbyshire
by J. A. Pilkington
R. W. Pilkington

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Form A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	28	27	16			21	22				21		1
2	22	41	07			03	01		07	31	02		2
3	15	47		04		28	41		70	34	21	03	3
4	40	29			44	62	08		04	40	40		4
5	07	38			10	87				83	71		5
6	56	42	18		41	03	30			22	50	02	6
7	22	01	08		14	07	14			21	05	31	7
8	03	06	06		05	06				01	61	02	8
9	05		06		29	11	04				18	34	9
10	08	17	03	24	02	23	20		04	07		03	10
11	06	20	16	81		05	03		20			04	11
12	22	17	13	11	22	02	60	06	10	20		23	12
13		17	07	14	02		12	24	01	46		03	13
14	02	19	02	21	52			80	03	40		10	14
15	01	68	71	17	04		04	26	36	08			15
16	06	43	46	47	04		07	26		17			16
17	19	20	01	1 17			05	01	61	16	04		17
18	01	79	03	1 06				12	68	19	32	23	18
19	16	04	32	15				14	05		10	03	19
20	29	04	06	18			10				04	14	20
21	10		04	02	02		12				01	08	21
22		01	02			07				13		18	22
23	08	10	03	09		31		12		06	15	43	23
24		32		01		38		05		11		03	24
25	06	11	45		07			22		13	41	03	25
26	06	06	06			01		17		17	01		26
27	07	08	08					44	03	49			27
28		18								33	10	46	28
29		32	01			32				24		36	29
30		X				15				15		28	30
31		X		X	09	X	06	14	X	49	X	50	31
Total	3.75	6.57	3.30	4.87	2.47	3.82	2.59	3.03	2.92	6.35	4.07	3.90	47.64
Rain Days.	24	27	24	15	15	18	17	14	13	25	18	22	232

REGISTER OF RAINFALL IN 1917

BRITISH RAINFALL FORM A.

Kept at Buxton
in the County of Derbyshire
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03			28		3.0		10.6	5.4		3.1	8.2	1
2	63					5.1		2.4	0.2	1.0	1.2	0.9	2
3		06				3.0		1.2		11.5	0.4	0.7	3
4	32		03							20.7			4
5	24		02	11					1.4	9.0	7.4	0.2	5
6	06		04			10.8			0.1	10.9	10.1	2.2	6
7	42		02							13.0	8.7	4.4	7
8	37			5.6				12.2	0.7	25.0	11.2	0.9	8
9			02	43	2.0			1.9	0.2	7.8	16.0		9
10	04		65	27	2.7			4.0	0.6	2.0			10
11	23		02	34				16.7	1.4	12.5	0.2		11
12	07		02	03	12.1			11.9	0.2	3.5		3.0	12
13	05			32				7.5	12.2		1.0	5.8	13
14	14		01	15	3.0			7.7	0.2	1.0	0.4	3.6	14
15	05			04	0.9		6.6	9.1		2.5		3.9	15
16		10		29		2.5	4.5	4.0		0.1		4.6	16
17			17	34	5.5	3.6	10.4	16.0	1.4	5.0		2.9	17
18			07	20	2.4		17.5	6.9	11.3	0.7		3.6	18
19	01	24	32	02	4.6	3.8		1.7	1.3		2.1	0.6	19
20	01	22	02	01	4.0	8.8		0.2	3.3		13.6	0.4	20
21	01	04	05		4.3	1.8		1.7		3.8	9.6		21
22	02		14			0.5		1.5	5.8	8.5	6.2		22
23		07			3.1	4.5		12.2	0.5	13.4	0.6	9.9	23
24		01	03		0.2	1.2	0.1	3.2	0.2	19.5	2.4	3.6	24
25		11	32			0.1		3.6		0.5	3.5		25
26			01			0.3	3.8	16.3	12.8	2.3	9.8		26
27			02		1.4	5.7	4.1	22.8	0.2	0.8	14.5	0.2	27
28		12	16			1.0		26.8	1.2	0.2	1.4	0.3	28
29		~~X~~	03		6.8		5.0	11.8		11.0	0.1	4.3	29
30		~~X~~	23					3.6		2.5	1.5	0.3	30
31		~~X~~	29	~~X~~	02	~~X~~	0.4	5.2	~~X~~	0.4	~~X~~	0.4	31
Total	2.70	97	2.69	3.39	53.2	55.7	52.4	222.7	60.6	189.1	125.0	64.9	YEAR'S TOTAL
Rain Days.	17	9	23	15	15	15	8	27	20	26	22	23	220
					209	219	206	817	239	745	492	255	4217

Section

A

for the entry of Daily Observations

Station No.....

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19617

Kept at Buxton
in the County of

Diameter of funnel of gauge..... in.
Height of top of gauge above ground..... ft..... in.
Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
<i>mm</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	†	
1	0.8	—	—	7.1	—	3.0	—	10.6	5.4	—	3.1	8.2		1
2	16.0	—	—	—	—	5.1	—	2.4	0.2	1.0	1.2	0.9		2
3	—	1.5	—	—	—	3.0	—	1.2	—	11.5	0.4	0.7		3
4	8.1	—	0.8	—	—	—	—	—	—	20.7	—	—		4
5	6.1	—	0.5	2.8	—	—	—	—	1.4	9.0	7.4	0.2		5
6	1.5	—	1.0	—	—	10.8	—	—	0.1	10.9	10.1	2.2		6
7	10.7	—	0.5	—	—	—	—	—	—	13.0	8.7	4.4		7
8	9.4	—	—	14.2	—	—	—	12.2	0.7	25.0	11.2	0.9		8
9	—	—	0.5	10.9	2.0	—	—	1.9	0.2	7.8	16.0	—		9
10	1.0	—	16.5	6.9	2.7	—	—	4.0	0.6	2.0	—	—		10
11	5.8	—	0.5	8.6	—	—	—	16.7	1.4	12.5	0.2	—		11
12	1.8	—	0.5	0.8	12.1	—	—	11.9	0.2	3.5	—	3.0		12
13	1.3	—	—	8.1	—	—	—	7.5	12.2	—	1.0	5.8		13
14	3.6	—	0.3	3.8	3.0	—	—	7.7	0.2	1.0	0.4	3.6		14
15	1.3	—	—	1.0	0.9	—	6.6	9.1	—	2.5	—	3.9		15
16	—	2.5	—	7.4	—	2.5	4.5	4.0	—	0.1	—	4.6		16
17	—	—	4.3	8.6	5.5	3.6	10.4	16.0	1.4	5.0	—	2.9		17
18	—	—	1.8	5.1	2.4	—	17.5	6.9	11.3	0.7	—	3.6		18
19	0.3	6.1	8.1	0.5	4.6	3.8	—	1.7	1.3	—	2.1	0.6		19
20	0.3	5.6	0.5	0.3	4.0	8.8	—	0.2	3.3	—	13.6	0.4		20
21	0.3	1.0	1.3	—	4.3	1.8	—	1.7	—	3.8	9.6	—		21
22	0.5	—	3.6	—	—	0.5	—	1.5	5.8	8.5	6.2	—		22
23	—	1.8	—	—	3.1	4.5	—	12.2	0.5	13.4	0.6	9.9		23
24	—	0.3	0.8	—	0.2	1.2	0.1	3.2	0.2	19.5	2.4	3.6		24
25	—	2.8	8.1	—	—	0.1	—	3.6	—	0.5	3.5	—		25
26	—	—	0.3	—	—	0.3	3.8	16.3	12.8	2.3	9.8	—		26
27	—	—	0.5	—	1.4	5.7	4.1	22.8	0.2	0.8	14.5	0.2		27
28	—	3.1	4.1	—	—	1.0	—	26.8	1.2	0.2	1.4	0.3		28
29	—	X	0.8	—	6.8	—	5.0	11.8	—	11.0	0.1	4.3		29
30	—	X	5.8	—	—	—	—	3.6	—	2.5	1.5	0.3		30
31	—	X	7.4	X	0.2	X	0.4	5.2	X	0.4	X	0.4		31
TOTAL	68.8	24.7	68.5	86.1	53.2	55.7	52.4	222.7	60.6	189.1	125.0	64.9	Year's Total	1071.7
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed).....(P.T.O.)

REGISTER OF RAINFALL IN 1918

Kept at Devonshire Hospital Buxton
in the County of Derbyshire
by W. S. Lickington
Spa Pharmacy Buxton

Lat. _____ Long. _____
Time of Observation 9 pm
Nearest Railway Station Bx
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 988 ft.

FORM A.
BRITISH RAINFALL
28.4.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date. Date	Jan. Jan.	Feb. Feb.	March. March.	April. April.	May. May.	June. June.	July. July.	Aug. Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		3.3	0.8	1.5	2.1	—			29.5	4.2	13.7	1.0	1
2		3.6		2.0	11.9	—		8.8	9.8	0.2	0.2	23.0	2
3		1.6	0.7			—		4.3	2.8	1.5	0.7	0.5	3
4	3.5	1.0			4.7	—		5.4	4.4	5.9	10.4	14.3	4
5	0.2	0.1	1.0	3.0	0.3	—	0.4	4.3	12.1	8.6	—	0.9	5
6	0.2	31.5	0.1	13.8		9.3	0.3	3.3	—	7.2	—	0.2	6
7	0.4	5.5		15.1		—		1.7	12.3	1.2	7.5	0.2	7
8	3.6	14.3	3.4	0.1		—	9.2	0.5	23.2	9.2	1.2	2.2	8
9	16.1	18.3		0.8		12.3	1.5	0.2	10.6	10.0	0.6	1.2	9
10	5.6	18.3	1.0	0.8	2.2	0.3	3.6		2.4	1.4	12.1	5.2	10
11	11.0	5.4	1.7	1.8	2.9	—	4.9		9.5	—	—	4.4	11
12	3.4	10.8	1.3	3.5	1.2	1.0	15.2		7.3	—	—	8.7	12
13		3.0			0.3	—			10.6	8.6	—	0.3	13
14	15.6	3.2				7.2	5.0	0.2	16.3	2.1	0.2	9.8	14
15	5.7					1.6	10.2		17.5	—	—	10.6	15
16						0.5	7.3	2.7	4.2	3.8	—	12.6	16
17	8.5				8.5	—	5.4	5.8	1.0	2.0	—	11.1	17
18	12.2		2.6			5.2	0.8	0.2	7.8	2.5	—	4.8	18
19	4.7	1.4	3.7	3.4		—	2.8	2.8	7.5	—	—	21.2	19
20	1.2	4.3		4.8		3.2	9.8		4.0	3.3	—	0.2	20
21	3.3	13.2		3.9	13.7	10.2	2.3		10.8	1.8	—	6.8	21
22	0.2	1.0			9.8	6.6	7.4	0.8	1.5	0.8	0.2	23.7	22
23	4.0				23.3	0.3	1.5		4.4	—	0.4	7.6	23
24	0.1	3.4			0.2	—	3.3	0.2	3.4	0.6	3.0	1.2	24
25						0.9	4.6	9.4	8.4	3.0	—	—	25
26		2.3				Trace	7.6	2.8	2.5	0.4	3.9	3.7	26
27		4.1	1.8			4.3	—	13.5	21.1	0.3	6.8	23.0	27
28		1.7	12.2			—	—	4.9	2.8	—	14.4	14.3	28
29		X	0.3			—	—	—	2.2	—	0.3	7.4	29
30		X	8.4			—	—	9.2	1.8	—	4.6	2.2	30
31		X	20.0	X		X	—	7.2	X	—	X	2.8	31
Total	99.5	151.3	59.0	54.5	81.1	62.9	103.1	88.2	258.7	78.6	80.2	225.1	1342.2
Rain Days.	18	21	14	12	13	14	20	21	29	20	17	30	231

REGISTER OF RAINFALL IN 1919.

Kept at Buxton
in the County of Derby
by W. Lickington

Lat. 58° 14' N Long. 1° 54' W.
Time of Observation 9 a
Nearest Railway Station Buxton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 987 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1					13.5	—							1
2					—	—							2
3					1.9	2.7							3
4					—	0.9							4
5					—	—							5
6					13.7	—							6
7					—	—							7
8					—	1.6							8
9					—	—							9
10					0.8	—							10
11					0.83	—							11
12					—	15.8							12
13					—	2.6							13
14					—	—							14
15					—	—							15
16					—	2.6							16
17					0.5	4.6							17
18					—	—							18
19					—	6.1							19
20					—	8.8							20
21					—	0.3							21
22					—	1.1							22
23					—	6.2							23
24					2.5	—							24
25					4.9	5.8							25
26					—	1.2							26
27					—	0.2							27
28					—	2.1							28
29					—	1.5							29
30					—	8.9							30
31					—	—							31
TOTAL	127.9 128.1	38.8 38.6	164.9 164.9	71.8	38.1	73.0 72.9	80.7 82.0	116.7 126.7	104.2	77.0 76.6	92.5	236.4 225.6	1222.0 1226.0 m about 49ins
Days with 0.2 mm. or more													

REGISTER OF RAINFALL IN 1919.

Kept at Buxton. [M.O.]

in the County of Derby

by W. Pilkington

Lat. 53° 16' N Long 1° 55' W

Time of Observation 9h GMT

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge..... in.

Height of top of Gauge above Ground..... ft. in.

„ „ „ „ Sea Level 987 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	12.1	-	0.8	0.3	13.5	-	17.8	7.2	5.7	10.1	1.9	6.8	1
2	4.0	3.4	2.6	-	-	-	11.2	7.7	3.6	1.8	0.8	5.5	2
3	22.4	-	-	-	1.9	2.7	7.8	-	2.3	-	2.8	12.2	3
4	3.8	0.2	6.0	-	-	0.9	1.3	6.2	5.4	-	2.3	9.9	4
5	1.6	-	-	0.8	-	-	-	-	0.7	-	-	24.2	5
6	1.2	1.4	26.0	-	13.7	-	-	-	-	-	-	14.8	6
7	3.5	-	9.0	0.2	-	-	-	-	0.2	-	1.7	-	7
8	5.2	-	2.1	-	-	1.6	-	-	-	-	-	-	8
9	2.2	-	2.0	0.9	-	-	-	-	-	-	0.9	-	9
10	0.3	-	20.7	2.3	0.8	-	-	-	-	-	0.7	5.7	10
11	0.4	-	19.7	4.6	0.3	-	1.1	-	-	0.5	-	0.8	11
12	-	-	10.8	7.2	-	15.8	1.8	-	-	4.1	2.6	-	12
13	13.0	-	-	7.0	-	2.6	0.1	0.8	26.6	4.7	-	1.7	13
14	10.2	0.1	-	9.8	-	-	-	-	3.4	3.4	1.1	1.2	14
15	8.0	0.6	1.7	5.8	-	-	-	-	-	0.2	0.2	12.5	15
16	9.4	5.8	-	0.4	-	2.6	-	-	-	-	6.7	0.2	16
17	7.5	3.1	-	3.4	0.5	4.6	0.6	10.8	-	-	29.8	0.9	17
18	-	-	8.2	-	-	-	0.2	11.6	5.1	-	1.3	10.2	18
19	3.8	3.8	18.1	-	-	6.1	19.8	6.7	8.4	-	9.2	4.6	19
20	11.2	2.9	5.4	-	-	8.8	5.8	1.7	-	-	2.9	23.6	20
21	1.0	11.6	0.6	-	-	0.3	4.9	-	3.6	-	0.8	15.6	21
22	-	5.7	-	-	-	1.1	0.3	2.1	21.8	-	5.9	35.2	22
23	-	-	-	-	-	6.2	-	0.1	-	24.6	3.1	5.1	23
24	-	-	-	3.5	2.5	-	0.4	0.5	7.2	7.7	4.7	2.3	24
25	3.6	-	-	7.8	4.9	5.8	-	15.2	5.0	-	7.2	0.9	25
26	1.2	-	20.2	3.2	-	1.2	-	28.2	5.2	-	0.1	19.8	26
27	2.3	0.2	1.7	4.4	-	0.2	-	2.4	-	-	0.4	0.2	27
28	-	-	-	1.6	-	2.1	-	11.4	-	1.1	-	8.8	28
29	-	X	3.2	1.4	-	1.5	-	0.8	-	16.6	-	3.8	29
30	-	X	3.8	7.2	-	8.9	-	3.8	-	1.8	5.4	6.2	30
31	-	X	2.3	X	-	X	7.6	-	X	0.4	X	3.7	31
TOTAL	127.9	38.8	164.9	71.8	38.1	73.0	80.7	116.7	104.2	77.0	92.5	236.4	1222.0
Days with 0.2 mm. or more	22	11	20	19	8	18	14	16	15	13	22	27	205

REGISTER OF RAINFALL IN 1920.

Kept at Buxton
in the County of Derbyshire
by W. Pilkington

Lat. 53° 16' N Long. 1° 55' W
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 987 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.3	-	0.5	3.6	9.5	0.3	6.6	0.2	2.9	2.9	2.4	5.9	1
2	-	-	-	5.1	0.8	-	1.1	-	3.8	2.2	-	8.1	2
3	2.1	2.7	-	3.0	5.9	0.6	5.6	1.9	5.4	11.5	-	3.7	3
4	0.2	-	-	4.8	1.0	-	2.1	16.6	3.5	10.2	-	1.5	4
5	-	0.1	1.4	-	29.8	-	1.9	9.8	15.1	4.5	-	0.2	5
6	-	-	10.1	7.9	4.8	-	0.9	1.7	0.1	0.7	-	2.7	6
7	4.3	1.4	3.3	0.7	0.2	-	5.4	-	-	-	-	-	7
8	4.6	0.5	-	10.2	7.1	-	9.9	4.9	-	-	-	-	8
9	11.1	16.2	-	8.6	-	-	7.8	0.9	0.2	-	0.4	-	9
10	12.2	15.9	4.8	1.4	-	-	7.7	-	-	-	0.2	-	10
11	15.2	2.4	2.5	4.5	8.8	6.1	0.6	0.4	-	-	0.1	2.3	11
12	3.1	3.9	-	12.7	1.2	6.4	2.0	6.2	-	-	3.9	0.2	12
13	6.5	5.7	4.1	11.3	-	10.8	0.1	-	-	-	2.9	0.3	13
14	2.4	2.2	3.3	7.9	-	19.1	2.3	-	24.8	1.6	13.1	0.7	14
15	0.1	4.1	7.8	13.3	-	-	0.9	-	0.2	6.1	-	-	15
16	-	-	2.9	8.4	4.9	8.4	17.5	-	2.1	1.7	0.4	-	16
17	0.4	-	1.2	-	5.8	-	0.6	5.1	8.1	1.8	-	0.2	17
18	6.3	-	-	2.9	10.4	-	0.8	0.1	2.7	-	-	-	18
19	6.8	26.6	-	4.1	10.0	3.8	-	1.4	2.4	-	-	-	19
20	5.4	0.6	-	15.8	-	2.3	4.9	-	-	-	-	1.8	20
21	0.3	-	-	0.2	-	-	12.9	1.9	-	0.1	-	4.6	21
22	4.1	0.1	-	9.4	-	1.1	8.1	2.8	-	0.2	-	3.9	22
23	-	0.1	0.1	1.1	-	-	5.9	6.2	-	-	-	9.5	23
24	1.6	-	10.2	0.9	-	-	-	0.2	-	-	-	6.9	24
25	0.4	1.9	3.3	10.9	-	0.1	14.2	0.6	-	-	-	-	25
26	7.1	5.8	4.1	16.1	0.1	0.2	4.8	-	-	-	0.2	1.1	26
27	11.6	-	2.8	13.8	14.2	14.2	0.6	-	-	-	5.8	3.2	27
28	12.2	0.2	3.9	18.8	6.1	1.4	2.9	-	-	-	0.3	6.1	28
29	3.2	-	5.7	0.6	15.6	1.0	11.2	-	-	-	4.2	19.2	29
30	7.9	~~X~~	~~X~~	8.1	2.1	5.8	~~7.1~~	-	3.6	-	3.8	13.2	30
31	5.3	~~X~~	1.6	~~X~~	5.5	~~X~~	1.3	-	~~X~~	12.2	~~X~~	0.9	31

TOTAL 134.7/90.4/73.6/206.1/143.8/81.6/140.6/61.2/74.9/55.7/37.7/96.2/1196.5

Days with 0.2 mm. or more 25 15 18 28 19 15 21 16 13 12 12 22 22

REGIS

Kept at Chatworth
in the County of Derby
by F. Jennings

CHATWORTH GDNS
DERBY
1911-1920

London 2. JAN 1912
5 in.
Ground Onett.
Sea Level 436 ft.
Name Rowley
Distance 4 m. Direction South
the result entered to the
versal rule, he is earnestly
ear in the space provided

IMPORTANT NOTE.—Re
previous day. If an Observer
requested to add the reading at
for it at the end of this para
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			'35		'05		'04	'13			'04	'02	1
2	'18		'06	'01	'12						'08	'12	2
3	'04			'01	'29		'03			'02	'20		3
4	'03			'19	'03			'02		'10	'43		4
5	'04			'09				'13		'19		'02	5
6	'58		'03					'18		'02	'12	'68	6
7	'03									'01	'22		7
8	'10		'19							'03	'19	'40	8
9	'03											'10	9
10	'04		'11									'96	10
11	'06										'34		11
12	'08		'19						'65		'40		12
13	'04		'06									'40	13
14			'03		'52							'81	14
15		'30	'11		'03					'19	'02	'12	15
16			'02	'01		'15				'04	'09	'08	16
17				'04		'53					'32	'30	17
18		'25	'03	'02	'03	'15				'01	'09	'20	18
19		'05	'02	'03		'15		'02	'23	'10	'30	'08	19
20		'08		'20			'01	'40	'19	'03	'02	'15	20
21		'40	'01					'01	'06	'22	'02	'04	21
22	'03	'09		'01						'28	'09	'20	22
23		'25	'04			'12			'26	'03	'03	'22	23
24	'01	'06	'03	'09		'83		'01				'19	24
25		'23	'01	'15		'01	'01		'10		'04	'24	25
26		'04		'19	'12			'04		'40	'45	'52	26
27		'19	'14	'45				'61	'35	'01	'03	'04	27
28		'21	'01	'21				'28	'06		'09	'12	28
29		X		'05					'39	'42	'03	'04	29
30		X		'06	'15	'10			'01	'38	'02	'01	30
31		X	'33	X		X			X	'04	X	'02	31
Total	1'29	2'13	1'74	1'79	1'34	2'04	'09	2'13	2'28	2'52	3'58	6'36	TOTAL for year
No. of Rain Days.	14	12	19	14	9	8	4	11	10	19	24	26	27'27

REGIS

Kept at Chatsworth
in the County of Derbyshire
by F. Jennings

Pattern Snowdon
RAIN Gauge Diameter of top 5 in.
Height of top above Ground One ft.
Sea Level 436 ft.
Time of Observation 9 a.m.
Nearest Railway Station Rowley
Distance 4 1/2 M. Direction South

Form 75
A2
BRITISH RAINFALL

2 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.35		.05		.04	.13			.04	.02	1
2	.18		.06	.01	.12						.08	.12	2
3	.04			.01	.29		.03			.02	.20		3
4	.03			.19	.03			.02		.10	.43		4
5	.04			.09				.13		.19		.02	5
6	.58		.03					.18		.02	.12	.68	6
7	.03									.01	.22		7
8	.10		.19							.03	.19	.40	8
9	.03											.10	9
10	.04		.11									.96	10
11	.06										.34		11
12	.08		.19						.65		.40		12
13	.04		.06									.40	13
14			.03		.52							.81	14
15		.30	.11		.03					.19	.02	.12	15
16			.02	.01		.15				.04	.09	.08	16
17				.04		.53					.32	.30	17
18		.25	.03	.02	.03	.15				.01	.09	.20	18
19		.05	.02	.03		.15		.02	.23	.10	.30	.08	19
20		.08		.20			.01	.40	.19	.03	.02	.15	20
21		.40	.01					.01	.06	.22	.02	.04	21
22	.03	.09		.01						.28	.09	.20	22
23		.25	.04			.12			.26	.05	.03	.22	23
24	.01	.06	.03	.09		.83		.01				.19	24
25		.23	.01	.15		.01	.01		.10		.04	.24	25
26		.04		.19	.12			.04		.40	.43	.53	26
27		.19	.14	.45				.61	.35	.01	.03	.04	27
28		.21	.01	.21				.28	.06		.09	.12	28
29		X		.05					.39	.42	.03	.04	29
30		X		.06	.15	.10			.01	.38	.02	.01	30
31		X	.33	X		X			X	.04	X	.02	31
Total	1.29	2.13	1.74	1.29	1.34	2.04	.09	2.13	2.28	2.52	3.58	6.36	TOTAL for year
No. of Rain Days.	14	12	19	14	9	8	4	11	10	19	24	26	2727

REGISTER OF RAINFALL IN 1912

Kept at

in the County of

by

Chalfont St Giles
Derby
J. Jennings

Lat. 53.13. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level 436' 4" ft.

BRITISH RAINFALL FORM 1912
3-JAN-1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.04	.20			.25	.08	.05	.10			.96	1
2			.12	.02			.50		.02			.16	2
3	.24		.04		.04	.25	.05	.90	.38			.06	3
4	.12		.74	.20	.24	.18		.48	.03				4
5	.48	.04	.08	.04	.10	.16	.03	.16	.32		.08	.03	5
6	.62	.10		.04	.10	.15		.48	.04		.10	.01	6
7		.20		.09			.01	.25	.14			.04	7
8	.24	.24	.22	.16		.22							8
9	.12	.10	.16	.26		.68		.23	.03		.10		9
10	.02	.01		.04		.12	.02	.16			.35		10
11	.13	.04				.10	.04	.04			.18	.62	11
12	.05	.28	.10			.10	2.30		.01		.06	.01	12
13	.03					.05		.06	.03	.10	.12	.06	13
14	.15		.46			.12		.18	.03	.10		.27	14
15	.20	.07	.36		.57	.22		.10				.46	15
16	.89		.14		.28	.18		.03					16
17	.23		.14			.34	.08	.08		.12	.06	.42	17
18	.62		.11					.09			.03	.36	18
19	.50	.12	.06			.04	.49	.26		.06	.02		19
20	.24		.18			.04	.06	.09		.08			20
21		.03	.28		.69		.28	.06		.76	.04	.06	21
22			.02		.45	.10	.16	.78				.10	22
23			.24			.06	.61	.40			.12		23
24	.13		.12			.15	.06	.12			.04	.23	24
25		.04	.02			.68		.10			.02	.07	25
26		.27				.03	.57	.82		.99	.32	.24	26
27			.08			.28	2.48	.06		.90	.29	.13	27
28			.09			.15	.22	.58	.11	.25	.49	.05	28
29		.04	.42			.15	.15	.09	.64	.10	.04	.08	29
30	.02	X	.68		.18		.02		.10	.08			30
31		X	.16	X	.68	X	.26	.19	X	.03	X	.04	31
Total	4.83	1.63	4.52	.85	3.33	4.80	8.47	7.14	2.00	3.57	2.46	4.46	YEAR'S TOTAL 48.05
Rain Days.	19	15	25	8	10	25	21	27	14	12	18	22	216

REGISTER OF RAINFALL IN 19

Kept at

in the County of

by

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

BRITISH FORM A.
RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06	.06	.04				.29		.06		1
2		.09	.24	.12			.01				.08	.02	2
3	.12	.08	.28		.35		.01		.06	.06		.10	3
4	.68	.08	.12	.04	.07	.05	.06		.05	.60	.16	.50	4
5	.12	.29	.22		.01	.25	.01		.38	.42	.02	.08	5
6	.06	.20	.16		.39	.12	.72		.02	1.22	.03	.03	6
7	.03	.37	.10		.15	.26	.03			.86	.16	.02	7
8		.12	.12		.39	.22		.12		.23	.06		8
9		.28	.09	.02	.29	.40	.04				.12		9
10	.06	.03	.06	.24	.06	.06	.05	.01		.08	.08		10
11	1.41			.46		.12		.09		.03	.26	.04	11
12					.01	.02					.30		12
13	.02		.26				.06		.15		.16		13
14	.16	.08	.52	.04						.09	.21		14
15	.04	.07	.58	.76			.02		.16		.47		15
16	.01	.05	.25	.08			.01	.03	.18		.17		16
17	.04	.06	.16	.16	.07	.02			.70		.04		17
18	.05		.36	.36	.15		.13		.03		.08	.09	18
19	.15		.06	.15	.02	.05	.02		.15		.02		19
20	.18		.12	.04					.02		.27		20
21	.06		.04		.26		.08				.24		21
22	.32		.76					1.05	.29				22
23	.10		.02		.18	.06		.06	.06		.04	.03	23
24	.24			.03		.03		.01			.02	.02	24
25	.02			.06		.04			.08	.03	.03	.10	25
26		.01	.16	.42					.03	.15	.01	.58	26
27		.01	.05	.43		.01						.08	27
28	.02		.32	.34						.06		.05	28
29		X	.48	.50	.03			.40			.01	.06	29
30	.56	X			.02					.59	.04	.08	30
31	.02	X	.08	X	.16	X			X		X		31
Total	4.47	1.82	5.87	4.31	2.55	1.71	1.25	1.77	3.65	4.42	3.14	1.88	35.84
Rain Days.	23.	15	26	19	18	15	14	8	16	13	26	16	209

REGISTER OF RAINFALL IN 1914

Kept at

Chatsworth

in the County of

Derby

by

J. Jennings

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

2675
FORM A
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	04	11				1.00	09		02	06	25	1
2			01				75	39			56	29	2
3	08		06	01	14		10	05			03	99	3
4	48		18	19	28			06			68	35	4
5	06		36	12	10	14	14	03			20	30	5
6		05	20	38	13	01	20	04			02	28	6
7	01	07	24	10	04		01	06			01	25	7
8	38		04		17	86	04	28	04	05		04	8
9	18	04	01	10	03	94		15	03		02	01	9
10	19	14	06	14	06	03			06		07	03	10
11		27	36	09	04	08	01		28		1.25	64	11
12		15	12		03	03	04		56		30	64	12
13	04	20	25				01		08		1.10	46	13
14	06	32	06				03		06	50	27	23	14
15	04	05	25						03	10	21	03	15
16	05	02	14				81		09				16
17	13	30	12				04		58			46	17
18	05	03	06				01		12			33	18
19	04	04	05				08		09		04	12	19
20	03	20	06									09	20
21		75	02			15		16		10	03	15	21
22		07	03		06	08	08	04		15			22
23		05	07	04	35	02	05			02		04	23
24	03	19	48	04	03	02	30	38		02	12		24
25	06	02	02				37	18		60	09	35	25
26	03		05				06	29		20	12	26	26
27	04		02							06	14	82	27
28	14	09	08							10	12	86	28
29	09	~~X~~	15							56	12	16	29
30	02	~~X~~	08	02	02					16	33	46	30
31	19	~~X~~	14	~~X~~		~~X~~	28		~~X~~	28	~~X~~	04	31
Total	246	312	3.88	1.23	1.48	2.36	4.41	2.20	2.02	2.92	5.89	8.93	40.90
Rain Days.	24	21	31	11	14	11	21	14	12	15	23	28	225

REGISTER OF RAINFALL IN 1915

Kept at Chatsworth Gardens
in the County of Derby
by F. J. J. J.

Lat. _____ Long. _____
Time of Observation 4.30 A.M.
Nearest Railway Station Rowsley M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1436 ft.

2843
2475
FORM A.
BRITISH RAINFALL.
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.04
between 7.30
+ 9 A.M.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38	.25	.35		.05			.08	.09		.06	.33	1
2	.10	.16	.20	.26			.02	.52		.12			2
3	1.05	.04	.18	.09			.30	.15	.01		.01	.39	3
4	.08	.02			.08		.43					.44	4
5	.16	.51	.08	.04				.11		.02	.01	.54	5
6	.26	.05	.01	.16			.36	.18		.01		.33	6
7	.28	.48	.09	.22			.15	.34				.13	7
8	.36	.25	.06	.20				.20			.13	.12	8
9	.04	.12	.04	.09				.09		.01	.28	.63	9
10	.50		.02				.01	.12		.02	.46	.11	10
11	.36			.03	.51		.14	.01		.01	.80	.32	11
12	.12				.16		.01	.04		.05	2.03		12
13	.26	1.40			.13			.22				.02	13
14	.16	.08					.01	.40	.10	.02		.29	14
15	1.00							.28			.20	.21	15
16	.05	.56			.15		1.09	.01				.02	16
17		.49					.31						17
18	.01	.36	.26								.04		18
19	.02	.06	.16		.04		.15			.04			19
20	.06			.04			.03					.11	20
21	.26			.13			.09					.06	21
22	.03	.04	.25	.04			.40			.01		.12	22
23	.10	.03	.14			.03	.28		.02	.21		.05	23
24			.16	.06					.42	.11		.35	24
25			.04	.03		.43	.13			.03		.08	25
26	.04	.36	.01			.29	.14		.06			.40	26
27	.01	.16	.06			.11	.24			.34		.94	27
28		.40	.02			.02	.01	.23		.14		.01	28
29		~~X~~			.03	.94		.04			.13	.69	29
30	.14	~~X~~				.25		.04			.02	.05	30
31	.26	~~X~~		~~X~~		~~X~~		.04	~~X~~	.51	~~X~~	.40	31
Total	6.09	5.82	2.13	1.42	1.15	2.10	4.60	3.13	0.40	1.68	4.20	4.44	YEAR'S TOTAL 40.49
Rain Days.	26	20	18	13	8	4	20	19	6	16	12	26	191

REGISTER OF RAINFALL IN 1916

Kept at Chatsworth Gardens
in the County of Derbyshire
by F. J. J. J.

Lat. 53° 14' Long. 1° 34' W
Time of Observation 7.30
Nearest Railway Station Rowsley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
Sea Level 436 ft.

2775
2675
BRITISH RAINFALL
FORM A.
4 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.27		.15			.14	.12				.28		1
2	.27	.20	.24			.02	.01		.07	.12	.09		2
3		.36	.01				.28		.67	.16	.19	.01	3
4	.11	.16			.53	.38			.04	.44	.30		4
5	.06	.49			.03	.44				.49	.78		5
6	.28		.24		.48		.28			.18	.59		6
7	.15	.04	.19		.05		.32			.10	.18	.20	7
8			.26			.08				.04	.13	.15	8
9	.01		.09		.37	.02					.03	.29	9
10		.02	.03	.10		.09	.07		.10	.10	.01	.09	10
11	.06	.38	.23	.23		.06			.04			.06	11
12	.07	.09	.34	.12	.48	.02	.30	.01		.05		.01	12
13	.01	.05	.15	.07	.05		.01	.25		.13		.08	13
14		.33	.02	.28	.14			.12		.14		.03	14
15		.40	.79				.05	.22	.03	.07			15
16		.49	.54	.22	.02		.19	.08		.01			16
17	.04	.36		.74			.07		.23	.13	.03		17
18		.20		.15					.33	.14	1.09	.07	18
19	.18	.15	.21	.14				.02	.04		.62	.17	19
20	.16	.06	.39	.08							.02	.07	20
21	.08	.40	.13	.14			.02					.24	21
22	.01	.98	.03	.03		.04				.07		.19	22
23	.04	.10		.02		.04		.08		.02	.18	.39	23
24		.22		.03		.07		.06				.12	24
25			.28		.04			.15		.18	.25	.01	25
26			.06					.30		.14	.03		26
27		.34	.19				.29	.11		.50			27
28		.37	.21		.15	.28				.03	.01	.18	28
29	.01	.41				.84		.06		.43		.46	29
30		X			.11	.05				.28		.01	30
31		X		X		X		.02	X	.16	X	.56	31
Total	1.81	6.60	4.78	2.35	2.45	2.57	2.01	1.48	1.55	4.11	4.81	3.39	37.91
Rain Days.	17	23	22	14	12	15	13	13	9	24	18	21	201

REGISTER OF RAINFALL IN 1917

only rain stats W. 40

2641
FORM 2675
A.
BRITISH RAINFALL

Kept at Chadsworth
in the County of Derbyshire
by F. Jennings

Lat. 53.14 Long. 1.37 W.
Time of Observation 7.30 a.m.
Nearest Railway Station Rowley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 436 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	-	-	.25	-	.07	-	.21	.14	-	.06	.19	1
2	.18	-	-	.13	-	.19	-	.10	-	-	.04	.01	2
3	.02	.06	-	-	-	.04	-	.11	-	.07	-	-	3
4	.18	.06	.25	-	-	-	-	.05	-	.34	-	-	4
5	.14	-	.19	.05	-	-	-	.01	.05	.10	.07	-	5
6	.02	-	-	-	-	.38	-	-	-	.02	.09	.04	6
7	¹⁸ .34	-	.03	-	-	.23	-	-	-	.70	.07	.11	7
8	.97	-	-	.32	-	-	-	.36	-	.52	.08	.09	8
9	.11	-	.07	.26	.03	-	-	.02	-	.07	.27	-	9
10	.22	-	.78	.28	.21	-	-	.18	.01	⁰⁵ .005	-	-	10
11	.21	-	-	.39	.01	-	-	.15	-	.24	.02	-	11
12	²¹ .12	-	-	-	.32	-	-	.19	-	.06	-	.09	12
13	.09	-	-	.16	.03	-	-	.33	.17	.08	.03	.01	13
14	.25	-	.01	.02	-	-	.04	.27	-	-	.01	.06	14
15	.03	-	-	-	.05	-	.04	.09	-	.07	-	.19	15
16	.08	.13	-	.11	-	.24	.18	.30	-	.01	-	.74	16
17	-	-	.01	.14	.34	.48	.41	.25	.03	.05	-	.09	17
18	.02	-	-	.04	.08	-	-	.19	.47	.07	-	-	18
19	.06	.17	.31	-	.12	.57	-	.20	.07	.05	.05	-	19
20	.04	.23	.05	-	.21	.04	-	-	.06	.05	.16	-	20
21	.03	.05	.08	-	.02	-	-	.04	-	.05	-	.01	21
22	-	-	.18	-	-	.09	-	.16	.01	.08	.04	-	22
23	-	.10	-	-	.16	.33	-	.09	.01	.18	-	.02	23
24	.02	-	-	-	.01	-	-	.12	-	.41	.22	.01	24
25	-	.01	.12	-	-	-	.01	.03	-	.03	.20	-	25
26	-	-	.01	-	-	.16	.17	.63	.12	.10	.30	-	26
27	-	-	.03	-	.01	.06	-	.88	-	-	.15	.05	27
28	-	-	.04	-	-	-	.09	.31	.01	-	.01	.06	28
29	-	-	.04	-	.05	-	.04	.06	-	.31	-	.36	29
30	.02	X	.17	-	-	-	-	.15	-	.08	.02	-	30
31	.01	X	.38	X	-	X	-	.09	X	-	X	.02	31
Total	3.41	.81	2.75	2.15	1.65	2.88	.98	5.57	1.15	3.79	1.89	2.15	29.18
Rain Days.	23	8	18	12	15	13	8	28	12	25	19	18	204

YEAR'S TOTAL
199

REGISTER OF RAINFALL IN 1918

Kept at Chatsworth Gardens
in the County of Derby
by J. Jennings

Lat. 53° 14' Long. 1° 37'
Time of Observation 7.30 A.M.
Nearest Railway Station Bowley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1.2 in.
" " " " Sea Level 436 ft.

BRITISH RAINFALL FORM A. 2675

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~3.17~~	.03	.02	.07	+				.40	.02		.02	1
2		.14	—	.05	—			.37	.17	.05		.41	2
3		.01	.03		.49			.37	.04	.01	.10		3
4		.04	.01					.08	.46	.04	.35	.39	4
5		—	.02		.18		.01	.20	.28	.24	.01	.01	5
6	.02	.26	.01	.42		.05		.03		.05		.01	6
7	.15	.05		.20			.05		1.05	.15	.15		7
8	—	.07	.09	.03		.25	.04		.33	.03	.03	.02	8
9	.36	.68		.15			.02		.45	.16	.04	.01	9
10	.09	.06		.02			.41		.01	.02	.09	.03	10
11	.15	.12		.05	.06		.02		.05			.09	11
12	.10	.14	.02	.13	.01	.05	.44		.21			.25	12
13	.06	.02		.04	.07				.24	.03			13
14	.49	—				.07	.07		.32	.08		.20	14
15	.31	—				.06	.29		.69			.26	15
16	.01	—		.01		.19	.19	.02	.21	.02		.16	16
17	.18	—	.04		.07		.38	.12	.07	.09	.01	.27	17
18	.28	—	.01			.08	.09		.71			.31	18
19	.14	—	.32	.13			.13	.02	.07	.07		.29	19
20	.11	.13		.10		.05	.05		.11	.04			20
21	.12	.12		.27	.07	.09	.01		.25	.08		.02	21
22	.02				.12	.09	.36		.11	.07		.53	22
23	.04	.07			.86		.02	.36	.06		.02	.07	23
24	—	.07			.01		.07		.07		.05	.18	24
25	—					.06	.37	.29	.04			.01	25
26	—	.01						.09	.07		.06	.08	26
27	—	.06				.01		.41	.26		.03	.25	27
28	—	.09	.19					.16	.34		.25	.50	28
29	—	~~X~~							.20			.06	29
30	—	~~X~~	.32	.01		~~X~~		.13	~~X~~		.10	.10	30
31	—	~~X~~	.25	~~X~~		~~X~~		.9	~~X~~		~~X~~	.01	31
Total	2.63	2.17	1.33	1.68	1.94	1.05	3.02	2.74	7.27	1.25	1.29	4.56	30.73
Rain Days.	17	19	13	15	10	12	19	15	28	18	14	27	207

REGISTER OF RAINFALL IN 1919.

Kept at *Chatsworth Gardens*in the County of *Derbyshire*by *H. Jennings*Lat. *53° 14'* Long. *1° 37' W*Time of Observation *7.30 A.M.*

Nearest Railway Station

Diameter of Funnel of Rain Gauge *5* in.Height of top of Gauge above Ground *1* ft. — in." " " " Sea Level *436* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26	03		02	20		19	01	07	12	08	15	1
2	11	02					16	13	41	05	13	08	2
3	95				03	09	41		05		24	17	3
4	02		25			02	10	15	16		03	26	4
5	02	07							19			32	5
6	02		12		50					02	01	62	6
7	02		29										7
8	16												8
9	02										06		9
10			25	07							08	12	10
11	02		40	10	02		02				04		11
12			38	16		16	12		02	01	01	01	12
13	17			25					69	12		01	13
14	31			03					03		09	01	14
15	26	09									03	37	15
16	08	91				06	02				15		16
17	11	53			01	09					36		17
18			19				02	05	03		03	30	18
19	07	17	59			05	85	56	08		21	10	19
20	32	13	45			09	52	13	01		15	09	20
21	08	29	05			09	09				01	47	21
22		05	02						41		16	61	22
23						06				68	05	12	23
24					09		02	02	02	30	08	02	24
25	05			15	11	04		50			15	04	25
26			39	03				40	21			26	26
27	20		11	17				43		01	09	09	27
28				03				02				22	28
29	11	~~X~~	03	02		02		08		1.20		08	29
30	05	~~X~~	09	07		12				07	16	16	30
31	05	~~X~~		~~X~~		~~X~~	06		~~X~~	06	~~X~~	03	31
TOTAL	3.46	2.29	3.61	1.10	.96	.89	2.58	2.48	2.38	2.64	2.40	4.71	YEAR'S TOTAL 29.50
Days with 0.1 in. or more	23	10	15	12	7	12	13	12	14	11	23	25	177

REGISTER OF RAINFALL IN 1920.

Kept at Chatsworth Gardens
in the County of Derby.
by G. F. Marples.

Lat. 53° 14' Long. 1° 34' W.
Time of Observation 7.30 a.m.T.
Nearest Railway Station Rowsley M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 436 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	0.04	0.20	0.02	0.23	0.01	0.08	0.08	0.11	0.10	1
2	.	.	0.01	0.26	0.01	.	0.18	.	0.12	0.14	.	0.21	2
3	0.03	0.01	.	0.25	0.05	0.01	0.29	0.01	0.10	0.23	.	0.06	3
4	.	.	.	0.09	0.01	.	0.06	0.30	0.01	0.41	.	0.02	4
5	.	.	0.03	.	0.26	.	0.09	0.10	0.09	0.14	.	0.02	5
6	.	.	0.14	0.05	0.04	.	0.08	.	0.01	0.02	.	0.14	6
7	0.10	.	0.04	0.04	.	.	0.19	.	.	.	.	.	7
8	0.29	0.05	.	0.25	0.10	.	0.30	0.10	.	.	.	.	8
9	0.26	0.13	0.02	0.24	.	.	0.06	.	.	0.01	.	.	9
10	0.32	0.35	0.02	0.14	.	.	0.18	0.01	.	.	0.01	.	10
11	0.30	0.06	0.03	0.16	0.30	0.16	.	.	.	.	.	0.14	11
12	0.04	0.02	0.05	0.20	0.03	0.14	0.03	0.02	.	.	0.05	0.04	12
13	0.04	0.10	0.11	0.16	.	0.33	.	.	.	.	0.03	0.05	13
14	0.02	0.02	0.46	0.13	.	0.46	0.03	.	0.28	0.01	0.26	0.02	14
15	.	0.04	0.09	0.22	.	.	0.01	.	0.29	0.18	0.11	0.01	15
16	.	.	0.03	0.06	.	0.02	0.44	.	0.01	0.09	.	.	16
17	.	.	0.05	.	0.08	.	0.01	.	0.22	0.10	.	0.01	17
18	0.01	.	.	0.05	0.12	.	0.18	0.05	0.01	.	0.02	.	18
19	0.24	2.01	.	0.12	0.09	0.03	.	0.05	0.06	.	.	.	19
20	0.08	0.06	.	0.19	.	0.24	0.02	.	.	.	.	0.01	20
21	0.04	.	.	0.01	.	.	0.22	0.01	.	.	.	0.10	21
22	0.04	.	.	0.18	.	.	0.13	0.08	.	0.01	.	0.05	22
23	.	.	.	.	.	.	0.10	.	.	.	.	0.25	23
24	0.03	.	0.31	.	.	.	.	.	.	.	.	0.16	24
25	.	0.04	0.09	0.18	.	.	0.09	.	.	.	.	.	25
26	0.16	0.03	0.13	0.18	0.24	.	0.41	.	.	.	.	.	26
27	0.29	0.05	0.02	0.19	0.56	0.14	.	.	.	.	0.24	0.24	27
28	1.00	.	0.10	0.16	0.04	0.04	0.01	.	.	.	0.01	0.11	28
29	0.09	.	0.10	.	0.48	0.03	0.11	.	.	.	0.10	0.45	29
30	0.03	~~X~~	.	0.26	0.04	0.06	.	.	0.09	.	0.14	0.14	30
31	0.21	~~X~~	0.09	~~X~~	0.05	~~X~~	0.03	.	~~X~~	0.40	~~X~~	0.12	31
TOTAL	3.44	3.03	1.98	3.84	2.43	1.68	3.51	0.44	1.34	1.88	1.08	2.48	YEAR'S TOTAL 28.09
Days with "1 in. or more	21	14	20	25	18	13	25	11	13	13	11	22	206
Days with "4 in. or more	16	10	13	24	15	8	18	6	9	9	4	16	151

REGI

CHELLASTON

DERBY

1911-1916

Kept at

Chellaston

in the County of

Derby

by

H. Chambers

5 in.

Ground

1 ft.

in.

Sea Level

170 ft.

Name

Distance

Direction

FORM A2.

BRITISH RAINFALL.

20 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02		11				05	05				01	1
2	08		02		03			04			14	05	2
3					18			05		03	06		3
4	02	01	07	05				01	04	11	19	14	4
5	02			02				02		02	01		5
6	42		01	01				04		02		25	6
7	01	02	02							09	12	10	7
8	02		17								09	20	8
9	11										15	08	9
10	02	04	16					10				44	10
11	15							06			34		11
12	04		36						12		21		12
13			04						02		04	28	13
14		03	01		22					03	01	54	14
15		08	08							05	01	07	15
16		02	01	02		06	01			02	14	09	16
17						77					05	10	17
18		14		03		09					15	04	18
19		01		01	01	12	07	01	11	11	11	05	19
20		04					02	39	10	06		16	20
21		25	01	04				41	12	36	01	04	21
22		01	01	05		01		01		37	03	24	22
23		04	18			11			27			19	23
24	01	08	03	12		93		01		11		20	24
25		21	02	18		02			03	01	02	03	25
26				21	32	03				24	26	37	26
27		14	10	06	01			39	23		05	08	27
28		15		22		13		01	05		08	01	28
29			01			23	01		16	21	01	02	29
30				06	01	08				17		01	30
31			02		02					01			31
Total	92	1.27	1.44	1.08	.80	2.58	.16	1.60	1.25	2.02	2.28	3.79	1919
No. of Rain Days	12	16	20	14	8	12	5	15	11	18	23	26	180

REGI

Kept at Chellaston
in the County of Derbyshire
by H. Chambers

RAIN GAUGE

Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 170 ft.

Time of Observation

Nearest Railway Station

Name
Distance Direction

BRITISH RAINFALL FORM A2.

26 JAN 1912

403

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.11				.05	.05				.01	1
2	.08		.02		.03			.04			.14	.05	2
3					.18			.05		.03	.06		3
4	.02	.01	.07	.05				.01	.04	.11	.19	.14	4
5	.02			.02				.02		.02	.01		5
6	.42		.01	.01				.04		.02		.25	6
7	.01	.02	.02							.09	.12	.10	7
8	.02		.17								.09	.20	8
9	.11										.15	.08	9
10	.02	.04	.16					.10				.44	10
11	.15							.06			.34		11
12	.04		.36						.12		.21		12
13			.04						.02		.04	.28	13
14		.03	.01		.22					.03	.01	.54	14
15		.08	.08							.05	.01	.07	15
16		.02	.01	.02		.06	.01			.02	.14	.09	16
17						.77					.05	.10	17
18		.14		.03		.09					.15	.04	18
19		.01		.01	.01	.12	.07	.01	.11	.11	.11	.05	19
20		.04					.02	.39	.10	.06		.16	20
21		.25	.01	.04				.41	.12	.36	.01	.04	21
22		.01	.01	.05		.01		.01		.37	.03	.24	22
23		.04	.18			.11			.27			.19	23
24	.01	.08	.03	.12		.93		.01		.11		.20	24
25		.21	.02	.18		.02			.03	.01	.02	.03	25
26				.21	.32	.03				.24	.26	.37	26
27		.14	.10	.06	.01			.39	.23		.05	.08	27
28		.15		.22		.13		.01	.05		.08	.01	28
29			.01			.23	.01		.16	.21	.01	.02	29
30				.06	.01	.08				.17		.01	30
31			.02		.02					.01			31
Total	.92	1.27	1.44	1.08	.80	2.58	.16	1.60	1.25	2.02	2.28	3.79	TOTAL for year
No. of Rain Days	12	16	20	14	8	12	5	15	11	18	23	26	180

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kent at Chellaston

in the County of Derbyshire

by H. Chambers

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10			21	01	10	03			49	1
2		07	02	01		24	36					08	2
3	11	01	18		02	16	02	67	06			03	3
4	11		29	02	16	72		23			25		4
5	06	07	05		03	12	01	10	05		02		5
6	65	15			02	01		20				05	6
7		09	01			08		02	04			01	7
8	40	30	11	05		20	02	02	11			01	8
9	02		07	15		18		04				22	9
10		04				02		27			22	01	10
11	07			01		12		02			06	89	11
12	05	44	12			06	39	01			01		12
13		02				47		01		07	03	02	13
14	07		44			14		07		01		01	14
15	12	06	17		38	30						09	15
16	86		16		09	01		16		16	02		16
17	49	01	10		01	37	03	36			02	34	17
18	23		08			01		01		05	01	04	18
19	28	11	01			01	51	33	01	09	01	01	19
20	19	01	05		13		02	08		21	01		20
21			15		68		07	06		49		01	21
22		12	01		81	48	28	15				19	22
23	04	11	34			01	52	84			12	01	23
24	09		01			02	50	12	02		01	18	24
25			01			33		45			36	33	25
26	01	03	04			04	40	112		67	14	10	26
27			02		03	20	03	01		97		23	27
28		03				04	08	40	04	15	45	33	28
29		01	03		01	02	14	09	53	10	02		29
30	01		01		54	01			12	04			30
31			05		16		41	08				03	31
Total	386	168	263	24	307	458	380	602	101	301	176	371	TOTAL for year
No. of Rain Days.	19	18	26	5	14	28	18	28	10	12	17	24	3537

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 414
31 JAN 1914

Kept at *Chellaston*
in the County of *Derbyshire*
by *H. Chambers*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	01	09	03					50		02		1
2		09	02						02	01	01		2
3	05	01	14		69	01			01	04		04	3
4	74				10	04	03			18	13	32	4
5	02	01	09		01	05	04	01	05	1.14	01	03	5
6	01	10	10		28	08	61			33		02	6
7		05		02	11	06	01			44	08		7
8		02	02		16	05			01	16		01	8
9		38	01		01	60		03		01	11	03	9
10				10	03		01	44			32		10
11	1.14			39				19		01	35		11
12					15	04					34	01	12
13	03		25	03				01			13		13
14	06		57	04				12	03	09	07		14
15	04	09	44	25					11		08		15
16	01	01	30	08				06	40		01	02	16
17	01	04	16	09		08	02		03				17
18	01		23	10	02		03				02		18
19	07		11	01	01	05	01		25		01	07	19
20	08		10	02					02	17	05		20
21	01		12		02		04	01			19		21
22	43		48					85	35				22
23	01		01		01	10		02	05		02		23
24	07			03				13			02		24
25	02			04					04			03	25
26		10	11	12				04	01	23		21	26
27		03		53				01		01		02	27
28	45		16	77	01					04			28
29	01		39	48	02			36				16	29
30	29									16	03	02	30
31	01		03					01		01			31
Total	3.58	94	3.93	3.13	1.63	1.16	.80	2.29	1.88	3.03	2.00	.99	2536
Rain Days.	23	13	22	18	15	11	9	15	15	16	20	14	191

REGISTER OF RAINFALL IN 1914

398
FORM A
BRITISH RAINFALL
28 JAN 1915

Kept at Chellaston, N. Derby
in the County of Derbyshire
by H. Chambers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.02				1.20	.21				.07	1
2							.01	.13		.01	.43	.09	2
3	.01		.04		.14		.27	.02			.03	.01	3
4	.20		.05	.14	.09			.07			.42	.41	4
5	.13		.27	.24	.23	.20	.09	.01			.05	.02	5
6		.05		.11	.09		.06	.01			.01	.04	6
7		.11	.43	.03	.14	.01	.01				.01	.15	7
8	.09			.01	.20	.51	.14	.19				.01	8
9	.29	.01	.06	.29		1.03		.03	.13	.01			9
10	.14	.12	.01	.11	.05				.06			.01	10
11		.05	.35	.01	.08	.02			.06		.39	.48	11
12	.01	.05	.09		.01				.22		.02	.49	12
13		.10	.20						.01	.29	.23	.19	13
14	.02	.10	.09				.03		.06	.15	.24	.33	14
15	.02	.01	.24					.01	.01	.01	.04	.02	15
16			.03				.45		.01				16
17	.02	.08	.08				.03		.13			.24	17
18						.02	.06		.01			.62	18
19		.02	.01				.02		.02		.05	.04	19
20		.06	.01				.22			.01		.02	20
21		.20	.02			.05		.02		.04		.29	21
22	.01	.01			.43	.01	.01	.12		.20			22
23		.05	.08		.21	.02	.02			.02			23
24	.02	.01	.29	.03	.11		.07	.09		.09	.20		24
25	.01						.32	.15		.38	.03	.21	25
26			.03				.01	.18		.10	.06	.12	26
27	.03		.01						.01	.01	.01	.35	27
28	.13	.09								.05	.26	.72	28
29	.03		.15		.01					.24	.02		29
30			.01	.01	.02					.03	.35	.24	30
31	.07						.29			.05		.01	31
Total	1.23	1.13	2.57	.98	1.81	1.67	3.31	1.24	.73	1.69	2.85	5.18	245.9
Rain Days.	17	18	23	10	14	9	19	14	12	17	19	25	194

REGISTER OF RAINFALL IN 1915

Kept at Chellaston, N. Derby
in the County of Derbyshire
by H. Chambers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	08	09	07		56			01	15		08	07	1
2	09	05	15	11		08	02	44		18		03	2
3	40	01	03	10			50	50	03			22	3
4	01				07		92	01				1.02	4
5	05	26			14			03			03	24	5
6	03	16		09			69	03				05	6
7	16	40		02		06	12	48	01			24	7
8	16	04		11				03			03		8
9		01						01			27	41	9
10	32		07				01	20		03	19		10
11	02		02	04	30		09	16			64	17	11
12	01			22	14		12	01		01	1.07		12
13	05	43			44								13
14	01							04	06			28	14
15	39				04		07	28			34	09	15
16	02	22		01	02		2.25					01	16
17		25			01		39					01	17
18		11	26				02				01		18
19		10	02		02		16						19
20	13			03			01	03				10	20
21	11						13					07	21
22	02		22	05		02	04					02	22
23	01	02	02			15	16		06	28		21	23
24			11	04		01	01		57	02		26	24
25						63	27		01	12		26	25
26		13					10		01			35	26
27		14	03			04	64			56		13	27
28		21	03			24	02	15	01	02			28
29						01		01			06	23	29
30	03	X		01		29		01				01	30
31	13	X		X		X	01	02	X	27	X	15	31
Total	2.23	2.63	1.03	.83	1.74	1.53	6.75	2.45	.91	1.49	2.72	4.63	28.94
Rain Days.	21	17	12	12	10	10	23	19	9	9	10	24	176

REGISTER OF RAINFALL IN 1916

Kept at Chellaston
in the County of Derbyshire
by H. Chambers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2743
349
FORM A
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	11												1
2	29	08											2
3		33											3
4	19	03											4
5	05												5
6	13	20											6
7	05												7
8		03											8
9													9
10		06											10
11	02	40											11
12	05	04											12
13		16											13
14	01	33											14
15		57											15
16		20											16
17	06	09											17
18		15											18
19	03	07											19
20	21												20
21													21
22	03	03											22
23	04	28											23
24		1.23											24
25		02											25
26	02	10											26
27	01	13											27
28		15											28
29		25											29
30		X											30
31		X		X		X			X		X		31
Total	1.30	4.93											YEAR'S TOTAL
Rain Days.	16	23											

REGI

CHESTERFIELD
LINACRE RES.

DERBY

1911 - 1920

Kept at Linacre Res.
in the County of Der
by Chesterfield

5 in.
Above Ground ft.
Sea Level ft.

Name
Distance Direction
and the result entered to the
universal rule, he is earnestly

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Observ

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08				.02	.15			.03		1
2	.16		.02		.12						.04	.10	2
3	.04				.26			.04		.02	.11		3
4	.09		.02	.13	.01			.01	.02	.18	.33	.46	4
5	.48		.01	.04				.06		.12			5
6								.16			.13	.81	6
7	.14	.01									.20		7
8			.13							.02	.13	.71	8
9	.02											.12	9
10	.20	.01	.06			.09						.80	10
11	.03							.07			.49		11
12			.19						.34		.38		12
13			.04								.07	.40	13
14		.04	.03		.51						.01	.82	14
15		.10	.11							.07		.17	15
16		.13	.04	.04		.13				.04	.22	.07	16
17		.17		.02		.31					.09	.28	17
18		.22	.02	.04		.08					.08	.12	18
19		.07	.01	.02		.28			.40	.23	.28	.08	19
20		.13		.11				.32	.09	.02		.16	20
21		.28	.03					.02	.04	.29		.01	21
22	.01	.03		.01			.01			.18	.01	.25	22
23	+	.19	.04			.30		.06	.26	.06	.01	.15	23
24		.04	.03	.09		.98		.02		.25		.13	24
25	.03	.21		.16					.10	.01		.30	25
26		.03		.13	.19					.24	.35	.50	26
27		.14	.11	.35				.45	.21		.02	.04	27
28		.11	.01	.14		.02		.03	.03		.06	.09	28
29				.07		.01	.02		.34	.29		.03	29
30			.19	.01	.13	.07				.28	.01		30
31										.04			31
Total	1.20	1.69	1.17	1.36	1.22	2.27	.05	1.39	1.83	2.34	3.05	6.60	TOTAL 24.17
No. of Rain Days.	10	16	19	15	6	10	3	12	10	17	21	23	162

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
15 JAN 1912

Kept at Pinacre Reservoir
Cheserfield
in the County of Derby
by Cheserfield Fast Water Co

PATTERN
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08				.02	.15			.03		1
2	.16		.02		.12						.04	.10	2
3	.04				.26			.04		.02	.11		3
4	.09		.02	.13	.01			.01	.02	.18	.33	.46	4
5	.48		.01	.04				.06		.12			5
6								.16			.13	.81	6
7	.14	.01									.20		7
8			.13							.02	.13	.71	8
9	.02											.12	9
10	.20	.01	.06			.09						.80	10
11	.03							.07			.49		11
12			.19						.34		.38		12
13			.04								.07	.40	13
14		.04	.03		.51						.01	.82	14
15		.10	.11							.07		.17	15
16		.13	.04	.04		.13				.04	.22	.07	16
17				.02		.31					.09	.28	17
18		.17	.02	.04		.08					.08	.12	18
19		.07	.01	.02		.28			.40	.23	.28	.08	19
20		.13		.11				.32	.09	.02		.16	20
21		.28	.03					.02	.04	.29		.01	21
22	.01	.03		.01			.01			.18	.01	.25	22
23	+	.19	.04			.30		.06	.26	.06	.01	.15	23
24		.04	.03	.09		.98		.02		.25		.13	24
25	.03	.21		.16					.10	.01		.30	25
26		.03		.13	.19					.24	.35	.50	26
27		.14	.11	.35				.45	.21		.02	.04	27
28		.11	.01	.14		.02		.03	.03		.06	.09	28
29				.07		.01	.02		.34	.29		.03	29
30			.19	.01	.13	.07				.28	.01		30
31										.04			31
Total	1.20	1.69	1.17	1.36	1.22	2.27	.05	1.39	1.83	2.34	3.05	6.60	TOTAL
No. of Rain Days.	10	16	19	15	6	10	3	12	10	17	21	23	162

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL
FORM A.
23 JAN 1913

Kept at Pinacre Reservoirs
Chesterfield
in the County of Derby
by Chesterfield & Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		03	19			37	03	01	06			80	1
2			10	03		19	42		04			03	2
3	21	03	02		09	39		84	16			03	3
4	15		94	14	20	38		40	14		16		4
5	26	03		02	05	20	01	11	09				5
6	91	12			10			37				03	6
7		10	01		02	10		04	03			03	7
8	48	47	19	02		11	14		09				8
9	12	06	14	34		11		14			10	13	9
10				01				08	02		49		10
11	20	08						01			10	55	11
12	05	38	06			08	34				02		12
13	01	03				03		05	05	08	09	03	13
14	06		44	01		05		09				14	14
15	29	04	18		42	12		02				21	15
16	26		17		16	09		04		10		05	16
17	16		17			20	07	20			03	41	17
18	15		14							04	23	22	18
19	38	10	07			05	50	36		04	03		19
20	22		18		13	10	11	07		37	23	01	20
21			40		74		35			34	03	03	21
22		06			74	20	16	47			23	08	22
23	03	02	25				74	30			09	01	23
24	23		03			14	31	21		12	29	15	24
25			01			18		16			30	12	25
26		23	10				16	80		100	29	20	26
27			07			22	63			86	29	13	27
28		07	03			19	22	46		30	50	07	28
29		02	13	01		08	14		07	11	28	02	29
30	09		04		29				75	03	22		30
31			08		17		22	17	06	03			31
Total	5.26	187	414	583	11	358	455	540	156	342	227	348	3922
Rain Days.	19	17	25	8	12	22	17	23	12	13	16	23	207

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Linacre Reservoirs
Cheserfield
in the County of Derby
by Cheserfield Gas & Water Bd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03	16	02					18	02	05		1
2		07				01				03	06	01	2
3	09	04	19		26		01		03	45		16	3
4	60	04	04		08	02	06		03	04	13	55	4
5	03	02	07			06	02		17	41			5
6	01	10	13	02	30	04	87			69		01	6
7		43	06		31	07	01			96	06	02	7
8		04	02		40	08		08		18	07		8
9		98	02		06	23	04				15	01	9
10				20			01			05	20		10
11	hortake			30		11		03	01	03	24		11
12				04	02	01					34		12
13	04		16	04					12		15		13
14	15		43	60						04	27		14
15	06	04	64	03			04		08		44		15
16		06	20	13				14	14		07		16
17		03	01	18	05				64		02		17
18		04	31	10	04		06				08	07	18
19	20		02	05		03			19				19
20	20		08						08	03	23		20
21	03		01		06		15	02			16		21
22	20		70					82	23				22
23	05			01	07	04		06	07		02		23
24	20			05		02							24
25				29					06			03	25
26			17	40								39	26
27			01	34						13	01	06	27
28	27	03	27		01				01	01		02	28
29			54	42	04			42		05		07	29
30	50				04						04		30
31	03		03		16					51			31
Total	266	135	427	322	190	72	127	157	204	363	279	140	2682
Rain Days.	16	14	23	18	15	12	10	7	15	16	20	12	178

REGISTER OF RAINFALL IN 1913

Kept at *Linacre Reservoirs*
in the County of *Derby*
by *Chesterfield Gas & Water Bd*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03	16	02					18	02	05		1
2		07				01				03	06	01	2
3	09	04	19		26		01		03	45		16	3
4	60	04	04		08	02	06		03	04	13	55	4
5	03	02	07			06	02		17	41			5
6	01	10	13	02	30	04	87			69		01	6
7		43	06		31	07	01			96	06	02	7
8		04	02		40	08		08		18	07		8
9		38	02		06	23	04				15	01	9
10				20			01			05	20		10
11	hortaken			30		11		03	01	03	24		11
12				04	02	01					34		12
13	04		16	04					12		15		13
14	15		43	60						04	27		14
15	06	04	64	03			04		08		44		15
16		06	20	13				14	14		07		16
17		03	01	18	05				64		02		17
18		04	31	10	04		06				08	07	18
19	20		02	05		03			19				19
20	20		08						08	03	23		20
21	03		01		06		15	02			16		21
22	20		70					82	23				22
23	05			01	07	04		06	07		02		23
24	20			05		02							24
25				29					06			03	25
26			17	40								39	26
27			01	34						13	01	06	27
28	27	03	27		01				01	01		02	28
29			54	42	04			42		05		07	29
30	50				04						04		30
31	03		03		16					51			31
Total	266	135	427	322	190	72	127	157	204	363	279	140	2682
Rain Days.	16	14	23	18	15	12	10	7	15	16	20	12	178

REGISTER OF RAINFALL IN 1914

Kept at Linares Reservoir
 in the County of Derby **8**
 by Cheserfield & Water B.

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft. in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL
 - 2 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			11				69	11				14	1
2							90	18			40	15	2
3	14		08		11		10					70	3
4	30		16	22	17			02			48	43	4
5	04		14	11	13	06	04				22	07	5
6		08	06	21	11		58	02				23	6
7		09	20	05	02	01		04				13	7
8	11				17	70	05	10	13				8
9	21	03		09		76		14					9
10	20	26		12	02				06		11	01	10
11		12	27	06	04	05			21		73	37	11
12		15	10				04		38		08	28	12
13		15	33				03		02	14	68	33	13
14	05	28	05				03			40	33	18	14
15	01	03	23							01	06		15
16	04		04				49		12				16
17	05	20	12						28			40	17
18			01			76			04			28	18
19			03				09				06	10	19
20		20	04					10	02			01	20
21		44				14		07		12		12	21
22		04			10	11	01	02		24			22
23		05	06	04	22		04						23
24	02		13		04		18	29			11		24
25	03						10	20		60	01	26	25
26			04					16		21	11	22	26
27	02						02			06	08	76	27
28	13	15	04				02			06	03	28	28
29	04		22							53	08	15	29
30		X	03	01				01		08	33	39	30
31	15	X	04	X		X	28		X	14	X		31
Total	154	227	253	91	113	259	369	146	126	259	390	599	YEAR'S TOTAL 2986
Rain Days.	16	15	23	9	11	8	18	14	9	12	17	23	175

REGISTER OF RAINFALL IN 1915

Kept at *Linacre Reservoir*
in the County of *Derby*
by *Cheserfield*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.15	.03		.45	.04	.01	.03	.10		.03	.28	1
2	.03	.08	.14	.19				.39		.13	.01	.02	2
3	.15			.07			.44	.06	.08		.01	.39	3
4	.03				.05		.68					.84	4
5	.06	.49	.03		.01			.04		.05	.04	.68	5
6	.16	.20		.18			.30	.07				.14	6
7	.22	.40	.01	.04			.05	.48				.21	7
8	.23	.18	.03	.18				.23			.10	.04	8
9	.02	.06		.03				.04			.16	.60	9
10	.44		.04				.01	.12		.03	.35	.05	10
11	.12			.05	.48		.11	.08			.63	.21	11
12	.03			.07	.20			.17		.05	<u>1.48</u>		12
13	.04	.50			.08			.15 .30				.05	13
14	.04	.03			.01		.01	.09	.02			.28	14
15	.16						.01	.09			.13	.15	15
16		.58			.06		<u>1.44</u>						16
17		.25	.01				.20						17
18		.27	.22		.02						.03		18
19		.07					.10			.01	.03		19
20	.06			.03			.03					.09	20
21	.08			.05			.09					.04	21
22			.18	.05			.12					.09	22
23	.04	.02	.08				.09		.02	.29		.04	23
24			.08	.05					.46			.32	24
25				.02		.41	.07			.10		.08	25
26	.02	.38					.11		.09			.38	26
27		.16				.06	.12			.44		.80	27
28		.48	.04				.01	.28		.04			28
29					.01	.38					.12	.58	29
30	.17	~~X~~		.02				.04			.01	.05	30
31	.13	~~X~~		~~X~~		~~X~~		.04	~~X~~	.26	~~X~~	.44	31
Total	3.76	4.30	.89	1.03	1.37	.89	4.00	2.46	.17	1.40	3.13	6.85	YEAR'S TOTAL 30.85
Rain Days.	21	17	12	14	10	14	20	16	6	10	14	25	169

REGISTER OF RAINFALL IN 1916

Kept at Pinacre Reservoirs Chesterfield
in the County of Derby
by Chesterfield Gas & Water Co

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2819
FORM A.
BRITISH RAINFALL
27 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.27	.03	.11			.07	.13		.01		.19		1
2	.21	.14	.20						.08	.23	.04		2
3		.41					.20		.38	.20	.18		3
4	.12	.12			.57	.29			.14	.14	.51		4
5	.07	.01			.05	.45				.28	.58		5
6	.16	.46	.21		.58		.26			.07	.61		6
7	.05		.20		.04		.13			.05	.16	.15	7
8			.24			.06					.06	.10	8
9			.09		.33	.06			.01		.02	.25	9
10	.02	.08	.04	.08		.20	.03		.10	.06		.20	10
11		.34	.19	.22		.05			.03			.04	11
12	.05	.06	.50	.04	.43	.03	.28	.03		.04		.03	12
13		.04	.28	.04				.33		.08		.04	13
14		.40	.03	.09	.17			.08		.13	.03	.01	14
15		.29	.61	.16			.08	.33		.10			15
16		.40	.50	.16			.09						16
17	.02	.18		.40			.08	.01	.15	.13	.02		17
18	.01	.22	.03	.04					.20	.14	.96	.10	18
19	.13		.40	.13				.02	.01		.40	.05	19
20	.23		.25	.04				.02			.01	.17	20
21	.05		.10	.03			.07					.24	21
22		.06				.04		.06		.10		.28	22
23	.03	.13		.04		.02		.05		.04	.17	.27	23
24		.25				.01				.11		.14	24
25		.02	.29		.04					.09	.27		25
26		.13	.03					.32		.11	.03		26
27		.23	.10					.04		.42			27
28		.26	.10		.14	.25			.01	.03	.01	.12	28
29		.34				.73		.13		.58		.33	29
30		~~X~~			.05	.02				.20			30
31		~~X~~		~~X~~	.02	~~X~~		.01	~~X~~	.14	~~X~~	.31	31
Total	1.42	4.60	4.50	1.31	2.42	2.28	1.35	1.43	1.12	3.47	4.25	2.83	30.98
Rain Days.	14	23	21	12	11	14	10	13	11	23	18	18	188

REGISTER OF RAINFALL IN 1917

Kept at Lincrore Reservoir
in the County of Derby
by Chessterfield Gas & Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2682
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	05			21		06		36	08		06	09	1
2	22			03		12		12			01		2
3		04				02		16		18	08		3
4	13	02						05		14	09		4
5	12		18	05				02	04	06	07		5
6	06		16			22				28	01	01	6
7	46					20				53	08	09	7
8	75		02	30				54		54	12	09	8
9	20		09	11	03			03		06	24		9
10	16		90	21	22			16			01		10
11	16			30				24		25			11
12	08				27			15		05		07	12
13	08			18		02		18	09	04		01	13
14	11		04	03				22				12	14
15	03						04			06		16	15
16	18	14		11			03	07	01			50	16
17			03	05	36	12	20	20	04	08		20	17
18	03		21	06	04		38	05	35	06			18
19	02	16	01		08	32		11	03		01		19
20	05	16	12		33	05			04		09	01	20
21		03	09		06	02		04					21
22								25		07	01		22
23		02			18	08		06		07			23
24			12		01	35		07	02	46	16		24
25			03							02	16		25
26			07				03	32		06	32		26
27			03			18	14	70	08		13	07	27
28			03			08		33				06	28
29			20		12		06	03		34		30	29
30	02	X					07	13		06	07		30
31	01	X	26	X		X		04	X	02	X		31
Total	2.92	57	2.59	1.64	1.70	1.84	.95	4.66	.98	3.43	1.87	1.78	24.73
Rain Days.	20	7	18	12	11	14	8	26	10	21	18	14	179

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Chinace Reservoirs Cheshamfield
in the County of Derby
by Cheshamfield Gas & Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
7.2.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		02							23	07	44	01	1
2		07	01	05				58	09			44	2
3		03	04		90			33	03	01	12		3
4		01	03					06	60	06	45	40	4
5	01			02	44			16	38	20		01	5
6	02	36	01	62		08				16		01	6
7	06	06		07					22	05	21		7
8	06	12	09	03			04		46	05	07		8
9	33	64	01	17		19	07		57	23	01	02	9
10	07	09		02			12			01	06	02	10
11	26	08		07	06		05		06			04	11
12	05	15		18	04		53		14			20	12
13	04	01		02	12				18	06			13
14	55			03		10	10		53	07		22	14
15	31			01		03	26		71			21	15
16				03		07	40		25	06		15	16
17	23				06		83	13	02	07		28	17
18	23		02			09	10		94			30	18
19	09		12	08			06		04	06		30	19
20	17	15		06		06	20		09	02			20
21	18	10		05	06	04			35	07		02	21
22	04				07		06	01	06	02		53	22
23	04				48	08	14		66				23
24		05					02		06		06	09	24
25				01		05	10	32	02				25
26							22	02	06		04	08	26
27		05				01		31	14		06	24	27
28		12	36					04	12	01	15	46	28
29									16			08	29
30		X	33	01				02	01			12	30
31		X	20	X		X		03	X		X		31
Total	2.68	2.21	1.22	1.53	2.23	.80	3.30	2.01	6.58	1.28	1.67	4.23	29.74
Rain Days.	17	17	11	18	9	11	17	12	28	18	11	23	192

502. 488
2529
13 FEB 20
REGISTER OF RAINFALL IN 1919.

Kept at Lincoln Reservoirs near Chesterfield
in the County of Derbyshire
by The Chesterfield Gas and Water Board

Lat. _____ Long _____
Time of Observation 9 a.m.
Nearest Railway Station Chesterfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36		04		26				05	09	08	24	1
2	09	02					16	07	44		14	02	2
3	90					11	31		07		33	15	3
4	01		25 ~~27~~			01	11		18		03	24	4
5	01	06			03			09	20			36	5
6			29		74						04	44	6
7	02		26		01								7
8	23												8
9	05		04	02							07		9
10			23	03						03	04	26	10
11	01		80	08	12		06						11
12			79	27		20	07		12		01	01	12
13	23			31					77	08	01	02	13
14	22			25					04		05	02	14
15	30	11		02							04	50	15
16	06	80		18		02	01				13		16
17	09	46			01	08		06			24		17
18			21				01	28	01		03	34	18
19	13	24	1 28			07	1 65	34	01		28	02	19
20	32	06	30			07	43	09	02		12	15	20
21	09	32	04			01	11					40	21
22		13							46		07	67	22
23						05				81	02	12	23
24				22	07		01	01		48	13	01	24
25	03			18	18	02		70			27		25
26			44	06				36	17			49	26
27	11		05	19							13	06	27
28			02	06				1 00		05		30	28
29	10		03	02		02		04		1 16		10	29
30	06	~~X~~	08	05		16				07	24	25	30
31		~~X~~		~~X~~		~~X~~	10		~~X~~	08	~~X~~	01	31
TOTAL	3 42	2 20	5 06	1 94	1 42	82	3 03	3 04	2 54	2 85	2 50	5 18	YEAR'S TOTAL 34 00
Days with 01 in. or more	21	9	17	15	8	12	12	11	13	9	22	24	173

Kept at hunsacre Reservoir
in the County of Derby
by Corporation of Chesterfield
Water Dept.

Lat. _____ Long _____
Time of Observation _____
Nearest Railway Station Chesterfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.12	.35		.23	.02	.11	.12	.07	.13	1
2				.20	.02				.10	.10		.20	2
3	.06	.02		.37	.07	.04	.37		.09	.42		.11	3
4				.05			.06	.34		.61		.02	4
5		.01	.06		.21		.07	.11	.04	.04		.01	5
6			.20	.17	.03		.05					.14	6
7	.07		.15	.06			.20						7
8	.17	.07		.46	.11		.43	.04		.01			8
9	.25	.15		.50			.04			.02			9
10	.40	.28	.02	.29			.22	.03			.01		10
11	.41	.07	.08	.21	.32	.16						.13	11
12	.06	.02		.43		.11	.02			.04	.04	.04	12
13	.16	.07	.09	.37		.52						.04	13
14	.05	.04	.58	.14		.51	.03		.58	.05	.29		14
15		.11	.12	.54					.06	.08	.03		15
16			.10	.05			.47		.02	.15			16
17			.06		.13	(.04) Rain fell at 4.06 (.18) do. do. 2		.02	.35	.08		.02	17
18	.04			.06	.18		.08	.01	.07				18
19	.37	1.76		.27	.11			.06					19
20	.09	.05		.33			.03						20
21	.08						.18	.07				.10	21
22	.08			.22			.18	.03				.04	22
23		.01					.04					.36	23
24	.03		.26									.22	24
25		.07	.08	.14			.50						25
26	.20	.07	.12	.19	.80	.03	.18					.03	26
27	.24		.02	.23	.52	.11					.44		27
28	1.10	.02	.11	.11	.08	.04	.02					.31	28
29	.12		.13		.21		.13		.06		.13	.60	29
30	.14	~~X~~		.24	.02	.06			.08		.19	.32	30
31	.12	~~X~~	.10	~~X~~	.04	~~X~~	.06	~~X~~		.35	~~X~~	.05	31
TOTAL	4.24	2.82	2.30	5.75	3.20	(1.86)	3.59	.73	1.56	2.07	1.20	2.87	YEAR'S TOTAL
Days with ".01 in. or more	21	16	18	24	16	12	22	10	11	13	8	19	(32.19)
Days with ".04 in. or more	20	11	15	24	13	16	18	5	10	11	6	15	159



1

Kept at Linacre
in the County of
by Chesterfield

CHESTERFIELD
LINACRE RES

DERBY
1911 - 1920

11

FORM A2.
BRITISH RAINFALL
15 JAN 1912

8 in.
ove Ground ft. in.
Sea Level ft.

Name
Distance Direction
and the result entered to the
universal rule, he is earnestly
year in the space provided
ement of rain,
British Rainfall
an application to

Jan. 1, following.

IMPORTANT NOTE
previous day. If an
requested to add the re
for it at the end of t
the selection and plac
Organization are given
Dr. H. R. MILL, 62, C

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.09				.02	.16			.03		1
2	.20		.02		.13						.05	.12	2
3					.29			.05			.14		3
4	.04		.02	.15	.01			.01	.02	.02	.37	.47	4
5	.09		.01	.10				.06		.20			5
6	.54							.17		.12	.15	.82	6
7		.01									.23		7
8	.14		.13							.02	.14	.71	8
9						.09						.12	9
10	.02	.01	.09									.84	10
11	.20							.07			.49		11
12	.03		.21						.35		.41		12
13			.04								.08	.40	13
14		.04	.04		.53						.01	.83	14
15		.13	.11							.08		.17	15
16		.14	.05	.04		.13				.05	.23	.07	16
17				.02		.32					.09	.30	17
18		.22	.02	.06		.07					.08	.14	18
19		.07	.01	.02		.31			.45	.23	.29	.08	19
20		.14		.14				.33	.10	.02		.16	20
21		.33	.03					.02	.04	.29		.01	21
22	.01	.04		.01			.01			.19	.01	.26	22
23		.20	.04			.32		.06	.27	.06	.01	.16	23
24		.05	.03	.11		.99		.02		.27		.14	24
25	.03	.24		.18					.11	.01		.30	25
26		.03		.14	.19					.26	.43	.50	26
27		.16	.13	.36				.48	.22		.02	.04	27
28		.13	.01	.16		.02		.04	.03		.07	.10	28
29				.07		.01	.02		.37	.33		.03	29
30				.01	.13	.07				.30	.01		30
31			.19							.04			31
Total	1.30	1.94	1.27	1.57	1.28	2.33	.05	1.47	1.96	2.49	3.34	6.17	25.7
No. of Rain Days.	10	16	19	15	6	10	3	12	10	17	21	23	162

Kept at Pinacre Reservoirs Chesterfield
in the County of Derby
by Chesterfield Gas & Water Bd

Pattern
Diameter of top 8 in.
Gauge Height of top above Ground 8 ft. in.
" " " Sea Level 8 ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09				.02	.16			.03		1
2	.20		.02		.13						.05	.12	2
3					.29			.05			.14		3
4	.04		.02	.15	.01			.01	.02	.02	.37	.47	4
5	.09		.01	.10				.06		.20			5
6	.54							.17		.12	.15	.82	6
7		.01									.23		7
8	.14		.13							.02	.14	.71	8
9						.09						.12	9
10	.02	.01	.09									.84	10
11	.20							.07			.49		11
12	.03		.21						.35		.41		12
13			.04								.08	.40	13
14		.04	.04		.53						.01	.83	14
15		.13	.11							.08		.17	15
16		.14	.05	.04		.13				.05	.23	.07	16
17				.02		.32					.09	.30	17
18		.22	.02	.06		.07					.08	.14	18
19		.07	.01	.02		.31			.45	.23	.29	.08	19
20		.14		.14				.33	.10	.02		.16	20
21		.33	.03					.02	.04	.29		.01	21
22	.01	.04		.01			.01			.19	.01	.26	22
23		.20	.04			.32		.06	.27	.06	.01	.16	23
24		.05	.03	.11		.99		.02		.27		.14	24
25	.03	.24		.18					.11	.01		.30	25
26		.03		.14	.19					.26	.43	.50	26
27		.16	.13	.36				.48	.22		.02	.04	27
28		.13	.01	.16		.02		.04	.03		.07	.10	28
29				.07		.01	.02		.37	.33		.03	29
30				.01	.13	.07				.30	.01		30
31			.19							.04			31
Total	1.30	1.94	1.27	1.57	1.28	2.33	.05	1.47	1.96	2.49	3.34	6.17	25.7
No. of Rain Days.	10	16	19	15	6	10	3	12	10	17	21	23	162

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
23 JAN 1913

Kept at Linacre Reservoirs Chesterfield
in the County of Derby
by Chesterfield Gas & Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03	23			37	03	01	06			84	1
2			13	03		21	44		04			03	2
3	21	03	02		10	41		84	17			03	3
4	16		98	14	22	40		42	15		17		4
5	27	03		02	05	21	01	12	10				5
6	103	12			11			39				03	6
7	4	10	01		02	11		04	03			03	7
8	59	48	20	03		12	16		10				8
9	12	06	15	36		11		15			10	15	9
10				01				08	02		53		10
11	22	08						01			12	58	11
12	06	40	08			08	37				02		12
13	01	03				03		05	05	09	10	03	13
14	06	04	47	01		06		09				17	14
15	31		18		44	14		02				23	15
16	132		19		16	09		04		11		05	16
17	24		18			23	07	20			03	44	17
18	22		14							04	01	23	18
19	38	11	07			05	53	38		04	03		19
20	24		21		13	11	11	07		39		01	20
21			43		77		37			36	03	03	21
22		06			77	21	17	49				09	22
23	03	02	26				76	32			10	01	23
24	24		03			15	33	22		13		17	24
25			01			18		17			33	14	25
26		25	11				17	83		104	31	21	26
27			08			24	66			90	01	15	27
28		09	03			20	23	47	08	31	60	08	28
29		02	15	01		08	15		77	12	03	02	29
30	09		05		29				06	03			30
31			09		17		23	19		03			31
Total	580	195	448	61	323	379	479	560	163	359	252	375	4174
Rain Days.	19	17	25	8	12	22	17	23	12	13	16	23	207

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
FEB 1914

Kept at Linacre Reservoir
Cheserfield
in the County of Derby
by Cheserfield Past Water Co

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03	18	02					20	02	06		1
2		07				01				03	08	01	2
3	10	04	21		28		01		03	47		20	3
4	63	05	05		09	02	07		03	04	14	60	4
5	03	02	08	02		07	02		19	45			5
6	01	12	16		32	05	93			73		01	6
7		47	07		34	09	01			99	06	02	7
8		04	02		44	10		10		20	09		8
9		41	02	22	07	25	05				17	01	9
10				35			01			07	21		10
11	1.65					12		04	01	03	26		11
12				05	02	01					35		12
13	05		18	05					14		18		13
14	17		46	63						05	30		14
15	07	04	68	03			04		10		48		15
16		08	28	16				16	17		08		16
17		03	01	20	06				68		02		17
18		04	35	12	04		08				10	08	18
19	23		03	06		03			21				19
20	21		10						08	03	25		20
21	03		01		07		16	03			17		21
22	25		76					92	26				22
23	05				08	04		07	08		02		23
24	23			01		02							24
25				06					06			04	25
26			19	32								43	26
27			01	42						14	01	08	27
28	29	03	29	37	01				01	01		02	28
29			57	45	04			44		06		10	29
30	56				04						04		30
31	03		03		18					53			31
Total	459	147	474	354	208	81	138	176	225	385	307	160	YEAR'S TOTAL 31.14
Rain Days.	17	14	23	18	15	12	10	7	15	16	20	12	179

REGISTER OF RAINFALL IN 1914

Kept at Linacre Reservoir
in the County of Derby 8
by Chesterfield Gas & Water Bd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A
BRITISH RAINFALL
- 2 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12				13	12				19	1
2							1.00	20			44	18	2
3	17		09		12		12					15	3
4	32		18	25	21			02			54	47	4
5	07		15	14	16	06	04				22	08	5
6		09	08	25	13		64	02				25	6
7		09	22	07	02	01		04				15	7
8	13				19	13	05	11	15				8
9	23	03		11		80		16					9
10	21	29		15	02				07		15	01	10
11		14	29	08	04	05			24		18	40	11
12		17	12				04		41		10	32	12
13		18	37				03		02	16	13	38	13
14	05	31	06				03			43	41	20	14
15	01	03	26							01	07		15
16	04		05				54		15				16
17	05	23	15						33			46	17
18			01			82			05			31	18
19			03				10				08	12	19
20		23	04					11	02			01	20
21		48				17		08		13		14	21
22		04	06		12	13	01	02		28			22
23		06	08	04	24		05						23
24	02		15		04		20	32			13		24
25	03		05				12	22		65	01	28	25
26			05					18		22	13	25	26
27	02		06				02			06	11	82	27
28	14	17	24				02			06	03	32	28
29	04		34							58	10	18	29
30		X	06	01				01		09	36	43	30
31	17	X	04	X		X	30		X	17	X		31
Total	1.70	2.54	2.91	1.10	1.29	2.17	4.04	1.61	1.44	2.84	4.29	6.70	33.33
Rain Days.	16	15	23	9	11	8	18	14	9	12	17	23	175

REGISTER OF RAINFALL IN 1915

Kept at Linacre Reservoirs
Cheskerfield
in the County of Derby
by Cheskerfield Gas & Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
19 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	37	17	03		49		01	03	11		03	31	1
2	04	09	17	21		04		41		16	01	02	2
3	81			08			48	08	09		01	42	3
4	03				06		72					88	4
5	08	54	03		01			05		05	04	72	5
6	18	23		20			34	08				16	6
7	25	43	01	04			07	52				25	7
8	25	20	03	20				25			12	04	8
9	02	06		03				04			19	69	9
10	49		04				01	14		03	40	06	10
11	16			05	54		13	10			65	26	11
12	03			09	23					05	1.53		12
13	04	58			09			20				05	13
14	05	03			01		01	36	02			31	14
15	83						01	10			15	18	15
16		63			07		1.50						16
17		28	01				24						17
18		30	32		02						03		18
19		09					13			01	03		19
20	08			03			03					11	20
21	10			05			11					04	21
22			20	06			15					11	22
23	04	02	10				10		02	32		04	23
24			10	05					51			35	24
25				02		47	08			12		10	25
26	02	41					13		11			42	26
27		18				08	14			48		84	27
28		54	04				01	32		04			28
29					01	42					14	61	29
30	20	X		02				04			01	05	30
31	15	X		X		X		04	X	29	X	48	31
Total	4.22	4.78	1.08	1.13	1.53	1.01	4.40	2.76	86	1.55	3.34	7.50	34.16
Rain Days.	21	17	12	14	10	4	20	16	6	10	14	25	169

REGISTER OF RAINFALL IN 1916

Kept at Linacre Reservoirs Chesterfield
in the County of Derby
by Chesterfield Gas & Water Bd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2818
FORM A.
BRITISH RAINFALL
27 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.03	.13	~~.10~~		.08	.15		.01		.22		1
2	.24	.16	.26	.25					.09	.26	.04		2
3		.45		.05			.21		.41	.22	.20		3
4	.14	.14		.06	.60	.33			.16	.18	.55		4
5	.08	.01			.05	.47				.34	.60		5
6	.18	.49	.26		.60		.28			.09	.64		6
7	.05		.24		.04		.15			.07	.18	.17	7
8			.30			.07					.08	.12	8
9			.13		.36	.08			.01		.02	.27	9
10	.02	.09	.04	.10		.23	.03		.12	.08		.18	10
11		.38	.22	.25		.05			.03			.05	11
12	.05	.06	.55	.05	.46	.03	.31	.03		.05		.03	12
13		.04	.31	.06	.19			.35		.10		.05	13
14		.45	.03	.11				.09		.15	.03	.01	14
15		.33	.65				.10	.36		.12			15
16		.44	.54	.19			.09						16
17	.02	.21		.45			.09	.02	.17	.15	.02		17
18	.01	.24	.03	.05					.24	.17	1.04	.12	18
19	.15		.43	.15				.02	.01		.41	.06	19
20	.25		.27	.04				.02			.01	.19	20
21	.05		.12	.03			.09					.26	21
22		.08				.04		.08		.16		.32	22
23	.03	.17		.04		.02		.05		.04	.19	.31	23
24		.77				.01				.12		.16	24
25		.02	.33		.04					.11	.30		25
26		.20	.03					.35		.13	.03		26
27		.27	.11					.04		.50			27
28		.33	.13		.16	.28			.01	.03	.01	.15	28
29		.38				.77		.15		.62		.36	29
30		X			.05	.02				.26			30
31		X		X	.02	X		.01	X	.17	X	.35	31
Total	1.57	5.74	5.11	1.52	2.57	2.48	1.50	1.57	1.26	4.06	4.57	3.16	YEAR'S TOTAL 35.11
Rain Days.	14	23	21	12	11	14	10	13	11	23	18	18	188

REGISTER OF RAINFALL IN 1917

Kept at Chinacre Reservoir
in the County of Derby
by Chesterfield Gas & Water Bd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Form A.
B.T.F.B.M. 1917
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	05			25		07		39	09		07	10	1
2	24			03		15		13			01		2
3		04				02		18		20	08		3
4	15	02						05		16	10		4
5	14		23	06				02		06	07		5
6	07		18			24			04	31	08	01	6
7	49					21				56	09	11	7
8	82		02	36				58		58	14	10	8
9	23		10	14	03			03		07	30		9
10	18		96	25	24			18			01		10
11	18			36				30		27			11
12	10				30			16		05		08	12
13	09			20		02		20		04		01	13
14	14		04	03				24	10			14	14
15	03						04			06		18	15
16	20	16		13			03	08				60	16
17			03	06	38	15	22	21	01	09		24	17
18	03			06	05		40	05	04	06			18
19	02	18	25		09	36		13	38		08		19
20	07	18	01		35	05			03		10	01	20
21		03	14		06	02		04	04				21
22			10					27		08	01		22
23		02			20	09		07		08			23
24					01	38		08		50	18		24
25			14						02	02	18		25
26			03				03	35		06	36		26
27			08			20	16	76			15	08	27
28			03			09		36				07	28
29	02		03		14		06	03	10	37		34	29
30	01	X	24				08	15		06	08		30
31		X	30	X		X		04	X	02	X		31
Total	3.26	63	2.91	1.93	1.85	2.05	1.02	5.08	.85	3.70	2.09	2.07	27.44
Rain Days.	20	7	18	12	11	14	8	26	10	21	18	14	179

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Linacre Reservoir, Chesterfield
in the County of Derby
by Chesterfield Gas & Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		02							26	08	47	01	1
2		19	01	05				61	10			47	2
3		03	04		96			36	03	01	13		3
4		01	03					06	63	07	48	42	4
5	01			02	49			18	41	22		01	5
6	02	38	01	65		10				18		01	6
7	06	07		08					23	06	23		7
8		14	10	03			04		49	05	08		8
9	36	66	01	19		22	08		60	25	01	02	9
10	08	10		02			13			01	07	02	10
11	29	09		08	07		05		07			04	11
12	05	17		20	04		57		16			22	12
13	04	01		02	14				20	06			13
14	60			03		12	11		56	08		24	14
15	35			01		03	28		74			23	15
16				03		08	43		27	07		16	16
17	25				08		88	15	02	08		30	17
18	26		02			10	11		98			33	18
19	10		14	09			07		04	06		32	19
20	18	17		09		07	22		10	02			20
21	20	11		06	07	05			37	08		02	21
22	04				08	09	06	01	06	02		56	22
23	04				51		16		06				23
24		06					02		07		06	10	24
25				01		06	12	35	02				25
26							25	02	07		04	09	26
27		06				01		33	16		06	27	27
28		14	39					04	14	01	17	49	28
29									17			09	29
30		X	36	01				02	01			14	30
31		X	22	X		X		03	X		X		31
Total	293	243	133	165	244	93	358	216	702	141	180	456	3224
Rain Days	17	17	11	18	9	11	17	12	28	18	11	23	192

YEARS TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Linacre Reservoirs near Chesterfield
in the County of Derbyshire
by The Chesterfield Gas and Water Board

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Chatterfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	38		04		28				05	10	08	25	1
2	10	02					18	08	47		15	02	2
3	98					12	33		07		35	16	3
4	01		27			01	12		20		03	26	4
5	01	06			03			10	22			39	5
6			22		77						04	47	6
7	02		28		01								7
8	25												8
9	05		04	02							08		9
10			25	03						03	04	28	10
11	01		84	09	13		06						11
12			82	29		22	08		14		01	01	12
13	25			35					80	09	01	02	13
14	24			27					04		05	02	14
15	32	12		02							04	53	15
16	07	90		19		02	01				14		16
17	10	51			01	09		06			25		17
18			24				01	30	01		03	37	18
19	15	27	1 34			07	1 70	37	01		30	02	19
20	34	06	32			07	46	10	02		13	17	20
21	10	35	04			01	12					42	21
22		15							48		08	70	22
23						05				85	02	13	23
24				24	07		01	01		50	14	01	24
25	03			19	19	02		73			29		25
26			48	06				38	19			52	26
27	12		05	21							14	06	27
28			02	07				1 05		05		32	28
29	11		03	02		02		04		1 21		11	29
30	07	X	08	05		16				07	25	27	30
31		X		X		X	11		X	08	X	01	31
TOTAL	3 71	2 44	5 36	2 10	1 49	86	3 19	3 22	2 70	2 98	2 65	5 52	YEAR'S TOTAL
Days with "01 in. or more	21	9	17	15	8	12	12	11	13	9	22	24	36 22
													173

REGISTER OF RAINFALL IN 1920.

Kept at Lunacre Reservoirs
in the County of Derby
by Corporation of Chesterfield
Water Dept

Lat. _____ Long _____
Time of Observation _____
Nearest Railway Station Chesterfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.13	.36		.25	.02	.11	.11	.07	.13	1
2				.21	.02				.11	.11		.22	2
3	.06	.02		.39	.07	.04	.33		.10	.41		.12	3
4				.05			.06	.37		.59		.02	4
5		.01	.06		.22		.07	.10	.04	.04		.01	5
6			.21	.19	.03		.06					.13	6
7	.08		.16	.06			.20						7
8	.18	.07		.48	.12		.41	.04		.01			8
9	.26	.16		.53			.05			.02			9
10	.43	.30	.02	.30			.21	.02			.01		10
11	.44	.07	.09	.22	.33	.17						.15	11
12	.06	.02		.46		.12	.02			.03	.05	.04	12
13	.17	.07	.10	.39		.54						.04	13
14	.05	.04	.60	.15		.53	.03		.61	.05	.38		14
15		.12	.13	.56					.06	.09	.04		15
16			.11	.05			.49		.02	.14			16
17			.06		.14	.04		.02	.38	.07		.02	17
18	.04			.06	.19		.07	.01	.10				18
19	.40	1.83		.28	.12	.06		.06					19
20	.10	.05		.35		.18	.02						20
21	.08						.20	.07				.10	21
22	.08			.23			.19	.03				.07	22
23		.01					.05					.34	23
24	.03		.27									.24	24
25		.08	.09	.15			.42						25
26	.21	.08	.13	.20	.83	.02	.16					.03	26
27	.26		.02	.24	.55	.12					.43		27
28	1.13	.02	.12	.11	.08	.05	.02					.29	28
29	.13		.14		.22		.15		.04		.13	.70	29
30	.15	~~X~~		.25	.02	.06			.06		.18	.32	30
31	.13	~~X~~	.11	~~X~~	.04	~~X~~	.05		~~X~~	.32	~~X~~	.06	31
TOTAL	4.47	2.95	2.44	6.04	3.34	1.93	3.51	.74	1.63	1.99	1.29	3.03	YEAR'S TOTAL
Days with 0.1 in. or more	21	16	18	24	16	12	22	10	11	13	8	19	190
Days with 0.4 in. or more	20	11	15	24	13	11	18	5	10	10	7	15	159

REG

CHESTERFIELD
S.W.

DERBY

1911-1920

Kept at Chesterfield
in the County of Derby
by W. M. Linson

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL.

in.
und 2 ft. 6 in.
Level 222 ft. 2718
Great Central
Distance $\frac{1}{2}$ mile Direction South.
The result entered to the
rule, he is earnestly
in the space provided
of rain,
sh Rainfall
plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			. 11					. 05					1
2	. 12				. 09						. 02	. 10	2
3	. 01				. 27			. 03		. 02	. 09		3
4			. 01	. 03						. 09	. 33	. 33	4
5	. 15			. 01				. 03		. 07			5
6	. 49							. 10			. 16	. 70	6
7											. 17		7
8	. 13		. 07								. 08	. 55	8
9						. 07						. 05	9
10			. 04									. 65	10
11	. 11							. 09			. 39	. 02	11
12	. 01		. 11						. 25		. 28		12
13			. 05								. 05	. 36	13
14			. 04		. 71						. 01	. 68	14
15		. 11	. 09							. 05		. 07	15
16		. 10	. 04	. 03		. 11				. 02	. 16	. 05	16
17				. 02		. 21					. 06	. 24	17
18		. 20		. 04						. 01	. 04	. 12	18
19		. 06	. 01	. 01		. 08			. 30	. 06	. 26	. 03	19
20		. 06		. 10				. 49	. 08	. 02		. 15	20
21		. 31								. 25			21
22		. 03								. 20	. 01	. 24	22
23		. 16	. 04			. 35		. 02	. 28	. 04		. 09	23
24		. 02		. 06		. 90				. 12		. 15	24
25	. 01	. 20	. 02	. 16		. 01			. 07		. 01	. 18	25
26		. 02		. 08	. 18					. 23	. 38	. 44	26
27		. 12	. 11	. 20	. 10			. 61	. 15			. 03	27
28		. 13		. 12					. 04		. 04	. 05	28
29		X		. 03			. 03		. 31	. 22		. 03	29
30		X			. 16	. 03				. 31			30
31		X	. 07	X		X			X	. 04	X		31
Total	1.03	1.52	. 81	. 89	1.51	1.76	. 03	1.42	1.48	1.75	2.57	5.31	10.08
No. of Rain Days.	8	13	14	13	6	8	1	8	8	16	18	23	136

REG

FORM A2.
BRITISH RAINFALL.

Kent at Chesterfield Sewage Works
in the County of Derbyshire 8
by W. M. Linson

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 222 ft. 2118
Time of Observation 9 a.m.
Nearest Railway Station { Name Great Central
Distance 1/2 mile Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			. 11					. 05					1
2	. 12				. 09						. 02	. 10	2
3	. 01				. 27			. 03		. 02	. 09		3
4			. 01	. 03						. 09	. 33	. 33	4
5	. 15			. 01				. 03		. 07			5
6	. 49							. 10			. 16	. 70	6
7											. 17		7
8	. 13		. 07								. 08	. 55	8
9						. 07						. 05	9
10			. 04									. 65	10
11	. 11							. 09			. 39	. 02	11
12	. 01		. 11						. 25		. 28		12
13			. 05								. 05	. 36	13
14			. 04		. 71						. 01	. 68	14
15		. 11	. 09							. 05		. 07	15
16		. 10	. 04	. 03		. 11				. 02	. 16	. 05	16
17				. 02		. 21					. 06	. 24	17
18		. 20		. 04						. 01	. 04	. 12	18
19		. 06	. 01	. 01		. 08			. 30	. 06	. 26	. 03	19
20		. 06		. 10				. 49	. 08	. 02		. 15	20
21		. 31								. 25			21
22		. 03								. 20	. 01	. 24	22
23		. 16	. 04			. 35		. 02	. 28	. 04		. 09	23
24		. 02		. 06		. 90				. 12		. 15	24
25	. 01	. 20	. 02	. 16		. 01			. 07		. 01	. 18	25
26		. 02		. 08	. 18					. 23	. 38	. 44	26
27		. 12	. 11	. 20	. 10			. 61	. 15			. 03	27
28		. 13		. 12					. 04		. 04	. 05	28
29		X		. 03		. 03			. 31	. 22		. 03	29
30		X			. 16	. 03				. 31			30
31		X	. 07	X		X			X	. 04	X		31
Total	1.03	1.52	. 81	. 89	1.51	1.76	. 03	1.42	1.48	1.75	2.57	5.31	26.08
No. of Rain Days.	8	13	14	13	6	8	1	8	8	16	18	23	136

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
27 JAN 1913 18

Kept at *Sewage Works, Chesterfield*
in the County of *Derbys hire* 8
by *W. L. L. L.*

Lat. _____ Long. _____
Time of Observation *9 to 9*
Nearest Railway Station *G.C.R.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *2* ft. *6* in.
" " " " Sea Level *222* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.16			.41	.64		.04			.55	1
2			.02	.02		.23	.34		.04				2
3	.07	.02			.08	.35		.66	.17			.04	3
4	.09		.80	.06	.13	.53		.29	.09		.18		4
5	.05	.01			.06	.20		.09	.05				5
6	.85	.11			.07			.31					6
7		.07				.06		.14					7
8	.37	.38	.19			.07	.16		.05				8
9	.10	.03	.22	.23		.07		.09			.06	.13	9
10	.01							.13			.33		10
11	.12	.02				.03					.07	.40	11
12	.04	.32	.03			.05	.57				.01		12
13		.2						.02	.03	.05	.06	.01	13
14	.07		.28			.03		.05				.08	14
15	.20	.02	.09		.38	.04						.28	15
16	.69		.10		.06	.10		.03		.06			16
17	.14		.27			.15	.03	.27			.01	.29	17
18	.12		.08							.01		.17	18
19	.33	.13	.05			.03	.40	.54		.03			19
20	.30		.20		.14	.06	.16	.3		.27			20
21			.35		.70		.28			.32			21
22	.01	.04			.66	.38	.12	.43				.06	22
23	.04	.03	.24		.01		.52	.25			.09		23
24	.12					.24	.25	.14				.19	24
25						.15		.21			.38	.22	25
26		.08	.09				.17	.77		.80	.33	.03	26
27			.02			.12	.35			.82	.02	.19	27
28		.01	.02				.12	.42	.07	.38	.77	.10	28
29			.09			.17	.06		.53	.08	.02	.02	29
30	.07	X	.01		.30				.12	.02			30
31		X	.05	X	.08	X	.24	.16	X	.05	X		31
Total	3.79	1.31	3.36	.31	2.67	3.47	4.81	5.03	1.19	2.89	2.33	2.76	33.92
Rain Days.	20	16	21	3	12	21	16	20	10	12	12	16	180

REGISTER OF RAINFALL IN 1913

Kept at *The Chesterfield Sewage Works*
in the County of *Derbyshire*
by *Mr. W. Tomlinson*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Great Central*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *2* ft. in.
" " " " Sea Level *222* ft.

FORM A.
BRITISH RAINFALL
5 MAR 1914
2718

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12	.03					.18		.05		1
2		.05	.04	.05							.12		2
3	.06	.03	.21		.28					.50		.15	3
4	.60	.03	.04		.06		.09		.02	.04	.12	.42	4
5	.02	.02	.08			.03	.04		.08	.44			5
6		.07	.13		.34	.02	.76			.60			6
7		.42	.02		.14	.06	.01			.79	.05		7
8		.02			.33	.07	.05	.11	.03	.04	.08		8
9		.32			.03	.15	.02				.18		9
10	.03			.10							.23		10
11	1.35			.30		.03					.27		11
12										.01	.38		12
13			.11	.02					.14		.12		13
14	.10	.04	.46	.02						.03	.19		14
15	.07	.05	.52	.57			.03		.11		.57		15
16	.03	.02	.24	.04					.26		.04		16
17		.03	.04	.11					.49				17
18			.34	.14			.10				.06	.05	18
19	.10		.02	.05				.11	.24				19
20	.17		.09	.05					.22		.22		20
21	.01		.01		.25		.10	.01			.15		21
22	.18		.51					.91	.23				22
23	.05				.02	.03		.04	.05				23
24	.17			.02		.02							24
25				.01					.06			.01	25
26			.18	.21	.62					.14		.45	26
27			.02	.41								.06	27
28	.21		.15	.43						.05			28
29	.02	X	.40	.42	.02			.65				.15	29
30	.50	X			.05					.43		.01	30
31	.05	X		X		X			X		X		31
Total	3.72	1.10	3.73	2.98	2.14	.41	1.20	1.83	2.11	3.07	2.83	1.30	26.42
Rain Days.	18	12	21	18	11	8	9	6	13	11	16	8	151

REGISTER OF RAINFALL IN 1914

Kept at Sewage Works Chesterfield
 in the County of Derby
 by W. Tomlinson

Lat. _____ Long. _____
 Time of Observation 9
 Nearest Railway Station G. C.
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 2 ft. in.
 " " " " Sea Level 222 ft.

FORM A.
 BRITISH RAINFALL
 18 FEB 1915
 2918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05				85	14				13	1
2							29	21			34	25	2
3			02		12		11	04			03	57	3
4	32		10	20	16						41	26	4
5			08	16	07	02	01				07	08	5
6		07	05	27	06	01	13					22	6
7		04	21	07				05				10	7
8	08		02		09	55	22	10	21				8
9	25	07		06		72		08					9
10	19	24		16					04		03		10
11		08	28	07	02	03			17		68	31	11
12		03	08				02		24		04	31	12
13		14	32							08	45	26	13
14		23	03				02		02	45	36	19	14
15	03	05	16								04		15
16	06		02				40		06				16
17	04	16	11						41			44	17
18									05			30	18
19			20						01		01	10	19
20	01	15	03					03				02	20
21		38				14				09		13	21
22					12	02				17			22
23		04	04		26		03			03			23
24			23		24		14	07			11	28	24
25							04	14		61	01		25
26							02	42		14	09	24	26
27	02									05	09	68	27
28	07	09	03							9	01	35	28
29	02		20							37	07	11	29
30			01	01						04	20	30	30
31	07						29			12		07	31
Total	1.16	1.41	2.28	1.00	1.14	1.49	2.54	1.28	1.2	2.24	3.04	5.40	24.82
Rain Days.	12	14	21	8	9	4	14	10	9	12	18	23	154

REGISTER OF RAINFALL IN 1915

Kept at The Chesterfield Sewage Works
in the County of Derbyshire
by W. Tomlinson

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Great Central
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 2 ft. 2 in.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.17	0.13	0.01		0.30			0.02	0.12		0.01	0.32	1
2	0.06	0.07	0.11	0.25		0.01		0.43		0.12		0.02	2
3	0.64			0.06			0.47	0.07	0.04			0.42	3
4	0.07				0.04		0.73					0.82	4
5	0.03	0.38						0.05		0.01		0.71	5
6	0.08	0.07		0.14			0.31	0.10			0.02	0.11	6
7	0.13	0.35		0.02			0.02	0.38				0.10	7
8	0.11	0.12		0.13				0.23			0.14	0.05	8
9		0.04						0.01			0.12	0.59	9
10	0.37		0.04					0.01		0.01	0.12	0.02	10
11	0.09			0.02	0.40		0.06	0.04			0.49	0.20	11
12				0.13	0.19					0.01	1.20		12
13	0.01	0.42			0.06							0.02	13
14		0.03						0.27				0.25	14
15	0.60							0.18			0.07	0.12	15
16		0.62					1.20						16
17		0.22	0.01		0.06		0.21						17
18		0.18	0.03										18
19		0.04					0.12				0.09	0.01	19
20	0.03			0.01								0.14	20
21	0.05			0.07			0.07					0.07	21
22			0.20	0.04			0.01					0.08	22
23			0.08				0.03			0.24		0.02	23
24			0.08	0.03					0.42	0.03		0.25	24
25						0.33				0.04		0.05	25
26		0.29					0.11		0.07			0.43	26
27		0.11				0.06	0.04			0.43		0.80	27
28		0.35	0.04					0.28				0.05	28
29		X			0.01	0.42					0.14	0.41	29
30	0.15	X		0.02				0.02				0.02	30
31	0.08	X		X		X		0.03	X	0.20	X	0.38	31
Total	2.67	3.42	.60	.92	1.06	.82	3.38	2.12	.65	1.09	2.40	6.46	25.59
Rain Days.	16	16	9	12	7	4	13	15	4	9	10	27	142

2517

REGISTER OF RAINFALL IN 1916

Kept at Chesterfield Sewage Works

in the County of Derbyshire

by H. Somkinson

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Great Central Rly.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 222 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.11			.07	.09				.19		1
2	.21		.14							.19	.02		2
3							.94		.46	.14	.13		3
4	.13	.07			.58	.23			.18	.15	.31		4
5	.06				.06	.23				.26	.32		5
6	.11	.41	.06		.44		.28			.03	.37		6
7	.02		.06		.02		.09			.07	.19	.28	7
8			.19			.04					.02	.14	8
9			.11		.30	.09						.08	9
10		.06	.03	.03		.24	.01		.05	.07		.17	10
11		.34	.19	.22		.10			.02			.04	11
12	.02	.04	.46	.03	.43	.01	.17			.03		.04	12
13		.05	.29	.01				.27		.05		.03	13
14		.44	.02	.04	.12			.03		.11			14
15		.26	.52				.16	.25		.11			15
16		.33	.30	.09			.13						16
17	.01	.17		.28			.03	.02	.10	.10	.02		17
18	.09	.19						.01	.18	.15	.91	.14	18
19			.34	.11					.06		.37	.09	19
20	.18		.21	.03								.04	20
21	.05		.11	.01			.02				.01	.23	21
22		.03				.01				.22	.01	.29	22
23	.04	.03						.04		.03	.17	.19	23
24		.26						.04		.04		.12	24
25			.22					.09		.04	.24		25
26		.05	.02		.04			.23		.10	.04		26
27		.18	.08					.05		.20			27
28		.23	.03			.20						.09	28
29		.34				.67		.17		.48		.31	29
30		X				.01			X	.21	X		30
31		X		X	.04	X			X	.11	X	.20	31
Total	.94	3.48	3.69	.85	2.03	1.90	1.92	1.20	1.05	2.83	3.52	2.48	15.89
Rain Days.	12	18	20	10	9	12	10	11	7	22	16	17	164

REGISTER OF RAINFALL IN 1917

Kept at Chesterfield Sewage Works
in the County of Derbyshire
by W. Tomlinson

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Great Central Ry 1/2 m.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 222 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01			.09				.35	.07		.10	.05	1
2	.19					.17		.10			.01		2
3				.03		.01		.21		.12	.02		3
4	.06		.13					.01		.13			4
5	.11		.10	.02					.03	.07	.14		5
6	.02					.14				.25	.03	.01	6
7	.40					.16				.43	.03	.13	7
8	.69			.34				.58		.44	.07	.08	8
9	.10		.05	.06	.03			.12		.02	.19		9
10	.13		.82	.15	.30			.16					10
11	.08			.24				.12		.24		.06	11
12	.05				.23			.11		.05			12
13	.05			.12				.23	.07				13
14	.07		.06					.27				.05	14
15	.01						.03	.01		.02		.17	15
16	.06	.16		.05		.02		.03				.30	16
17	.02			.04	.34	.03	.13	.24	.02	.13		.12	17
18	.01			.04	.04		.29			.02			18
19	.02	.12	.17		.08	.31		.04	.03		.02		19
20	.02	.16			.19	.06			.08		.04		20
21		.03	.03		.03					.02			21
22	.01		.02					.17		.03			22
23					.12	.04		.04		.03			23
24						.33		.03		.46	.12		24
25			.13				.15				.14		25
26			.01			.08		.33	.04	.08	.12		26
27			.08			.12	.17	.51				.10	27
28			.01			.05		.27		.32		.12	28
29		X			.24		.03					.24	29
30	.01	X	.25				.07	.10			.05	.02	30
31		X	.20	X		X		.04	X		X		31
Total	2.12	.47	2.06	1.18	1.60	1.52	.87	4.07	.34	2.86	1.08	1.45	19.62
Rain Days	21	4	14	11	10	13	7	23	7	18	14	13	155

REGISTER OF RAINFALL IN 1918.

Kept at The Chesterfield Sewage Works
in the County of Derbyshire
by William Tomlinson

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Great Central
Diameter of Funnel of Rain Gauge 5 in. 2718
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 222 ft.

1918
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(-)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08	.06						.01		.03	1
2		.06							.11	.03	.28		2
3		.10						.40	.06	.01		.37	3
4		.03	.03		.80			.60	.02		.15		4
5		.01	.02					.05	.54	.04	.50	.40	5
6					.42			.17	.21	.14			6
7		.27	.03	.40		.05				.20			7
8	.01	.02		.07					.01	.05	.22		8
9	.14	.12	.06	.04					.39	.04	.02		9
10	.05	.53		.12		.17	.08		.47	.18		.02	10
11	.20	.04	.06				.10				.03	.04	11
12	.03	.02		.05	.06		.04		.06			.02	12
13	.01	.09		.16			.40		.08			.11	13
14	.50			.01	.13				.18	.03			14
15						.05	.03		.42	.05		.20	15
16	.26			.01			.32		.63			.30	16
17							.01	.03	.27	.01		.12	17
18	.21				.04		.98	.05	.12	.01		.25	18
19	.24					.05	.01		.80			.16	19
20	.07		.08	.06			.05		.02			.25	20
21	.18	.08		.02		.05	.10		.05	.02			21
22	.19	.03		.02	.50				.24	.08			22
23	.02				.07	.03	.01		.10	.03		.50	23
24	.05				.30		.12		.02				24
25		.14							.04	.04	.05		25
26						.03	.09	.41	.02			.27	26
27							.50		.03			.47	27
28		.05						.31	.13		.01		28
29		X	.24					.18	.05		.44		29
30		X							.16			.06	30
31		X	.27	X		X			X		X	.11	31
Total	2.16	1.61	.87	1.02	2.34	.43	2.84	2.20	5.18	.97	1.40	3.68	24.70
Rain Days.	15	15 ¹⁶	9	12 ¹¹	8	7	15	9	27 ²⁸	17 ¹⁶	9 ¹⁰	18 ¹⁷	161.
	2.16	1.69	.85	.96	2.34	.43	2.84	2.20	5.19	.96	1.43	3.65	24.70

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19618

Kept at Chesterfield SW
in the County of

Diameter of funnel of gauge.....in.
Height of top of gauge above ground.....ft.....in.
Height of ground above sea level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	—	—	—	—	—	—	.11	.03	.28	—		1
2	—	.10	—	—	—	—	—	.40	.06	.01	—	.37		2
3	—	.03	.03	—	.81	—	—	.60	.02	—	.15	—		3
4	—	.01	.02	—	—	—	—	.05	.54	.04	.50	.40		4
5	—	—	—	—	.42	—	—	.17	.21	.14	—	—		5
6	—	.27	.03	.40	—	.05	—	—	—	.20	—	—		6
7	.01	.02	—	.07	—	—	—	—	.01	.05	.22	—		7
8	.14	.12	.06	.04	—	—	—	—	.39	.04	.02	—		8
9	.05	.53	—	.12	—	.17	.08	—	.47	.18	—	.02		9
10	.20	.04	.06	—	—	—	.10	—	—	—	.03	.04		10
11	.03	.02	—	.05	.06	—	.04	—	.06	—	—	.02		11
12	.01	.09	—	.16	—	—	.40	—	.03	—	—	.11		12
13	.50	—	—	.01	.13	—	—	—	.18	.03	—	—		13
14	—	—	—	—	—	.05	.03	—	.42	.05	—	.20		14
15	.26	—	—	.01	—	—	.32	—	.63	—	—	.30		15
16	—	—	—	—	—	—	.01	.03	.27	.01	—	.12		16
17	.21	—	—	—	.04	—	.98	.05	.12	.01	—	.25		17
18	.24	—	—	—	—	.05	.01	—	.80	—	—	.16		18
19	.07	—	.08	.06	—	—	.05	—	.02	—	—	.25		19
20	.18	.08	—	.02	—	.05	.10	—	.05	.02	—	—		20
21	.19	.05	—	.02	.50	—	—	—	.24	.08	—	—		21
22	.02	—	—	—	.07	.03	.01	—	.10	.03	—	.50		22
23	.05	—	—	—	.31	—	.12	—	.02	—	—	—		23
24	—	.14	—	—	—	—	—	—	.04	.04	.05	—		24
25	—	—	—	—	—	.03	.09	.41	.02	—	—	.27		25
26	—	—	—	—	—	—	.50	—	.03	—	—	.47		26
27	—	.05	—	—	—	—	—	.31	.13	—	.01	—		27
28	—	.08	.24	—	—	—	—	.18	.05	—	.14	—		28
29	—	X	—	—	—	—	—	—	.16	—	—	.06		29
30	—	X	.27	—	—	—	—	—	.01	—	.03	.11		30
31	—	X	.06	X	—	X	—	—	X	—	X	—		31
TOTAL	2.16	1.69	.85	.96	2.34	.43	2.84	2.20	5.19	.96	1.43	3.65	24.70	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

REGISTER OF RAINFALL IN 1919

Kept at *Swage Works Chesterfield*
in the County of *Derbyshire*
by *W. Harrison*

Lat. _____ Long. _____
Time of Observation *9 AM*
Nearest Railway Station *Great Central Railway*
Diameter of Funnel of Rain Gauge *5* ins.
Height of top of Gauge above Ground *5* ft. *0* in.
" " " " Sea Level *222* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.30		0.03		0.18		0.23		0.03	0.06	0.04	0.15	1
2	0.11	0.03					0.16				0.11	0.02	2
3	0.85				0.01	0.05	0.52		0.08		0.24	0.09	3
4			0.25			0.09	0.13	0.12	0.11		0.03	0.19	4
5	0.01	0.04			0.04				0.22			0.38	5
6			0.10		0.48		0.01				0.01	0.24	6
7			0.10		0.01							0.24	7
8	0.18												8
9	0.03		0.05								0.03		9
10			0.13									0.23	10
11			0.60	0.04	0.18		0.07						11
12			0.64			0.14	0.11		0.02			0.02	12
13	0.25			0.26					0.62	0.03			13
14	0.21			0.22				0.02	0.01		0.02		14
15	0.23	0.16										0.55	15
16	0.04	1.12		0.10							0.11		16
17	0.03	0.35				0.05					0.23		17
18			0.05					0.10				0.17	18
19	0.13	0.26	1.22			0.05	1.25	0.50			0.11		19
20	0.30	0.06	0.19			0.01	0.40	0.03	0.02		0.24	0.19	20
21	0.12	0.28					0.12					0.24	21
22		0.12							0.47			0.41	22
23						0.02				0.75	0.01	0.07	23
24				0.25	0.12		0.01			0.37	0.06		24
25				0.20	0.14	0.03		0.70			0.07	0.01	25
26			0.30	0.04				0.19	0.16			0.38	26
27	0.07		0.03	0.10									27
28				0.08				0.88		0.09	0.04	0.47	28
29	0.11	X		0.01				0.02		0.93		0.09	29
30	0.07	X	0.10	0.06		0.11				0.04	0.23	0.26	30
31	0.01	X		X		X	0.08		X	0.05	X		31
Total	3.05	2.42	3.79	1.36	1.16	0.55	3.09	2.56	1.74	2.32	1.58	4.40	28.02
Rain Days.	18	9	14	11	8	9	12	9	10	8	16	20	144

REGISTER OF RAINFALL IN 1920.

Kept at Chesterfield Sewage Works
in the County of Derbyshire
by W. H. Robinson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Great Central Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 222 ft.

2718

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.15	.22		.21		.09	.11	.05	.11	1
2				.21			.44		.16	.11		.15	2
3				.35	.05	.05	.57		.07	.31		.10	3
4				.05			.06	.29		.60		.02	4
5			.03		.16		.05	.07		.03		.02	5
6			.13	.08	.01		.05					.12	6
7	.05			.03			.22						7
8	.38	.22	.04	.41			.22	.02					8
9				.40			.20						9
10		.28	.01	.23			.14						10
11	.71		.07	.10	.26	.09						.08	11
12	.03		.01	.30		.30					.06	.05	12
13			.05	.60		.60						.03	13
14	.16	.02	.41	.14		.70			.43		.24		14
15		.11	.07	.55					.07				15
16			.04	.03			.46			.09			16
17			.05		.11	.07		.01	.26	.06			17
18				.02		.02							18
19	.24	1.12		.23	.04	.08		.06				.01	19
20	.04	.21		.45		.20							20
21	.04						.15	.05				.03	21
22	.03			.19			.13	.02				.02	22
23	.04						.02					.35	23
24	.04		.27	.01								.16	24
25		.03	.06	.05			.46						25
26	.15			.10	.88		.23						26
27	.18			.12	.57	.11					.35	.21	27
28	1.10		.11	.01	.19						.02	.08	28
29	.11				.75		.07				.10	.62	29
30	.12	X	.08	.16	.02	.04		.05			.17	.29	30
31	.05	X	.06	X	.10	X	.05		X	.26	X	.05	31
TOTAL													YEAR'S TOTAL
Days with 0.1 in. or more	3.56	1.99	1.49	4.94	3.36	2.26	3.73	.57	1.08	1.57	.99	2.50	28.07
Days with 0.4 in. or more	15	5	13	20	11	10	14	5	6	7	6	13	128

REG

CHESTERFIELD

GAS WORKS

DERBY

1911 - 1918

Sent at

Gas Works

in the County of

Derby

by

Chesterfield

11

FORM A2.
BRITISH RAINFALL
15 JAN 1912

5

in.

above Ground

ft.

in.

Sea Level

ft.

Name

Distance

Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06					.03					1
2	.15				.06							.12	2
3					.21			.02			.07		3
4			.01	.06					.01	.12	.27	.38	4
5	.08		.01	.07				.02		.10			5
6	.59							.06			.10	.10	6
7											.14		7
8	.13		.09								.08	.58	8
9						.07						.05	9
10	.10		.02									.80	10
11								.10			.48		11
12	.01		.13						.24		.25		12
13			.03								.03	.35	13
14			.03			.14						.13	14
15		.09	.08							.05		.10	15
16		.06	.05	.02		.10				.03	.18	.06	16
17				.02		.20					.05	.22	17
18		.13	.04	.05							.05	.13	18
19		.04	.01	.02		.11			.27	.11	.26	.04	19
20		.06		.07				.20	.08	.02		.18	20
21		.23	.02							.28			21
22	.04	.04								.22	.01	.12	22
23		.10	.01			.34			.29	.04		.12	23
24		.02	.03	.07		.82				.12		.15	24
25	.03	.18		.14					.07			.18	25
26		.01		.08	.19					.25	.41	.50	26
27		.15	.13	.17	.15			.55	.11			.03	27
28		.11		.12							.07	.05	28
29				.03					.24	.22		.02	29
30			.16		.14	.02				.21			30
31										.01			31
Total	1.06	1.22	.87	.92	1.49	1.66	—	.98	1.31	1.84	2.45	5.61	19.41
No. of Rain Days.	6	13	16	13	6	7	—	7	8	14	15	22	127

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
15 JAN 1912

Kept at Gas Works Chesterfield
in the County of Derby
by Chesterfield Gas & Water Bd

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06					.03					1
2	.15				.06							.12	2
3					.21			.02			.07		3
4			.01	.06					.01	.12	.27	.38	4
5	.08		.01	.07				.02		.10			5
6	.59							.06			.10	.40	6
7											.14		7
8	.13		.09								.08	.58	8
9						.07						.05	9
10	.10		.02									.80	10
11								.10			.48		11
12	.01		.13						.24		.25		12
13			.03								.03	.35	13
14			.03		.14							.43	14
15		.09	.08							.05		.10	15
16		.06	.05	.02		.10				.03	.18	.06	16
17				.02		.20					.05	.22	17
18		.13	.04	.05							.05	.13	18
19		.04	.01	.02		.11			.27	.11	.26	.04	19
20		.06		.07				.20	.08	.02		.18	20
21		.23	.02							.28			21
22	.01	.04								.22	.01	.12	22
23		.10	.01			.34			.29	.04		.12	23
24		.02	.03	.07		.82				.12		.15	24
25	.03	.18		.14					.07			.18	25
26		.01		.08	.19					.25	.41	.50	26
27		.15	.13	.17	.15			.55	.11			.03	27
28		.11		.12							.07	.05	28
29				.03					.24	.22		.02	29
30			.16		.14	.02				.27			30
31										.01			31
Total	1.06	1.22	.87	.92	1.49	1.66	—	.98	1.31	1.84	2.45	5.61	19.41
No. of Rain Days.	6	13	16	13	6	7	—	7	8	14	15	22	127

REGISTER OF RAINFALL IN 1912

FORM A
BRITISH RAINFALL
23 JAN 1913

Kept at Gas Works Chesterfield
in the County of Derby
by Chesterfield Gas Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			17			39	02		04			65	1
2			02	01	10	25	34		05			01	2
3	09				14	39		13	15				3
4	10		90	03	07	52		32			13		4
5	20			01	06	24	01	08	12				5
6	99	17						37					6
7		08				07		01					7
8	46	42		02		08	13		05				8
9	08	03	20	21		07		07			08	12	9
10			28					13	01		33		10
11	18					01					08	45	11
12	05	39	03			05	53						12
13		02				02			02	02	06		13
14	06		33			03		04				06	14
15	22	02	08		35	08						23	15
16	102		12		10	04		03		06			16
17	22		17			13	04	38			04	30	17
18	14		11									16	18
19	35	16	04			03	44	32					19
20	30		13		12	03	19	02		29			20
21		16	43		13		26			35			21
22	05	05			12	43	15	41				08	22
23		02	23				58	25			09		23
24	26		02			18	22	20				16	24
25						15		21			34	12	25
26		06	10				15	81		90	23	12	26
27			01			13	178			85		20	27
28							71	46	07	42	70	10	28
29	04		12	01		15	04		52	09	11		29
30			01		20				12	01			30
31			05		06		15	15		02			31
Total	481	158	355	29	265	347	514	499	115	301	219	276	3559
Rain Days.	18	12	21	6	11	22	17	19	10	10	11	14	171

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Gas Works Chesterfield
in the County of Derby
by Chesterfield Gas & Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.17	.02					.26		.04		1
2		.06	.03	.05							.08	.12	2
3	.06	.01	.18		.26		.03		.01	.43		.38	3
4	.61	.01	.04		.11		.08		.03	.04	.11		4
5	.02	.01	.10			.01	.03		.06	.44		.06	5
6		.06	.09		.29	.01	.82			.10			6
7		.35			.20	.05	.01			.93	.02	.01	7
8					.53	.07		.09	.02	.02	.09		8
9		.36			.02	.25	.04				.17		9
10	.02			.12			.01				.22		10
11	.86			.36		.03		.01		.03	.23		11
12											.37		12
13				.02					.11		.12		13
14	.20	.02	.44	.42						.01	.18		14
15		.05	.48	.04					.09		.48		15
16		.01		.14				.14	.11		.04		16
17		.03	.10	.15	.01				.12	.60			17
18			.34	.06			.07				.03	.05	18
19	.11			.05					.27				19
20	.15								.24		.14		20
21	.01				.23		.14	.90			.17		21
22	.24		.50					.03	.24				22
23	.01				.03	.02			.03				23
24	.16												24
25									.05				25
26		.01	.19	.20	.12							.28	26
27			.01	.45						.13		.03	27
28	.40		.16	.43						.04		.02	28
29			.51	.44	.03			.45				.17	29
30	.44				.07								30
31			.01							.49			31
Total	3.29	.98	3.35	2.95	2.50	.44	1.23	1.62	2.24	3.86	2.49	1.12	YEARS TOTAL 26.07
Rain Days.	14	12	16	15	12	7	9	6	14	12	16	9	142

REGISTER OF RAINFALL IN 1914

Kept at Gas Works Chesterfield
 in the County of Derby
 by Chesterfield Gas Water B.

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft.
 " " " " Sea Level _____ ft.

BRITISH RAINFALL
 FORM A.
 - 2 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			06				80	13		01		11	1
2							134	13			28	15	2
3	04		02		12		11	03			04	52	3
4	29		08	25	16			01			39	29	4
5	04		08	15	08	04					16	04	5
6		07	03	22	07		10					23	6
7		01	29	04				02				11	7
8	05				08	64	30	10	29				8
9	24			05		91		07					9
10	20	21		17					03				10
11		11	32	04		03			20		72	29	11
12		02	08				02		29		02	25	12
13		12	34						01	09	43	29	13
14		07	01				01			55	02	13	14
15		01	17							01	48		15
16			02				40		05				16
17	13	15	11						39			40	17
18							01		04			49	18
19			16				03				01	08	19
20		16	01					03	01				20
21		40				16		01		08	01	06	21
22		01			19					20			22
23		02	05		18		01						23
24			15	01	11		11	06		02	08		24
25							03	15		67		29	25
26			01					16		17	14	23	26
27										03	07	69	27
28	06	10	06							08		33	28
29	01		21							43	05	14	29
30		X								07	19	30	30
31	03	X		X		X	29		X	15	X	04	31
Total	107	156	224	93	99	178	356	90	129	256	307	540	YEAR'S TOTAL 2535
Rain Days.	10	14	20	8	8	5	14	12	9	14	16	22	152

REGISTER OF RAINFALL IN 1915

Kept at Gas Works Chesterfield
in the County of Derby
by Chesterfield Gas & Water Bd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
179 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	18		01		29							34	1
2	03	03	11	18		24		32		12		01	2
3	13			04			50	04	02			46	3
4	04				02		60					83	4
5	02	26			01			02			01	75	5
6	09	18	01	13			30	08				10	6
7	12	34						43				08	7
8	09	17		14				20			08		8
9	40	04						01			11	57	9
10	05							01			24		10
11			01		39		08				50	18	11
12				13	24						1.32		12
13		40			07								13
14		06						29				28	14
15	57							18			13	18	15
16		65			05		1.73						16
17		29					29						17
18		18	25								05		18
19		03					07						19
20	02			03									20
21	04			01			05					13	21
22			17	07			03						22
23			11	01					01	17			23
24			08						49	03		27	24
25				01		40				02		05	25
26		28				01	10		01			44	26
27		08				04	08			43		49	27
28		33	03					28					28
29					01	49					12	40	29
30	12	X		02				01				01	30
31		X		X		X		01	X	23	X	44	31
Total	2.52	3.32	78	17	1.08	94	3.83	1.88	.53	1.00	2.56	6.01	25.22
Rain Days.	14	15	9	11	8	4	11	13	4	6	9	19	125

REGISTER OF RAINFALL IN 1916

Kept at Gas Works Chesterfield
in the County of Derby
by Chesterfield Gas & Water Bd.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2815
FORM A.
BRITISH RAINFALL
27 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09		.25			.02	.08				.20		1
2	.19	.05								.18	.02		2
3		.36					.54		.33	.13	.13		3
4	.13	.03			.60				.16	.16	.36		4
5	.02	.37	.20		.05	.28				.21	.33		5
6	.09		.13		.48		.20				.60		6
7	.02	.02	.28				.09				.19	.29	7
8			.13							.01	.02	.14	8
9			.03		.30	.13							9
10		.04	.19	.02		.30			.07	.05		.18	10
11		.39	.46	.22		.01						.06	11
12		.02	.29		.43		.07		.01				12
13		.47	.01				.13	.25		.02			13
14			.66	.02	.06			.01		.07		.01	14
15		.17	.52				.13	.21		.08			15
16		.32		.09			.13						16
17		.14	.02	.32			.01		.05	.09		.15	17
18		.19	.35						.11		1.01		18
19	.08	.01	.24	.09					.10		.40		19
20	.14		.12	.03								.02	20
21		.02		.01			.01					.29	21
22		.12								.06		.23	22
23	.01	.69						.02		.01	.14	.27	23
24		.04	.15					.01		.02		.23	24
25		.12	.01		.03			.08		.04	.20		25
26		.22	.09					.20		.08			26
27		.31	.14					.01		.19			27
28		.28				.17						.03	28
29		.48				.67		.17		.48		.24	29
30		X			.01					.16			30
31		X		X		X			X	.09	X	.18	31
Total	.47	4.86	4.27	.80	1.96	1.58	1.29	.96	.83	2.13	3.60	2.32	25.47
Rain Days.	9	23	20	8	8	7	10	9	7	19	12	14	146

REGISTER OF RAINFALL IN 1919

Kept at Gas Works Chesterfield
in the County of Derby
by Chesterfield Gas & Water Co.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

2679
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				17		01		40	03		08	03	1
2				01				09			01		2
3		01				19		25		08	09		3
4	04		14							13			4
5	10		07	02					03	04	12		5
6	01					15				21	03	01	6
7	46	01				20		40		50	04	13	7
8	66			27						44	08	08	8
9	23		03	08	03			x		02	25	01	9
10	13		83	19	27			13					10
11	08			30				11		21	01		11
12	11				14			08		03		02	12
13	04			14				20	04	02			13
14	10		02					17				09	14
15							01			01		16	15
16	06	15		04				01				38	16
17				04	33	03	09	19	01	13		24	17
18	01			05	02		34		34				18
19	01	13	15		05	28		07	02		01		19
20	02	16			27	01			04		03		20
21			04		01			01		01			21
22			01					10					22
23					13			03		05			23
24						35				30	07		24
25			09										25
26						01		29		04	30		26
27			16			03	15	46	03		40	04	27
28						03		20				10	28
29					35		01			29			29
30		X	24				07	05		01	03	33	30
31		X	19	X		X		02	X	03	X		31
Total	2.06	146	1.97	1.31	1.60	1.29	67	3.26	54	2.55	1.55	1.62	18.88
Rain Days.	15	5	12	11	10	11	6	20	8	19	15	13	145

REGISTER OF RAINFALL IN 1918

Kept at Gas Works Chesterfield
 in the County of Derby
 by Chesterfield Gas Water B

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03		02					13	03	28		1
2		13	06					50	05	02		45	2
3		03	03		93			40	04		13		3
4			03					03	63	02	53	45	4
5				10	38			15	33	09		01	5
6		20		50		05			01	11			6
7	03	03		10					05	04	21		7
8	01	07	07	03			02		37	03	02		8
9	19	42		14		15	06		46	17		01	9
10	03	02		07			08		01			03	10
11	16	03		08	10		03		03			01	11
12	60			16	02		47		10			11	12
13					08				18	02			13
14				02		04	02		48	05		26	14
15	30			01			27		69			21	15
16				01			02	01	25	02		09	16
17	22				04		44	05	07	07		26	17
18	25		08			07	02		80			18	18
19	07			10			05		01			23	19
20	16	08		10		05	12		06	03			20
21	21	04		07	43	04			09	01		10	21
22	01				02	08	02		07	08		41	22
23	03				24		08		03	01		01	23
24		05					01		05	01	04	06	24
25						03	08	44	01				25
26							35	03	01		04	03	26
27		03						30	11		02	20	27
28		12	25					05	10		16	47	28
29									19			01	29
30		X	36					02	01		07	11	30
31		X	10	X		X			X		X		31
Total	2.27	1.28	97	1.51	2.24	.51	2.14	1.98	5.42	81	1.50	3.70	24.33
Rain Days	14	14	8	15	9	8	17	11	30	17	10	22	175

✓ W.D. 20.29.14

REC

CHESTERFIELD

TAPTON GROVE

DERBY

1911 - 1920

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Tapton Grove

in the County of Derby

by W.R. Blosham, Gardener

5 in.
above Ground 4 ft. 3 in.
Sea Level 400 ft.
9 A.M.
Name Chesterfield
Distance 1 1/2 mi Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11	.26	.04						.04		1
2			.08				.05	.04					2
3	.18				.07			.01					3
4					.21					.02			4
5				.06						.13		.32	5
6											.30		6
7	.10			.06				.16		.10		.56	7
8	.31										.16		8
9											.11	.45	9
10	.15					.09					.07	.05	10
11			.11									.49	11
12								.08			.42		12
13	.13		.09						.29		.18		13
14												.41	14
15			.10		1.06						.05	.75	15
16		.12								.08		.08	16
17		.08	.07	.04		.12				.05	.15	.04	17
18			.10	.01		.21					.05	.20	18
19						.02						.08	19
20									.17	.06	.38	.04	20
21				.08				.45	.09	.01		.17	21
22		.50								.23			22
23		.05						.01		.14	.03	.25	23
24		.09				.36			.34	.02		.11	24
25		.01		.04		1.10				.13			25
26		.19		.10		.02			.08			.23	26
27				.06	.21					.27	.46	.47	27
28		.09		.09	.13			.59	.15			.03	28
29				.20					.04		.12	.05	29
30									.28	.20		.02	30
31			.10		.18					.37			31
Total	.87	1.13	.76	1.00	1.90	1.92	.05	1.34	1.44	1.81	2.52	4.80	TOTAL for year
No. of Rain Days.	87	1.24	.91	.78	1.86					1.85	2.48		
	5	9	8	11	5	7	1	7	8	15	15	20	19.54

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

Kept at Tapton Grange - Cheshire
in the County of Dorset
by W.R. Bloxham, Gardener to R. J. Mills Esq.

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 4 ft. 3 in.
" " " Sea Level 400 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Cheshire
Distance 1 1/2 mi. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11	.26	.04						.04		1
2			.08				.05	.04					2
3	.18				.07			.01					3
4					.21					.02			4
5				.06						.13		.32	5
6											.30		6
7	.10			.06				.16		.10		.56	7
8	.31										.16		8
9											.11	.45	9
10	.15					.09					.07	.05	10
11			.11									.49	11
12								.08			.42		12
13	.13		.09						.29		.18		13
14												.41	14
15			.10		1.06						.05	.75	15
16		.12								.08		.08	16
17		.08	.07	.04		.12				.05	.15	.04	17
18			.10	.01		.21					.05	.20	18
19						.02						.08	19
20									.17	.06	.38	.04	20
21				.08				.45	.09	.01		.17	21
22		.50								.23			22
23		.05						.01		.14	.03	.25	23
24		.09				.36			.34	.02		.11	24
25		.01		.04		1.10				.13			25
26		.19		.10		.02			.08			.23	26
27				.06	.21					.27	.46	.47	27
28		.09		.09	.13			.59	.15			.03	28
29				.20					.04		.12	.05	29
30									.28	.20		.02	30
31			.10		.18					.37			31
Total	.87	1.13	.76	1.00	1.90	1.92	.05	1.34	1.44	1.81	2.52	4.80	TOTAL for year
No. of Rain Days.	5	9	8	11	8	7	1	7	8	15	13	20	19.54

REGISTER OF RAINFALL IN 1912

Kept at Lapham Green, Chesterfield
in the County of Derby
by W. R. Bloxham

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Chesterfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 400 ft.

FORM A
BRITISH RAINFALL
12 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				.06		.09		.31	.12	.12			1
2			.25			.50	.04		.10			.48	2
3				.03		.22	.48		.05				3
4	.08		.03		.08	.36		.74	.18				4
5	.10		.75		.17	.39		.32	.17		.26		5
6	.18	.19			.05	.35		.11					6
7	1.03				.08	.02		.36				.04	7
8					.01	.07		.10					8
9	.37	.46	.16				.14		.11				9
10		.03	.15	.22		.26		.11					10
11	.18	.02						.21			.37		11
12						.08					.08	.45	12
13		.35	.02				.69				.02		13
14		.02							.04	.05	.08		14
15	.12		.26			.11		.06					15
16			.09		.44							.27	16
17	.72				.04	.15		.03		.05			17
18			.08			.15	.06	.03			.01	.23	18
19	.59		.31					.30				.13	19
20	.20	.16	.05		.65	.03	.59	.33					20
21	.29		.08				.23			.26			21
22			.5		.90		.35			.27			22
23					.91	.61	.15	.47					23
24	.06		.28		.01		.46	.25			.09	.05	24
25	.17					.18	.29	.19					25
26						.15		.04			.29	.35	26
27			.09				.26	1.14		.80	.32	.01	27
28			.01		.01	.11	.97	.01		.86		.26	28
29							.17	.59		.34	.60		29
30			.09			.25	.07		.62	.05		.12	30
31	.07				.33					.02			31
Total	4.16	1.23	3.20	.31	3.08	4.08	4.95	5.70	1.39	2.82	2.12	2.39	35.43
Rain Days.	4.14	1.23	3.26	.25	3.13	3.99	5.26	5.51	1.39	2.70	2.13	2.39	14.4
			18	2	14	18	16	20	8	9	10	11	

confn WD. 2.11.14

88998

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
16 JAN 1914

Kept at Yapton Grove Cheshire
in the County of Derby
by WR Blocham

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Cheshire
Diameter of Rain Gauge 5 inches in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.01		.15							1
2				.03							.09		2
3		.07							.27		.04		3
4	.04	.03			.33		.13		.03	.52		.24	4
5	.61				.06		.09				.14	.38	5
6	.02		.40			.10	.78		.14	.19			6
7		.09	.13		.39	.02				1.29			7
8					.13	.12				.96	.07		8
9		.30			.39		.05	.12	.04	.06	.18		9
10		.32			.05	.15	.02				.09	.03	10
11											.24		11
12	.80			.33		.03					.27		12
13								.01	.20		.36		13
14	.04		.12	.02							.08		14
15	.10	.12	.45								.18		15
16	.05		.43	.45					.14				16
17		.03	.10					.05	.15		.56		17
18			.05	.11					.60		.04		18
19			.52				.12					.06	19
20			.02						.32				20
21				.10					.67	.03	.17		21
22	.32		.08				.13						22
23	.26		.47					1.07	.25				23
24	.17							.04	.05				24
25				.02		.05							25
26									.08				26
27			.21	.10	.50					.17		.35	27
28				.45									28
29	.23		.18	.56	.01								29
30	.01			.43								.10	30
31	.30		.38							.45		.32	31
Total	2.95	.96	3.54	2.61	1.86	.62	1.32	1.29	2.94	3.67	2.51	1.48	25.75
Rain Days.	13	7	14	12	8	7	7	5	13	8	14	7	115

REGISTER OF RAINFALL IN 1914

Kept at Japton Grove - Chesterfield
in the County of Derby
by W R Blocham

Lat. _____ Long. _____
Time of Observation 9.4 M.
Nearest Railway Station Chesterfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 400 ft.

Jan. 1, following.

01

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.30			.11	.22	1
2			.15				.97	.15				.13	2
3							1.57	.20			.41	.23	3
4			.02		.14		.13	.06			.03	.49	4
5	.25			.20	.13						.43	.21	5
6			.19	.16			.03				.10		6
7			.04	.21	.10		.22		.24			.30	7
8				.06		.07	.01					.09	8
9		.12	.26		.10	.74	.35			.06			9
10	.35					1.01		.27					10
11		.19		.21					.04				11
12	.11	.06	.29			.05					.70	.40	12
13	.17	.04	.15						.30		.13	.39	13
14		.12	.17						.07	.10	.41	.30	14
15		.27					.06		.02	.64	.40	.21	15
16	.08		.15								.03		16
17			.06				.40						17
18		.17	.10				.02		.47			.38	18
19							.09		.04			.31	19
20		.17	.12										20
21			.02			.20		.05				.09	21
22						.04				.12		.19	22
23		.43		.07	.18					.19			23
24		.01	.05		.33		.03						24
25		.04	.15		.25						.17		25
26							.22	.25		.61		.28	26
27			.02					.61		.11	.07	.20	27
28										.05	.07	.76	28
29										.11		.30	29
30		X	.19							.52		.10	30
31		X	.01	X		X			X	.19	X	.24	31
Total	.96	1.62	2.14	.91	1.23	2.11	4.10	1.89	1.18	2.61	3.06	5.82	27.63
Rain Days.	5	11	18	6	7	6	13	8	7	11	13	21	126

REGISTER OF RAINFALL IN 1915

Kept at Japton Grove, Chesterfield
in the County of Derby
by W. R. Bloxham

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Chesterfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 3 in.
" " " " Sea Level 400 ft.

FORM A.
BRITISH RAINFALL
26 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

48

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.33				.40				.30		1
2	.17	.30	.02		.33				.23			.28	2
3	.15	.08	.12	.26		.02	.01	.42					3
4	.60						.75	.21	.03			.51	4
5	.04			.07	.04		.71				.05	1.01	5
6		.45			.05			.05				.69	6
7	.13			.16			.38	.13				.10	7
8		.40					.02					.09	8
9	.11	.11		.12				.75			.19		9
10	.11	.04						.02				.70	10
11	.20		.06								.16		11
12	.09				.45		.09	.08			.57		12
13				.17	.23						1.53		13
14		.57			.08							.18	14
15	.06							.05				.30	15
16	.38							.45				.13	16
17		.70			.08		1.61						17
18		.06					.27						18
19		.18	.10										19
20		.02					.11						20
21												.15	21
22	.06						.08						22
23			.23	.12						.53			23
24			.09										24
25			.12						.60			.03	25
26				.07		.39							26
27		.26					.20		.12			.90	27
28						.09	.08			.48		.56	28
29								.35					29
30		X									.21	.51	30
31		X		X		X			X		X	.02	31
Total	2.11	3.14	1.07	.97	1.26	.50	4.71	2.51	.98	1.01	3.01	6.16	27.43
Rain Days.	2.10	3.47	.74	.97	1.26	.90	4.31	2.51	.98	1.31	2.40	6.64	27.90
	13	12	8	9	7	3	13	10	4	2	7	16	102

REGISTER OF RAINFALL IN 1916

Kept at Japton Cross Chestnutfield
in the County of Derby
by W. R. Blöham

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station 1 1/2 Miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 3 in.
" " " " Sea Level 400 ft.

FORM A.
BRITISH RAINFALL
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48		.43				.02				.13		1
2	.09		.15			.16	.08				.15		2
3	.20	.08	.30							.22	.02		3
4		.40			.61		.48		.70	.17	.08		4
5		.06			.07	.24				.12	.44		5
6	.15					.19				.20	.13		6
7	.09	.41			.40		.34				.60		7
8					.09		.06				.12	.26	8
9			.28								.02		9
10			.22		.34	.12						.30	10
11	.03		.10			.38			.17			.11	11
12				.22		.14			.02				12
13			.70		.45		.24			.13		.09	13
14			.39	.03			.01	.20					14
15		.90	.03	.03	.12			.10		.24			15
16		.24	.58				.68	.05					16
17		.23	.52	.13			.18	.10					17
18		.15		.20			.04		.09	.26			18
19		.29						.02	.16		.50		19
20	.15		.42	.20					.12		1.02		20
21			.28									.28	21
22	.21		.10	.06						.14		.27	22
23													23
24		.22		.02				.08		.03	.16	.30	24
25		.50						.04		.08		.25	25
26								.09			.24		26
27			.22					.08		.12	.04		27
28		.33	.10					.18		.21			28
29		.34	.15			.22						.08	29
30		X				.72		.23		.46		.25	30
31		X		X		X			X	.23	X		31
Total	1.40	4.15	4.94	.89	2.08	2.17	1.53	1.17	1.26	2.63	3.57	2.19	27.48
Rain Days.	.92	4.58	4.51			2.19	1.51			2.78	3.42		27.50
	8	13	17	8	7	8	10	11	6	14	14	10	126

REGISTER OF RAINFALL IN 1917

Kept at Japton Grove, Chesterfield
in the County of Derby
by W. R. Blosham

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Chesterfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 400 ft.

FORM A.
BRITISH RAINFALL
7. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.04			.04	1
2	.21			.37				.51	.08		.10		2
3	.18			.15		.23		.12					3
4								.30		.12			4
5								.03		.11			5
6	.15		.22					.02	.03	.07	.13		6
7						.13				.32	.02	.14	7
8										.32			8
9	<u>.41</u>			.30				.61		.40	.04		9
10				.08				.12		.03	.08		10
11	.30		.91	.05	.33			.18					11
12	.10			.43						.20			12
13								.19	.08	.04		.15	13
14				.09				.23					14
15	.30							.35					15
16								.01				.50	16
17		.45					.18	.03					17
18				.11	.44	.05	.32	.19		.17			18
19				.03	.05			.01	.38				19
20		.13	.18			.33		.05	.03		.01		20
21		.15			.28	.20			.05		.03		21
22		.04			.02			.03		.05			22
23								.17					23
24					.12	.07		.06				.40	24
25						.32		.05		.48			25
26			.18				.27			.01	.26		26
27						.08		.31		.05			27
28			.08			.15	.21	.59					28
29						.10		.24	.05			.19	29
30		X			.50					.28			30
31		X	.18	X		X	.14	.10	X	.01	X		31
Total	2.38	.77	1.75	1.61	1.74	1.66	1.12	4.50	.74	2.66	.69	1.42	21.04
Rain Days.	7	4	6	9	7	10	5	24	8	16	8	6	110

REGISTER OF RAINFALL IN 1918

Kept at Tapton Grove Chesterfield
 in the County of Derby
 by W. R. Blocham

Lat. _____ Long. _____
 Time of Observation 9 A.M.
 Nearest Railway Station Chesterfield
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 4 ft. 3 in.
 " " " " Sea Level 400 ft.

FORM A.
 BRITISH RAINFALL
 20.1

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.18	.10						.01			1
2				.03					.12	.02	.35		2
3									.08	.02		.37	3
4		.22			.89				.16		.18		4
5			.10						.50	.06	.45	.35	5
6			.02		.52				.18	.10		.02	6
7		.20		.30		.05				.20			7
8										.05	.18		8
9		.11	.06	.15					.47	.03	.03		9
10		.43	.05	.14		.14	.14			.15			10
11		.02		.04			.10		.02			.10	11
12				.07			.05		.09				12
13		.12					.55		.11			.10	13
14				.22	.21				.31	.04			14
15	.68					.06	.03		.53	.06			15
16							.29		.64			.44	16
17	.50			.06			.06		.31	.03		.10	17
18	.57						.50		.12	.08		.18	18
19	.18				.05	.05	.04		.73			.12	19
20	.17		.12				.06		.04			.27	20
21		.07		.16		.05	.19		.06	.08			21
22					1.27	.01	.03		.02	.15			22
23					.07	.01			.08	.02		.43	23
24					.35		.10		.11				24
25		.12					.02		.04	.11	.10		25
26		.08					.12	.46	.05				26
27							.35	.04	.03			.08	27
28								.30	.14		.07	.15	28
29			.20					.15	.15		.15	.52	29
30		X							.15				30
31		X	.30	X		X			X		X	.13	31
Total	2.10	1.18	1.03	1.27	3.36	.37	2.63	.95	5.24	1.21	1.51	3.36	24.40
Rain Days	5	1.55	.95	1.10	7	7	16	4	5.25	1.20	8	15	13.2

REGISTER OF RAINFALL IN 1919.

Kept at Tapton Grove
in the County of Derby
by W.R. Bloxham "Gardener"

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Cheltenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 4 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01						.14	.10			.06	.21	1
2	.22				.26		.26		.04	.09	.07	.16	2
3	.10	.20					.17	.02		.02	.17		3
4	.80					.10	.53		.09		.20	.15	4
5	.05		.31		.02	.08	.18	.16	.12		.13	.18	5
6	.05	.09			.05	.03			.21		.01	.47	6
7	.01		.07		.66		.01					.21	7
8			.12		.20								8
9	.17												9
10			.06								.09		10
11			.10	.05								.18	11
12			.92		.15		.10						12
13			.75			.12	.12					.02	13
14	.05			.52			.01		.75	.09			14
15	.40			.16					.03				15
16	.25			.02							.20	.60	16
17	.04	1.00		.06			.01						17
18		.54		.02		.09	.07				.18		18
19			.08				.02	.30	.01			.21	19
20	.15		1.30			.06	1.28	.43	.03		.21		20
21	.38	.32	.31			.02	.35	.09			.12	.09	21
22	.66	.30					.18				.01	.11	22
23		.13					.01		.54			.30	23
24						.02				.90	.03	.20	24
25				.25	.13			.02		.45			25
26				.20	.12	.06		.71					26
27			.32	.04				.20	.19		.11	.44	27
28			.06	.11							.07		28
29	.10			.18				1.00				.35	29
30		~~X~~		.01				.04		1.07		.10	30
31		~~X~~	.10	~~X~~		~~X~~			~~X~~	.05	~~X~~	.26	31
TOTAL	~~2.84~~ 2.83	2.57	4.50	1.62	1.59	~~1.4~~ 1.4	~~3.44~~ 3.40	3.07	2.01	~~2.67~~ 2.73	~~1.66~~ 1.81	~~4.24~~ 4.03	YEAR'S TOTAL 30.79 30.78
Days with ".01 in. or more	16	7	13	12	8	10	16	10	10	8	15	17	141

REGISTER OF RAINFALL IN 192.....

Kept at Table Grove, Cheshire
in the County of Derby
by Mr. R. B. Shaw "Gardener"

Lat. _____ Long. _____
Time of Observation 9. A.M.
Nearest Railway Station Cheshire
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 3 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
05

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		13		10	22	10	05	05			37	11	1
2			01	03	26	01	29	01	09	20	06	11	2
3		01		50	01		43		21	15		13	3
4	02			48	05	09	86	01	09	02		09	4
5				10			09	27		98		05	5
6		01		06	15		09	(08)	01	04		03	6
7					02		07			01		12	7
8	06		02	06			29						8
9	08	04	30	50	08		26	02		02			9
10	20	06		51			03			01			10
11	31	19	02	10			17	03					11
12	40		07	36	29	19	01					05	12
13	05	04		34	01	14					03	15	13
14	12			45		69							14
15	01		45	15		75	01		46	06	16		15
16		12	30	40					04	05			16
17		02	05	03	10		48		01	10			17
18			03			02	03	03	28	03		06	18
19	02			13	14	12							19
20	18	1.49		12	05	04		10	02				20
21	04	01		46		20	03					02	21
22	03			01			18						22
23	02			18			16	11					23
24	02						03	01				38	24
25			22	08								10	25
26	03		04				54					05	26
27	(40)	07	06	09	52		30						27
28	15			11	90	10				04	32	24	28
29	1.05		14	04	13	03	02		05			06	29
30	07	X	07	01	49		10		02		08	65	30
31	12	X		X	02	X		X		X		30	31
TOTAL	13	1	10	22	10	05	05	-	-	37	11	05	YEAR'S TOTAL
Days with "01 in. or more	3.08	2.89	1.78	5.40	3.44	2.53	4.47	7.27	1.28	1.71	1.02	2.70	30.32
Days with "04 in. or more	2.21	2.06	1.88	5.52	3.32	2.48	13	6.7	11	2.98	6.76	2.64	18.6
	2.2	2.1	1.5	2.6	1.7	1.3	16	1.6	4	1.4	5	1.6	11.35

S. model
Kept at Press Res
in the County of Gloucester
by Robert F. Jones

CLAY CROSS
2673 - 109149
PRESS RES
1912 - 1930

N 19 12
10" Long. 1° 28' 30" W.
way Station Clay Cross
ervation 9 am.
Rain Gauge 8 in.
of Gauge above Ground 1 ft. 0 in.
" " Sea Level 810 ft.
vious day. Full instructions for the measurement
Rainfall Observers," sent post-free on application

FORM A.
BRITISH RAINFALL.
FEB 7 1913

NOTE.—Rain should be measured in the County of Gloucester and particulars as to the measurement sent to Dr. H. R. MILL, 62, Cambridge Road, Gloucester.

Date.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.00	.27	.04	.00	.45	.02	.03	.05	.00	.00	.06	1
2	.00	.00	.11	.02	.00	.10	.39	.00	.05	.00	.00	.02	2
3	.19	.00	.05	.00	.12	.16	.02	.82	.17	.00	.00	.02	3
4	.11	.00	1.11	.00	.25	.50	.00	.56	.02	.00	.12	.00	4
5	.28	.04	.03	.09	.10	.33	.00	.10	.20	.00	.00	.00	5
6	.28	.12	.00	.00	.10	.01	.00	.30	.00	.00	.00	.00	6
7	.60	.11	.00	.00	.04	.07	.00	.03	.01	.00	.00	.00	7
8	.49	.40	.15	.00	.00	.06	.03	.00	.15	.00	.00	.00	8
9	.11	.00	.23	.34	.00	.14	.00	.19	.00	.00	.02	.11	9
10	.00	.19	.00	.02	.00	.00	.00	.04	.00	.00	.29	.00	10
11	.20	.07	.00	.00	.00	.03	.00	.03	.00	.00	.08	.61	11
12	.07	.34	.11	.00	.00	.05	.60	.00	.00	.00	.01	.00	12
13	.04	.04	.02	.00	.00	.04	.00	.00	.00	.08	.07	.06	13
14	.07	.00	.43	.00	.00	.14	.00	.21	.02	.00	.00	.16	14
15	.37	.00	.18	.02	.50	.06	.00	.02	.00	.00	.00	.39	15
16	1.12	.00	.34	.00	.15	.14	.00	.06	.00	.13	.04	.31	16
17	.02	.00	.29	.00	.00	.15	.07	.36	.00	.00	.00	.00	17
18	.12	.00	.11	.00	.00	.24	.00	.00	.00	.04	.00	.11	18
19	.32	.15	.00	.00	.00	.04	.04	.31	.00	.02	.02	.00	19
20	.24	.00	.03	.00	.10	.00	.56	.11	.00	.39	.00	.05	20
21	.00	.02	.59	.00	.79	.00	.70	.00	.00	.39	.03	.02	21
22	.00	.12	.00	.00	.73	.41	.47	.26	.00	.00	.00	.14	22
23	.01	.09	.34	.00	.00	.01	.75	.66	.00	.00	.18	.00	23
24	.20	.00	.00	.00	.00	.08	.36	.20	.00	.00	.00	.22	24
25	.00	.00	.04	.00	.00	.27	.00	.01	.00	.00	.36	.15	25
26	.00	.05	.10	.00	.00	.00	.15	1.14	.00	1.05	.33	.00	26
27	.00	.00	.02	.00	.00	.16	.68	.01	.00	1.01	.01	.21	27
28	.00	.04	.00	.00	.00	.03	.38	.55	.07	.42	.60	.14	28
29	.00	.00	.00	.00	.00	.13	.08	.05	.62	.10	.01	.03	29
30	.05		.09	.00	.22	.00	.05	.00	.21	.07	.00	.00	30
31	.00		.08		.16		.24	.17		.00		.04	31
Total	4.89	1.78	4.57	.53	3.26	3.80	5.59	6.22	1.57	3.60	2.17	2.85	TOTAL for year 40.83
No. of Rain Days	20	14	22	6	12	25	18	24	11	11	15	19	197

Kept at Press Reservoir

in the County of Derby.

by Robert Frith. C.E.

N 19/2

Lat. 53. 11. 10" Long. 1° 28. 30" W.

Nearest Railway Station Clayton

Time of Observation 9 am.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 810 ft.

FORM A.

BRITISH RAINFALL.

FEB 26 1913

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.00	.27	.04	.00	.45	.02	.03	.05	.00	.00	.06	1
2	.00	.00	.11	.02	.00	.10	.39	.00	.05	.00	.00	.02	2
3	.19	.00	.05	.00	.12	.16	.02	.82	.17	.00	.00	.02	3
4	.11	.00	1.11	.00	.25	.50	.00	.56	.02	.00	.12	.00	4
5	.28	.04	.03	.09	.10	.33	.00	.10	.20	.00	.00	.00	5
6	.28	.12	.00	.00	.10	.01	.00	.30	.00	.00	.00	.00	6
7	.60	.11	.00	.00	.04	.07	.00	.03	.01	.00	.00	.00	7
8	.49	.40	.15	.00	.00	.06	.03	.00	.15	.00	.00	.00	8
9	.11	.00	.23	.24	.00	.14	.00	.19	.00	.00	.02	.11	9
10	.00	.19	.00	.02	.00	.00	.00	.04	.00	.00	.29	.00	10
11	.20	.07	.00	.00	.00	.03	.00	.03	.00	.00	.08	.61	11
12	.07	.24	.11	.00	.00	.05	.60	.00	.00	.00	.01	.00	12
13	.04	.04	.02	.00	.00	.04	.00	.00	.00	.08	.07	.06	13
14	.07	.00	.43	.00	.00	.14	.00	.21	.02	.00	.00	.16	14
15	.37	.00	.18	.02	.50	.06	.00	.02	.00	.00	.00	.39	15
16	1.12	.00	.24	.06	.15	.14	.00	.06	.00	.13	.04	.31	16
17	.02	.00	.29	.00	.00	.15	.07	.36	.00	.00	.00	.00	17
18	.12	.00	.11	.00	.00	.24	.00	.00	.00	.04	.00	.11	18
19	.32	.15	.00	.00	.00	.04	.04	.31	.00	.02	.02	.00	19
20	.24	.00	.03	.00	.10	.00	.56	.11	.00	.29	.00	.05	20
21	.00	.02	.59	.00	.79	.00	.70	.00	.00	.39	.03	.02	21
22	.00	.12	.00	.00	.73	.41	.47	.26	.00	.00	.00	.14	22
23	.01	.09	.34	.00	.00	.01	.75	.66	.00	.00	.18	.00	23
24	.20	.00	.00	.00	.00	.08	.36	.20	.00	.00	.00	.22	24
25	.00	.00	.04	.00	.00	.27	.00	.01	.00	.00	.36	.15	25
26	.00	.05	.10	.00	.00	.00	.15	1.14	.00	1.05	.33	.00	26
27	.00	.00	.02	.00	.00	.16	.68	.01	.00	1.01	.01	.21	27
28	.00	.04	.00	.00	.00	.03	.38	.55	.07	.42	.60	.14	28
29	.00	.00	.00	.00	.00	.13	.08	.05	.62	.10	.01	.03	29
30	.05		.09	.00	.22	.00	.05	.00	.21	.07	.00	.00	30
31	.00		.02		.16		.24	.17		.00		.04	31
Total	4.89	1.78	4.07	.53	3.26	3.80	5.59	6.22	1.57	3.60	2.17	2.85	TOTAL for year
No. of Rain Days	20	14	22	6	12	25	18	24	11	11	15	19	197

REGISTER OF RAINFALL IN 1913

Kept at PRESS RESERVOIRS

in the County of DERBYSHIRE

by Silbert Trith
Waterworks Engineer.

Lat. 53° 11' 20" Long. 1° 28' 20" West

Time of Observation 9 am.

Nearest Railway Station Clayton M.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 810 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.00	.25	.00	.00	.01	.00	.00	.10	.01	.05	.00	1
2	.00	.08	.09	.09	.00	.00	.00	.00	.01	.01	.08	.00	2
3	.10	.03	.27	.00	.32	.00	.01	.00	.02	.57	.00	.24	3
4	.85	.05	.04	.00	.17	.02	.18	.60	.07	.45	.21	.29	4
5	.05	.05	.07	.00	.01	.04	.01	.00	.08	.42	.00	.00	5
6	.04	.14	.21	.00	.40	.07	.96	.00	.00	.74	.04	.00	6
7	.00	.63	.00	.00	.29	.03	.02	.00	.00	.70	.00	.03	7
8	.01	.03	.00	.00	.45	.04	.00	.00	.00	.09	.16	.00	8
9	.00	.36	.03	.00	.07	.34	.03	.07	.00	.00	.14	.00	9
10	.00	.02	.00	.19	.00	.02	.02	.01	.00	.00	.33	.00	10
11	.65	.00	.00	.33	.00	.06	.00	.03	.00	.01	.27	.02	11
12	.00	.00	.00	.00	.01	.00	.00	.00	.13	.01	.38	.00	12
13	.00	.00	.20	.04	.00	.00	.00	.03	.00	.00	.14	.01	13
14	.22	.02	.47	.03	.00	.00	.00	.00	.11	.00	.17	.00	14
15	.07	.10	.68	.81	.00	.00	.02	.01	.00	.00	.26	.00	15
16	.00	.03	.37	.08	.00	.00	.04	.25	.20	.00	.17	.00	16
17	.03	.03	.00	.10	.02	.00	.02	.00	.61	.00	.04	.00	17
18	.00	.00	.37	.24	.00	.00	.10	.00	.00	.00	.12	.00	18
19	.18	.00	.02	.04	.00	.00	.03	.00	.16	.00	.00	.00	19
20	.20	.00	.21	.11	.06	.00	.00	.00	.20	.05	.34	.00	20
21	.03	.00	.01	.00	.14	.00	.15	.02	.00	.00	.00	.00	21
22	.28	.00	.57	.00	.00	.04	.00	.89	.27	.00	.00	.02	22
23	.05	.00	.00	.00	.08	.08	.00	.00	.11	.03	.03	.00	23
24	.17	.00	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	24
25	.00	.00	.00	.15	.00	.00	.00	.00	.06	.01	.00	.05	25
26	.00	.01	.20	.40	.16	.00	.00	.00	.00	.14	.00	.37	26
27	.00	.00	.00	.45	.00	.00	.00	.00	.00	.06	.00	.02	27
28	.36	.00	.29	.35	.00	.00	.00	.00	.00	.00	.60	.00	28
29	.03		.52	.10	.04	.00	.00	.28	.00	.00	.01	.13	29
30	.80		.01	.00	.00	.00	.00	.00	.00	.55	.03	.03	30
31	.00		.01		.00		.00	.00		.00		.00	31
Total	4.13	1.58	4.92	3.55	2.22	.75	1.59	1.59	2.13	3.79	2.97	1.21	30.43
Rain Days.	19	14	21	17	14	11	13	9	14	16	19	11	178

REGISTER OF RAINFALL IN 1914

Kept at Press Reservoir

in the County of Derbyshire

by Robert Smith
Waterworks Engineer.

Lat. 53° 11' 20" Long. 1° 28' 20" W

Time of Observation 9 a.m.

Nearest Railway Station Clay Cross MR.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 810 ft.

FORM A.
BRITISH RAINFALL

2 FEB 1915
2673

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	02	05	00	00	00	91	20	00	01	00	17	1
2	00	00	01	00	00	00	1.38	27	00	00	40	39	2
3	03	00	06	34	25	00	05	08	00	00	12	00	3
4	33	00	19	24	22	00	00	00	00	00	43	51	4
5	03	00	21	14	19	05	00	00	00	00	35	05	5
6	00	12	01	18	11	00	35	00	00	00	00	30	6
7	01	09	29	05	08	00	01	00	02	00	00	13	7
8	12	00	02	01	15	75	00	25	00	00	00	02	8
9	22	01	01	11	02	1.04	00	34	02	00	02	00	9
10	22	28	00	19	03	00	00	00	00	00	00	80	10
11	00	20	40	08	14	06	00	00	27	00	90	33	11
12	00	13	06	00	00	00	00	00	37	00	06	25	12
13	03	15	35	00	00	00	00	00	02	12	1.00	37	13
14	01	43	05	00	00	00	05	00	02	50	40	25	14
15	00	00	23	00	00	00	00	00	02	01	10	00	15
16	07	00	07	00	00	00	61	00	06	00	00	00	16
17	00	33	18	00	00	00	01	00	68	00	00	61	17
18	00	01	03	00	00	00	00	00	04	00	00	38	18
19	00	00	11	00	00	00	15	00	00	00	00	11	19
20	00	23	02	00	00	00	00	00	00	16	00	00	20
21	02	43	02	00	00	25	00	00	00	51	00	00	21
22	00	04	01	00	25	00	01	06	00	00	00	10	22
23	00	06	13	00	15	05	00	00	00	00	00	00	23
24	01	00	00	08	05	00	24	09	00	01	15	00	24
25	03	00	15	00	03	00	20	21	00	80	02	41	25
26	00	00	05	00	00	00	01	40	00	16	15	33	26
27	03	00	01	00	00	00	01	00	00	02	00	70	27
28	09	19	16	00	00	00	00	00	00	06	00	15	28
29	04		19	00	00	00	00	00	00	35	28	15	29
30	01	X	07	00	00	00	00	00	00	06	35	41	30
31	30	X	02	X	00	X	41	00	X	15	X	02	31
Total	1.60	2.72	3.16	1.42	1.67	2.20	4.40	1.90	1.52	2.92	4.63	6.14	34.28
Rain Days.	18	16	29	10	13	6	15	9	10	14	15	22	177

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915.

Kept at Press Reservoirs
in the County of Sherbrooke
by Robert Smith
Waterworks Engineer

Lat. $53^{\circ} 11' 20''$ Long. $1^{\circ} 28' 20''$ W. 2
Time of Observation 9 a.m.
Nearest Railway Station Clayton Mts. Sta.
Diameter of Funnel of Rain Gauge 8 in. 2673
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 810 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.23	.05		.45			.02	.04			.21	1
2	.12	.07	.13	.16				.49		.20		.01	2
3	.76	.05		.14	.05		.61	.08	.01			.41	3
4	.05		.04				.62			.04		.95	4
5	.05			.28				.10				.96	5
6	.15	.11		.02			.34					.02	6
7	.24	.70		.15			.06	.50			.01	.15	7
8	.23	.13		.02				.25			.11	.03	8
9	.02	.03		.03				.06			.12	.53	9
10	.45			.11			.01	.08		.02	.42	.03	10
11	.13				.46		.12	.03		.02	.47	.18	11
12	.04				.21			.01		.06	.16		12
13	.03	.47			.10		.01						13
14	.2	.01						.04	.11		.13	.35	14
15	.65							.05				.32	15
16		.50			.06		1.45	.01					16
17		.28					.21						17
18	.03	.27	.14	.4			.01						18
19		.03			.01		.15			.06			19
20	.05			.03				.01				.11	20
21				.02			.26					.04	21
22			.12	.05	.4		.02					.14	22
23			.17	.4			.12		.01	.27		.05	23
24			.07	.03	.07		.22		.40	.08		.34	24
25				.02		.63			.10	.10		.09	25
26						.04						.53	26
27		.05			.02	.03	.05			.51		.73	27
28		.50	.05	.05		.01	.04	.30		.17		.01	28
29		~~X~~				.99					.17	.59	29
30	.14	~~X~~					.02	.06			.03	.40	30
31	.15	~~X~~		~~X~~		~~X~~	.03	.04	~~X~~	.30	~~X~~	.01	31
Total	3.53	3.43	.77	1.06	1.36	1.70	4.35	2.13	.67	1.83	2.62	7.19	YEAR'S TOTAL 30.64
Rain Days.	18	15	8	13	8	5	19	17	6	12	9	25	155

PLEASE fill in name of place and month.

MARCH 8
APRIL 1915

RAINFALL at PAESS RESERVOIR in the Month of

DATE	MARCH Inches	APRIL REMARKS ON THE DAYS.
1	.05	
2	.13	.16
3		.14
4	.04	
5		.28
6		.02
7		.15
8		.02
9		.03
10		.11
11		
12		
13		
14		
15		
16		
17		
18	.14	.14
19		
20		.03
21		.02
22	.12	.12 .05
23	.17	.17
24	.07	.07 .03
25		.02
26		
27		
28	.05	.05
29		
30		
31		

Water first April 15th 1915

FORM C.
BRITISH RAINFALL.
W. 10,000 x. 16.

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered to the day preceding that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

TOTAL

.77

1.06

No. of Days with Rain

22

55

Rural District Council of Chesterfield.

Water Works Department.

RURAL DISTRICT COUNCIL OFFICES,
CHESTERFIELD,

GILBERT FRITH,
ENGINEER.

Telephone 101.

April 15th 19¹⁶.

Carle Salter, Esq.,
62, Camden Square,
London. N.W.,

Dear Sir,

I am in receipt of your letter of the 14th instant and I am very sorry you have been put to trouble in the matter. The totals entered for the months of March and April are correct but some of the daily entries have been miscopied. I have filled in the correct figures on your card which I now return to you.

I am yours faithfully,

Gilbert Frith

REGISTER OF RAINFALL IN 1916.

Kept at Press Reservoirs

in the County of Derby.

by Gilbert Frith Waterworks Engineer.

Lat. 53° 11' 20" Long. 1° 28' 20" W.
Time of Observation 9 a.m.
Nearest Railway Station Clay Cross. MR
Diameter of Funnel of Rain Gauge 8 in. 2673
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 810 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18	.03	.12	.	.	.06	.23	.	.	.	.23	.	1
2	.29	.17	.17	.	.	.	.03	.	.05	.17	.	.	2
3	.	.46	.	.	.	.	.15	.	.41	.30	.33	.	3
4	.14	.10	.	.	.58	.44	.	.	.	.37	.10	.	4
5	.06	.05	.	.	.06	.36	.	.	.	.	.80	.	5
6	.27	.40	.17	.	.56	.	.40	.	.	.	.75	.03	6
7	.02	.	.08	.	.	.	.17	.	.	.	.30	.	7
8	.	.	.30	.	.03	.19	.	.	.	.	.15	.05	8
9	.	.	.12	.	.35	.	.	.	.	.	.03	.20	9
10	.01	.08	.	.	.	(.25)	.04	.	.	.	.05	.25	10
11	.02	.27	.30	.28	.	.	.02	.	.04	.	.	.	11
12	.05	.07	.33	.09	.56	.04	.15	.	.	.	.	.17	12
13	.	.07	.18	.	.22	.02	.	.44	.	.04	.	.03	13
14	.	.26	.06	.	.	.	.	.47	.	.08	.	.	14
15	.	.37	.56	.07	.	.	.	.05	.	.10	.	.	15
16	.	.24	.52	.25	.01	.	.08	.15	.	.09	.	.	16
17	.04	.	.	.50	.	.	.	.	.25	.	.10	.	17
18	.	.47	.06	.05	.	.	.	.	.19	.15	.90	.04	18
19	.15	.06	.44	.12	.	.05	.17	.	.08	.	.15	.25	19
20	.23	.	.30	.	.12	.	.	.	.	.	.03	.25	20
21	.	.	.07	.	.	.	.	.02	.	.	.	.	21
22	.	.04	.	.	.	.	.	.09	.	.09	.	.30	22
23	.	.	.	.	.	.	.	.	.	.04	.31	.30	23
24	.	.50	.	.	.	.	.	.03	.	.	.	.17	24
25	.04	.07	.	.	.	.	.	.17	.	.10	.26	.	25
26	.01	.06	.10	.	.	.	.	.39	.	.	.03	.	26
27	.	.18	.15	.	.	.	.35	.01	.	.50	.	.	27
28	.	.27	.07	.	.	.13	.	.	.	.14	.02	.11	28
29	.	.45	.	.	.	.73	.	.01	.	.50	.	.40	29
30	.	X	.	.	.	.	.	.24	.	.36	.	.	30
31	.	X	.	X	.	X	.	.	X	.17	X	.32	31
Total	1.51	4.67	4.10	1.36	2.49	2.27	1.79	2.07	1.02	3.20	4.54	2.87	YEAR'S TOTAL 31.89
Rain Days.	14	22	19	7	9	10	11	12	6	16	17	15	158

REGISTER OF RAINFALL IN 1917

Kept at Pres Reservoirs
in the County of Derby
by Silbert Tuck
Waterworks Engineer

Lat. 53° 11' 20" Long. 1° 28' 20" W.
Time of Observation 9 am.
Nearest Railway Station Clayton MR.
Diameter of Funnel of Rain Gauge 8 in. 2673
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 810 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.	.	.14	.	.06	.	.37	.15	.	.04	.08	1
2	.42	.	.	.12	.	.15	.	.13	.	.	.06	.	2
3	.01	.	.	.	.	.	.	.24	.	.20	.06	.	3
4	.	.05	.07	.	.	.	.	.07	.	.40	.	.	4
5	.17	.	.11	.	.	.	.	.03	.05	.10	.24	.	5
6	.	.	.	.	.	.35	.	.	.	.	.08	.	6
7	.49	.	.	.	.	.06	.	.05	.	.82	.07	.	7
8	.20	.	.	.20	.	.	.	.65	.	.60	.04	.06	8
9	.05	.	.04	.18	.04	.	.	.16	.	.06	.40	.	9
10	.20	.	1.00	.14	.33	.	.	.25	.04	.	.	.	10
11	.	.	.	.33	.	.	.	.04	.	.34	.	.	11
12	.05	.	.	.	.22	.	.	.30	.	.11	.	.05	12
13	.03	.	.	.	.	.	.	.25	.	.	.	.	13
14	.13	.	.	.14	.	.	.	.18	.	.	.	.05	14
15	.06	.	.	.	.03	.	.15	.03	.	.11	.	.30	15
16	.04	.15	.	.06	.	.06	.19	.13	.	.04	.	.21	16
17	.03	.15	.	.05	.	.	.20	.24	.13	.20	.	.	17
18	.03	.	.	.06	.05	.	.65	.07	.44	.	.	.	18
19	.04	.	.30	.	.15	.30	.	.03	.03	.	.	.	19
20	.05	.25	.	.	.35	.03	.	.	.14	.	.06	.	20
21	.03	.04	.15	.	.05	.	.	.65	.	.10	.	.	21
22	.	.	.14	.	.	.	.	.07	.	.04	.	.	22
23	.	.	.	.	.20	.12	.	.08	.04	.12	.04	.05	23
24	.	.	.	.	.	.37	.	.24	.	.40	.25	.	24
25	.	.	.04	.	.	.	.02	.02	.	.	.	.	25
26	.	.	.	.	.	.06	.	.46	.07	.	.37	.	26
27	.	.	.	.	.	.10	.	.64	.	.03	.14	.07	27
28	.	.	.09	.	.	.25	.	.40	.	.	.	.17	28
29	.	.	.06	.	.26	.	.04	.03	.	.40	.	.18	29
30	.	X	.	.	.	.	.05	.	.	.	.	.20	30
31	.	X	.	X	.	X	.03	.02	X	.01	X	.04	31
Total	2.08	.64	2.00	1.42	1.68	1.91	1.33	5.83	1.09	4.08	1.85	1.46	YEAR'S TOTAL 25.37
Rain Days.	18	5	10	10	10	12	8	28	9	18	13	12	153

REGISTER OF RAINFALL IN 1918

Kept at *Press Reservoirs*

in the County of *Derby*

by *Gilbert Tuth.*
Waterworks Engineer

Lat. *53° 11' 20"* Long. *1° 28' 20" W.*
Time of Observation *9 am.*
Nearest Railway Station *Clay Cross M.R.*
Diameter of Funnel of Rain Gauge *8* in. *2673*
Height of top of Gauge above Ground *1* ft. *0* in.
Sea Level *810* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.07	.	.02	.	.	.	.	.29	.05	.49	.11	1
2	.	.18	.	.05	.	.	.	.54	.11	.04	.	.61	2
3	.	.05	.06	.	.85	.	.	.44	.03	.	.05	.02	3
4	.	.	.04	.	.02	.	.	.04	.80	.07	1.33	.50	4
5	.	.04	.	.10	.32	.	.	.25	.32	.15	.	.	5
6	.	.29	.03	.45	.	.	.	.	.03	.07	.	.03	6
7	.03	.05	.	.14	.	.06	.	.	.18	.17	.30	.	7
8	.	.12	.09	.	.	.	.	.	.30	.04	.	.05	8
9	.23	.84	.	.20	.	.16	.	.	.60	.21	.04	.	9
10	.22	.10	.	.01	.	.	.24	.	.02	.	.09	.13	10
11	.	.10	.	.07	.	.	.	.	.22	.	.	.06	11
12	.	.14	.02	.01	.03	.	.62	.06	.11	.02	.	.22	12
13	.	.01	.	.	.12	.	.	.	.15	.	.	.	13
14	.37	.	.	.	.	.08	.18	.	.41	.17	.	.29	14
15	.25	.	.	.	.05	.	.36	.	.72	.	.	.41	15
16	.	.	.	.	.	.06	.01	.02	.	.	.	.19	16
17	.27	.	.	.04	.	.	.83	.06	.10	.	.	.28	17
18	.28	.	.	.10	.	.18	.	.	.75	.	.	.28	18
19	.08	.02	.20	.10	.	.03	.11	.11	.10	.	.	.24	19
20	.25	.21	.01	.	.40	.06	.13	.	.10	.03	.	.	20
21	.23	.10	.	.12	.37	.	.	.	.33	.02	.	.10	21
22	.07	.	.	.10	.39	.20	.07	.	.23	.05	.	.49	22
23	.08	.06	.	.02	.67	.	.01	.	.07	.	.	.06	23
24	.	.	.	.	.	.02	.04	.	.18	.	.05	.11	24
25	.	.	.	.	.	.	.10	.48	.	.	.	.	25
26	.	.	.	.	.	.	.37	.06	.07	.	.08	.04	26
27	.	.05	.	.	.	.08	.	.53	.14	.	.04	.21	27
28	.	.08	.35	.	.	.	.	.02	.10	.	.24	.52	28
29	.	.	.	.	.	.	.	.	.18	.	.	.03	29
30	.	X	.47	.	.	.	.	.06	.	.	.	.09	30
31	.	X	.28	X	.	X	.	.07	X	.	X	.	31
Total	2.36	2.46	1.55	1.53	3.22	.93	3.07	2.74	6.64	1.09	2.71	5.07	33.37
Rain Days.	12	18	10	15	10	10	13	14	27	13	10	24	176

REGISTER OF RAINFALL IN 1919.

Kept at Peas Reservoirs

in the County of Derbyshire

by Gilbert Field

Watersworks Engineer

Lat. 53° 11' 20" Long. 1° 28' 20" W.

Time of Observation 9 A.M.

Nearest Railway Station Clay Cross M10 R142673

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 810 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	37		07		20		25		03	11	06	24	1
2	13	02					18	04	02		16	03	2
3	45				03	06	50	11	10		28	08	3
4			26			08	62	20	26		04	29	4
5	05	05							26		01	58	5
6	03		19		67					05		37	6
7			23		01								7
8	30		03			05				03			8
9			08										9
10			28				06				03	25	10
11	03		81	07	13		14				03	03	11
12			35	14		20			08		01		12
13	37			49				01	56	09	03		13
14	36			27					06			03	14
15	29	10		05							03	64	15
16	09	73		13							14		16
17	15	25				14	06				37	02	17
18			28		02			12				37	18
19	22	24	88			07	150	59			20	10	19
20	73	16	62			01	45	19			20	25	20
21	15	36	10			07	06					32	21
22									61		10	65	22
23		05				02				86	06	12	23
24				20	08	04			05	53	11	01	24
25	03			17	26	03		68			09		25
26			26	03				36	20			34	26
27	10		06	20				01			06	07	27
28				03				115				39	28
29	08			02				12		90	10	12	29
30		X	04	05		20				05	32	42	30
31	03	X		X		X			X	06	X	02	31
TOTAL	3.96	1.96	4.54	1.85	1.40	.97	3.82	3.58	2.33	2.68	2.43	5.74	35.26
Days with 01 in. or more	19	9	16	13	8	12	10	12	11	9	21	24	164

REGISTER OF RAINFALL IN 1920.

Kept at Press Reservoirs
in the County of Derby
by Libert Fitch Waterworks Engineer

Lat. 53° 11' 20" Long. 1° 28' 20" West
Time of Observation 9 a.m.
Nearest Railway Station Clay Cross in R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 810 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				25	47	05	25	06	05	12		15	1
2				24	07		50	04	06	17		38	2
3				50		13	1 00		18	40		11	3
4				21			09	56		66			4
5				12	17		12	10	07	06		04	5
6			33				10			02		10	6
7	15		05	06			16						7
8	06	10		50	31		50	04					8
9	42	23		40			06						9
10	50	34	06	31			28				03		10
11	45	06	10	20	32	38					06		11
12			03	50	01	18						08	12
13		15	10	57		40							13
14	22		32	21		88	10		67	08	60	07	14
15		16	06	73					11	10			15
16			08	06						10			16
17			06		15				25	12			17
18	06			05	22			04	19				18
19	20	1 15		36	08		04		20				19
20				31		38	06						20
21	15						20	11					21
22				25			16	06	01			17	22
23		06		03			12					47	23
24			40									21	24
25	10		09	23			57			02			25
26	25		15	18	12		06					02	26
27	19		04	20	1 57	21					40	35	27
28	50		16	17	14	12	04		03			10	28
29		04	15	21	21	02			01		22	75	29
30	10	~~X~~		18	05	05			09		24	50	30
31	30	~~X~~		~~X~~	06	~~X~~			~~X~~	37	~~X~~	09	31
TOTAL	3 65	2 29	2 18	7 03	3 95	2 80	4 41	1 01	1 92	2 22	1 55	3 59	36 60
Days with 01 in. or more	15	9	16	26	15	11	19	8	13	12	6	16	166
Days with 04 in. or more	15	9	15	25	14	10	19	8	10	10	5	15	155

RE

Kept at

in the County of

by

CODNOR

CROSS HILL

DERBY

1911-1920

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL
1911-1920

5 in.

Ground ft. 12 in.

Sea Level 372 ft.

aw.

Name Cross Hill Codnor Mx

Distance 100 yds Direction N.E.

the result entered to the
ersal rule, he is earnestly
ear in the space provided
nent of rain,
tish Rainfall
application to

Jan. 1, following.

-

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.03	.03	.04					1
2			.5		.09			.10			.03	.09	2
3				.06	.24			.12		.07	.12	.01	3
4	.02		.03						.11	.07		.12	4
5	.06							.10		.02	.09		5
6	.65		.01	.01						.12	.13	.53	6
7	.01	.01	.03							.5	.08	.08	7
8	.12		.24						.08		.18	.33	8
9	.01			.5							.03	.02	9
10	.04	.03	.24									.41	10
11	.13										.25	.01	11
12	.03		.37						.24		.22	.01	12
13			.03									.43	13
14		.06	.02	.37	.31					.04		.81	14
15		.18	.08							.02	.03	.04	15
16		.06				.09	.5				.19	.17	16
17	.5			.01		.64						.33	17
18		.26			.01	.27					.06	.08	18
19			.01	.18		.37	.02	.01	.04	.06	.19	.06	19
20	.03	.11	.5					.26	.09	.04		.01	20
21		.41	.5					.07		.28	.02	.29	21
22	.01	.02								.22	.01	.18	22
23		.10	.05	.05		.21			.46	.03		.13	23
24	.5	.11		.19		1.06				.31		.09	24
25		.23		.08	.07	.02			.07			.21	25
26		.02		.19						.34	.27	.39	26
27		.18	.13			.5		.78	.13		.04	.08	27
28		.17		.24		.03			.06	.01	.12	.13	28
29				.01		.10			.13	.41	.02	.04	29
30			.5	.04		.09				.29		.02	30
31			.10							.08			31
Total	1.11	1.95	1.40	1.16	.72	2.91	.05	1.48	1.41	2.41	2.08	5.12	TOTAL for year 21.80
No. of Rain Days.	11	15	14	11	5	11	2	8	10	17	19	28	151

RE

Kept at

Cross Hill, Leodnor

in the County of

Derby

by

A. D. Pine

RAIN
GAUGE

Diameter of top 5 in.

Height of top above Ground ft. 12 in.

Sea Level 372 ft.

Time of Observation

9 am

Nearest Railway Station

Name Cross Hill Leodnor Mx

Distance 100 yds Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.03	.03	.04					1
2			5		.09			.10			.03	.09	2
3				.06	.24			.12		.07	.12	.01	3
4	.02		.03						.11	.07		.12	4
5	.06							.10		.02	.09		5
6	.65		.01	.01						.12	.13	.53	6
7	.01	.01	.03							5	.08	.08	7
8	.12		.24						.08		.18	.33	8
9	.01			5							.03	.02	9
10	.04	.03	.24									.41	10
11	.13										.25	.01	11
12	.03		.37						.24		.22	.01	12
13			.03									.43	13
14		.06	.02	5	.31					.04		.81	14
15		.18	.08							.02	.03	.04	15
16		.06				.09	5				.19	.17	16
17	5			.07		.64						.33	17
18		.26			.01	.27					.06	.08	18
19			.01	.18		.37	.02	.01	.04	.06	.19	.06	19
20	.03	.11	5					.26	.09	.04		.01	20
21		.41	5					.07		.28	.02	.29	21
22	.01	.02								.22	.01	.18	22
23		.10	.05	.05		.21			.46	.03		.13	23
24	5	.11		.19		1.06				.31		.09	24
25		.23		.08	.07	.02			.07			.21	25
26		.02		.19						.34	.27	.39	26
27		.18	.13			5		.78	.13		.04	.08	27
28		.17		.24		.03			.06	.01	.12	.13	28
29				.01		.10			.13	.41	.02	.04	29
30			5	.04		.09				.29		.02	30
31			.10							.08			31
Total	1.11	1.95	1.40	1.16	.72	2.91	.05	1.48	1.41	2.41	2.08	5.12	TOTAL for year 21.80
No. of Rain Days.	11	15	14	11	5	11	2	8	10	17	19	28	151

REGISTER OF RAINFALL IN 1912

Kept at Cross Hill, Bodnor,
in the County of Derby
by A. J. Pine

Lat. 53° 2' 30" Long. 1° 21' 30"
Time of Observation 9 a.m.
Nearest Railway Station Cross Hill Bodnor
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 372 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.19			.23		.5	.04			.63	1
2			.04	.01		.04	.40		.03			.03	2
3	.09		.01		.06	.29	.01	.66	.11			.02	3
4	.08		.69		.21	.31		.60	.02		.25		4
5		.02		.03	.09	.22		.12	.02		.02		5
6	.82	.21			.03	.01		.45				.05	6
7	.21	.07			.03	.21		.08	.01			.02	7
8	.48	.41	.19	.04		.5	.5	.5	.05 ⁽⁸⁾			.02	8
9	.06	.01	.07			.17		.05				.10	9
10	.01							.04			.31	.5	10
11	.13	.03				.10	.5					.5	11
12	.09	.25	.19			.05	.45				.5	.62	12
13	.03	.03			.02	.06		.01		.07		.04	13
14	.11		.62			.21		.19		.5	.07	.01	14
15	.21	.11	.09		.40	.05		.17		.15		.17	15
16	1.01		.33		.09	.09		.08				.28	16
17	.38	.02	.36			.25	.05	.39			.04	.07	17
18	.10		.08			.01		.5		.05		.07	18
19	.61	.19			.02	.03		.48	.02	.14		.5	19
20	.09		.18		.21	.5	.06	.08		.46	.02		20
21	.01	.02	.33		.63		1.65			.47	.01	.03	21
22	.01	.19			.43	.53	.35	.45		.01			22
23	.04	.02	.27		.01		.38	.29			.16	.02	23
24	.06		.04			.15	.11	.09			.02	.15	24
25	.5	.01	.02			.54		.24			.36	.10	25
26		.14	.07			.14	.12	.91		.71	.21	.17	26
27			.03			.21	.51	.02		.90		.28	27
28		.03				.03	.20	.64	.05	.33	.58	.26	28
29		.01			.19	.06	.12	.5	.65	.06			29
30	.52		.03		.31	.16	.10		.09	.04			30
31			.12		.11		.28	.11				.03	31
Total	4.63	1.77	3.87	.08	2.84	4.09	4.79	6.15	1.12	3.39	2.06	3.17	YEAR'S TOTAL 379.5
Rain Days.	21	18	21	3	16	25	15	22	11	12	12	22	198

REGISTER OF RAINFALL IN 1913

Kept at Bramhill, Bodnor
in the County of Derby
by A. D. Pine

Lat. 53°-2'-30" Long. 1°-21'-30"
Time of Observation 9 am
Nearest Railway Station Bramhill & Bodnor M.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 372 ft.

BRITISH RAINFALL FORM A.
8-JAN

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
			<u>15</u>	<u>02</u>					<u>14</u>		<u>05</u>		
1	<u>02</u>		<u>04</u>	<u>01</u>							<u>03</u>	<u>02</u>	1
2		<u>12</u>	<u>18</u>						<u>03</u>	<u>15</u>			2
3	<u>11</u>				<u>54</u>				<u>01</u>	<u>14</u>	<u>20</u>	<u>27</u>	3
4	<u>1.07</u>	<u>02</u>	<u>06</u>		<u>12</u>	<u>04</u>	<u>07</u>		<u>03</u>	<u>1.42</u>			4
5		<u>02</u>	<u>18</u>			<u>12</u>	<u>10</u>	<u>02</u>		<u>57</u>		<u>03</u>	5
6	<u>07</u>	<u>04</u>			<u>41</u>	<u>06</u>	<u>64</u>			<u>49</u>	<u>16</u>	<u>02</u>	6
7		<u>15</u>			<u>15</u>	<u>07</u>			<u>03</u>	<u>05</u>	<u>04</u>		7
8			<u>03</u>		<u>19</u>	<u>09</u>					<u>19</u>	<u>01</u>	8
9		<u>32</u>		<u>01</u>		<u>54</u>	<u>5</u>	<u>03</u>			<u>29</u>		9
10		<u>01</u>		<u>14</u>	<u>02</u>	<u>02</u>	<u>01</u>	<u>14</u>			<u>49</u>		10
11	<u>75</u>	<u>01</u>		<u>31</u>	<u>03</u>			<u>10</u>		<u>02</u>	<u>30</u>		11
12					<u>09</u>	<u>01</u>			<u>01</u>		<u>14</u>		12
13		<u>5</u>	<u>21</u>	<u>07</u>					<u>12</u>				13
14	<u>31</u>	<u>04</u>	<u>12</u>	<u>03</u>				<u>05</u>		<u>08</u>	<u>15</u>		14
15		<u>12</u>	<u>84</u>	<u>64</u>				<u>01</u>	<u>09</u>		<u>03</u>		15
16	<u>02</u>	<u>01</u>	<u>09</u>	<u>5</u>				<u>77</u>	<u>03</u>		<u>03</u>		16
17		<u>02</u>	<u>15</u>	<u>11</u>	<u>03</u>	<u>5</u>	<u>5</u>		<u>27</u>		<u>04</u>		17
18			<u>31</u>	<u>15</u>	<u>06</u>							<u>03</u>	18
19	<u>11</u>		<u>04</u>	<u>01</u>		<u>07</u>	<u>07</u>		<u>24</u>		<u>15</u>	<u>05</u>	19
20	<u>14</u>		<u>05</u>	<u>09</u>					<u>04</u>	<u>14</u>	<u>23</u>		20
21	<u>01</u>		<u>15</u>		<u>07</u>			<u>02</u>					21
22	<u>28</u>		<u>49</u>			<u>10</u>	<u>10</u>	<u>71</u>	<u>27</u>		<u>02</u>		22
23	<u>02</u>					<u>06</u>		<u>03</u>	<u>07</u>		<u>02</u>		23
24				<u>11</u>		<u>02</u>			<u>01</u>				24
25	<u>02</u>			<u>06</u>		<u>01</u>			<u>05</u>	<u>01</u>			25
26		<u>07</u>	<u>19</u>	<u>08</u>				<u>5</u>		<u>21</u>		<u>31</u>	26
27			<u>02</u>	<u>64</u>									27
28	<u>40</u>		<u>21</u>	<u>55</u>	<u>03</u>					<u>05</u>			28
29	<u>02</u>		<u>34</u>	<u>53</u>	<u>05</u>			<u>48</u>				<u>28</u>	29
30	<u>67</u>		<u>01</u>							<u>15</u>			30
31	<u>01</u>		<u>04</u>										31
Total	<u>4.03</u>	<u>95</u>	<u>3.90</u>	<u>3.56</u>	<u>1.79</u>	<u>1.04</u>	<u>.99</u>	<u>2.36</u>	<u>1.44</u>	<u>3.48</u>	<u>2.56</u>	<u>1.02</u>	YEAR'S TOTAL <u>27.12</u>
Rain Days.	<u>17</u>	<u>13</u>	<u>22</u>	<u>18</u>	<u>13</u>	<u>11</u>	<u>6</u>	<u>11</u>	<u>16</u>	<u>13</u>	<u>18</u>	<u>9</u>	<u>167</u>

REGISTER OF RAINFALL IN 1914

Kept at Cross Hill, Cornor
in the County of Derby
by A. F. Pine

Lat. 53° 2' 30" Long. 1° 21' 20"
Time of Observation 9 a.m.
Nearest Railway Station Cross Hill & Cornor
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 372 ft.

FORM A.
BRITISH RAINFALL
1 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08				1.54	.38				.11	1
2							.02	.10			.49		2
3			.03	.03	.18			.03			.02		3
4			.07	.28	.14		.16				.48	.39	4
5	.05		.15	.28	.18	.15	.09				.03	.02	5
6		.07		.09	.15		.04					.05	6
7		.08	.38	.10	.14		.02	.06			.02	.34	7
8	.06	.02		.01		.50	.04	.31		.01		.02	8
9	.29	.04	.03	.05	.12	.73		.14	.57	.01	.01		9
10	.18	.14		.77	.06				.05				10
11		.08	.41		.07	.02			.05		.67	.47	11
12		.04	.12				.06		.43		.09	.19	12
13	.01	.19	.19						.02	.19	.32	.47	13
14	.02	.19	.09				.10		.02	.29	.77	.19	14
15	.04		.18						.05		.19		15
16	.01		.04				.58		.04				16
17	.02	.28	.07						.35			.52	17
18						.64			.02			.45	18
19			.01				.17				.04	.13	19
20	.01	.15				.06	.03		.01	.02		.03	20
21		.38				.03	.02	.07		.13	.01	.10	21
22		.05	.02	.01	.45	.15	.03			.37			22
23		.06	.16	.01	.14		.01	.08		.01			23
24	.01	.01	.26		.06		.02	.31			.15		24
25	.02		.02				.90	.14		.73	.02	.36	25
26			.02	.01				.24		.18	.10	.19	26
27	.03						.03				.23	.68	27
28	.18	.11	.06							.08	.01	.40	28
29	.09		.32							.31	.17	.29	29
30		X	.01	.01		.05	.50			.05	.41	.26	30
31	.12	X	.02	X		X	.29		X	.10	X	.04	31
Total	1.14	1.89	2.74	1.05	1.69	2.33	1.65	1.86	1.61	2.47	3.63	5.71	3077
Rain Days.	16	16	23	12	11	9	20	11	11	13	20	23	183

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Cross Hill, Codnor
in the County of Derby
by A. F. Pine

Lat. 53°-2'-30" Long. 1°-21'-30"
Time of Observation 9 am
Nearest Railway Station Cross Hill & Codnor
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 372 ft.

BRITISH RAINFALL FORM A
21 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.16	.07	.18			.04	.26		.04	.17		1
2	.11	.08	.17	.10			.72	.72		.17		.03	2
3	.56					.05	.6745	.45	.03			.33	3
4	.03				.04		.635	.5			.03	1.01	4
5	.03	.33			.25		.07	.07		.02		.55	5
6	.04	.08		.18			.6344	.14				.10	6
7	.19					.01	.0348	.48				.21	7
8	.24	.07	.01	.10			.07	.07			.06		8
9	.02	.03					.08	.08		.04	.17	.69	9
10	.50		.07				.21	.21		.05	.20	.04	10
11	.03			.04	.30		.2102	.02			.49	.08	11
12	.05	.12		.19	.18		.09	.09			1.03		12
13	(.08)	.35			.25		.5	.5				.10	13
14	.5	.01			.01		.02	.02	.11		.16	.36	14
15	.37						.15	.15					15
16		.35			.05		2.04	.04					16
17		.21					.16			.02		.04	17
18		.15					.16			.01	.02		18
19		.04			.03								19
20	.15											.10	20
21				.07			.16					.06	21
22			.20	.05			.12		.02			.06	22
23	.04	.5	.05			.05			.08	.44		.19	23
24		.02	.09	.05			.07		.46			.28	24
25				.48		.56	.25		.03	.10		.18	25
26		.34					.04		.01	.66		.46	26
27		.11				.03	.79			.06		.31	27
28		.28	.5			.25	.01	.24				.45	28
29						.16	.03	.01			.13		29
30	.11	X			.03	.29				.07	.02	.02	30
31	.25	X		X		X	.01	.16	X	.26	X	.35	31
Total	2.83	2.73	.66	1.38	1.14	1.40	5.98	2.93	1.00	1.84	2.35	6.17	YEAR'S TOTAL 30.41
Rain Days.	18	17	7	10	9	8	17	17	8	12	11	24	158

REGISTER OF RAINFALL IN 1916

Kept at Cross Hill Lodmo
in the County of Derby
by A. D. Pine

Lat. 53° 2' 30" Long. 1° 21' 30"
Time of Observation 9 am.
Nearest Railway Station Crosthill & Lodmo Jnt.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 372 ft.

FORM A.
BRITISH RAINFALL
19 FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.01	.20				.19				.26		1
2	.25	.13	.08			.03	.28		.05	.28	.12		2
3							.37		<u>1.29</u>	.42	.08		3
4	.18	.06			.54				.03	.08	.32		4
5	.07	.01	.17		.03	1.19				.20	.22		5
6	.08		.02		.25		.38			.06	.41		6
7			.26				.19			.11	.08	.25	7
8			.15		.03	.02					.02	.26	8
9	.03		.02		.54	.32			.04		.03	.03	9
10		.14	.07			.17			.07	.13		.10	10
11		.32	.16			.05			.04			.05	11
12	.03	.08	.17	.21	.44		.08					.01	12
13		.18	.12	.03	.07		.03	.34		.06		.04	13
14		.06		.07	.18					.11		.07	14
15		.28	.51	.16	.01		.09	.42		.06			15
16	.01	.10	.58	.21			.10	.11		.01			16
17	.06	.17	.01	.24			.03	.05	.17	.13			17
18	.5	.35	.03	.01					.29	.04	.84	.04 ₈₄	18
19	.07	.04	.41					.05	.14		.36	.17 ₃₆	19
20			.15	.21							.02	.28	20
21			.01	.05							.02	.25	21
22	.01	.01				.08				.03	.01		22
23	.05	.13						.04		.06			23
24		.73 ₈₄				.02		.05		.04	.02		24
25		.08	.20		.09	.06		.19		.09	.18		25
26	.02	.02								.06	.04		26
27			.16					.06		.18			27
28		.18	.29 ₈₄					.07	.02	.06	.07	.06	28
29		.34				.55		.47		.48	.5	.35	29
30		~~X~~		.03	.03	.04				.06	.5		30
31	.5	~~X~~		~~X~~		~~X~~		.04	~~X~~	.20	~~X~~	.11	31
Total	.92	3.42	3.77	1.22	2.21	2.53	1.74	1.89	2.14	2.95	3.04	2.07	YEAR'S TOTAL 27.90
Rain Days.	13	21	21	10	11	11	10	12	10	23	18	15	175

REGISTER OF RAINFALL IN 1917

Kept at Crookhill, Godnor
in the County of Derby
by A. D. Price

Lat. 53° 2' 30" Long. 1° 21' 30"
Time of Observation 9 am
Nearest Railway Station Crookhill, Godnor M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 372 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06			.01		.09		.66	.14		.09		1
2	.19			.18		.21		.15				.07	2
3		.15		.02		.01		.15		.29	.05		3
4	.04	.07	.18 _{sn}					-		.47	.03		4
5	.07		.10					-	.17	.13	.10		5
6	.47			.21 _{sn}		.59		-		.15	.17	.01	6
7	.66		.18 _{sn}			.18		.14		-	.03		7
8	.06		.08 _{sn}					.49		.65	.19		8
9	.21 _{sn}		.61	.12 _{sn}	.5			.22		.81		.06	9
10				.04 _{sn}	.54			.07	.07	.02			10
11				.12 _{sn}	-			.01		.02	.29		11
12				.41 _{sn}	.17			.38	.01	.30		.03	12
13	.11		.01	.10 _{sn}				.27	.11	.17			13
14	.29			.09				.38		.03			14
15	.04			.5	.02		.14	.02		.03			15
16	.08	.13		.25		.02		.05					16
17	.02			.09	.25		.15	.39	.07	.12			17
18		.03	.02	.05	.07	~~.25~~	.62	.02	.66	.04			18
19		.17	.20		.21	~~.25~~		.08	.03				19
20		.25	.02		.26	~~.12~~		-	.23		.01	.08	20
21	.07	.03	.06		.03	.08		.06		.03			21
22	.01	.01	.11					.10	.09	.04			22
23	.5	.13			.27	.5		.20	.03	.21			23
24	.5	.01			.03	.64	.5	.18		.56			24
25			.09					.01			.15		25
26								.50	.17		.26		26
27			.10			.17	.17	.77			.04		27
28			.07			.13	-	.18		.01		.15	28
29					.03		.10	.5		.34		.09	29
30	.5	X	.14				.05	.26	.01	-			30
31		X	.21 _{sn}	X		X	.5	.08	X	.01	X		31
Total	2.38	.95	2.18	1.69	1.88	2.49	1.23	5.82	1.79	4.43	1.43	.49	YEAR'S TOTAL 26.76
Rain Days.	15	10	16	13	11	12	6	26	13	21	12	9	162

REGISTER OF RAINFALL IN 1918

Kept at Cross Hill, Leodun
in the County of Derby
by A. Z. Pine

Lat. 53° 2' 30" Long. 1° 21' 30"
Time of Observation 9 am
Nearest Railway Station Cross Hill Leodun Mx
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 372 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		.11		.02				-	.24	X	X	X	
1		.17						.60	.06	.06	.16		1
2		.03	.19					.24	.05	.03		.54	2
3		.06						.11	1.18	.01	.22		3
4			.5		.82			.14	.34	.03		.47	4
5		.16	.5	.04	.18				.01	.45	.36		5
6		.05		.29		.02			.16	.18			6
7		.13		.09		.08			.13		.26	.07	7
8	.01	.58		.01		.14			.03	.07		.03	8
9	.08	.12		.11			.18		.53	.23	.02	.02	9
10	.10	.12		.12			.23		.09		.01	.08	10
11		.13			.11		.04		.03	.02		.05	11
12	.02				.11		.23					.02	12
13	.03				.22				.16	.13		.05	13
14	.50					.03	.14		.28	.21		.29	14
15	.36			.07	.02		.34		.41		.03	.32	15
16				.03			.20		.36	.17		.07	16
17	.27				.04		.25		.25	.09		.25	17
18	.31					.12			.33			.14	18
19	.13	.12		.12			.29		.5	.04		.14	19
20	.09			.12	.42	.10	.44		.02	.01	.01	.21	20
21	.12	.10		.17		.08	.12		.23	.13		.03	21
22	.05			.05	.16		.03		.5	.11			22
23	.09				.58		.06		.02			.45	23
24		.05					.01		.05	.03	.04	.03	24
25		.04					.14	.32	.02				25
26							.36		.08		.13	.11	26
27		.02						.01	.19		.07	.16	27
28			.32			.02		.33	.03			.68	28
29									.39		.23	.07	29
30		X	.50						.06		.25	.11	30
31		X	.18	X		X		.02	X		X	-	31
Total	2.16	1.99	1.19	1.29	2.66	.59	3.06	1.77	5.73	2.00	1.79	4.33	28.56
Rain Days.	14	16	4	13	10	8	16	8	28	18	13	24	172

REGISTER OF RAINFALL IN 1919.

Kept at Embs Hill Leodnor
in the County of Derby
by A. J. Pile

Lat. 53° 2' 30" N Long. 1° 21' 30" W
Time of Observation 9. am
Nearest Railway Station Embs Hill & Leodnor M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 372 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	.09	.05		.15		.14		.08	.21	.01	.21	1
2	.14		.02				.20		.11	.09		.05	2
3	.84				.07	.05	.16		.11		.17	.04	3
4	.03		.26		.03	.08	.01	.25	.18		.07	.19	4
5	.14			.05	.56				.31			.23	5
6	.06		.16								.02	.02	6
7	.5	.09	.27	.03					.01				7
8	.15		.03								.02		8
9											.01		9
10			.27	.07						.02		.15	10
11			.64	.02	.12		.18				.05	.04	11
12			.43	.17		.33	.01				.08 _m	.02	12
13	.35			.13			.5		.36	.08		.04	13
14	.43			.29								.01	14
15	.22	.03		.02						.03	.13 _m	.56	15
16	.09	.41		.07							.08 _m		16
17	.06	.40		.03	.03	.08					.31		17
18			.13	.02		.04	.06	.19			.03	.22	18
19	.15	.25	1.67	.17		.03	.58	.21	.08		.14	.09	19
20	.76	.15	.31	.13			.35	.37	.01		.08	.13	20
21	.10	.46	.05	.04		.05	.19	.01			.01	.21	21
22		.04	.01						.84		.02	.42	22
23							.02		.01	1.21	.01	.01	23
24				.17	.17	.01			\	.02	.12	.02	24
25	.05		.26	.06	.38			.36		.21	.05	.13	25
26			.03			.01		.25	.08	.05	.5	.08	26
27				.13						.09	.17	.19	27
28				.14				.69				.35	28
29								.12		.52	.06		29
30				.07		.17				.05	.21	.24	30
31	.04						.05	.12		.03		.01	31
TOTAL	4.02	1.92	4.59	1.81	1.51	.85	1.95	2.57	2.18	2.61	1.85	3.66	YEAR'S TOTAL
Days with ".1 in. or more	18	9	16	19	8	10	12	10	12	13	22	25	29.52
													17 3/4

REGISTER OF RAINFALL IN 1920

Kept at Cornhill, London
in the County of Leeds
by A. B. Pine

Lat. 53-2-30 Long. 1-21-30
Time of Observation 9 am.
Nearest Railway Station Cornhill & London
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 372 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.25	.16		.44	.01	.08	.11	.02	.15	1
2				.08	.02		.49		.11	.38		.28	2
3	.02	.03		.34		.01	1.06	.02	.08	.15		.04	3
4	.01			.12			.02	.69	.07	.64			4
5	.16		.05	.04	.38		.16	.06	.02	.08		.02	5
6			.29	.6			.11					.03	6
7		.01	.05	.04	.09		.13					.02	7
8		.05	.09	.57	.02		.23	.01					8
9		.15	.01	.42			.01						9
10	.54	.31	.04	.18			.32	.08					10
11	.42	.6		.19	.37	.12	.01	.04				.06	11
12	.19	.6	.03	.39		.20	.04				.05	.08	12
13	.09	.12	.11	.48		.53	.6				.01		13
14	.03	.03	.34	.12		.73	.04		.31		.16		14
15	.6	.12	.35	.18			.02		.07	.13			15
16			.04	.04	.03	.02	.23		.02	.09	.01		16
17		.01	.02	.31	.14	.02	.02		.75	.01			17
18	.13			.07	.12	.01	.03	.6	.16				18
19	.13	1.05		.18	.11	.12			.09				19
20	.07	.62		.26		.25	.03					.20	20
21							.22	.14				.04	21
22	.03			.24			.21					.02	22
23	.02	.01					.09		.02			.17	23
24			.29	.02									24
25		.05	.14	.12			.70					.39	25
26	.24	.02	.16	.09	.13	.01	.08						26
27	.09			.09	.06	.20	.01				.29	.48	27
28	.29		.03	.12	.03	.06	.04						28
29	.14		.14		.64	.01	.12		.01		.17	.64	29
30	.13	X	.01	.41	.01	.01	.01		.08		.21	.41	30
31	.10	X	.02	X	.09	X	.01		X	.26	X	.11	31
TOTAL	2.83	2.58	2.23	5.29	2.40	2.40	4.88	1.05	1.81	1.85	.92	3.14	YEAR'S TOTAL
Days with .01 in. or more	19	14	19	26	16	14	28	8	14	9	8	17	31.38
Days with .04 in. or more	14	8	13	25	11	9	18	5	9	8	5	14	192
													140

✓ *Bromford Canal*
Kept at *Codnor*
in the County of

by *N.R. Canal Dis.*
Print *Midland Rl. Co.*
NOTE.—Rain should be measured
of rain and particulars as to the B
to Dr. H. R. MILL, 62, Camden S

CODNOR PK

DERBY
1911-1920

FORM A.
BRITISH RAINFALL
6 JAN 1912
0 am.
5 in. *2714*
ve Ground *12* ft. in.
Sea Level *243* ft.
all instructions for the measurement
rvers," sent post-free on application

Date	Jan.	Feb.	March										
	in.	in.	in.										
1	.	.	.06										
2	.18	.	.	.06	.	.	.	.	.	.	.	.	.
3	.	.	.	.02	.17	.	.	.13	.	.08	.09	.11	3
4	.02	.	.	.09	.	.12	.	.	.11	.10	.18	.18	4
5	.05	.	.03	.05	.	.	.	.15	.	.04	.	.	5
6	.63	.	.02	.01	.	.	.	.08	.01	.11	.04	.53	6
7	.03	.02	.02	.	.	.	.	.01	.	.05	.13	.08	7
8	.11	.	.25	.	.	.	.	.	.16	.	.20	.39	8
9	.04	.	.	.	.	.	.	.	.	.	.03	.12	9
10	.02	.02	.22	.	.	.	.	.04	.	.	.01	.40	10
11	.16	.	.01	.	.	.	.	.09	.	.	.23	.	11
12	.04	.	.34	.	.	.	.	.	.26	.	.21	.	12
13	.	.	.09	.	.	.	.	.	.	.	.09	.44	13
14	.01	.04	.03	.	.70	.	.	.	.	.	.02	.65	14
15	.01	.16	.10	.	.	.	.	.	.	.08	.02	.14	15
16	.01	.07	.02	.	.	.09	.01	.	.	.	.20	.09	16
17	.	.01	.	.03	.	.58	.	.	.	.03	.04	.27	17
18	.01	.26	.	.	.	.19	.	.	.	.02	.11	.09	18
19	.	.04	.03	.	.	.21	.02	.02	.04	.06	.21	.07	19
20	.	.07	.	.17	.	.02	.	.30	.10	.	.	.17	20
21	.02	.37	.01	.	.	.01	.	.04	.	.32	.03	.02	21
22	.01	.02	.02	.07	.	.01	.	.01	.	.21	.01	.26	22
23	.	.11	.05	.02	.	.36	.	.	.45	.06	.02	.22	23
24	.	.11	.06	.16	.	.12	.	.	.	.27	.	.09	24
25	.	.22	.	.18	.04	.03	.	.	.08	.02	.06	.05	25
26	.	.02	.01	.17	.24	.	.	.	.	.34	.29	.39	26
27	.	.17	.19	.17	.	.	.	.70	.13	.02	.	.08	27
28	.01	.17	.01	.22	.	.03	.	.	.	.	.12	.03	28
29	.	.	.01	.01	.	.10	.	.	.27	.33	.02	.01	29
30	.	.	.01	.03	.05	.11	.02	.	.04	.31	.	.02	30
31	.	.	.11	.	.01	.	.	.	.	.03	.	.	31
Total	1.36	1.88	1.70	1.41	1.28	1.98	.05	1.68	1.65	2.49	2.42	4.91	TOTAL for year 22.81
No. of Rain Days	17	17	23	16	8	14	3	13	11	20	25	26	193

Kept at Crook Park
in the County of Derby

Lat. _____ Long. _____
Nearest Railway Station Crook
Time of Observation 9.0 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 12 in.
" " " Sea Level 243 ft.

by M.R. Canal Inspr S. Womison
Print Midland R.L. Co. (request)

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.06	.01	.01	.	.	.04	.	.	.05	.01	1
2	.18	.	.	.	.06	.	.	.07	.	.01	.01	.	2
3	.	.	.	.02	.17	.	.	.13	.	.08	.09	.11	3
4	.02	.	.	.09	.	.12	.	.	.11	.10	.18	.18	4
5	.05	.	.03	.05	.	.	.	.15	.	.04	.	.	5
6	.63	.	.02	.01	.	.	.	.08	.01	.11	.04	.53	6
7	.03	.02	.02	.	.	.	.	.01	.	.05	.13	.08	7
8	.11	.	.25	.	.	.	.	.	.16	.	.20	.39	8
9	.04	.	.	.	.	.	.	.	.	.	.03	.12	9
10	.02	.02	.22	.	.	.	.	.04	.	.	.01	.40	10
11	.16	.	.01	.	.	.	.	.09	.	.	.23	.	11
12	.04	.	.34	.	.	.	.	.	.26	.	.21	.	12
13	.	.	.09	.	.	.	.	.	.	.	.09	.44	13
14	.01	.04	.03	.	.70	.	.	.	.	.	.02	.65	14
15	.01	.16	.10	.	.	.	.	.	.	.08	.02	.14	15
16	.01	.07	.02	.	.	.09	.01	.	.	.	.20	.09	16
17	.	.01	.	.03	.	.58	.	.	.	.03	.04	.27	17
18	.01	.26	.	.	.	.19	.	.	.	.02	.11	.09	18
19	.	.04	.03	.	.	.21	.02	.02	.04	.06	.21	.07	19
20	.	.07	.	.17	.	.02	.	.30	.10	.	.	.17	20
21	.02	.37	.01	.	.	.01	.	.04	.	.32	.03	.02	21
22	.01	.02	.02	.07	.	.01	.	.01	.	.21	.01	.26	22
23	.	.11	.05	.02	.	.36	.	.	.45	.06	.02	.22	23
24	.	.11	.06	.16	.	.12	.	.	.	.27	.	.09	24
25	.	.22	.	.18	.04	.03	.	.	.08	.02	.06	.05	25
26	.	.02	.01	.17	.24	.	.	.	.	.34	.29	.39	26
27	.	.17	.19	.17	.	.	.	.70	.13	.02	.	.08	27
28	.01	.17	.01	.22	.	.03	.	.	.	.	.12	.03	28
29	.	.	.01	.01	.	.10	.	.	.27	.33	.02	.01	29
30	.	.	.01	.03	.05	.11	.02	.	.04	.31	.	.02	30
31	.	.	.11	.	.01	.	.	.	.	.03	.	.	31
Total	1.36	1.88	1.70	1.41	1.28	1.98	.05	1.68	1.65	2.49	2.42	4.91	TOTAL for year 22.81
No. of Rain Days	17	17	23	16	8	14	3	13	11	20	25	26	193

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

Kept at Codnor Park
in the County of Derby
by M.R. Canal Inspector & Whiston
Middleton Railway Company

Lat. 53° 3' N Long. 1° 20' W.
Nearest Railway Station Codnor Park
Time of Observation 9.0 am
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 12" in.
Sea Level 243 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.14	.12	.	.25	.05	.01	.02	.	.	.60	1
2	.	.02	.05	.	.	.05	.38	.	.04	.	.	.03	2
3	.08	.	.01	.02	.05	.30	.01	.60	.16	.	.02	.04	3
4	.11	.	.64	.01	.14	.60	.	.39	.06	.	.25	.	4
5	.19	.03	.02	.03	.12	.36	.01	.09	.01	.	.02	.	5
6	.86	.18	.02	.	.11	.02	.	.46	.	.	.	.	6
7	.02	.09	.	.	.02	.10	.	.07	.	.	.	.02	7
8	.52	.36	.20	.03	.	.03	.	.	.06	.	.	.03	8
9	.06	.05	.17	.19	.	.19	.	.08	.01	.	.	.08	9
10	.01	.	.	.	.	.01	.	.05	.	.	.31	.01	10
11	.14	.03	.01	.	.	.09	.	.04	.	.	.08	.54	11
12	.10	.27	.14	.	.	.05	.32	.01	.	.04	.01	.02	12
13	.03	.03	.01	.01	.02	.04	.	.01	.	.07	.13	.04	13
14	.10	.	.52	.	.	.07	.	.07	.	.	.	.05	14
15	.22	.07	.10	.	.44	.08	.	.	.01	.	.	.25	15
16	.73	.01	.33	.	.08	.03	.	.19	.	.16	.01	.	16
17	.51	.02	.23	.	.	.19	.	.57	.	.	.02	.27	17
18	.11	.	.08	.	.	.01	.04	.	.	.04	.02	.07	18
19	.40	.18	.01	.	.02	.03	.44	.48	.	.11	.	.	19
20	.26	.	.15	.	.30	.02	.13	.09	.	.39	.	.	20
21	.	.01	.38	.	.64	.	1.53	.02	.	.50	.	.04	21
22	.	.19	.03	.	.59	.34	.38	.55	.04	.02	.	.19	22
23	.04	.09	.22	.	.02	.	.35	.24	.	.	.19	.03	23
24	.12	.01	.04	.	.	.11	.14	.15	.	.	.	.15	24
25	.02	.	.06	.	.	.53	.	.19	.	.	.32	.11	25
26	.	.09	.08	.	.	.02	.11	1.02	.	.80	.27	.20	26
27	.	.	.03	.	.13	.21	1.07	.02	.	.96	.	.29	27
28	.	.03	.03	.	.	.03	.16	.67	.05	.35	.85	.28	28
29	.	.04	.04	.	.07	.14	.16	.01	.66	.08	.	.02	29
30	.05	.	.	.	.61	.03	.04	.	.07	.10	.03	.01	30
31	.	.	.04	.	.15	.	.28	.14	.	.	.	.03	31
Total	4.68	1.80	3.78	.41	3.51	3.93	5.60	6.02	1.19	3.62	2.53	3.40	TOTAL for year 40.47
No. of Rain Days	22	20	28	7	17	28	18	26	12	13	15	25	231

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Codnor Park

in the County of Derby 7

by M.R. Canal Inspector

Midland Railway Co S. Winsor

Lat. 53° 3' N Long. 1° 20' W

Nearest Railway Station Codnor Park

Time of Observation 9.0 am.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 12 ft.

" " " Sea Level 243 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N. W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.23	.02	.	.	.	.	.21	.	.06	.	1
2	.	.12	.03	.03	.	.	.	.	.	.	.03	.	2
3	.07	.	.19	.	.65	.	.	.	.02	.16	.	.10	3
4	1.10	.02	.	.	.07	.06	.07	.	.07	.24	.23	.35	4
5	.04	.03	.10	.	.	.	.10	.	.04	1.25	.	.05	5
6	.03	.04	.18	.	.49	.03	.70	.	.	.55	.	.02	6
7	.	.15	.01	.	.12	.12	.	.	.	.57	.14	.02	7
8	.	.03	.	.	.26	.10	.	.	.04	.09	.07	.01	8
9	.	.33	.	.02	.04	.45	.	.02	.	.	.21	.02	9
10	.03	.02	.03	.	.02	.	.	.06	.	.	.25	.	10
11	.98	.	.	.54	.	.01	.	.23	.	.01	.43	.	11
12	.	.	.	.	.06	.	.	.	.02	.	.34	.	12
13	.	.	.20	.09	.	.	.	.	.11	.	.16	.	13
14	.16	.06	.55	.03	.	.	.	.	.	.07	.04	.	14
15	.05	.12	.37	.61	.	.	.	.	.12	.	.13	.	15
16	.02	.03	.22	.02	.	.	.	.37	.14	.	.03	.	16
17	.	.04	.23	.12	.02	.	.	.	.23	.	.03	.	17
18	.02	.	.20	.20	.	.	.15	.	.	.	.06	.	18
19	.07	.	.07	.02	.	.	.	.	.27	.	.01	.03	19
20	.14	.	.07	.09	.	.	.	.	.14	.15	.16	.81	20
21	.04	.	.15	.01	.09	.	.11	.02	.	.	.30	.	21
22	.35	.	.53	.	.	.	.	.65	.30	.	.03	.	22
23	.03	.	.02	.	.	.07	.	.03	.06	.	.	.	23
24	.11	.	.	.10	.	.02	.	.04	.	.	.03	.	24
25	.02	.	.	.07	.	.	.	.	.06	.03	.	.03	25
26	.	.08	.21	.10	.	.	.	.	.	.20	.01	.31	26
27	.	.	.02	.60	.	.	.	.	.	.02	.	.	27
28	.39	.	.19	.50	.02	.	.	.	.	.04	.	.03	28
29	.02	-	.32	.56	.	.	.	.39	.	.	.	.31	29
30	.75	-	.02	.01	.	.	.	.	.	.19	.	.02	30
31	.02	-	.03	-	.	.	.	.	.	.	.	.	31
Total	4.44	1.07	4.17	3.74	1.84	.86	1.13	1.81	1.83	3.57	2.75	1.31	TOTAL for year 28.52
No. of Rain Days	21	13	24	20	11	8	5	9	15	14	21	14	175

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL

Kept at Codnor Park
in the County of Derby
by M.R. Canal Inspector
(MIDLAND RAILWAY CO.) S. Winsor

Lat. 53° 3' N Long. 1° 20' W
Time of Observation 9.0 am.
Nearest Railway Station Codnor Park
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 243 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.09	.	.	.	1.19	.41	.	.	.06	.10	1
2	.	.	.01	.	.	.	.04	.36	.	.02	.42	.17	2
3	.	.	.03	.03	.23	.	.17	.10	.	.	.03	.23	3
4	.30	.	.07	.31	.09	.	.	.03	.	.	.47	.47	4
5	.09	.	.13	.28	.17	.14	.11	.04	.	.	.03	.03	5
6	.	.08	.	.08	.14	.	.02	.08	.	.	.	.08	6
7	.01	.08	.36	.11	.13	.	.03	.27	.	.	.02	.39	7
8	.06	.	.	.	.06	.76	.03	.16	.	.02	.	.02	8
9	.31	.03	.04	.05	.02	.84	.	.	.14	.	.02	.	9
10	.23	.16	.	.15	.03	.03	.	.	.08	.	.	.02	10
11	.	.05	.44	.	.09	.03	.	.	.04	.	.66	.52	11
12	.02	.04	.13	.03	.	.	.06	.	.30	.	.09	.31	12
13	.03	.17	.18	.	.	.	.01	.	.03	.	.47	.47	13
14	.02	.19	.06	.	.	.	.09	.	.	.21	.11	.16	14
15	.05	.01	.17	.	.	.	.	.	.	.32	.36	.	15
16	.03	.	.07	.	.	.	.54	.	.05	.01	.	.01	16
17	.01	.22	.09	.	.	.	.01	.	.42	.	.	.48	17
18	.	.01	.01	.	.	.37	.03	.	.04	.	.	.41	18
19	.	.	.01	.	.	.	.08	.	.02	.	.08	.11	19
20	.	.16	.06	.	.	.12	.01	.	.	.03	.	.03	20
21	.	.40	.03	.	.	.22	.	.	.	.13	.02	.07	21
22	.	.05	.	.	.50	.16	.	.06	.	.27	.	.	22
23	.02	.04	.16	.	.18	.	.01	.	.02	.01	.	.02	23
24	.02	.02	.30	.24	.06	.	.13	.11	.	.08	.14	.02	24
25	.02	.	.02	.	.	.	.12	.36	.	.76	.02	.40	25
26	.	.	.03	.	.	.	.02	.16	.	.19	.13	.29	26
27	.03	.02	.	.	.	.	.	.	.	.01	.19	.80	27
28	.16	.10	.09	.	.	.03	.02	.	.	.06	.04	.67	28
29	.09	-	.29	.	.	.	.	.	.	.47	.10	.04	29
30	.01	-	.03	.01	.03	.05	.	.01	.	.06	.51	.24	30
31	.15	-	.01	-	.	-	.52	.	-	.12	-	.06	31
Total	1.66	1.83	2.91	1.29	1.73	2.75	3.24	2.15	1.14	2.77	3.97	6.62	32.06
Rain Days.	20	18	26	10	13	11	21	13	10	17	21	28	208

REGISTER OF RAINFALL IN 1915

Kept at Codnor Park
in the County of Derby
by M.R. Canal Inspector
S. Winson
MIDLAND RAILWAY CO.

Lat. 53° 3' N Long. 1° 26' W
Time of Observation 9.0 am.
Nearest Railway Station Codnor Park G.N.
Diameter of Rain Gauge Five in. 2714
Height of top of Gauge above Ground 12 ft. 243 ft.
Sea Level

BRITISH RAINFALL FORM A.
10 JAN 1915
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.20	.05	.	.50	.	.02	.02	.11	.	.04	.16	1
2	.19	.10	.18	.17	.	.05	.	.46	.	.13	.01	.02	2
3	.45	.01	.02	.09	.	.	.68	.42	.03	.	.	.30	3
4	.10	.	.	.01	.04	.	.65	.07	.01	.	.	1.03	4
5	.05	.42	.	.	.19	.	.	.09	.	.04	.03	.58	5
6	.04	.10	.	.17	.	.	.47	.01	.	.	.	.10	6
7	.22	.42	.	.01	.	.02	.03	.48	.	.	.	.20	7
8	.25	.08	.02	.13	.	.	.	.07	.	.	.05	.01	8
9	.02	.03	.	.	.	.	.	.01	.	.01	.10	.64	9
10	.48	.01	.05	.03	.	.	.02	.26	.	.02	.19	.02	10
11	.03	.01	.	.05	.27	.	.14	.13	.	.	.57	.02	11
12	.04	.01	.07	.21	.17	.	.01	.19	.	.07	1.28	.	12
13	.02	.70	.	.	.27	.	.	.01	.	.	.	.03	13
14	.04	.02	.	.01	.	.	.04	.02	.10	.	.	.41	14
15	.37	.01	.	.	.02	.	.	.17	.	.03	.30	.23	15
16	.01	.65	.	.	.07	.	2.03	.03	.	.	.	.02	16
17	.	.15	.	.	.01	.	.20	.	.	.	.	.01	17
18	.	.13	SNOW .10	.	.	.	.	.	.	.	.03	.	18
19	.	.05	.05	.	.06	.	.17	.	.	.02	.	.01	19
20	.16	.	.	.04	.	.	.	.	.	.	.	.17	20
21	.09	.	.	.01	.	.	.16	.	.02	.	.	.05	21
22	.02	.01	.19	.08	.	.	.14	.	.02	.01	.	.06	22
23	.03	.04	.05	.	.	.04	.07	.	.07	.38	.	.06	23
24	.01	.01	.09	.04	.	.07	.05	.	.52	.03	.	.29	24
25	.	.01	.01	.02	.	.60	.05	.	.02	.08	.	.12	25
26	.02	.33	.	.	.	.	.21	.	.05	.	.	.46	26
27	.	.12	.	.	.	.20	.91	.	.	.66	.	.42	27
28	.	.38	.01	.	.	.38	.01	.26	.	.12	.	.20	28
29	.	—	.02	.	.02	.17	.12	.01	.	.01	.15	.26	29
30	.13	—	.	.03	.	.06	.	.03	.	.03	.01	.02	30
31	.13	—	.01	—	.	—	.02	.14	—	.26	—	.29	31
Total	3.01	4.10	.86	1.10	1.62	1.52	6.20	2.82	.95	1.90	2.76	6.19	YEAR'S TOTAL 33.03
Rain Days.	24	25	15	16	11	8	22	20	10	16	12	29	208

REGISTER OF RAINFALL IN 1916

Kept at Codnor Park
in the County of Derby
by M. R. Canal Inspector J. Winson.

Lat. 53° 3' N Long. 1° 20' W
Time of Observation 9-0 am
Nearest Railway Station Codnor Park G.N.
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground — ft. 12 in.
" " " " Sea Level 243 ft.

2812
13 JAN 1917
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·12	·16	·	·	·07	·23	·	·	·	·26	·01	1
2	·24	·11	·31	·	·05	·	·22	·	·06	·21	·14	·01	2
3	·	·37	·01	·	·	·03	·74	·	·90	·32	·12	·	3
4	·22	·10	·	·	·58	1·27	·01	·	·01	·06	·35	·	4
5	·06	·06	·	·01	·03	·20	·	·	·	·19	·19	·	5
6	·10	·29	·18	·	·34	·	·42	·	·	·10	·48	·	6
7	·01	·01	·13	·	·05	·	·08	·	·	·07	·08	·04	7
8	·01	·01	·10	·	·01	·	·	·	·	·	·02	·46	8
9	·	·	·03	·	·51	·21	·	·	·02	·	·01	·01	9
10	·	·11	·07	·08	·01	·22	·02	·	·05	·16	·01	·02	10
11	·	·40	·12	·16	·	·10	·	·	·06	·	·01	·18	11
12	·05	·12	·22	·02	·58	·03	·10	·	·	·03	·	·01	12
13	·	·17	·10	·03	·02	·01	·02	·29	·	·06	·	·08	13
14	·	·16	·01	·18	·18	·	·	·17	·	·07	·	·02	14
15	·	·25	·44	·01	·01	·	·10	·27	·	·03	·	·01	15
16	·	·17	·72	·22	·	·	·07	·10	·	·01	·	·	16
17	·03	·30	·02	·23	·	·	·04	·01	·26	·07	·	·	17
18	·01	·33	·01	·02	·	·	·	·	·27	·06	1·14	·18	18
19	·09	·04	·42	·19	·	·	·	·	·10	·	·28	·05	19
20	·17	·04	·24	·22	·	·	·	·11	·	·	·	·08	20
21	·02	·02	·15	·03	·	·	·	·	·	·	·	·26	21
22	·	·05	·	·01	·	·07	·	·	·	·04	·	·37	22
23	·06	·15	·01	·01	·	·	·	·01	·	·08	·18	·21	23
24	·01	·11	·	·01	·	·03	·	·06	·	·16	·01	·13	24
25	·	·30	·18	·	·07	·	·	·18	·	·02	·24	·02	25
26	·	·11	·04	·	·	·04	·	·02	·	·06	·	·	26
27	·01	·19	·30	·	·	·	·	·04	·	·16	·	·01	27
28	·	·21	·28	·	·	·08	·	·	·03	·10	·	·17	28
29	·	·37	·	·	·	·53	·	·45	·	·43	·	·28	29
30	·	·	·	·	·02	·02	·	·	·	·12	·02	·02	30
31	·	·	·	·	·	·	·	·03	·	·15	·	·23	31
Total	1·20	4·55	4·25	1·43	2·46	2·91	2·05	1·74	1·76	2·76	3·54	2·86	YEAR'S TOTAL 31·51
Rain Days.	16	27	24	16	14	15	12	13	10	24	17	24	212

Note May 21st to Sep 30th readings taken at 10-0 am Summer Time

REGISTER OF RAINFALL IN 1917

Key at Bodnor Park

in the County of Derby

by M. R. Canal Insp. J. Winson

Lat. 53° 3' N. Long. 1° 20' W.

Time of Observation 9.0 am.

Nearest Railway Station Bodnor Park GN.

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground - ft. 12 in.

" " " " Sea Level 243 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02			11		01		71	08		01	03	1
2	22			01		13		16			02	02	2
3				02				21		38	01	02	3
4	03	06								43	13	01	4
5	10		17	09					13	11	08		5
6	01		09			19				55	13		6
7	64		01	03		12				23			7
8	105			12		01		33		71	02	20	8
9	09		09	13				22	01	02	01		9
10	29		71	13	35				08		43		10
11	02			25	01			01		33	02		11
12	17				40			61	01	18	01	03	12
13	07			10				21	09	02	01	01	13
14	20			11	01			77			01	03	14
15	02			02	02		12			02		23	15
16	05	14		27			02	03				40	16
17	02	02	03	11	35		20	28	05	11	01	03	17
18	03	01		06	03		61	01	68	02			18
19	02	21	24		33	31		04	01				19
20	03	20	01		25	31			16		01	01	20
21	01	01	10		02	05		05		01		03	21
22	09		07		01	02		07	09	03	02		22
23	01		02		27	01		19	06	11			23
24	01	09	01		03	59	01	08		49			24
25		01	08			02	24	02		02	26		25
26								41	10		32		26
27			18			11		65			04	03	27
28			04			29		15	02			15	28
29		—			03	01	12			33		12	29
30	02	—	17				25	28			05		30
31		—	12	—	02	—		07	—	01	—	06	31
Total	3.22	75	2.14	1.56	2.13	2.18	1.57	5.56	1.57	4.11	1.60	1.41	27.80
Rain Days.	24	9	17	15	15	15	8	23	14	20	20	17	197

REGISTER OF RAINFALL IN 1918

Kept at Codnor Park
in the County of Derby
by M.R. Casual Insp. S. Milson

Lat. 53° 3' N Long. 1° 20' W
Time of Observation 9.0 am
Nearest Railway Station Codnor Park GN
Diameter of Funnel of Rain Gauge Five in. 27/4
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 243 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.04	.03	.01	.	.	.	.	.22	.08	.18	.	1
2	.	.29	.02	.02	.	.	.	.43	.04	.03	.01	.50	2
3	.	.03	.05	.	.70	.	.	.44	.06	.	.24	.01	3
4	.01	.05	.02	.	.	.	.	.09	1.02	.09	.57	.55	4
5	.	.01	.02	.12	.14	.	.	.08	.29	.23	.	.01	5
6	.	.20	.	.24	.	.08	.	.01	.01	.18	.	.04	6
7	.05	.05	.	.09	.	.01	.	.	.13	.	.18	.	7
8	.02	.31	.06	.04	.	.02	.	.	.11	.03	.	.01	8
9	.07	.54	.	.16	.	.13	.27	.	.50	.22	.03	.02	9
10	.09	.18	.	.02	.	.	.18	.	.01	.01	.02	.08	10
11	.06	.13	.01	.04	.08	.	.18	.	.01	.	.	.03	11
12	.02	.11	.	.01	.07	.	.22	.20	.15	.	.	.10	12
13	.	.	.02	.02	.20	.	.	.	.19	.13	.	.	13
14	.53	.	.	.03	.	.06	.11	.	.51	.15	.	.32	14
15	.27	.	.	.09	.03	.03	.34	.	.23	.	.	.31	15
16	.	.	.01	.10	.	.	.17	.04	.52	.03	.04	.04	16
17	.23	.	.	.01	.04	.03	.37	.03	.23	.08	.01	.20	17
18	.36	.	.01	.	.	.09	.34	.	.47	.	.	.16	18
19	.06	.01	.10	.07	.	.03	.12	.	.	.06	.	.19	19
20	.07	.11	.01	.15	.	.09	.21	.	.03	.02	.01	.	20
21	.11	.03	.	.21	.39	.03	.02	.	.22	.05	.01	.08	21
22	.04	.11	.	.	.35	.02	.07	.	.01	.09	.	.43	22
23	.08	.	.	.	.33	.	.04	.	.02	.	.01	.01	23
24	.	.12	.	.	.	.	.03	.02	.04	.08	.04	.01	24
25	.	.	.	.	.	.01	.13	.39	.02	.01	.03	.	25
26	.	.	.	.	.	.	.20	.04	.06	.	.13	.10	26
27	.	.04	.01	.	.	.	.	.27	.16	.	.04	.17	27
28	.	.21	.29	.	.	.	.	.03	.02	.	.29	.77	28
29	.01	X	.01	.	.	.	.	.	.48	.	.	.02	29
30	.	X	.55	.	.	.	.	.	.03	.	.14	.16	30
31	.	X	.13	X	.	X	.	.03	X	.	X	.01	31
Total	2.08	2.57	1.35	1.43	2.33	.63	3.00	2.10	5.79	1.57	1.98	4.33	29.16
Rain Days.	17	19	17	18	10	13	17	14	29	18	18	26	216

Note. March 24 & 25 & Sep 29 inclusive readings taken at 10.0 am Summer Time.

REGISTER OF RAINFALL IN 1919

Kept at Codnor Park.
in the County of Derby
by M. R. Canal Insp. S. Wilson.

Lat. 53° 3' N Long. 1° 20' W
Time of Observation 9.0 a.m.
Nearest Railway Station Codnor Park G. R.
Diameter of Funnel of Rain Gauge Five in. 2714
Height of top of Gauge above Ground — ft. 12 in.
" " " " Sea Level 243 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.03	.05	.02	.15	.	.21	.	.05	.21	.02	.22	1
2	.13	.04	.02	.	.	.	.23	.	.17	.10	.22	.04	2
3	.03	.	.	.	.08	.14	.17	.	.10	.01	.25	.06	3
4	.80	.	.27	.	.	.09	.01	.29	.11	.01	.02	.22	4
5	.02	.07	.	.	.	.	.	.	.23	.01	.	.11	5
6	.04	.	.08	.	.60	.	.	.	.	.	.02	.12	6
7	.01	.	.28	.	.02	.	.	.	.	.	.	.	7
8	.12	.	.02	.02	.	.02	.	.	.	.	.01	.	8
9	.01	.	.02	.01	.	.	.	.	.	.	.01	.	9
10	.	.	.26	.05	.	.	.	.	.	.03	.08	.19	10
11	.01	.01	.70	.02	.11	.	.21	.	.	.	.01	.03	11
12	.	.01	.61	.09	.	.25	.01	.	.03	.02	.04	.01	12
13	.33	.	.	.15	.	.	.	.	.41	.03	.01	.02	13
14	.39	.	.	.50	.	.	.	.	.02	.01	.02	.01	14
15	.23	.06	.01	.01	.	.	.	.	.	.01	.15	.70	15
16	.04	1.07	.	.08	.	.	.	.	.	.	.28	.01	16
17	.	.51	.	.04	.01	.06	.01	.05	.	.	.25	.	17
18	.	.01	.20	.	.01	.	.	.28	.02	.	.01	.35	18
19	.11	.32	1.64	.	.	.08	.66	.35	.04	.	.14	.06	19
20	.70	.14	.43	.	.	.	.29	.08	.03	.01	.16	.16	20
21	.11	.44	.05	.	.	.	.21	.	.03	.	.01	.38	21
22	.	.06	.	.	.	.	.	.02	.91	.	.03	.45	22
23	.	.	.02	.	.	.	.	.	.	1.20	.	.01	23
24	.01	.	.	.18	.33	.	.02	.01	.	.32	.14	.03	24
25	.04	.	.	.12	.12	.02	.	.42	.	.01	.06	.05	25
26	.01	.	.28	.02	.	.01	.	.19	.08	.	.01	.58	26
27	.13	.	.04	.29	.	.	.	.04	.01	.06	.07	.	27
28	.	.	.	.07	.	.	.	.72	.	.03	.	.42	28
29	.08	X	.01	.	.	.03	.	.08	.	.67	.12	.04	29
30	.03	X	.05	.16	.	.22	.	.02	.	.06	.19	.29	30
31	.02	X	.	X	.	X	.05	.	X	.05	X	.01	31

Total 3.80 2.77 5.04 1.78 1.43 .92 2.08 2.55 2.24 2.85 2.33 4.57 32.36

Rain Days. 24 13 20 17 9 10 12 13 15 19 26 26 204

Note:— From 30th March to 28th September inclusive readings taken at 10.0 a.m. Summer Time.

REGISTER OF RAINFALL IN 1920.

Kept at Codnor Park
in the County of Derby
by M. R. Canal Inspector S. Wilson

Lat. 53° 3' N Long. 1° 20' W
Time of Observation 9.0 a.m.
Nearest Railway Station Codnor Park G.N.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground — ft. 12 in.
" " " " Sea Level 243 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	.24	.31	.13	.43	.	.06	.19	.04	.16	1
2	.	.	.	.09	.	.	.49	.	.11	.39	.	.25	2
3	.02	.02	.	.45	.	.02	1.06	.01	.09	.20	.	.06	3
4	.	.	.	.02	.	.	.04	.59	.	.68	.	.04	4
5	.	.01	.03	.	.34	.	.19	.03	.01	.06	.	.02	5
6	.01	.	.25	.04	.	.	.09	.	.	.	.01	.10	6
7	.01	.01	.03	.05	.08	.	.18	.05	.	.	.	.02	7
8	.21	.05	.	.59	.02	.	.36	.01	.	.	.	.	8
9	.36	.14	.05	.45	.09	.	.02	.	.	.01	.	.	9
10	.35	.38	.06	.18	.	.	.31	.	.	.	.	.	10
11	.30	.	.03	.23	.39	.21	.01	.20	.	.	.01	.09	11
12	.03	.01	.01	.36	.37	.17	.03	.05	.	.	.02	.08	12
13	.11	.10	.09	.42	.01	.75	.	.	.	.	.03	.	13
14	.02	.03	.68	.13	.	.79	.05	.	.16	.02	.19	.02	14
15	.	.13	.23	.16	.	.	.	.	.11	.18	.01	.01	15
16	.01	.	.03	.03	.	.	.31	.	.03	.07	.	.01	16
17	.	.01	.02	.	.14	.02	.04	.	.62	.05	.	.03	17
18	.13	.01	.	.02	.16	.	.02	.04	.11	.	.01	.	18
19	.23	1.79	.	.19	.05	.09	.	.09	.06	.	.	.	19
20	.03	.05	.	.36	.	.22	.04	.	.01	.	.01	.01	20
21	.01	.	.	.	.	.	.20	.07	.	.	.	.03	21
22	.03	.	.	.26	.	.	.23	.	.05	.	.01	.01	22
23	.01	.02	.	.01	.	.	.08	.02	.	.01	.01	.46	23
24	.04	.	.27	.02	.	.	.	.	.	.	.	.19	24
25	.01	.03	.	.08	.	.03	.85	.	.03	.	.01	.01	25
26	.19	.01	.	.06	.08	.03	.08	.	.01	.02	.	.02	26
27	.08	.	.	.10	.11	.16	.01	.	.	.	.30	.30	27
28	1.09	.	.15	.16	.03	.07	.04	.	.	.02	.01	.09	28
29	.05	.01	.07	.	.64	.02	.16	.	.	.01	.17	.63	29
30	.11	~~X~~	.11	.23	.03	.08	.	.	.07	.01	.24	.44	30
31	.16	~~X~~	.03	~~X~~	.12	~~X~~	.02	.	~~X~~	.26	~~X~~	.13	31
TOTAL	3.60	2.81	2.14	4.93	2.97	2.79	5.34	1.16	1.53	2.18	1.08	3.21	YEAR'S TOTAL 33.74
Days with "1 in. or more	25	18	17	26	17	15	26	11	15	16	16	25	227

(44,283). Wt. 2,958—218. 7500. 10/19. Gp. 132. A. & E. W. 10 20 10 9 5 14 140
From 28th March to 24th October inclusive readings taken at 10.0 a.m. Summer Time.

REGISTE WHITWORTH INST

DARLEY DALE

Kept at

DARLEY DALE

in the County of

by *Inspector Whitworth Ins*
Per J.H.

WHITWORTH INSTITUTE

DERBY

1911-1920

FORM A2.
BRITISH RAINFALL

in. 6-8 1912
ound 1 ft. 8 in

Level 361 ft.

me *Darley Dale*

Distance *1/4 mile* Direction *West*
e result entered to the
al rule, he is earnestly
in the space provided

Jan. 1, following.

IMPORTANT NOTE.—Rain previous day. If an Observer pr requested to add the reading at 9 a.m. on 1st January of the following for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			~~.44~~		.05		.01				.09	.02	1
2			.02		.14					.01		.13	2
3	.09				.45				.02		.68		3
4			.02	1.13		.05		.22	.08	.10			4
5				.13						.10			5
6	.57							.14		.02		.50	6
7			.01										7
8	.19					0.02			.02	.02	.47		8
9			.20									.57	9
10	.05											.74	10
11		.01						.17			.31	.01	11
12	.23								.43		.40		12
13												.10	13
14		.08	.06		.60							1.18	14
15			.16							.06		.02	15
16	.01	.42				.14				.03		.04	16
17				.02		.51					.20	.33	17
18		.29			.01	.09					.28	.09	18
19		.05		.04		.40		.45	.17	.11	.14	.09	19
20		.16	.02	.18				.23	.18			.15	20
21		.46					.02			.15			21
22	.01		.01			.02				.40	.00		22
23						.20			.35	.07		.49	23
24		.22	.07	.14		.72		.02	.13			.07	24
25				.20							.06	.13	25
26	1.02	.02			.16						.58		26
27		.19		.10				.57	.14				27
28			.72	.15					.06		.12	.50	28
29				.40					.24	.36	.02	.08	29
30				.08	.26	.12			.02	.35	.02	.01	30
31			.30				.10			.01			31
Total	2.08	1.90	1.43	2.57	1.67	2.27	.73	1.80	1.84	1.79	3.37	5.25	TOTAL for year 26.10
No. of Rain Days.	8	10	12	11	7	10	3	7	12	14	13	20	124

REGISTER

WHITWORTH INSTITUTE,

DARLEY DALE.

Kept at

in the County of

by Insitue Whitworth Institute
Per J.H. Dawson, Esq. T.P.

RAIN
GAUGE

Pattern *Snowdon Symonds*
Diameter of top 5 in.
Height of top above Ground 1 ft.
Sea Level 361 ft.

Time of Observation 10 a.m.

Nearest Railway Station

Name *Darley Dale*
Distance *1/4* mile Direction *West*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			~~.44~~		.05		.01				.09	.02	1
2			.02		.14					.01		.13	2
3	.09				.45				.02		.68		3
4			.02	1.13		.05		.22	.08	.10			4
5				.13						.10			5
6	.57							.14		.02		.50	6
7			.01										7
8	.19					.02			.02	.02	.47		8
9			.20									.57	9
10	.05											.74	10
11		.01						.17			.31	.01	11
12	.23								.43		.40		12
13												.10	13
14		.08	.06		.60							1.18	14
15			.16							.06		.02	15
16	.01	.42				.14				.03		.04	16
17				.02		.51					.20	.33	17
18		.29			.01	.09					.28	.09	18
19		.05		.04		.40		.45	.17	.11	.14	.09	19
20		.16	.02	.18				.23	.18			.15	20
21		.46					.02			.15			21
22	.01		.01			.02				.40			22
23						.20			.35	.07		.49	23
24		.22	.07	.14		.72		.02	.13			.07	24
25				.20							.06	.13	25
26	1.02	.02			.16						.58		26
27		.19		.10				.57	.14				27
28			.72	.15					.06		.12	.50	28
29				.40					.24	.36	.02	.08	29
30				.08	.26	.12			.02	.35	.02	.01	30
31			.30				.10			.01			31
Total	2.08	1.90	1.43	2.57	1.67	2.27	.73	1.80	1.84	1.79	3.37	5.25	TOTAL for year 26.10
No. of Rain Days.	8	10	12	11	7	10	3	7	12	14	13	20	124

REGISTER OF RAINFALL IN 1912

Kept at *Whitworth Institute, Daily Dale*
 in the County of *Derbyshire*
 by *The Trustees W. J. D.D.*

Lat. *53° 9'* Long. *1° 35'*
 Time of Observation *10 a.m.*
 Nearest Railway Station *Daily Dale*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *8* in.
 " " " " Sea Level *361* ft.

BRITISH RAINFALL
 FORM A.
 4- JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						0'35	10	10	07	35		81	1
2			0'40			0'02	10	30	02			05	2
3	0'13		0'05		0'05	0'18	20	64	16			01	3
4			0'92		0'10	0'40		10	13		08		4
5				0'05	0'08	0'10		10	01		07		5
6	1'30	0'20			0'04	0'10		43				02	6
7		0'05				0'09		03				01	7
8	0'72	~~1'00~~	0'15			0'05	09		05				8
9		0'02	0'13			0'49					01	08	9
10				0'32		0'03		26			40		10
11						0'01					06	54	11
12			0'18			0'06	09				08		12
13	0'04		0'05			0'01		05			04		13
14	0'10	0'45	0'10			0'11		10	04	02			14
15			0'00	~~2'00~~	0'60	0'18		05		03			15
16			0'60		0'09	0'08		10		10		0'32	16
17			0'07			0'21	02	13			02		17
18			0'05				08			04			18
19	0'02		0'34		0'03	0'01	08	62		04			19
20			~~0'00~~		0'05	0'01	38	10		27		14	20
21			0'06		1'00	0'01	77	10		48	04		21
22		0'30	0'12		0'06	0'10	08	15		02			22
23			0'20			0'08	70	47			20		23
24			0'03			0'10	20	57			07	34	24
25						0'10	22	15			32		25
26			0'08			0'02	71	63		80	26		26
27			0'04			0'08	1'49	02		1'20			27
28		0'04				0'15	20	40	08	16	72	63	28
29		0'02		0'05		0'05	15	05	10	04		03	29
30			0'06		0'15	0'05	07		13	06			30
31			0'04	0'12	0'20		10	11				02	31
Total	2'31	1'08	3'90	0'42	2'45	3'23	5'23	5'36	0'79	3'61	2'37	3'00	33'75
Rain Days.	6	7	21	3	12	29	20	25	10	14	14	13	174

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Whitworth Institute Darbydale
in the County of Derby
by Whitworth Institute Trustees

Lat. 53° 9' 4" Long. 1° 35'
Time of Observation 9 a.m.
Nearest Railway Station Darbydale
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft.
Sea Level 361 ft.

FORM A.
BRITISH RAINFALL
3-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.02	0.31	0.01					0.15	0.02	0.08		1
2	0.04	0.10	0.05	0.02						0.01	0.10		2
3	0.60			0.02	0.50	0.04			0.04	0.52		0.20	3
4	0.60	0.01		0.01			0.06			0.24	0.48	0.32	4
5	0.03	0.08								0.95	0.02		5
6	0.01		0.51				0.56			0.42		1.01	6
7		0.53				0.28				0.58	0.18		7
8		0.06	0.04		0.85		0.04	0.04		0.08	0.02		8
9		0.10				0.02	0.08				0.20		9
10		0.31		0.10	0.19					0.02			10
11	0.85	0.02		0.46		0.04		0.22			0.44		11
12					0.02						0.38		12
13			0.04	0.02		0.21					0.18	0.01	13
14			0.53			0.10				0.04	0.14		14
15	0.24	0.13	0.90	0.95		0.02		0.05		0.06	0.04		15
16			0.26	0.20		0.50			0.54		0.10		16
17	0.02	0.06	0.02	0.10	0.05	0.01				0.01	0.10		17
18	0.02			0.08			0.10					0.04	18
19	0.33		0.41	0.10					0.50		0.13		19
20		0.02	0.28	0.04					0.05	0.11	0.44		20
21				0.03			0.06	0.02					21
22			0.64					0.92	0.31				22
23	0.64					0.06		0.02	0.01		0.05	0.01	23
24						0.04					0.10	0.01	24
25												0.09	25
26			0.13	0.25	0.04				0.05	0.11		0.01	26
27	0.05		0.05									0.06	27
28			0.10									0.04	28
29			0.50	1.23				0.52				0.10	29
30	0.90		0.04		0.14					0.51	0.02	0.01	30
31			0.02										31
Total	3.86	1.44	4.96	3.49	1.82	1.32	0.90	1.49	1.68	3.98	3.23	2.21	30.68
Rain Days.	13	12	18	16	4	11	6	4	8	15	19	13	145

YEAR'S TOTAL

cont. front 5.14.15

REGISTER OF RAINFALL IN 1914

Kept at Whitworth Institute Darby Dale
in the County of Derby
by J. H. Dawson

Lat. 53° 44' Long. 1° 35'
Time of Observation 9 a.m.
Nearest Railway Station Darby Dale
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 361 ft.

FORM A.
BRITISH RAINFALL

9 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.02	0.08				0.48	0.21			0.20	0.16	1
2							0.40	0.19			0.32	0.20	2
3	0.03		0.10	0.26			0.06	0.05				0.16	3
4			0.14	0.40	0.35		0.03	0.01			0.58	0.40	4
5	0.40		0.18	0.23	0.13	0.25	0.15				0.02	0.02	5
6			0.02	0.15	0.14		0.05	0.03			0.08	0.30	6
7		0.19	0.21		0.04	0.01		0.13		0.01		0.15	7
8	0.13				0.20	0.04	0.13	0.15				0.01	8
9	0.08	0.03		0.13	0.02	0.48		0.13	0.03			0.01	9
10	0.14	0.24	0.04			0.03			0.05				10
11	0.06	0.15	0.44		0.20	0.02			0.05			0.56	11
12		0.12	0.14				0.05		0.30		0.46	0.50	12
13	0.04	0.24	0.40				0.04			0.30	0.02	0.40	13
14	0.02	0.39	0.05				0.02			0.33	0.35	0.04	14
15		0.01	0.25					0.01	0.05		0.14		15
16	0.04		0.08				0.41		0.21				16
17	0.08	0.30	0.20						0.52			0.42	17
18		0.05	0.02			0.18	0.04		0.01			0.55	18
19							0.04		0.06			0.08	19
20		0.46	0.05							0.15		0.03	20
21		0.54	0.03			0.21				0.18	0.10		21
22		0.09			0.08	0.04		0.04				0.01	22
23		0.09	0.13		0.30	0.01				0.02			23
24	0.54		0.18	0.04	0.04			0.19					24
25	0.04						0.52	0.14		0.68		0.50	25
26			0.05				0.02	0.15		0.02	0.24	0.20	26
27										0.04	0.16		27
28	0.13	0.12	0.29							0.21	0.02	0.40	28
29	0.03		0.20							0	0.19	0.04	29
30	0.04		0.11	0.01				0.01		0.53	0.20	0.52	30
31	0.20		0.01				0.39			0.20		0.01	31
Total	1.62	3.04	3.40	0.96	1.46	1.60	0.43	1.44	1.28	2.40	4.41	5.80	34.74
Rain Days.	16	16	24	6	11	10	16	14	9	12	15	24	173

REGISTER OF RAINFALL IN 1915

Kept at Whitworth Institute, Darley Dale
in the County of Derby
by E. Evans

Lat. 53.9 Long. 1.35
Time of Observation 10 a.m.
Nearest Railway Station Darley Dale
Diameter of Funnel of Rain Gauge 5 in. in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 361 ft.

FORM A.
BRITISH RAINFALL
10 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.25	.10		.49			.10	.01				1
2	.78	.04	.13	.28		.06		.14	.09	.14	.04	.10	2
3	.65	.02	.02	.10				~~.04~~				.09	3
4	.02	.01						.05				.08	4
5	.08	.70						.05		.01	.02	.06	5
6	.18	.05		.30			.37	.20				.10	6
7	.22	.47		.10	.04		.03	.16				1.67	7
8	.21	.30		.10	.06			.13				.15	8
9		.07	.01					.18		.02	.09		9
10	.79							.05		.40	.40	.72	10
11	.15			.02	.40		.22	.05			.81		11
12	.07			.03	.32		.01	.03		.02	1.90	.25	12
13		.93					.01	.21					13
14	.12						.05	.19	.11	.02		.23	14
15	.63				.01		.10	.07				.22	15
16		1.11			.06		1.50	.01			.16	.27	16
17		.16					.12					.06	17
18		.42	.23		.04								18
19		.02		.06	.02					.04			19
20	.05						.25	.01			.02	.10	20
21	.05		.01	.08			.12					.02	21
22	.11						.03					.18	22
23	.03		.30			.08	.04			.45		.08	23
24		.02	.12	.02			.10		.45	.05		.27	24
25				.01		.84	.02			.08		.11	25
26		.40					.20		.09	.01		.48	26
27		.13				.10	.12			.54		.62	27
28		.45				.04	.02	.27					28
29					.11	.23		.01			.17	.49	29
30	.25	X				.01	.25	.01				.05	30
31	.20	X		X		X	.04	.01	X	.51	X	.51	31
Total	4.24	5.55	0.92	1.10	1.55	1.36	3.60	2.16	.75	2.29	3.61	6.91	YEAR'S TOTAL
Rain Days.	19	18	8	11	10	7	20	20	5	13	9	24	34.07
													34.07
													164

REGISTER OF RAINFALL IN 1917

Kept at Walsworth Institute Darley Dale
in the County of Derby
by The Institute, Whit Inst. Evans
Secretary

Lat. 53.9 Long. 1.35
Time of Observation 9 am.
Nearest Railway Station Darley Dale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 361 ft.

Form A.
BRITISH RAINFALL
9 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~0.35~~ 0.01	0.68				0.05	0.10				0.25		1
2	0.35		0.46			0.05	0.08		0.13	0.25	0.10		2
3		0.64	0.01		0.01	0.01	0.20		0.63				3
4	0.11				0.50	0.51				0.48			4
5			0.02		0.01	0.30				0.41	0.06		5
6	0.33	0.57	0.30		0.54	0.02	0.25			0.15	0.61		6
7	0.03		0.16		0.06		0.28				0.15		7
8											0.22		8
9			0.49		0.36	0.09							9
10			0.09	0.05	0.01	0.06				0.13		0.10	10
11		0.44	0.18	0.25		0.04			0.14			0.02	11
12		0.03	0.34	0.09	0.52	0.02						0.03	12
13	0.09		0.11	0.06			0.20	0.32				0.13	13
14				0.23	0.12			0.30					14
15		0.42	1.05	0.02	0.01		0.02	0.45		0.26			15
16								0.05					16
17	0.06			0.54			0.28		0.14		0.03		17
18				0.08					0.33	0.18	0.50	0.30	18
19	0.13	0.51	0.34	0.15				0.24		0.01	0.102		19
20	0.12		0.32	0.12								0.04	20
21	0.16		0.16				0.03				0.24	0.16	21
22		0.10								0.208		0.42	22
23	0.05			0.03		0.10		0.04			0.21	0.12	23
24		0.24				0.10		0.02		0.09		0.12	24
25		0.41	0.25							0.20		0.24	25
26						0.02		0.45		0.14	0.35		26
27	0.01	0.20	0.38					0.12		0.10	0.03	0.20	27
28		0.35			0.03	0.05	0.04	0.03		0.33	0.01	0.15	28
29						0.62		0.19		0.55		0.15	29
30		X				0.02				0.20		0.10	30
31		X		X	0.03	X			X	0.30	X	0.12	31
Total	1.44	4.52	5.07	1.65	2.20	2.06	1.48	2.04	1.43	3.89	3.21	2.40	31.39
Rain Days.	11	12	14	11	12	16	10	11	5	14	14	16	152

REGISTER OF RAINFALL IN 1914

Kept at Whitworth Institute, Darby Dale
in the County of Derby
by E. Evans

Lat. 53° 9' Long. 1° 35'
Time of Observation 10 a.m.
Nearest Railway Station Darby Dale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 361 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.24				0.43	0.05		0.12	0.08	1
2	0.13					0.23		0.18			0.02	0.01	2
3	0.01			0.01				0.14		0.16	0.01		3
4	0.23	0.10	0.04							0.19			4
5	0.10		0.15	0.06				0.04	0.02	0.20	0.24		5
6	0.02					0.83				0.32	0.12	0.04	6
7	0.01									0.36	0.10		7
8	0.60			0.26				0.44		0.64	0.12		8
9	0.60			0.16	0.03			0.20		0.03	0.20		9
10	0.64		0.86	0.21	0.28			0.15	0.04	0.34			10
11	0.16			0.34				0.36	0.01		0.01		11
12	0.10				0.22			0.26	0.01	0.14		0.20	12
13	0.03			0.25		0.04		0.20	0.15	0.05	0.02		13
14	0.12			0.01				0.05					14
15	0.10						0.14	0.19		0.13			15
16	0.10	0.13		0.24		0.06	0.60	0.06		0.10		1.00	16
17	0.03			0.06	0.39		0.21	0.20	0.06			0.20	17
18	0.10			0.03	0.16	0.06			0.46				18
19		0.20	0.29		0.04	0.24		0.11	0.05		0.01		19
20		0.14			0.19	0.41			0.16		0.15		20
21	0.05	0.02			0.01	0.02		0.03		0.03			21
22			0.14					0.06		0.20	0.01		22
23					0.20	0.02		0.20	0.02	0.20			23
24						0.50	0.52	0.11		0.57	0.22		24
25		0.05					0.01	0.02		0.01			25
26							0.02	0.40	0.05	0.09	0.10		26
27			0.14				0.20	0.80			0.10	0.08	27
28						0.25		0.34	0.04		0.20	0.24	28
29					0.41		0.04	0.02		0.09		0.20	29
30							0.02			0.10	0.04		30
31			0.10					0.42				0.01	31
Total	3.13	0.64	1.75	1.90	1.96	2.69	1.26	5.74	1.15	4.88	1.83	2.06	20.05
Rain Days.	18	6	4	12	10	11	9	25	13	20	18	10	159

REGISTER OF RAINFALL IN 1918

Kept at Whitworth Institute, Darley Dale
 in the County of Derby
 by G. Evans

Lat. 53° 9' Long. 1° 25'
 Time of Observation 10
 Nearest Railway Station Darley Dale
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft 6 in.
 " " " " Sea Level 341 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.12		0.05				0.45	0.25	0.08	0.14		1
2		0.15						0.43				0.41	2
3		0.04			0.54			0.31	0.22				3
4								0.14	0.50	0.09	0.43	0.53	4
5	0.01	0.01			0.08			0.28	0.35	0.20	0.01		5
6		0.39		0.62		0.06				0.14			6
7	0.06			0.28					0.50	0.01	0.23	0.01	7
8		0.38					0.08		0.30		0.10	0.02	8
9		0.65		0.10		0.10			0.65	0.28	0.04		9
10	0.30	0.08	0.24				0.18			0.01	0.04		10
11	0.12	0.08							0.37			0.15	11
12		0.12		0.01	0.10				0.04			0.15	12
13		0.01								0.10			13
14	0.80			0.02			0.40			0.03		0.30	14
15	0.30			0.02		0.11	0.10		0.01		0.01	0.28	15
16				0.06		0.08	0.80		0.28	0.08			16
17	0.25						0.44		0.01	0.11			17
18	0.33					0.16			1.00			0.48	18
19		0.01	0.16	0.13			0.13		0.03				19
20	0.29					0.05	0.08		0.12	0.10			20
21	0.16	0.30		0.50	0.10	0.06	0.01		0.30		0.02		21
22	0.01				0.24	0.06			0.13	0.04		0.40	22
23	0.10						0.06						23
24		0.04			0.45		0.05		0.12		0.01		24
25				0.01		0.02			0.06	0.01	0.01		25
26							0.50	0.45	0.06		0.05		26
27		0.06						0.35		0.01	0.04	0.10	27
28								0.15			0.14	0.36	28
29												0.16	29
30		X	0.37	0.01				0.13	0.51			0.09	30
31		X	0.23	X		X		0.30	X		X	0.02	31
Total	2.43	2.50	1.43	1.81	1.84	0.70	3.16	2.54	5.84	1.29	1.89	4.36	30.09
Rain Days	12	15	4	13	6	9	12	9	21	15	14	15	74

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Whitworth Institute Darby Dale
in the County of Derby
by The Whitworth Institute

Lat. 53.9 Long. 1.35
Time of Observation 10 a.m.
Nearest Railway Station Darby Dale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 361 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
Dec 31

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.58						0.43		0.04	0.15	0.08	0.22	1
2	0.10	0.05	0.10				0.15	0.06	0.65	0.04	0.19	0.06	2
3	0.72				0.02	0.18	0.30		0.65	0.05	0.40	1.15	3
4	0.80						0.20	0.23	0.24	0.05	0.01	0.36	4
5	0.02	0.06			0.57				0.30			0.30	5
6	0.01		0.47							0.05	0.02	0.28	6
7	0.33				0.01								7
8	0.05		0.23										8
9			0.08								0.09		9
10			0.27	0.05						0.05	0.05	0.38	10
11			0.85	0.05			0.10				0.15	0.02	11
12			0.67				0.12		0.05	0.05	0.01	0.25	12
13	0.35			0.16					0.55	0.09		0.02	13
14	0.30			0.80					0.03	0.15	0.03	0.03	14
15	0.01	0.14							0.02	0.01	0.03	0.59	15
16	0.07	0.37				0.13	0.03				0.15	0.05	16
17	0.18						0.55	0.05			0.31		17
18							0.01	0.16	0.01		0.01	0.33	18
19		0.25	1.54	0.05		0.06	1.31	0.60	0.08		0.18	0.11	19
20	0.85	0.06				0.06	0.87	0.10	0.01		0.30	0.13	20
21	0.01	0.40	0.02				0.15		0.02	0.05	0.01	0.64	21
22		0.09						0.05	0.61	1.13	0.14	0.65	22
23						0.06		0.05			0.05	0.35	23
24		0.01		0.12	0.20		0.04	0.01	0.05	0.37	0.11	0.03	24
25	0.04				0.10			0.63			0.16	0.10	25
26	0.02		0.51			0.02		0.27	0.26		0.05	0.56	26
27	0.09			0.33				0.35			0.11	0.03	27
28				0.05				0.72		0.05		0.39	28
29				0.02				0.45		1.35		1.25	29
30			0.17			0.20		0.15		0.13	0.34	0.33	30
31	0.20		0.02				0.05			0.08		0.02	31
TOTAL	3.93	1.43	4.93	1.63	0.91	0.71	4.31	3.88	3.60	3.85	2.98	8.63	YEAR'S TOTAL 40.79
Days with 0.1 in. or more	19	8	12	9	5	7	14	15	16	17	24	27	174

REGISTER OF RAINFALL IN 1920.

Kept at Whitworth Institute, Darby Dale
in the County of Derby
by Mr. J. Swales

Lat. 53.9 Long. 1.35
Time of Observation 10.5 m
Nearest Railway Station Darby Dale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 361 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.05	0.05	0.14	0.41	0.15	0.31	0.02	0.20	0.14	0.04	0.20	1
2				0.31			0.24		0.12	0.14		0.36	2
3	0.09	0.02		0.20	0.18	0.25	0.44	0.01	0.11	0.34		0.13	3
4	0.25			0.11			0.06	0.55	0.08	0.61		0.15	4
5			0.08		0.42		0.14	0.55	0.04	0.12		0.05	5
6		0.05	0.25	0.18	0.04		0.02			0.05		0.13	6
7	0.04		0.04	0.03	0.01		0.26					0.01	7
8	0.28	0.05		0.39	0.20		0.44	0.03					8
9	0.34	0.55		0.43			0.11	0.05					9
10	0.44	0.34	0.05	0.22			0.15				0.01	0.01	10
11	0.40	0.04	0.13	0.24	0.42	0.36						0.08	11
12	0.05	0.03	0.25	0.42	0.02	0.22	0.25			0.05	0.04	0.06	12
13	0.14	0.08	0.10	0.53		0.69					0.04	0.05	13
14	0.53	0.02	0.52	0.19		0.71	0.25		0.62		0.24	0.01	14
15		0.14	0.12	0.55			0.01		0.04	0.43	0.01	0.05	15
16		0.35	0.06	0.08		0.06	0.56		0.25	0.10			16
17			0.03	0.05	0.18		0.15	0.02	0.30	0.05		0.01	17
18	0.45			0.09	0.20		0.02	0.25	0.05				18
19	0.35	2.08		0.22	0.15	0.04		0.45	0.85	0.05			19
20	0.05			0.31		0.19	0.01					0.04	20
21	0.15						0.15	0.10				0.12	21
22	0.25	0.01	0.05	0.29		0.05	0.14	0.05	0.05	0.04		0.45	22
23		0.05	0.05	0.05			0.85					0.46	23
24	0.05		0.36									0.22	24
25		0.06	0.10	0.10		0.05	0.54		0.05				25
26	0.24	0.65	0.13	0.18	0.13	0.04	0.10					0.03	26
27	0.21	0.15	0.01	0.14	0.55	0.14	0.15		0.05		0.30	0.29	27
28	1.24	0.01	0.11	0.33	0.45	0.09	0.01					0.04	28
29	0.11		0.16		0.32	0.02	0.19				0.21	0.43	29
30	0.16		0.05	0.34	0.05	0.08			0.08		0.21	0.40	30
31	0.13				0.03		0.05			0.42		0.10	31
TOTAL	6.01	4.81	2.84	6.25	3.46	3.20	5.69	2.08	2.92	2.60	1.10	4.18	45.14
Days with "01 in. or more	22	19	22	26	17	16	26	11	15	13	9	25	221
Days with "04 in. or more	22	14	20	25	14	15	21	7	15	13	7	19	192

REG

DARLEY HALL

Kept at Darley Hall

in the County of Derby

by Alfred May

DERBY

1911 - 1920

11
 Snowden
 5 in.
 above Ground 1 ft. 7 in.
 Sea Level 400 ft.
 Name Darley Dale
 Distance $\frac{1}{2}$ mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.15				0.03	0.10			0.05		1
2	0.09		0.03		0.21		0.01	0.01	0.01	0.01	0.03	0.21	2
3					0.48			0.03		0.01	0.21	0.61	3
4	0.03		0.01	0.16		0.05		0.02	0.09	0.09	0.37	0.64	4
5	0.10			0.07				0.13		0.07			5
6	0.67			0.01				0.12		0.03	0.06	0.73	6
7	0.01									0.02	0.24		7
8	0.10		0.15						0.02	0.03	0.14	0.69	8
9	0.01					0.62					0.01	0.05	9
10	0.04	0.01	0.19									1.04	10
11	0.24							0.12			0.32	0.01	11
12	0.03		0.28						0.38		0.34		12
13	0.01		0.02								0.14	0.39	13
14		0.07	0.04		0.48					0.01	0.01	0.89	14
15		0.18	0.10							0.05	0.02	0.19	15
16		0.23				0.14				0.03	0.25	0.07	16
17				0.03		0.40					0.10	0.35	17
18		0.26		0.02	0.01	0.13					0.05	0.14	18
19		0.04	0.01	0.04		0.31	0.03		0.14	0.10	0.22	0.08	19
20		0.14		0.18			0.01	0.38	0.15	0.01		0.20	20
21		0.39	0.01					0.20		0.21	0.01	0.03	21
22	0.01	0.08	0.01	0.03		0.02				0.28	0.01	0.29	22
23		0.16	0.05			0.23			0.35	0.08		0.20	23
24		0.16	0.03	0.15		0.82		0.03		0.22		0.14	24
25	0.03	0.27	0.01	0.17					0.14	0.01	0.03	0.12	25
26		0.03		0.22	0.13	0.01				0.24	0.62	0.43	26
27		0.16	0.14	0.23	0.02			0.58	0.17		0.02	0.05	27
28		0.24		0.18		0.05			0.07		0.09	0.06	28
29				0.02		0.03			0.26	0.46	0.01	0.04	29
30				0.07	0.23	0.09				0.38	0.03		30
31			0.29							0.03			31
Total	1.37	2.44	1.52	1.58	1.56	2.30	0.08	1.72	2.78	2.42	3.38	6.85	TOTAL for year 27.00
No. of Rain Days.	13	15	17	15	7	13	4	11	11	21	25	25	177

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
10 MAY 1912

Kept at Darley Hall

in the County of Derby

by Repd clay

RAIN GAUGE { Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 400 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Darley Dale
Distance 1/2 mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.15				0.03	0.10			0.05		1
2	0.09		0.03		0.21		0.01	0.01	0.01	0.01	0.03	0.21	2
3					0.48			0.03		0.01	0.21	0.61	3
4	0.03		0.01	0.16		0.05		0.02	0.09	0.09	0.37	0.44	4
5	0.10			0.07				0.13		0.07			5
6	0.67			0.01				0.12		0.03	0.06	0.73	6
7	0.01									0.02	0.24		7
8	0.10		0.15						0.02	0.03	0.14	0.69	8
9	0.01					0.02					0.01	0.05	9
10	0.04	0.01	0.19									1.04	10
11	0.24							0.12			0.32	0.01	11
12	0.03		0.28						0.38		0.34		12
13	0.01		0.02								0.14	0.39	13
14		0.07	0.04		0.48					0.01	0.01	0.89	14
15		0.18	0.10							0.05	0.02	0.19	15
16		0.23				0.14				0.03	0.25	0.07	16
17				0.03		0.40					0.10	0.35	17
18		0.26		0.02	0.01	0.13					0.05	0.14	18
19		0.03	0.01	0.04		0.31	0.03		0.14	0.10	0.22	0.08	19
20		0.14		0.18			0.01	0.38	0.15	0.01		0.20	20
21		0.39	0.01					0.20		0.21	0.01	0.03	21
22	0.01	0.08	0.01	0.03		0.22				0.28	0.01	0.29	22
23		0.16	0.05			0.23			0.35	0.08		0.20	23
24		0.16	0.03	0.15		0.82		0.03		0.22		0.14	24
25	0.03	0.27	0.01	0.17					0.14	0.01	0.03	0.12	25
26		0.03		0.22	0.13	0.01				0.24	0.62	0.43	26
27		0.16	0.14	0.23	0.02			0.58	0.17		0.02	0.05	27
28		0.24		0.18		0.05			0.07		0.09	0.06	28
29				0.02		0.03			0.26	0.46	0.01	0.04	29
30				0.07	0.23	0.09				0.38	0.03		30
31			0.29							0.03			31
Total	1.37	2.44	1.52	1.58	1.56	2.30	0.08	1.72	2.78	2.42	3.38	6.85	TOTAL for year 27.00
No. of Rain Days.	13	15	17	15	7	13	4	11	11	21	25	25	177

REGISTER OF RAINFALL IN 1912

Key at Barley Hall
in the County of Derby 6
by Alfred May

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Barley Dale
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ✓ in.
" " " " Sea Level 400 ft.

14 MAR 1913
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.07				0.18		0.04	0.07			0.45	1
2		0.07	0.23	0.01		0.03	0.53		0.04			0.06	2
3	0.13	0.02	0.17		0.04	0.16	0.01	0.90	0.15			0.02	3
4	0.14	0.02	0.04	0.07	0.10	0.39		0.27	0.03		0.15		4
5	0.33	0.02	1.21		0.03	0.24		0.13	0.20		0.01	0.01	5
6	0.87	0.18			0.07			0.47	0.07			0.01	6
7		0.10			0.02	0.03		0.02				0.02	7
8	0.42	0.48	0.26	0.06		0.05	0.08		0.08				8
9	0.16	0.44	0.14	0.27		0.39		0.44			0.01	0.09	9
10	0.05	0.01	0.01	0.01		0.03		0.12			0.43	0.01	10
11	0.20	0.03									0.09	0.52	11
12	0.08	0.37	0.18			0.05	0.08				0.02		12
13	0.08	0.02				0.01		0.01		0.07	0.09	0.05	13
14	0.09		0.49			0.12		0.09	0.06			0.09	14
15	0.39	0.05	0.12		0.58	0.14						0.34	15
16	0.93		0.32		0.11	0.12		0.06		0.12			16
17	0.26	0.01	0.22			0.21	0.02	0.31			0.03	0.34	17
18	0.17		0.09			0.01				0.04		0.12	18
19	0.28	0.13	0.02		0.02	0.01	0.53	0.67		0.05	0.01	0.01	19
20	0.26		0.26		0.04		0.08	0.13		0.25		0.03	20
21		0.02	0.26		0.53		0.66			0.63	0.05	0.03	21
22		0.11			0.52	0.10	0.13	0.43				0.15	22
23	0.49	0.06	0.25		0.01		0.60	0.29			0.19	0.01	23
24	0.11		0.03			0.14	0.09	0.16			0.01	0.20	24
25						0.19		0.13			0.35	0.11	25
26		0.05	0.08			0.03	0.30	0.68		0.89	0.25	0.25	26
27			0.04			0.29	1.20	0.03		0.98		0.20	27
28		0.05	0.03			0.16	0.21	0.56	0.07	0.31	0.69	0.11	28
29	0.03	0.02	0.01	0.07		0.16	0.12	0.01	0.54	0.10	0.07	0.03	29
30			0.04		0.13	0.01	0.02		0.01	0.06			30
31			0.06		0.31		0.15	0.11	0.06			0.03	31
Total	5.67	1.78	4.50	0.44	2.55	3.25	4.81	5.78	1.27	3.50	2.45	3.29	38.74
Rain Days.	20	20	24	6	14	25	17	23	11	11	16	26	213

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Cor. for auth. 15.V.14.

BRITISH RAINFALL FORM A.
14 MAY 1914

Kept at Darley Hall
in the County of Derby
by Agnes Clay

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Darley Oaks
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.02	0.30	0.09					0.15	0.02	0.07		1
2		0.05	0.06			0.02					0.10	0.01	2
3	0.08	0.12	0.30		0.49				0.04	0.42		0.20	3
4	0.70	0.02	0.04		0.19	0.04	0.06		0.04	0.21	0.14	0.47	4
5	0.05	0.06	0.08			0.12	0.01	0.01	0.08	0.86	0.01		5
6	0.03	0.12	0.18	0.02	0.36	0.07	0.58		0.01	0.79		0.01	6
7		0.59	0.02		0.16	0.07				0.58	0.12		7
8		0.04	0.02		0.35	0.07		0.06		0.08	0.05		8
9		0.48	0.02		0.11	0.52	0.66				0.17	0.03	9
10	0.04	0.01		0.09	0.05	0.01	0.03	0.04		0.02	0.16		10
11	1.38			0.33		0.05		0.15		0.01	0.29		11
12		0.01			0.02	0.01					0.37		12
13	0.02		0.21	0.03					0.16		0.14	0.01	13
14	0.20	0.08	0.52	0.06				0.02		0.06	0.17		14
15	0.07	0.05	0.73	0.93					0.16		0.28		15
16	0.01	0.03	0.35	0.06				0.01	0.14		0.06		16
17	0.02	0.05	0.06	0.15	0.07	0.04			0.56		0.03	0.01	17
18	0.02		0.39	0.24	0.11		0.10				0.10	0.04	18
19	0.19		0.05	0.13		0.02	0.04		0.17		0.01		19
20	0.18		0.24	0.07					0.10	0.11	0.41		20
21	0.02	0.01	0.03	0.01	0.10		0.06	0.02			0.16		21
22	0.28		0.69					1.03	0.28		0.01		22
23	0.04		0.01		0.05	0.06		0.02	0.05		0.02	0.01	23
24	0.20			0.02		0.01							24
25	0.01			0.05		0.01			0.06	0.03		0.09	25
26		0.04	0.15	0.28	0.01				0.01	0.11		0.35	26
27		0.04	0.01	0.43						0.01		0.06	27
28	0.22		0.26	0.21	0.01					0.02		0.03	28
29	0.01		0.51	0.45	0.04			0.51				0.08	29
30	0.76		0.01		0.04					0.53	0.02	0.05	30
31	0.01		0.06		0.26							0.01	31
Total	4.54	1.67	5.30	3.65	2.42	1.12	1.57	1.87	2.01	3.86	2.89	1.46	YEAR'S TOTAL 32.33
Rain Days.	27	20	26	19	17	15	8	10	15	16	22	16	206

REGISTER OF RAINFALL IN 1914

Kept at Darby Hall
 in the County of Derby
 by W. Clay

Lat. 53° 10' Long. 1° 35'
 Time of Observation 9 A.M.
 Nearest Railway Station Darby Vale
 Diameter of Rain Gauge 12.5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 400 ft.

BRITISH RAINFALL
 FORM A.
 4-MAY 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.03	0.08				0.70	0.11		0.01		0.16	1
2							0.63	0.18			0.51	0.20	2
3	0.04		0.11		0.25		0.09	0.04			0.01	0.66	3
4	0.31		0.14	0.38	0.33			0.01			0.55	0.40	4
5	0.12		0.22	0.24	0.17	0.17	0.19				0.15	0.02	5
6		0.12	0.02	0.16	0.14		0.04	0.02			0.01	0.30	6
7		0.06	0.18	0.04	0.10		0.01	0.06				0.15	7
8	0.14		0.05		0.10	0.93	0.12	0.19		0.02		0.01	8
9	0.27	0.03		0.09	0.01	0.95		0.12	0.08		0.01		9
10	0.17	0.23	0.03	0.19	0.01	0.03			0.05		0.01	0.02	10
11		0.14	0.41	0.07	0.19	0.04			0.10		1.12	0.53	11
12		0.12	0.11				0.04		0.27		0.19	0.47	12
13	0.01	0.25	0.45	0.01			0.03		0.05	0.15	0.64	0.30	13
14	0.07	0.36	0.06				0.04		0.03	0.55	0.28	0.15	14
15	0.01	0.02	0.28					0.01	0.01	0.01	0.10		15
16	0.09		0.06				0.61		0.11				16
17	0.09	0.36	0.20				0.01		0.60			0.69	17
18	0.01		0.02			0.21	0.03		0.02		0.01	0.38	18
19			0.02				0.05		0.05		0.06	0.07	19
20		0.42	0.03							0.03		0.01	20
21		0.59				0.19		0.01		0.15	0.02	0.17	21
22		0.08			0.20	0.07		0.01		0.25		0.02	22
23		0.08	0.11	0.03	0.18	0.01	0.03			0.01		0.02	23
24	0.04		0.21	0.03	0.04		0.25	0.08		0.02	0.08		24
25	0.04						0.25	0.24		0.69	0.02	0.45	25
26	0.01		0.04				0.04	0.10		0.19	0.15	0.26	26
27	0.01		0.01							0.02	0.15	0.83	27
28	0.08		0.14							0.13	0.02	0.41	28
29	0.06	0.11	0.34							0.58	0.18	0.09	29
30		X	0.10	0.01				0.01		0.06	0.29	0.52	30
31	0.25	X	0.02	X		X	0.39		X	0.13	X	0.03	31
Total	192	3.00	3.44	1.25	1.72	2.60	3.57	1.29	1.37	3.00	4.56	7.34	34.96
Rain Days.	19	16	26	11	12	9	19	15	11	17	22	27	204

REGISTER OF RAINFALL IN 1915

Kept at Darby Dale
in the County of Derby
by Alfred May

Lat. 53.10 Long. 1.35
Time of Observation 9 A.M.
Nearest Railway Station Darby Dale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 400 ft.
Sea Level

FORM A.
BRITISH RAINFALL
MAY 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.28	0.24	0.11		0.51			0.07	0.08		0.04	0.30	1
2	0.04	0.07	0.12	0.25		0.06		0.53		0.11		0.03	2
3	0.85		0.03	0.08			0.46	0.23	0.02		0.04	0.35	3
4	0.05	0.01			0.09		0.63					0.88	4
5	0.05	0.43	0.01					0.06		0.02	0.02	0.84	5
6	0.16	0.08	0.01	0.29			0.39					0.23	6
7	0.24	0.46	0.01	0.06			0.03	0.38				0.14	7
8	0.22	0.24		0.12				0.18			0.14	0.03	8
9		0.10		0.02				0.05			0.20	0.58	9
10	0.71		0.30					0.04		0.04	0.13	0.03	10
11	0.14		0.10	0.02	0.41		0.25	0.07			0.85	0.25	11
12	0.04			0.05	0.15		0.01			0.07	1.95		12
13	0.05	0.87			0.88							0.13	13
14	0.05	0.03					0.05	0.23	0.13	0.04		0.34	14
15	0.75				0.01		0.01	0.04			0.16	0.27	15
16		1.00			0.08		1.61	0.01				0.06	16
17		0.27	0.04		0.03		0.11				0.01		17
18		0.36	0.40								0.03		18
19		0.04	0.03	0.02	0.05		0.17			0.04			19
20	0.10	0.01		0.05	0.01		0.05	0.02				0.07	20
21	0.11			0.07			0.11					0.02	21
22	0.07		0.17	0.02			0.05			0.01		0.13	22
23	0.04	0.03	0.13			0.08	0.10		0.01	0.37	0.01	0.07	23
24			0.11	0.03					0.50	0.08		0.33	24
25				0.01		0.82	0.02			0.08		0.10	25
26		0.38				0.01	0.17		0.10			0.45	26
27	0.02	0.15				0.13	0.10			0.55		0.60	27
28		0.62	0.03			0.01	0.02	0.27		0.03			28
29				0.02	0.10	0.18					0.15	0.37	29
30	0.21	X				0.02	0.02	0.01			0.02	0.06	30
31	0.20	X		X		X		0.03	X	0.47	X	0.49	31
Total	4.32	5.61	1.60	1.11	1.62	1.31	4.36	2.22	0.84	1.84	3.72	7.29	35.84
Rain Days.	21	19	15	15	11	8	20	16	6	13	14	26	184.

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1910

Kept at Barley Hall

in the County of Derby

by Wm. C. Day

Lat. 53.15 Long. 1.36

Time of Observation 9 AM

Nearest Railway Station Derby Bank

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 1400 ft.

FORM A.
BRITISH RAINFALL.
11 JUN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	0.05		0.16			0.06	0.12				0.26		1	
2	0.29	0.19	0.26			0.05	0.05		0.11	0.25	0.14		2	
3		0.42					0.23		0.65	0.28	0.16		3	
4	0.13	0.03			0.50	0.50				0.20	0.44		4	
5	0.07	0.01			0.01	0.34			0.03	0.41	0.45		5	
6	0.28	0.08	0.28		0.33	0.02	0.24			0.14	0.66		6	
7	0.08		0.21		0.05		0.28			0.07	0.18	0.24	7	
8			0.29	0.01		0.05					0.19	0.33	8	
9			0.18		0.36	0.03			0.01		0.03	0.15	9	
10	0.02	0.07	0.07	0.06	0.01	0.04	0.04		0.15	0.12		0.08	10	
11		0.38	0.20	0.24		0.06			0.04			0.06	11	
12	0.09	0.03	0.40	0.13	0.45	0.01	0.11	0.02		0.05		0.07	12	
13		0.07	0.11	0.07	0.20		0.04	0.35		0.04		0.06	13	
14		0.37	0.01	0.23	0.01			0.10		0.11		0.02	14	
15		0.37	0.81				0.03	0.66		0.13			15	
16	0.01	0.35	0.47	0.22			0.20	0.04		0.01			16	
17	0.05	0.36		0.41			0.06	0.21	0.16	0.09	0.01		17	
18		0.23		0.08					0.35		1.03	0.22	18	
19	0.13	0.08	0.35	0.07				0.03	0.03	0.05	0.46	0.66	19	
20	0.23	0.01	0.24	0.17							0.01	0.15	20	
21	0.04		0.15				0.03					0.22	21	
22		0.03	0.02			0.07				0.07		0.34	22	
23	0.05	0.28		0.03		0.06		0.07		0.05	0.20	0.36	23	
24		0.71		0.01		0.09		0.03		0.15		0.78	24	
25		0.13	0.25		0.05			0.18		0.06	0.30	0.01	25	
26		0.16	0.06			0.02		0.32		0.17	0.05		26	
27		0.21	0.31				0.06	0.16		0.26			27	
28		0.37	0.20			0.05		0.63		0.03	0.61	0.17	28	
29		0.55	0.01			0.62		0.19		0.68		0.32	29	
30		X			0.04	(0.04)				0.27		0.01	30	
31		X		X	0.02	X		0.02	X	0.26	X	0.26	31	
Total	12.9	5.8	9.5	0.4	17.4	22.5	21.2	14.9	24.1	13.3	39.8	45.8	33.1	YEAR'S TOTAL 35.83
Rain Days.	14	24	22	13	12	17	13	15	9	24	17	20	200	

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Darby Hall
in the County of Darby
by Alfred Gray

Lat. 53° 45' Long. 1° 35'
Time of Observation 9 A.M.
Nearest Railway Station Darby Dale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 448 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.09		0.08		0.45	0.08		0.07	0.11	1
2	0.13					0.18		0.18			0.03	0.01	2
3	0.01	0.05		0.01		0.02		0.18		0.16	0.02		3
4	0.25	0.04	0.28					0.04		0.29			4
5	0.08		0.12					0.01	0.02	0.19	0.27		5
6	0.09		0.01			0.68				0.35	0.13	0.05	6
7	0.68		0.02			0.11				0.29	0.13	0.07	7
8	1.01			0.30				0.49		0.72	0.12	0.08	8
9	0.18		0.11	0.29	0.05			0.19		0.06	0.21		9
10	0.14		0.87	0.17	0.30			0.14	0.04	0.01			10
11	0.19			0.37				0.36	0.02	0.34	0.01		11
12	0.12				0.20			0.23		0.10	0.02	0.08	12
13	0.10			0.28		0.04		0.20	0.15	0.07	0.01	0.03	13
14	0.16			0.01		0.01		0.06				0.11	14
15	0.06				0.01		0.09	0.02		0.12		0.15	15
16	0.05	0.13		0.21		0.05	0.13	0.06				0.58	16
17	0.02			0.08	0.38	0.01	0.22	0.38	0.06	0.19		0.26	17
18	0.05		0.01	0.03	0.09		0.57		0.44	0.04		0.80	18
19	0.06	0.15	0.30		0.23	0.26		0.12	0.02		0.02		19
20	0.10	0.20	0.01		0.28	0.40			0.15		0.11	0.01	20
21		0.03	0.13		0.01	0.03		0.04		0.03			21
22	0.01		0.14					0.16	0.03	0.05	0.02		22
23		0.05			0.20	0.11				0.22			23
24						0.43	0.01	0.11		0.55	0.25	0.01	24
25		0.02	0.12				0.01	0.01		0.03	0.11		25
26						0.01	0.01	0.68	0.05	0.09	0.34		26
27			0.06		0.03	0.18	0.20	0.92			0.15	0.08	27
28			0.00			0.05		0.36	0.06		0.01	0.19	28
29					0.37		0.08	0.01		0.37		0.26	29
30	0.05	X	0.20				0.03	0.29		0.01	0.03		30
31	0.02	X	0.20	X		X		0.07	X	0.01	X		31
Total	3.57	0.67	2.68	1.84	2.15	2.66	1.35	5.76	1.72	4.29	2.06	2.88	31.03
Rain Days.	22	8	16	11	12	17	10	24	12	23	20	17	194

REGISTER OF RAINFALL IN 1918

Kept at Barley Hall
in the County of Derby
by Reginald May

Lat. 53.09 Long. 1.90
Time of Observation 9
Nearest Railway Station Barley Hall
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.08	0.01						0.44	0.09	0.42		1
2		0.19	0.01	0.04				0.44	0.10	0.01		0.62	2
3		0.06	0.06	0.05	0.55			0.32	0.07	0.01	0.09		3
4		0.02	0.02					0.14	0.66	0.08	0.68	0.52	4
5			0.06		0.08			0.30	0.22	0.11		0.02	5
6	0.05	0.38	0.01	0.60		0.07				0.23		0.41	6
7	0.08	0.08		0.27					0.56	0.01	0.29		7
8	0.02	0.22	0.10	0.01			0.05		0.23	0.10	0.03		8
9	0.29	0.70		0.11		0.15	0.04		0.68	0.16	0.04		9
10	0.06			0.01			0.10		0.04	0.02	0.08	0.03	10
11	0.13	0.09		0.02	0.03		0.05		0.32			0.04	11
12	0.04	0.12	0.01	0.02	0.03		0.52	0.01	0.06			0.08	12
13		0.02		0.01	0.08				0.15	0.08		0.16	13
14	0.70			0.02		0.09	0.16		0.26	0.02		0.24	14
15	0.33			0.03		0.04	0.31		0.63		0.01	0.33	15
16				0.04		0.11	0.65	0.01	0.27	0.07		0.19	16
17	0.22			0.01	0.08		0.33	0.04	0.02	0.12			17
18	0.34		0.01			0.15	0.13		1.02			0.30	18
19	0.09		0.13	0.13			0.12		0.23	0.09		0.26	19
20	0.23	0.16		0.12		0.06	0.07		0.72	0.02			20
21	0.16	0.13		0.35	0.06	0.07			0.20	0.03		0.08	21
22	0.01				0.19	0.07	0.05		0.10	0.02		0.60	22
23	0.11				0.84				0.04		0.01	0.06	23
24		0.08					0.05		0.12		0.02	0.17	24
25						0.03	0.16	0.41	0.06	0.01			25
26							0.31	0.06	0.04		0.06	0.08	26
27		0.08	0.02	0.01				0.33	0.25		0.03	0.30	27
28		0.11	0.30					0.14	0.02		0.19	0.62	28
29									0.27			0.04	29
30		X	0.41	0.02				0.12	0.01		0.07	0.10	30
31		X	0.27	X		X		0.06	X		X		31
Total	2.86	2.52	1.42	1.87	1.94	0.84	3.12	2.41	7.03	1.30	1.99	4.90	32.20
Rain Days.	16	16	14	19	9	10	16	13	29	19	14	22	197

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Darby Hall
in the County of Derby
by Reginald Clay.

Lat. 52° 56' Long. 1° 35' 2"
Time of Observation 9
Nearest Railway Station Darby Vale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.57	0.10		0.01	0.20		0.44		0.04	0.15	0.08	0.22	1
2	0.09	0.02	0.02				0.17	0.06	0.65	0.04	0.19	0.06	2
3	1.37		0.01		0.03	0.16	0.29		0.06	0.01	0.40	0.11	3
4	0.01		0.23			0.03	0.23	0.23	0.27		0.01	0.36	4
5		0.05			0.03				0.30			0.30	5
6	0.02		0.23		0.58					0.01	0.03	0.28	6
7	0.01		0.24		0.01								7
8	0.32		0.02			0.04							8
9	0.06		0.07								0.09		9
10	0		0.15	0.15						0.01	0.05	0.38	10
11	0.01		0.85	0.05	0.01		0.11				0.02	0.02	11
12	0.01		0.75	0.11		0.34	0.12		0.05	0.01	0.01	0.04	12
13	0.31		0.48						0.65	0.09		0.02	13
14	0.31		0.36						0.03	0.01	0.03	0.03	14
15	0.41	0.13	0.01	0.05						0.01	0.03	0.59	15
16	0.06	1.17		0.02		0.01	0.03				0.15	0.01	16
17	0.19	0.54		0.04	0.02	0.11	0.05	0.05			0.36		17
18			0.26				0.01	0.16	0.01		0.01	0.33	18
19	0.21	0.26	1.15			0.06	1.31	0.60	0.08		0.18	0.13	19
20	0.62	0.08	0.34			0.07	0.87	0.10	0.01		0.30	0.73	20
21	0.03	0.41	0.08			0.02	0.15		0.02	0.01	0.01	0.44	21
22		0.09	0.01					0.01	0.61		0.14	0.65	22
23						0.06				1.73	0.05	0.03	23
24				0.12	0.13	0.01	0.04	0.01	0.01	0.37	0.11	0.03	24
25	0.04			0.11	0.31	0.01		0.63			0.16	0.10	25
26	0.02	0.01	0.48	0.06		0.02		0.27	0.26		0.02	0.58	26
27	0.11	0.07	0.08	0.21				0.03			0.11	0.03	27
28			0.01	0.04				0.72		0.05		0.37	28
29	0.14		0.02	0.08		0.03		0.05		1.35		0.12	29
30	0.05	X	0.09	0.06		0.19		0.01		0.13	0.34	0.33	30
31	0.01	X	0.02	X		X	0.05		X	0.08	X	0.02	31
TOTAL	4.96	2.93	5.12	1.95	1.32	1.16	3.87	2.93	3.05	3.46	2.88	5.87	YEAR'S TOTAL
Days with 0.1 in. or more	24	12	22	16	9	15	14	14	15	16	24	27	39.52
													208

REGISTER OF RAINFALL IN 1920

Kept at Darley Hall
in the County of Derby
by Alfred Clay

Pattern Snowden
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 400 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Darley Dale
Distance 1/2 mi Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.01	0.01	0.17	0.41	0.01	0.31	0.02	0.20	0.14	0.04	0.20	1
2				0.31			0.24	0.01	0.12	0.17		0.36	2
3	0.09	0.02		0.30	0.18	0.03	0.47	0.00	0.11	0.37		0.13	3
4	0.03			0.11			0.06	0.55	0.01	0.61		0.02	4
5			0.08		0.42		0.14	0.07	0.04	0.72		0.05	5
6		0.01	0.19	0.18	0.04		0.02			0.01		0.18	6
7	0.07		0.04	0.03	0.01		0.26					0.01	7
8	0.28	0.05		0.39	0.20		0.44	0.03					8
9	0.34	0.25		0.43			0.11	0.01					9
10	0.46	0.37	0.05	0.22			0.15				0.01	0.01	10
11	0.43	0.07	0.18	0.24	0.42	0.36						0.08	11
12	0.05	0.03	0.03	0.42	0.02	0.22	0.03	0.01		0.01	0.04	0.06	12
13	0.17	0.08	0.11	0.53		0.49					0.04	0.01	13
14	0.03	0.02	0.52	0.19		0.71	0.02		0.62		0.24	0.01	14
15		0.16	0.12	0.55			0.01		0.07	0.05	0.01		15
16		0.01	0.06	0.08		0.16	0.56		0.02	0.11			16
17			0.03	0.01	0.18		0.02	0.02	0.30	0.08		0.01	17
18	0.05			0.09	0.20		0.02	0.03	0.05				18
19	0.35	2.08		0.22	0.15	0.07		0.04	0.04	0.01			19
20	0.04	0.08		0.31		0.19	0.01					0.01	20
21	0.01						0.15	0.10				0.12	21
22	0.03	0.01	0.01	0.29		0.01	0.17	0.01	0.01	0.01		0.05	22
23		0.01		0.01			0.08					0.46	23
24	0.05		0.36									0.22	24
25		0.06	0.10	0.10		0.01	0.57		0.01				25
26	0.24	0.06	0.13	0.18	0.13	0.04	0.10					0.01	26
27	0.21	0.02	0.01	0.14	0.55	0.17	0.02		0.01		0.80	0.29	27
28	1.24	0.01	0.11	0.33	0.16	0.09	0.01				0	0.07	28
29	0.11		0.16		0.32	0.02	0.19				0.21	0.73	29
30	0.16	~~X~~	0.01	0.34	0.05	0.08			0.05		0.21	0.40	30
31	0.13	~~X~~	0.14	~~X~~	0.03	~~X~~	0.05		~~X~~	0.42	~~X~~	0.10	31
Total	4.57	3.41	2.40	6.17	3.47	2.86	4.21	0.90	1.86	2.11	1.10	3.54	TOTAL for year
No. of Rain Days	22	20	21	26	17	16	26	12	15	13	9	24	223
	18	10	15	23	14	11	17	14	10	9	47	16	154

DL

R

311

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Derby,
in the County of Derby
by Messrs J. D.

DERBY
WILD ST

1911-1920

op. _____ in.
above Ground _____ ft.
„ Sea Level _____ ft.

Name _____
Distance _____ Direction _____
and the result entered to the
universal rule, he is earnestly
year in the space provided

IMPORTANT NOTE
previous day. If an Observer is
requested to add the reading at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	11		13		07		23	04			03	05	2
3	01		06	01	19			07			13	01	3
4	02	01	05	05				36	15	06	07	08	4
5	02			03				03		05			5
6	28			03				10		02	16		6
7	02	01						11		03	05	22	7
8	11		27							24	15	14	8
9	05		14	01							12	27	9
10	02	05									14	01	10
11	17		45					07				42	11
12	02							03			34	01	12
13			07						20		17		13
14		03	03		06						09	33	14
15		11	08							01		66	15
16		05		01		11				04	01	12	16
17				01		80	03			03	17	06	17
18		22	01	04		23				06	24		18
19		04				33		01	08	09	15	05	19
20	01	06		07				28	10	19		16	20
21		27	04					25	06	19		04	21
22		07	03	05		03		01		25	01	24	22
23		07	10			08			47	01		14	23
24		12	02	19		91		01		17		20	24
25		29	01	29	02	01			03		01	11	25
26				25	25	03		03		24	25	46	26
27		26	09	14				44	24		01	09	27
28		13		27		06			06		11		28
29						12	02		17	26	02	01	29
30				09		09				26	02	01	30
31			04		01					01			31
Total	84	1.79	1.62	1.54	60	2.80	08	1.84	1.56	2.16	2.37	4.19	TOTAL for year 2139
No. of Rain Days	12	16	17	16	6	12	3	15	10	19	23	26	175

DL

R

9.11

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Derby, Wild Street-
in the County of Derbyshire
by Messrs J. Davis & Son

RAIN GAUGE

Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			13				03	04			03		1
2	11		06		07			07			13	05	2
3	01			01	19			36		06	07	01	3
4	02	01	05	05				03	15	05		08	4
5	02			03				10		02	16		5
6	28			03				11		03	05	22	6
7	02	01								24	15	14	7
8	11		27								12	27	8
9	05		14	01							14	01	9
10	02	05						07				42	10
11	17		45					03			34	01	11
12	02								20		17		12
13			07								09	33	13
14		03	03		06					01		66	14
15		11	08							04	01	12	15
16		05		01		11				03	17	06	16
17				01		80	03				06	24	17
18		22	01	04		23				01	10	06	18
19		04				33		01	08	09	15	05	19
20	01	06		07				28	10	19		16	20
21		27	04					25	06	19		04	21
22		07	03	05		03		01		25	01	24	22
23		07	10			08			47	01		14	23
24		12	02	19		91		01		17		20	24
25		29	01	29	02	01			03		01	11	25
26				25	25	03		03		24	25	46	26
27		26	09	14				44	24		01	09	27
28		13		27		06			06		11		28
29						12	02		17	26	02	01	29
30				09		09				26	02	01	30
31			04		01					01			31
Total	84	1.79	1.62	1.54	60	2.80	08	1.84	1.56	2.16	2.37	4.19	TOTAL for year
No. of Rain Days	12	16	17	16	6	12	3	15	10	19	23	26	175

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

Kept at Derby, Wild Street

in the County of Derbyshire

by J. Davis & Son

RAIN GAUGE Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05			34	01	06	06			44	1
2		03	06	02		25	32					18	2
3	11	01	04	03	03	13	01	70	04			08	3
4	12		35	04	13	48		19			27		4
5	15	05	06		04	16		07	06		04	01	5
6	78	18			02	01		34					6
7		05			02	07		03	05				7
8	50	22	08	05		38	02		13			02	8
9	04	06	05	16		83		07				13	9
10	08					40		19			37		10
11	07	02	01			02		02			08	68	11
12	01	34	14			07	30						12
13		02	01			22		01		05	01	02	13
14	10		59			17		05		01	08	02	14
15	14	08	20		33	16		01				07	15
16	1.03	02	18		08	03		15		21	01		16
17	50		18			35	05	36			03	28	17
18	26		06			03				07	01	05	18
19	31	11	01				32	41		07	01	01	19
20	20		07		15		03	08		23	01		20
21	01	02	20		55		03	01		56	03	03	21
22	01	16	01		46	30	20	30				21	22
23	02	24	36		01	01	52	78			15	01	23
24	10	01	03			08	32	18			01	21	24
25			03			48		28			35	25	25
26		12	05			14	38	1.19		68	23	10	26
27			02		03	25	02	01		82		26	27
28		02				10	15	44	03	25	51	28	28
29		01	05		10	26	15	07	45	05	04		29
30	03		02		18	03	03		10	01			30
31			08		31		35	10				03	31
Total	4.57	1.77	2.99	30	2.44	5.75	3.21	6.10	92	3.01	2.24	3.37	TOTAL for year 3667
No. of Rain Days.	21	20	27	5	15	27	18	26	8	12	18	22	219

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
31 JAN 1914

Kept at Derby Wild Street
in the County of Derbyshire
by Messrs J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			06	05					30		05		1
2		12	02	04					02		03		2
3	05		15		64				01	08		07	3
4	1.04		05		10	04	02		01	20	20	45	4
5	06		05			07	02	02	05	75		05	5
6	02	03	18		39	09	73			51		01	6
7		06	01		10	03	01			54	05	01	7
8		02	02		15	16			01	10	07		8
9		40	03		04	76		02			14	02	9
10	03			10	07	01		29		01	32		10
11	1.22			49		03		24			50		11
12					15						35		12
13	03	02	30	08				01	04		15		13
14	05		61	02				07		11	12		14
15	04	13	40	30					05		09		15
16		02	38	24			01	01	11		02		16
17	03	02	05	18	04	07	04		05	01			17
18	02		17	11	02		06				04	03	18
19	06		14			09	02		45			01	19
20	19		09	04					01	02	07		20
21			11		06		03				22		21
22	48		48	01				80	34				22
23	02					10		01	09		02		23
24	08			04				08			03		24
25				04					04	02	01	04	25
26		11	12	08				02		17		21	26
27		04		52						01		02	27
28	46		16	52	01					02		01	28
29	01		36	52	06			39				21	29
30	26				01					20	04	01	30
31	01		04										31
Total	4.16	97	4.01	3.38	1.84	1.45	94	1.96	1.58	2.75	2.52	1.15	2671
Rain Days.	20	11	23	18	14	11	9	12	15	15	20	14	182

REGISTER OF RAINFALL IN 1914

Kept at Derby Wild Street
in the County of Derbyshire
by J. Davis & Son

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

28 JAN 1915
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.04				1.88	.20				.18	1
2							.02	.24			.33	.12	2
3			.08	.02	.03		.23	.02			.01	.07	3
4	.46		.08	.20	.05			.07			.38	.40	4
5	.13		.23	.28	.17	.16	.27				.04	.04	5
6		.06		.07	.17		.08	.05			.02	.06	6
7		.07	.38	.06	.17		.04	.03				.41	7
8	.13		.01	.02	.16	.48	.12	.38	.01		.01	.11	8
9	.37	.03	.01	.02	.01	.89		.12	.29		.01		9
10	.15	.06		.12	.07				.05				10
11		.09	.37	.04	.10	.12			.08		.79	.37	11
12	.01	.06	.09			.01			.23		.09	.37	12
13		.16	.20						.01	.25	.41	.35	13
14	.03	.13	.10				.02		.05	.21	.25	.25	14
15	.03	.02	.15						.01	.01	.14	.02	15
16	.01		.04				.54		.02				16
17	.03	.20	.07				.07		.18			.29	17
18			.01				.06		.02			.63	18
19		.01	.02				.02		.11		.03	.08	19
20		.11	.01				.09	.13	.02	.01		.03	20
21		.26	.02			.02	.03	.06		.06		.26	21
22		.01	.01	.01	.62	.15	.03	.06		.22			22
23		.08	.12		.26		.05			.03			23
24	.03	.02	.33	.03	.37	.01	.15	.05		.12	.18		24
25	.01		.01				.21	.19		.47	.02	.15	25
26			.02				.02	.42		.16	.04	.10	26
27	.02										.02	.53	27
28	.26	.10	.05							.04	.20	.57	28
29	.07		.16							.29	.02		29
30				.03	.03	.06				.03	.34	.13	30
31	.13						.40			.06		.04	31
Total	1.89	1.47	2.61	.90	2.21	1.90	4.33	2.02	1.08	1.96	3.33	5.56	29.26
Rain Days.	17	17	25	12	13	9	20	14	13	14	20	24	198

REGISTER OF RAINFALL IN 1914

23 JAN 1915
BRITISH RAINFALL
FORM A
434

Kept at Derby Midland Railway
in the County of Derbyshire
by J. Sayers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. 5 in.
" " " " Sea Level 15.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02				1.52	21			01	08	1
2							01	22			44	095	2
3			04	04	15		24	03			005	01	3
4	31		05	15	06			08			44	37	4
5	12		20	31	27	12	23				06	04	5
6		05		04	16		005	02			01	06	6
7		06	38	02	14		01	10			01	41	7
8	11		01	02	16	63	05	30				05	8
9	32	02	02	05	01	85		08	25			005	9
10	16	09		11	05				11				10
11	01	06	27	01	09	11			01		85	42	11
12		06	16						20		10	42	12
13		11	18						005	29	36	34	13
14	02	10	08				04		04	16	23	27	14
15	02	01	15					005		005	075	01	15
16	01		01				53		01				16
17	01	15	06				04		20			39	17
18	01						09		005			58	18
19		01	01				02		10		05	09	19
20		14	02			005	09	005	04			02	20
21		31				01	01	04		09	005	25	21
22		02	02		45	01	01	05		17		005	22
23		07	08	01	11		015			04			23
24	01	01	32	01	13		12	03		10	19		24
25			01				15	18		55	03	34	25
26			03				01	29		16	06	21	26
27	01										16	38	27
28	22	06	03							04	12	64	28
29	05		12		01					32	03		29
30				005		10				02	39	22	30
31	11						34			04		01	31
Total	1.50	1.33	2.27	77	1.79	1.83	3.53	1.64	97	1.98	3.62	5.71	2694
Rain Days.	16	17	23	12	13	8	10	13	11	13	21	26	183

REGISTER OF RAINFALL IN 1915

Kept at Derby
 in the County of Derbyshire
 by J. Davis & Son Ltd.

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

2818
 358
 FORM A.
 BRITISH RAINFALL
 17 APR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.17	.03		.45				.13		.08	.11	1
2	.10	.03	.20	.12		.09	.01	.25		.23		.02	2
3	.55		.03	.16			.44	.18	.02			.22	3
4	.02				.15		.62					.98	4
5	.06	.11			.14			.06		.01		.46	5
6	.03	.07		.12			.60	.04			.02	.06	6
7	.25	.33		.02		.03	.09	.60				.26	7
8	.23	.03	.01	.11				.05			.01	.02	8
9	.03	.02						.02			.26	.49	9
10	.35		.05					.02		.03	.24	.02	10
11	.04		.01	.02	.30		.12	.02			.49	.14	11
12	.06			.16	.18		.02	.13		.03	1.07		12
13	.08	.45			.33							.01	13
14	.01							.16	.05			.25	14
15	.35				.04		.03	.06			.29	.05	15
16	.02	.10			.04		2.13					.01	16
17		.21					.49					.01	17
18		.16	.16				.01				.01		18
19		.11	.02		.06		.17						19
20	.26			.04								.04	20
21	.16			.04			.23					.06	21
22	.02		.28	.03			.04		.02			.04	22
23		.02	.06			.16	.27	.05	.43			.14	23
24			.07	.04			.04	.49	.03			.28	24
25			.03			.60	.06	.01	.15			.19	25
26		.12					.17	.01				.36	26
27		.10	.02				.69			.58		.19	27
28		.38	.03			.32	.02	.29		.04			28
29						.01		.03			.06	.26	29
30	.08	X		.03		.41		.01		.05	.01	.01	30
31	.19	X		X		X	.01	.06	X	.21	X	.24	31
Total	2.97	2.41	1.00	.89	1.69	1.62	6.26	1.98	.78	1.79	2.54	4.92	28.85
Rain Days.	21	16	14	12	9	7	21	16	8	11	11	27	173

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Report made by
in the County of
by J. Harris & Co.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

2752
350
BRITISH RAINFALL
FORM A.
1 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

See J. following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	08		29		01	13	32				23		1
2	23	08	18		06		62		07	40	22		2
3		30				02	16		30	30	03		3
4	15	08			51	46			04	15	20		4
5	06	02			04	06	01			11	13		5
6	17	21	20		34		31			11	27		6
7	07		14		03		15			15	06	18	7
8			18							09	05	15	8
9			03		46	06					02	13	9
10		10	05	07			05		05	10		04	10
11	03	34	07	25	03	06	01		02			09	11
12	02	06	15	16	39	03	10			02			12
13		24	04	12	05			08		02		10	13
14		19		15	08			24		07		03	14
15		31	58		01		04	29		03			15
16	03	12	49	17	02		24	05		01			16
17	05	08		49			06	11	13	17			17
18		17	03	04				02	18	04	80	07	18
19	05	07	28	04					10		37	02	19
20	17		16	14							02	06	20
21	02		06	01			10					35	21
22		03		01	03	03		04		02		28	22
23	03	15		02		01		08		04	12	30	23
24		1.54	14	04		04		03		01	01	13	24
25		06			05			15		06	25		25
26	03	18				02				05	10		26
27	01	11	56					17		19			27
28		27	24	06						05		18	28
29		29				42		51		32		23	29
30		X				13				03		08	30
31		X		X		X		03	X	17	X	06	31
Total	1.25	5.00	3.87	1.77	2.11	1.46	2.17	1.80	89	2.71	2.88	2.48	28.39
Rain Days.	16	23	19	15	15	13	13	13	8	25	16	18	194

REGISTER OF RAINFALL IN 1917

Kept at *Derby, Wild Street*
in the County of *Derbyshire*
by *J. Davis & Son*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02			10		07		66	05		07	10	1
2	23			01		33		16			03		2
3	02	11		02		01		09		34	05	03	3
4	15	03	13					04		50			4
5	08		10	06				03	02	24	05		5
6	02		01			30				17	12	01	6
7	48					25				37	12	03	7
8	76		01	12				52		52	12	10	8
9	14		16	21	04		01	10		02	20	01	9
10	33		50	03	67			10	04				10
11	13		03	15						13	01		11
12	06				28			04		14		06	12
13	02		01	06				27	11			03	13
14	10		02	10	01			60		02		03	14
15	01			05			11					06	15
16	05	11		17		03						31	16
17		02		06	35	01		18	08	15			17
18	02			03	24		61	05	57	03			18
19	05	22	14		13	26		11	03				19
20	03	42	01		33	02		02	35		06		20
21	01	03	08		28	10		06		01	01		21
22	01		06					04	12	02			22
23					14			07		16			23
24		07	01		05	58		05		38	05	01	24
25			08							08	07		25
26								36	13	09	35		26
27			05			40	27	54			14		27
28			08			24		36				05	28
29							09	10		21		25	29
30		X	05				02	19		04			30
31	02	X	09	X		X		06	X		X	05	31
Total	2.74	1.01	1.62	1.17	2.52	2.60	1.11	4.80	1.50	3.62	1.45	1.13	25.27
Rain Days.	22	8	19	14	11	13	6	25	10	20	15	15	178

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Derby Wild Street
in the County of Derbyshire
by J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.05	.02	.09					.32	.03	.13	.02	1
2		.15		.07				.63	.12	.05		.40	2
3			.03		.65			.19	.07		.17		3
4		.03	.01					.05	1.01	.03	.25	.41	4
5				.02	.15			.10	.42	.12			5
6	.02	.07	.02	.25		.07			.05	.08		.02	6
7	.02	.08		.15		.03			.12	.07	.18		7
8	.01	.21	.16						.12	.08			8
9	.09	.61		.10		.15	.15		.41	.26	.01	.01	9
10	.05	.02		.08			.27			.02	.03	.06	10
11	.07	.15		.02	.14		.12		.15			.08	11
12	.01	.22			.13		.10	.02	.17			.12	12
13	.01	.01			.07				.19	.07			13
14	.33					.04	.09		.30	.18		.25	14
15	.34			.06	.03	.03	.33		.30			.17	15
16	.01						.02	.02	.20			.05	16
17	.25			.01	.10	.09	.17	.03	.24	.06		.13	17
18	.43		.17			.10	.16		.30			.45	18
19	.05	.01		.13		.01	.10			.05		.15	19
20	.04	.07		.24		.05	.11		.01		.01	.01	20
21	.08	.03		.07	.21	.04	.03		.28	.02		.07	21
22	.01				.29	.03	.08	.01		.07		.45	22
23	.08				1.01		.21		.08			.01	23
24		.08			.01		.05	.01	.05	.02	.05	.07	24
25						.04	.46	.27	.01				25
26							.84	.14	.07		.18	.05	26
27		.06						.45	.19	.01	.09	.30	27
28		.18	.37					.06	.01		.21	.61	28
29									.54			.01	29
30		X	.60					.02	.01		.10	.08	30
31		X	.07	X		X		.03	X		X		31
Total	1.94	2.03	1.45	1.29	2.79	.68	3.29	2.03	5.74	1.22	1.41	3.98	27.85
Rain Days.	19	17	9	13	11	12	17	15	27	17	12	24	193

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Derby, Wild Street
in the County of Derbyshire
by J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25	02	02		22		09		07	19	02	17	1
2	16	04	01				15		09	05	15	07	2
3	03		26		07	10	20	03	11		23	06	3
4	01	10	01		02	08		07	07		02	35	4
5				01					17			17	5
6	01		11		36							03	6
7	01		51	03									7
8	07		04	04		05							8
9			02	02									9
10			31	05							03	06	10
11	05		86		02		21					01	11
12	01		46			33	02		01	03	06	04	12
13	18			13					24	02		17	13
14	36	01		14					02			01	14
15	10	04	04	05						02	09	31	15
16	24	84		05		05					17		16
17	07	46		02	08		20				38		17
18	03		20		05			20	01		01	25	18
19	05	26	118			05	75	48	22		12	03	19
20	48	18	24			04	47	14	01		22	12	20
21	08	41	04				20				02	52	21
22		08							68		12	70	22
23									03	110	04	03	23
24				13	16	01	06		01	42	17	02	24
25	08			08	41			25			07	13	25
26			29	07		02		08	14			23	26
27	09		02	34				12			10	06	27
28			02	07				46				33	28
29	03		02					06		48	12	10	29
30	03	X	12	06		13			X	05	03	10	30
31	01	X	04	X		X	05		X	05	X	03	31
Total	2.43	2.44	4.82	1.29	1.39	.86	2.40	1.89	1.88	2.41	2.17	4.10	28.08
Rain Days.	23	11	22	16	9	10	11	10	15	10	20	26	183

REGISTER OF RAINFALL IN 1920.

Kept at *Derby, Wild Street*
in the County of *Derbyshire*
by *J. Davis & Son*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03			23	23		29	02	06	14	02	13	1
2				15		01	1.18		09	21		12	2
3	03	03		25			75	01	17	13		08	3
4				15			02	38	02	39		02	4
5			05	01	45		19	14	11	11		01	5
6			25	03	17		12	01	02	01		02	6
7	01		13	10			14						7
8		03		48	04		21						8
9	43	07		38	10		02	03					9
10	40	47		07			34				02		10
11	28	02	06	10	48	11	02					07	11
12	05	01	02	28	01	20	04	11		02	04	13	12
13	08	14	05	18		41						01	13
14	01	05	60	14		85	04		23		09		14
15		15	16	14		01	03		17	25	06		15
16		01	01	25	05	29	18		02	14		01	16
17				01	13	02	03		85	06			17
18	10			01	07		03	08	10				18
19	08	1.30		21	09	15		04	05				19
20	10	09		14		23	04			01		01	20
21	03						25	11	01			03	21
22	03			23			08					07	22
23		01		03			13				01	37	23
24	01		11	07			74	04				14	24
25	02	05	10				02		01			01	25
26	16	04	13	10	34	03				01			26
27	12		01	05	12	17	04				37	34	27
28	82	01	06	10	04	07	01			01	04	08	28
29	01		15		42	05	12				12	60	29
30	10	~~X~~		23	04	06	03		10		14	25	30
31	13	~~X~~	01	~~X~~	07	~~X~~	14		~~X~~	24	~~X~~	20	31
TOTAL	3.03	2.48	1.90	4.12	2.85	2.66	5.23	97	2.01	1.73	91	2.70	YEAR'S TOTAL 30.59
Days with 01 in. or more	22	16	16	27	17	15	28	11	15	14	10	21	212
(44,283).	13	9	12	22	16	11	19	7	10	9	7	13	148

REGIS

DERBY

Kept at Midland R
in the County of Derb
by J. Sayers

L.M.S. RAILWAY

1911-13

1915-20

London

5 in.

ve Ground 1 ft. 5 in.

Sea Level 156 ft.

0 am

Name

Distance Direction

d the result entered to the
iversal rule, he is earnestly

IMPORTANT NOTE.—
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.11	—	—	—	.02	.05	—	—	.03	—	1
2	.09	—	.04	—	.06	—	—	.06	—	—	.07	.05	2
3	—	—	—	—	.18	—	—	.16	—	.06	.06	.03	3
4	.01	—	.04	.06	—	—	—	.01	.10	.06	.15	.09	4
5	.01	—	—	.02	—	—	—	.08	—	.01	—	—	5
6	.27	—	—	.02	—	—	—	.04	—	—	.02	.29	6
7	.01	.02	.02	—	—	—	—	—	—	.18	.08	.04	7
8	.10	—	.23	.01	—	—	—	—	—	—	.05	.27	8
9	.04	—	—	—	—	—	—	—	—	—	.14	.01	9
10	.03	.05	.12	—	—	—	—	.11	—	—	—	.41	10
11	.16	—	.01	—	—	—	—	.06	—	—	.30	.01	11
12	.03	—	.35	—	—	—	—	—	.19	—	.19	—	12
13	—	—	.04	—	—	—	—	—	—	—	.07	.30	13
14	—	.02	.01	—	.17	—	—	—	—	.02	.01	.60	14
15	—	.11	^{Snow Rain} .07	—	—	—	—	—	—	.06	—	.11	15
16	—	.03	—	.01	—	.09	—	—	—	.02	.21	.05	16
17	.01	—	—	.01	—	.55	—	—	—	—	.06	.13	17
18	—	.23	—	.05	—	.15	—	—	—	—	.10	.06	18
19	—	.02	—	—	—	.21	.02	—	.12	.10	.12	.05	19
20	.01	.07	—	.08	—	—	—	.32	.08	.10	—	.16	20
21	—	.30	.05	—	—	—	—	.27	.12	.25	—	.05	21
22	—	.06	.02	.07	—	.04	—	—	—	.49	.01	.23	22
23	—	.07	.14	—	—	.11	—	—	.45	—	—	.10	23
24	—	.10	.02	.14	.11	.89	—	.01	—	.12	—	.11	24
25	—	.24	—	.24	.19	.01	—	—	.03	—	.03	.26	25
26	—	.01	—	.26	—	.01	—	—	—	.22	^{Snow Rain} .28	.43	26
27	—	.21	.10	.08	—	—	—	.52	.20	—	^{Snow Rain} .02	.09	27
28	—	.16	—	.26	—	.07	—	—	.06	—	.09	—	28
29	—	—	—	—	—	.14	.01	—	.16	.22	.02	.02	29
30	—	—	—	.07	.02	.08	—	—	—	.20	.01	.01	30
31	—	—	.02	—	—	—	—	—	—	.01	—	—	31
Total	.77	1.70	1.39	1.38	.73	2.35	.05	1.69	1.51	2.12	2.12	3.96	TOTAL for year 19.77
No. of Rain Days.	12	16	17	15	6	12	3	12	10	16	23	26	168

REGIS

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at Midland Rly Derby
in the County of Derby
by J. Sayers

Pattern Standard
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 156 ft.
Time of Observation 9.0 am
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.11	—	—	—	.02	.05	—	—	.03	—	1
2	.09	—	.04	—	.06	—	—	.06	—	—	.07	.05	2
3	—	—	—	—	.18	—	—	.16	—	.06	.06	.03	3
4	.01	—	.04	.06	—	—	—	.01	.10	.06	.15	.09	4
5	.01	—	—	.02	—	—	—	.08	—	.01	—	—	5
6	.27	—	—	.02	—	—	—	.04	—	—	.02	.29	6
7	.01	.02	.02	—	—	—	—	—	—	.18	.08	.04	7
8	.10	—	.23	.01	—	—	—	—	—	—	.05	.27	8
9	.04	—	—	—	—	—	—	—	—	—	.14	.01	9
10	.03	.05	.12	—	—	—	—	.11	—	—	—	.41	10
11	.16	—	.01	—	—	—	—	.06	—	—	.30	.01	11
12	.03	—	.35	—	—	—	—	—	.19	—	.19	—	12
13	—	—	.04	—	—	—	—	—	—	—	.07	.30	13
14	—	.02	.01	—	.17	—	—	—	—	.02	.01	.60	14
15	—	.11	.09	—	—	—	—	—	—	.06	—	.11	15
16	—	.03	—	.01	—	.09	—	—	—	.02	.21	.05	16
17	.01	—	—	.01	—	.55	—	—	—	—	.06	.13	17
18	—	.23	—	.05	—	.15	—	—	—	—	.10	.06	18
19	—	.02	—	—	—	.21	.02	—	.12	.10	.12	.05	19
20	.01	.07	—	.08	—	—	—	.32	.08	.10	—	.16	20
21	—	.30	.05	—	—	—	—	.27	.12	.25	—	.05	21
22	—	.06	.02	.07	—	.04	—	—	—	.49	.01	.23	22
23	—	.07	.14	—	—	.11	—	—	.45	—	—	.10	23
24	—	.10	.02	.14	.11	.89	—	.01	—	.12	—	.11	24
25	—	.24	—	.24	.19	.01	—	—	.03	—	.03	.26	25
26	—	.01	—	.26	—	.01	—	—	—	.22	.28	.43	26
27	—	.21	.10	.08	—	—	—	.52	.20	—	.02	.09	27
28	—	.16	—	.26	—	.07	—	—	.06	—	.09	—	28
29	—	—	—	—	—	.14	.01	—	.16	.22	.02	.02	29
30	—	—	—	.07	.02	.08	—	—	—	.20	.01	.01	30
31	—	—	.02	—	—	—	—	—	—	.01	—	—	31
Total	.77	1.70	1.39	1.38	.73	2.35	.05	1.69	1.51	2.12	2.12	3.96	TOTAL for year
No. of Rain Days.	12	16	17	15	6	12	3	12	10	16	23	26	168

67972
REGISTER OF RAINFALL IN 1912

Kept at Derby, Midland Railway
in the County of Derbyshire 6

by J. Sayers

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Pattern _____
RAIN Gauge Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			06	01		23	01	06	06			45	2
3	10		02		02	26	01	64	07			04	3
4	10		31	01	15	88		21	02		27		4
5	12	03	03		05	10		19	05		01		5
6	56	19			02	02		36				08	6
7		06				09		05	03			03	7
8	40	22	13	03		51	02		09			01	8
9	04	01	04	15		27		07				14	9
10	01		01			04		22			30		10
11	05	02	01			08		04			06	74	11
12	07	35	12			10	47						12
13	01	01				22		01		03	04	01	13
14	09		55			17		08		01			14
15	16	10	15		35	18						06	15
16	96	01	17		07	05		16		17			16
17	42		10			35	05	34			01	29	17
18	24		09			01		01		05		04	18
19	28	09	01		02		38	40		06	01	02	19
20	18	01	11		12		02	06		27			20
21	01	01	12		61		03	04		49	01	02	21
22	01	15			40	38	25	56				20	22
23	02	17	33		01	01	55	48			15	01	23
24	08	01	03		01	08	31	12			01	19	24
25	01		04			32		36			37	29	25
26		11	05			13	39	1.07		65	20	08	26
27		01	03		06	25	02	02		94		25	27
28		02				03	14	40	03	25	49	32	28
29		02	06		11	15	15	07	53	06		01	29
30	03		01		34	05	02	01	14	01			30
31			06		22		39	09				02	31
Total	3.98	1.60	2.67	20	2.56	5.22	3.50	6.12	1.02	2.99	1.93	3.36	TOTAL for year 35.16
No. of Rain Days	23	20	26	4	16	27	18	27	9	12	13	23	218

REGISTER OF RAINFALL IN 1913

28 JAN 1914
BRITISH RAINFALL FORM A.

Kept at Derby, Midland Railway
in the County of Derbyshire
by J. Sayers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 15.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.06	.02					.30		.04		1
2	.01	.11	.01	.03					.01		.03		2
3	.03	.01	.17		.73					.08		.04	3
4	.93				.10	.04	.01			.32	.17	.43	4
5	.03		.09		.01	.04	.01	.025	.02	.80	.01	.01	5
6	.01	.05	.14		.32	.07	.80			.41		.01	6
7		.05			.31	.01				.54	.09	.01	7
8		.01			.22	.10				.05	.01		8
9		.38	.02		.03	.72		.02			.11	.02	9
10	.01	.01		.10	.03			.27		.01	.31		10
11	.76			.38	.01			.26		.02	.42		11
12					.15	.02					.42		12
13			.27	.06					.04		.17		13
14	.08	.02	.52	.02				.07		.10	.07		14
15	.03	.07	.37	.40					.07		.13		15
16	.02	.01	.33	.02				.02	.11		.02		16
17	.02	.02	.02	.10	.02	.02	.01		.04				17
18			.27	.10	.02		.04				.06	.03	18
19	.06		.07			.04			.40			.01	19
20	.17		.09	.02					.02	.05	.07		20
21	.01		.10		.05		.03				.20		21
22	.36		.45					.84	.36				22
23	.01					.09		.045	.07		.01		23
24	.10			.02				.23			.02		24
25	.01			.04					.04	.01		.06	25
26		.10	.12	.11	.06			.02		.18		.20	26
27		.03	.01	.57								.01	27
28	.42		.17	.72	.03					.04			28
29			.43	.50	.02			.35			.03	.17	29
30	.30									.15		.01	30
31			.07										31
Total	3.38	.87	3.78	3.21	2.11	1.15	.90	2.15	1.48	2.76	2.39	1.01	25.19
Rain Days.	21	13	21	17	16	10	6	11	12	14	20	13	174

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at M. B. Derby
in the County of Derbyshire
by J. Sayers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	.14	.06		.46				.30		.08	.07	1
2	.08	.06	.20	.11		.08		.27	.01	.20		.03	2
3	.48	.005	.02	.16			.43	.22	.02	.01		.20	3
4	.01				.07		.74					.97	4
5	.07	.25			.18			.05			.02	.39	5
6	.02	.06		.13			.64	.06				.07	6
7	.22	.33		.01		.02	.13	.49				.29	7
8	.20	.03		.15				.05			.03	.005	8
9	.005	.01		.005				.005			.20	.49	9
10	.37		.05				.10	.06		.03	.37	.01	10
11	.03		.01	.02	.35		.10	.14			.57	.14	11
12	.04	.005		.19	.17		.60	.17		.02	1.01		12
13	.05	.34		.005	.40							.02	13
14	.005	.02			.005			.24	.05			.23	14
15	.39				.03		.03	.06			.30	.07	15
16	.01	.22			.02		2.56					.01	16
17		.36					.36					.005	17
18		.11	.17				.01				.01		18
19		.08	.02		.04		.18						19
20	.14			.04								.05	20
21	.12			.04			.20					.05	21
22	.01		.29	.02			.04		.01			.03	22
23	.01	.01	.04			.15	.22		.05	.33		.19	23
24			.10	.04		.005	.07		.43	.03		.26	24
25			.01	.005		.55	.05		.01	.10		.175	25
26		.13					.15		.01	.005		.35	26
27		.10					.76			.55		.22	27
28		.37	.005			.26	.01	.23		.01		.01	28
29					.005	.005		.02		.005	.06	.26	29
30	.07	X		.03		.17		.015		.03	.01	.02	30
31	.15	X		X		X	.005	.04	X	.27	X	.24	31
Total	2.60	2.63	.975	.955	1.73	1.24	7.385	2.12	.89	1.59	2.66	4.855	29.63
Rain Days.	22	18	12	15	10	8	21	15	9	12	11	23	176

REGISTER OF RAINFALL IN 1916

Kept at *M. R. Derby*
in the County of *Derbyshire*
by *J. Sayers*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2753
30 JAN 1917
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10		33			15	26				20		1
2	32	07	13		04		60		06	40	14		2
3	01	33					24		36	41	05		3
4	15	07			56	32			03	07	20		4
5	06	01	01		03	04				10	16		5
6	18	23	12		26	02	38			16	26		6
7	06		19		03		06			16	085	17	7
8	005		10							07	04	21	8
9			01		39	02					01		9
10		12	03	06			02		035	12		11	10
11	01	33	08	22	01	10			02			085	11
12	02	06	15	12	42	02	10			02			12
13		23	04	13	03			07		01		09	13
14		25		15	05			40		17			14
15		36	66	01			03	41		035			15
16	04	19	47	18	02		21	67		01			16
17	04	10	01	47			01	06	10	18			17
18	01	21	02	02				01	20	03	81	13	18
19	05	05	26	02					11		43		19
20	32		13	15							02	075	20
21	02		07	01	01		10					27	21
22		02				03				02		29	22
23	07	15		013				03		05	12	32	23
24	005	105		04		06		04		03	02	14	24
25		03	18		05			13		06	29		25
26	02	11				01				05	10		26
27	01	12	40					24		14			27
28		25	25	02						03		17	28
29		25			01	42		56		31		28	29
30		X			01	09				05			30
31		X		X		X		03	X	135	X	03	31
Total	150	459	364	1615	192	128	201	265	915	282	2935	237	2823
Rain Days.	19	23	21	15	15	12	11	12	8	25	16	14	194

REGISTER OF RAINFALL IN 1917

2619
438
FORM A.
BRITISH RAINFALL

Kept at *M. R. Derby*
in the County of *Derbyshire*
by *J. Sayers*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.005			.07		.04		.55	.08		.07	.07	1
2	.22					.43		.14					2
3	.01							.08		.44	.05	.03	3
4	.15		.12					.05		.37			4
5	.08		.07	.04				.11	.025	.23	.09		5
6	.02					.565				.25	.09	.01	6
7	.47					.05				.31	.13	.02	7
8	.61			.13				.645		.58	.14	.09	8
9	.085		.09	.12	.07			.09		.015	.27	.025	9
10	.39		.43	.02	.785			.05	.02				10
11	.14		.03	.135						.13			11
12	.04				.22	.15			.01	.11	.015	.04	12
13	.03			.04				.33	.105	.02		.01	13
14	.09			.11				.53				.03	14
15	.015			.025			.14	.015		.02		.12	15
16	.015	.08		.17				.045				.23	16
17		.015	.02	.07	.37		.31	.16	.10	.09			17
18	.02			.02	.30		.42	.05	.61	.015			18
19	.05	.31	.14		.02	.20		.09	.025				19
20	.02	.33			.39	.03			.34		.05		20
21		.03	.01		.215	.14		.06		.01			21
22	.01		.075					.035	.11	.08			22
23	.01	.06			.24			.05		.14			23
24						.60		.03		.39	.15		24
25			.07							.025	.05		25
26								.37	.13	.07	.285		26
27			.06			.55	.25	.56			.08		27
28			.13			.15		.28				.10	28
29							.09	.10		.245		.23	29
30	.005	X	.04	X		X		.15	X	.06	X		30
31		X	.04	X		X		.07	X		X	.035	31
Total	2.485	.825	1.325	.95	2.61	2.905	1.21	4.64	1.555	3.605	1.47	1.04	24.59
Rain Days.	20	6	14	12	9	11	5	25	11	21	13	14	161

REGISTER OF RAINFALL IN 1918

Kept at N. R. Derby
in the County of Derbyshire
by J. Sayers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
23. 1 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.45	07	01	07					21	03	15		1
2		13		08				42	11	03	02	4.3	2
3		015	04		67			20	11		22		3
4		01	01					03	81	03	29	4.05	4
5		01		05.5	14			12	37	10		01	5
6	02	05.5	01	21		08			12	12		02	6
7		05.5		16		02			31	01	09		7
8		20	17	01					08	09			8
9	05	70		10		13	15		40	28	02	01	9
10	04	03		09			09			015	03	05	10
11	07	15		02	11		22		14	01		05	11
12		19			14		06	03	15			11	12
13					10				21	10			13
14	30.5					02	11.5		24	17		27	14
15	30			06	02	04	31		30			12	15
16				07.5				02	14		01	03	16
17	21			015	07	05	19.5	02	24	06		13	17
18	40					09	18		33			4.5	18
19	03		13	10			06			05		14	19
20	05	05.5		22		04	06		02				20
21	08	03		06	26	04	03.5		20	03		02	21
22	02				99	01	07			07		5.6	22
23	08				75		20		04				23
24		09					04	01	04	015	06	04	24
25						04	40	38.5	01.5	02			25
26							28	02	04	02	12	06	26
27		03.5						38	16		09	26	27
28		16	34					15			17	5.5	28
29									5.6			01	29
30		X	48					01			12	05	30
31		X	10	X		X		02	X		X		31
Total	1.70	1.985	1.29	1.325	3.25	5.6	2.46	1.815	5.345	1.25	1.39	3.775	26.12
Rain Days.	14	17	9	15	10	11	16	14	25	19	13	22	185

YEAR'S TOTAL
26.12

REGISTER OF RAINFALL IN 1919

2470

FORM A.
BRITISH RAINFALL

Kept at Derby Midland Railway
in the County of Derbyshire
by J. Sayers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	23	015	03		24		18		05	15	08	16	1
2	12	035	01				16	15	10	03	18	05	2
3	92				08	12	14		10		23	03	3
4			24			01	005	14	06		02	42	4
5		09							16			15	5
6	01		12		37						01	01	6
7	01		41	02									7
8	10		03	02		02							8
9			015	02	01								9
10			32	03							03	06	10
11	04		86		07		23					01	11
12			32	05		33	05			01	05		12
13	20			20					19	01		05	13
14	36			11					02			01	14
15	19	06	02	04						02	03	35	15
16	17	88									16		16
17	07	31		02	05	035	25				33		17
18			20		01		02	37	01		01	27	18
19	06	25	1.17			09	91	40	15		08		19
20	40	17	22			01	43	06			21	14	20
21	08	41	02				18		03		02	41	21
22		08							63		03	65	22
23				02						1.14	01	02	23
24				12	16		06			34	13		24
25	09			09	37			21			04		25
26			26	04		015		08	10		01	31	26
27	07		02	30				11			03	01	27
28			06					52				35	28
29	03							05		63	06	10	29
30	02	X	12	06		14				03	02	10	30
31		X	025	X		X	04		X	06	X	02	31
Total	3.17	2.30	4.41	1.20	1.36	77	2.65	2.09	1.60	2.42	1.77	3.68	27.425
Rain Days.	19	10	19	16	9	9	73	10	12	10	22	22	170

REGISTER OF RAINFALL IN 1920.

Kept at Derby, Midland Railway
in the County of Derbyshire
by J. Sayers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				20	18		29		03	23	01	13	1
2	02			12			435		05	13		08	2
3	03	02		14			68	01	14	15			3
4				11			02	35		42		01	4
5			01		46		24	08	06	08			5
6			31	04	06		055			01		01	6
7			06	04	06		115						7
8	09	05		54	10		27						8
9	42	07		31			005						9
10	36	31	05	25			155				01	01	10
11	28	01	01	12	42	16	02					03	11
12	03			23		20	02	06			04	11	12
13	06	14	06	21		54							13
14	01	05	61	09		77	013		28		07	01	14
15		12	15	12						22	03		15
16				20	03	25	20			13			16
17					11			005	73	06			17
18	07			02	03			03	15				18
19	04	1.14		17	03	22		06	03				19
20	06	02		18		21	02						20
21	05						21	105				01	21
22	01			20			025					09	22
23							13	01				38	23
24			08	04								12	24
25		02	10	06		015	55						25
26	16	02	10	05	06								26
27	08		01	03	12	185	11				32	33	27
28	96	01	05	07	03	015	01					02	28
29	01		15		25	01	10				07	68	29
30	08			22		165			09		16	30	30
31	09		08		06		02			24		10	31
TOTAL	2.91	1.98	1.83	3.76	2.00	2.74	3.695	71	1.56	1.67	71	2.42	YEAR'S TOTAL 25.9862
Days with 01 in. or more	20	13	15	25	15	12	23	8	9	10	8	17	17.5
(44,283)	21	14	16	26	16	13	24	9	10	11	9	18	18.6

REGIST

DERBY

THE ARBORETUM

Kept at The Arboretum

in the County of Derb

by J. Ward Esq.

IMPORTANT NOTE.—Read previous day. If an Observer requested to add the reading at for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911-1920

Snowdon

ins

Ground 1 ft. 0 in.

Sea Level 196 ft. π

m.

Name Derby M. R.

Distance 4 miles Direction S. W.

the result entered to the versal rule, he is earnestly ear in the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11		.95		.03	.04			.03		1
2	.09		.04		.05			.05			.04	.04	2
3		.01			.14			.19		.05	.06	.02	3
4	.01		.05	.04				.02	.10	.06	.15	.09	4
5	.03			.01				.11					5
6	.28			.02				.05		.02	.02	.31	6
7		.02	.01							.14	.08	.04	7
8	.13		.24								.08	.24	8
9	.03										.13		9
10	.02	.05	.14					.09				.43	10
11	.16							.06			.30	.01	11
12	.02		.38						.18		.19		12
13			.05								.04	.29	13
14		.03	.01		.12					.01		.59	14
15		.11	.08							.06	.01	.11	15
16		.03				.08				.02	.20	.06	16
17				.01		.43					.05	.15	17
18		.23		.06		.14					.09	.06	18
19		.03				.25	.02		.11	.10	.15	.05	19
20	.01	.06		.04				.33	.04	.10		.14	20
21		.30	.04					.28	.10	.31		.05	21
22		.06	.02	.04		.05				.38	.01	.23	22
23		.04	.12			.11			.43			.09	23
24		.10	.01	.16		.90		.01		.12		.16	24
25		.26		.26	.14	.01			.04		.02	.12	25
26		.01		.29	.14	.02				.21	.30	.43	26
27		.22	.10	.09				.49	.21			.09	27
28		.15		.25		.04			.05		.09		28
29						.14			.16	.23		.02	29
30				.06		.04				.23	.01	.01	30
31			.02		.01					.01			31
Total	0.48	1.44	1.42	1.42	0.63	2.30	0.05	1.42	1.45	2.08	2.11	3.92	TOTAL for year 19.62
No. of Rain Days.	10	14	16	13	6	12	2	12	10	16	21	25	160

REGIST

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at The Arboretum Derby
in the County of Derby
by J. Ward Esq. M. Inst. C. & E.

Pattern Snowdon
RAIN Diameter of top 8 ins
GAUGE Height of top above Ground 1 ft. 0 in.
" " " Sea Level 196 ft. π
Time of Observation 9 a.m.
Nearest Railway Station { Name Derby M. R.
Distance 4 miles Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11		.05		.03	.04			.03		1
2	.09		.04		.05			.05			.04	.04	2
3		.01			.14			.19		.05	.06	.02	3
4	.01		.05	.04				.02	.10	.06	.15	.09	4
5	.03			.01				.11					5
6	.28			.02				.05		.02	.02	.31	6
7		.02	.01							.14	.08	.04	7
8	.13		.24								.08	.24	8
9	.03										.13		9
10	.02	.05	.14					.09				.43	10
11	.16							.06			.30	.01	11
12	.02		.38						.18		.19		12
13			.05								.04	.29	13
14		.03	.01		.12					.01		.59	14
15		.11	.08							.06	.01	.11	15
16		.03				.08				.02	.20	.06	16
17				.01		.43					.05	.15	17
18		.23		.06		.14					.09	.06	18
19		.03				.25	.02		.11	.10	.15	.05	19
20	.01	.06		.04				.33	.04	.10		.14	20
21		.30	.04					.28	.10	.31		.05	21
22		.06	.02	.04		.05				.38	.01	.23	22
23		.04	.12			.11			.43			.09	23
24		.10	.01	.16		.90		.01		.12		.16	24
25		.26		.26	.14	.01			.04		.02	.12	25
26		.01		.29	.14	.02				.21	.30	.43	26
27		.22	.10	.09				.49	.21			.09	27
28		.15		.25		.04			.05		.09		28
29		X				.14			.16	.23		.02	29
30		X		.06		.04				.23	.01	.01	30
31		X	.02	X	.01	X				.01	X		31
Total	0.48	1.14	1.42	1.42	0.63	2.30	0.05	1.12	1.45	2.08	2.11	3.92	TOTAL for year 1912
No. of Rain Days.	10	14	16	13	6	12	2	12	10	16	21	25	160

REGISTER OF RAINFALL IN 1912.

FORM A1.
BRITISH RAINFALL.

Kept at The Aboretum, Derby.

in the County of Derby. 6

by J. Ward. Esq. M. Inst. C.E.

Pattern Snowdon.

RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 196 ft. ↑

Time of Observation 9.0 am.

Nearest Railway Station { Name Derby. M.R.
Distance 1/2 m. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.08			.25	.01	.05	.05			.53	1
2		.01	.05	.01		.22	.32					.08	2
3	.10		.01		.03	.16	.01	.69	.06			.04	3
4	.11		.30	.02	.14	.93		.22	.02		.26		4
5	.14	.03	.03		.05	.11		.22	.04		.02		5
6	.85	.24			.02	.01		.34				.05	6
7		.04				.09		.03	.04				7
8	.55	.25	.13	.03		.46	.01		.12			.03	8
9	.03		.04	.16		.24		.04				.15	9
10						.05		.22			.31		10
11	.10	.02	.01			.04		.04			.04	.42	11
12	.08	.48	.14			.11	.23						12
13						.21				.04	.06	.01	13
14	.09		.56			.16		.09					14
15	.23	.10	.15		.34	.22						.08	15
16	1.54		.14		.06			.14		.19	.01		16
17	.49		.11			.39	.05	.38			.02	.30	17
18	.23		.09							.06		.04	18
19	.36	.10			.02		.40	.34		.04	.02		19
20	.22		.11		.11		.02	.04		.26	.01		20
21		.01	.12		.62		.04	.03		.49	.03	.03	21
22		.15			.39	.36	.24	.59				.22	22
23	.03	.21	.33				.54	.44			.16	.01	23
24	.12		.03			.08	.34	.13			.01	.20	24
25			.02			.41		.35			.35	.22	25
26		.10	.05			.13	.40	1.01		.64	.23	.15	26
27			.03		.05	.25	.04	.01		.86		.24	27
28		.02	.06			.03	.14	.41	.03	.25	.49	.31	28
29		.02			.10	.16	.15	.04	.53	.05			29
30	.04	X	.01		.30	.06	.01		.12	.01			30
31		X	.05	X	.26	X	.40	.11	X		X	.03	31
Total	5.64	1.48	2.68	0.22	2.55	5.16	3.38	6.14	1.01	2.92	2.05	3.44	TOTAL for year 34.00
No. of Rain Days	18	15	24	4	14	24	18	24	9	11	15	20	196

REGISTER OF RAINFALL IN 1913.

Kept at The Arboretum
in the County of Derby
by J. Ward Esq. M. Inst. C.E.

Lat. 52° 54' - 35" Long. 1° - 28' W
Time of Observation 9.0 a.m.
Nearest Railway Station Derby M.B. 1/4 mile S.W.
Diameter of Rain Gauge 8 in
Height of top of Gauge above Ground 1 ft. 0 in
" " " " Sea Level 196 ft. 7

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	.06	.02	-	-	-	-	.29	-	.04	-	1
2	-	.12	.02	.03	-	-	-	-	-	-	.04	-	2
3	.03	-	.14	-	.42	-	-	-	.02	.10	-	.05	3
4	.93	-	-	-	.10	.04	.02	-	-	.28	.18	.44	4
5	.04	-	.09	-	-	.05	.02	.01	-	.82	-	-	5
6	.02	.06	.14	-	.34	.09	.69	-	.04	.41	-	.01	6
7	-	.05	-	-	.11	.02	-	-	-	.56	.08	.02	7
8	-	.01	-	-	.18	.10	-	-	.01	.05	.03	-	8
9	-	.50	.04	.02	.03	.42	-	.04	-	-	.12	.03	9
10	.02	-	-	.09	.03	-	-	.24	-	.01	.28	-	10
11	1.22	-	-	.44	.04	.02	-	.28	-	.01	.46	-	11
12	-	.02	-	-	.16	.03	-	-	-	-	.38	-	12
13	.04	-	.28	.06	-	-	-	-	.04	-	.14	-	13
14	.04	.02	.52	.03	-	-	-	.09	-	.10	.04	-	14
15	.03	.08	.38	.42	-	-	-	-	.08	-	.12	-	15
16	.03	.01	.32	.01	-	-	-	-	.11	-	.02	-	16
17	.02	.02	.03	.10	.02	.05	.02	-	.03	-	-	-	17
18	.01	-	.26	.11	.02	-	.05	-	-	-	.06	.04	18
19	.09	-	.08	-	-	.06	-	-	.40	-	.01	.02	19
20	.14	-	.09	.04	-	-	-	-	.04	.04	.09	-	20
21	-	-	.10	-	.06	-	.03	-	-	-	.20	-	21
22	.41	-	.44	-	-	-	-	.83	.36	-	.01	-	22
23	.01	-	-	-	-	.10	-	.03	.08	-	.02	-	23
24	.12	-	-	.03	-	-	-	.20	-	-	.03	-	24
25	-	-	-	.04	-	-	-	-	.04	.02	-	.03	25
26	-	.11	.12	.11	.03	-	-	.03	-	.19	-	.20	26
27	-	.03	-	.56	-	-	-	-	-	-	-	.02	27
28	.65	-	.14	.65	.04	-	-	-	-	.05	-	-	28
29	-	~~X~~	.42	.52	.02	-	-	.34	-	-	.01	.21	29
30	.40	~~X~~	-	-	-	-	-	-	-	.18	.04	.02	30
31	-	~~X~~	.06	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	-	31
Total	4.32	1.03	3.49	3.28	1.90	1.28	0.83	2.12	1.54	2.82	2.46	1.09	26.46
Rain Days.	20	12	20	18	15	11	6	10	13	14	22	12	12/3
YEAR'S TOTAL													12/3

W 412
REGISTER OF RAINFALL IN 1914

Kept *The Arboretum.*
in the County of *Derby*
by *J. Ward Esq M. Inst. C.E.*

Lat. $52^{\circ} - 54' - 35''$ Long. $1^{\circ} - 28' N$
Time of Observation *9.0 am*
Nearest Railway Station *Derby in R 1/2 Mile SW*
Diameter of Rain Gauge *8* ins
Height of top of Gauge above Ground *1* ft. *0* ins
" " " " Sea Level *196* ft. π

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.03				1.66	.22				.08	1
2							.01	.23			.40	.10	2
3			.06	.04	.14		.26	.03				.02	3
4	.44		.06	.14	.04			.08			.42	.39	4
5	.13		.19	.33	.31	.14	.25				.04	.04	5
6		.05		.04	.14			.03				.04	6
7		.08	.34	.03	.15		.02	.04			.01	.48	7
8	.83			.03	.14	.66	.06	.29				.04	8
9	.32	.02	.02	.06	.02	.83		.10	.16				9
10	.15	.10		.12	.06				.12				10
11		.06	.29	.02	.08	.12			.02		.89	.43	11
12	.01	.06	.16						.21		.10	.41	12
13		.10	.18						.01	.30	.42	.34	13
14	.03	.11	.09				.01		.05	.14	.23	.25	14
15	.03		.16					.02	.01		.09	.01	15
16	.01		.01				.54		.02				16
17	.01	.18	.04				.05		.21			.40	17
18							.04		.01			.63	18
19		.01	.01				.02		.10		.04	.08	19
20		.15	.02			.01	.09		.03			.02	20
21		.29				.03	.02	.04		.09	.01	.24	21
22		.01	.02	.01	.45	.03	.02	.06		.18		.01	22
23		.09	.09		.12		.03			.04			23
24	.02		.29	.03	.20		.16	.04		.10	.19		24
25							.20	.19		.56	.03	.31	25
26			.03				.02	.29		.15	.04	.23	26
27	.02										.16	.39	27
28	.23	.08	.04							.04	.10	.55	28
29	.05		.12		.03					.29	.03		29
30		X				.09				.04	.34	.23	30
31	.13	X		X		X	.34		X	.05	X	.01	31
Total	1.43	1.39	2.31	0.85	1.94	1.91	3.83	1.69	0.95	1.98	3.60	5.85	28.03
Rain Days.	16	15	21	11	13	8	19	14	12	12	18	25	184

REGISTER OF RAINFALL IN 1915

Kept at *The Arboretum, Derby*
in the County of *Derby*
by *John Ward* *M. Inst. C.E.*

Lat. *52° 54' 35"* Long. *1° 28' W.*
Time of Observation *9.0 a.m.*
Nearest Railway Station *Derby M.R. 1/4 mile*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *196* ft. *↑*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.15	.06	—	.47	—	—	—	.32	—	.08	.11	1
2	.07	.05	.21	.11	—	.09	—	.23	.01	.23	—	.03	2
3	.49	—	.02	.16	—	—	.40	.14	.02	—	—	.27	3
4	.02	—	—	—	.09	—	.78	—	—	—	—	1.44	4
5	.06	.25	—	—	.15	—	—	.05	—	—	.02	.45	5
6	.03	.05	.01	.14	—	—	.63	.07	—	—	—	.07	6
7	.25	.36	—	.02	—	.03	.10	.52	—	—	—	.38	7
8	.20	.03	—	.12	—	—	—	.06	—	—	.03	—	8
9	—	.01	—	—	—	—	—	—	—	—	.24	.80	9
10	.36	—	—	—	—	—	—	.08	—	.03	.29	—	10
11	.04	—	.05	.03	.32	—	.11	.09	—	—	.55	.15	11
12	.05	—	—	.17	.18	—	.07	.15	—	.03	.97	—	12
13	.05	.37	—	—	.40	—	—	—	—	—	—	.04	13
14	—	—	—	—	—	—	—	.16	.07	—	—	.29	14
15	.40	—	—	—	.04	—	.04	.07	—	—	.27	.06	15
16	—	.24	—	—	.04	—	2.31	—	—	—	—	.01	16
17	—	.33	—	—	—	—	.36	—	—	—	—	—	17
18	—	.11	.21	—	—	—	.01	—	—	—	—	—	18
19	—	.08	.01	—	.04	—	.18	—	—	—	—	—	19
20	.20	—	—	.04	—	—	—	—	—	—	—	.06	20
21	.12	—	—	.04	—	—	.19	—	—	—	—	.07	21
22	—	—	.28	.01	—	—	.04	—	.01	—	—	.03	22
23	—	.02	.05	—	—	.15	.22	—	.05	.35	—	.27	23
24	—	—	.10	.04	—	—	.06	—	.45	.03	—	.36	24
25	—	—	—	—	—	.57	.03	—	.02	.09	—	.24	25
26	—	.14	.01	—	—	—	.14	—	.02	—	—	.46	26
27	—	.11	.01	—	—	—	.57	—	—	.52	—	.30	27
28	—	.39	.01	—	—	.28	.01	.23	—	—	—	—	28
29	—	~~X~~	—	—	—	—	—	.01	—	—	.09	.38	29
30	.07	~~X~~	—	.04	—	.20	—	.02	—	.04	.01	—	30
31	.17	~~X~~	—	~~X~~	—	~~X~~	.01	.05	~~X~~	.28	~~X~~	.33	31
Total	2.69	2.69	1.03	0.92	1.73	1.32	6.26	1.93	0.97	1.60	2.55	6.60	30.29
Rain Days.	17	16	13	12	9	6	20	15	9	9	10	23	159

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at The Albertine - Dally

in the County of Dally

by John Ward, N. Inst. C. E.

Lat. 52° 54' 35" Long. 1° 28' 11"

Time of Observation 9.0 am.

Nearest Railway Station Dally M.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," obtainable free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10	—	.32	—	—	.15	.24	—	—	—	.21	—	1
2	.41	.07	.12	—	.04	—	.58	—	.07	.39	.15	—	2
3	—	.42	—	—	—	—	.23	—	.58	.38	.04	—	3
4	.24	.06	—	—	.53	.41	—	—	.04	.08	.21	—	4
5	.08	—	.01	—	.03	.08	—	—	—	.11	.19	—	5
6	.22	.32	.17	—	.27	.04	.33	—	—	.15	.25	.01	6
7	.05	—	.17	—	.03	—	.19	—	—	.14	.10	.16	7
8	—	—	.11	—	—	—	—	—	—	.07	.04	.19	8
9	—	—	.01	—	.38	.03	—	—	.01	—	.01	.09	9
10	—	.16	.05	.08	—	—	.03	—	.04	.13	—	.04	10
11	.02	.46	.07	.22	.03	.09	.01	—	.02	—	—	.08	11
12	.04	.06	.15	.14	.43	.03	.11	—	.01	.03	—	—	12
13	—	.23	.05	.19	.04	—	—	.09	—	.01	—	.08	13
14	—	.28	—	.17	.07	—	—	.34	—	.13	—	—	14
15	—	.37	.80	.01	.01	—	.04	.47	—	.04	—	—	15
16	.04	.21	.56	.20	.02	—	.21	.46	—	—	—	—	16
17	.04	.12	—	.50	—	—	.05	.07	.12	.20	—	—	17
18	—	.22	.02	.03	—	—	—	.01	.19	.04	.85	.08	18
19	.07	.08	.29	.04	—	—	—	—	.13	—	.45	.04	19
20	.40	—	.16	.15	—	—	—	—	—	—	.02	.07	20
21	.01	—	.06	.01	—	—	.10	—	—	—	—	.30	21
22	—	.02	—	—	.02	.03	—	—	—	.03	.01	.43	22
23	.06	.20	—	.03	—	—	—	.04	—	.04	.13	.46	23
24	—	1.14	—	.04	—	.06	—	.05	—	.04	.03	.13	24
25	—	.05	.21	—	.05	—	—	.15	—	.07	.27	.01	25
26	.03	.15	—	—	—	.02	—	—	—	.06	.10	—	26
27	.02	.16	.69	—	—	—	—	.21	—	.16	—	—	27
28	—	.27	.22	.04	—	—	—	—	—	.04	.02	.15	28
29	—	.29	—	—	—	.43	—	.55	—	.32	—	.33	29
30	—	X	—	—	.01	.09	—	—	—	.05	—	—	30
31	—	X	—	X	—	X	—	.03	X	.16	X	.06	31
Total	1.83	5.34	4.24	1.85	1.96	1.46	2.12	2.47	1.21	2.87	3.08	2.71	31.14
Rain Days.	16	22	20	15	15	12	12	12	10	24	18	18	194

REGISTER OF RAINFALL IN 1914

Kept at The Arboretum, Derby
in the County of Derby.
by John Ward, M. Inst. C.E.

Lat. 52.54.35 Long. 1° 28W.
Time of Observation 9 0 a.m.
Nearest Railway Station Derby M.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 196 ft.

2621
FORM A
BRITISH RAINFALL
3 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.12		.06		.59	.10		.08	.11	1
2	.24					.54		.16			.01		2
3	.01	.13				.01		.10		.41	.06	.04	3
4	.15	.02	.13					.05		.43			4
5	.09		.09	.06				.10	.03	.25	.10		5
6	.02					.41				.18	.10	.01	6
7	.51					.12				.42	.14	.02	7
8	.84			.17			.02	.62		.51	.14	.10	8
9	.11		.16	.23	.04			.10		.03	.29		9
10	.37		.54	.04	.80			.07	.03				10
11	.18		.02	.19						.14	.01		11
12	.05				.29	.04		.01		.12		.05	12
13	.03			.03				.31	.12	.03		.03	13
14	.12			.11	.01			.72				.03	14
15	.02			.03			.16	.02		.01		.06	15
16	.02	.13		.18		.02		.01				.34	16
17		.02	.03	.08	.36	.01	.14	.24	.11	.11		.02	17
18	.02			.03	.27		.60	.06	.60	.02			18
19	.06	.44	.16		.06	.20		.09	.02		.01		19
20	.03	.45			.32	.04			.34		.06		20
21		.03	.08		.23	.15		.06		.02			21
22			.05					.04	.11	.08	.02		22
23		.07			.20	.01		.07	.02	.15		.01	23
24					.03	.56		.05		.41	.12		24
25			.09							.02	.09		25
26								.35	.14	.07	.33		26
27			.05			.46	.27	.58			.10		27
28			.14			.21		.34				.08	28
29		X					.10	.11		.26		.26	29
30	.01	X	.04				.01	.16		.07			30
31		X	.06	X		X		.06	X		X	.04	31
Total	2.89	1.29	1.64	1.27	2.61	2.84	1.30	5.07	1.62	3.74	1.66	1.20	27.13
Rain Days.	20	8	14	12	11	15	7	26	11	21	16	15	176

REGISTER OF RAINFALL IN, 1918.

Kept at The Arboretum, Derby.

in the County of Derby.

by John Ward. M.Inst.C.E.

Lat. 52.54.35 Long. 1° 28' W.

Time of Observation 9.0 am.

Nearest Railway Station M.R. Derby

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W.1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.07	.02	.05	-	-	-	-	.28	.04	.17	.02	1
2	-	.12	-	.06	-	-	-	.48	.12	.04	.01	.44	2
3	-	.01	.03	-	.65	-	-	.21	.07	-	.20	-	3
4	-	.02	-	-	-	-	-	.05	.91	.04	.31	.44	4
5	-	-	-	.03	.14	-	-	.11	.40	.14	-	-	5
6	.03	.07	.01	.27	-	.08	-	-	.10	.15	-	.03	6
7	.03	.09	-	.16	-	.02	-	-	.22	-	.10	-	7
8	.01	.26	.17	-	-	-	-	-	.13	.10	-	-	8
9	.08	.96	-	.12	-	.16	.15	-	.41	.31	.03	.02	9
10	.06	-	-	.12	-	-	.11	-	.01	.02	.05	.04	10
11	.08	.18	-	.02	.11	-	.13	-	.15	.02	-	.06	11
12	.02	.19	-	-	.13	-	.20	.04	.17	-	-	.12	12
13	-	-	-	-	.11	-	-	-	.23	.09	-	.01	13
14	.40	-	-	-	-	.02	.11	-	.26	.19	-	.23	14
15	.43	-	-	.05	.02	.06	.30	-	.34	-	-	.16	15
16	-	-	-	.08	-	-	-	.01	.15	-	-	.05	16
17	.22	-	-	.02	.09	.07	.19	.03	.30	.06	-	.14	17
18	.51	-	-	-	-	.10	.20	-	.34	-	-	.46	18
19	.03	-	.15	.11	-	-	.08	-	-	.05	-	.16	19
20	.05	.07	-	.22	-	.06	.07	-	.03	-	.01	-	20
21	.07	.03	-	.06	.15	.02	.04	-	.21	.03	✓	.04	21
22	.01	-	-	-	.50	.06	.08	.01	-	.07	-	.56	22
23	.08	-	-	-	1.14	-	.18	-	.06	-	.01	-	23
24	-	.08	-	-	-	-	.05	.01	.06	.03	.07	.06	24
25	-	-	-	-	-	.06	.41	.34	.02	.02	-	-	25
26	-	-	-	-	-	-	.38	.07	.06	-	.14	.06	26
27	-	.04	-	-	-	-	-	.44	.20	-	.10	.28	27
28	-	.19	.40	-	-	-	-	.11	-	-	.21	.57	28
29	-	-	-	-	-	-	-	-	.57	-	-	.01	29
30	-	X	.54	-	-	-	-	.02	-	-	.12	.07	30
31	-	X	.09	X	-	X	-	-	X	-	X	-	31
Total	2.16	2.38	1.41	1.37	3.04	0.71	2.68	1.93	5.80	1.40	1.53	4.03	YEAR'S TOTAL 28.44
Rain Days.	17	15	8	14	10	11	16	14	26	17	14	23	185

REGISTER OF RAINFALL IN 1919.

Kept at The Arboretum Derby
 in the County of Derby
 by John Ward Esq. Boro Surveyor

Lat 52° 54' 35" Long 1° 28' W
 Time of Observation 9.0 am.
 Nearest Railway Station M.R. Derby
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 8 in.
 " " " " Sea Level 196 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.02	.03		.26		.14		.07	.16	.06	.17	1
2	.13	.05	.02				.15	.05	.12	.04	.19	.06	2
3	1.05				.08	.08	.21		.11		.21	.05	3
4			.26			.08		.13	.07		.01	.46	4
5		.10							.17			.18	5
6	.01		.13	.01	.40						.01	.02	6
7	.01		.47	.03									7
8	.11		.04	.03		.03							8
9			.02	.02									9
10			.36	.05	.02						.03	.08	10
11	.04		.91		.13		.23					.02	11
12			.32	.05		.34	.03			.03	.05		12
13	.22			.16					.21	.01		.06	13
14	.44			.14					.02				14
15	.20	.05	.03	.05						.01	.05	.33	15
16	.18	1.00		.01							.17		16
17	.07	.37		.03	.07	.04	.23				.36		17
18	.03		.21		.01		.02	.14	.02		.01	.28	18
19	.05	.26	1.19			.08	.81	.57	.17		.10	.02	19
20	.41	.18	.27			.03	.54	.13	.01		.24	.09	20
21	.09	.40	.02				.18				.02	.52	21
22		.08							.64		.04	.65	22
23										1.09	.02	.02	23
24				.14	.15	.01	.12			.37	.14	.01	24
25	.10			.10	.38			.23			.06	.10	25
26			.28	.03		.02		.08	.12			.23	26
27	.10		.03	.33							.05	.07	27
28				.06				.63		.01		.31	28
29	.04							.08		.57	.09	.10	29
30	.03	~~X~~	.16	.06		.12				.03	.03	.11	30
31		~~X~~	.02	~~X~~		~~X~~	.06		~~X~~	.05	~~X~~	.01	31
TOTAL	3.56	2.51	4.77	1.30	1.50	0.83	2.72	2.04	1.73	2.37	1.94	3.95	YEAR'S TOTAL 29.22
Days with ".01 in. or more	20	10	19	17	9	10	12	9	12	11	21	24	174

REGISTER OF RAINFALL IN 1920

Kept at Arboretum
in the County of Derby
by Boris Lomayor

Lat. 52° 54' 35" Long. 1° 28' W.
Time of Observation 8.45 am
Nearest Railway Station Midland Derby
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 196 ft.

FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.23	.21		.28	.01	.04	.14	.01	.12	1
2				.13			.59		.09	.20		.09	2
3	.03	.03		.13			.68	.03	.14	.14		.01	3
4				.14			.02	.38		.42		.01	4
5			.02		.44		.25	.11	.11				5
6			.33	.05	.14		.08	.01				.02	6
7	.01		.10	.05	.08		.12						7
8	.10	.04		.53	.12		.25						8
9	.43	.08		.35			.01						9
10	.40	.38	.06	.03			.18				.01	.01	10
11	.28	.01	.02	.13	.43	.14	.02					.04	11
12	.05		.01	.24		.19	.03	.10			.03	.12	12
13	.08	.16	.04	.24		.51							13
14	.01	.02	.62	.10		.84	.01		.26		.08	.01	14
15		.14	.14	.14			.02		.07	.14	.04		15
16				.24	.04	.26	.20		.02	.11			16
17					.12	.01			.85	.06			17
18	.09			.01	.05		.01	.05	.14				18
19	.06	1.14		.18	.04	.19		.05	.04				19
20	.09	.04		.19		.26	.03						20
21	.05						.23	.10	.01			.03	21
22	.02	.01		.21			.05					.10	22
23							.14	.02				.34	23
24	.02		.11	.05								.13	24
25		.03	.13	.09		.02	.56						25
26	.14	.04	.11	.04	.09		.01						26
27	.09	.02		.05	.12	.20	.08				.32	.34	27
28	.95		.05	.09	.03	.03	.01					.04	28
29	.02		.14		.29	.03	.12				.08	.69	29
30	.09	X		.23	.01	.14	.01		.08		.14	.30	30
31	.12	X	.05	X	.08	X	.01		X	.25	X	.12	31
Total	3.19	2.20	1.99	3.90	2.35	2.85	4.00	0.86	1.91	1.55	0.44	2.55	28.09
Rain Days.	22	14	15	25	16	13	24	10	12	8	8	18	188

REGI

DERBY

Kept at Derbyshire
in the County of Derby
by Superintendent

ROYAL INFIRMARY

1911-1920

11
Believe Negative
5 in.
ve Ground 1 ft. in.
Sea Level 190 ft.
a.m.
Name Midland
Distance 4 miles Direction East
d the result entered to the

IMPORTANT NOTE.—

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.09	-	-	-	.03	.03	-	-	.03	-	1
2	.07	-	.04	-	.05	-	-	.04	-	-	.06	.06	2
3	-	.01	-	-	.15	~~0~~	-	.24	-	.04	.06	.02	3
4	.02	-	.09	.05	.01	-	-	.02	.11	.03	.11	.07	4
5	.02	-	.01	.01	-	-	-	-	-	.01	-	-	5
6	.25	-	-	.02	-	-	-	.05	-	.02	.02	.27	6
7	.02	.02	.01	-	-	~~2~~	-	-	-	.15	.05	.07	7
8	.11	-	.22	-	-	-	-	-	-	-	.06	.23	8
9	.03	-	-	-	-	~~0~~	-	-	-	-	.14	-	9
10	.02	.04	.11	-	-	~~2~~	-	.09	-	-	.01	.37	10
11	.16	-	-	-	-	~~2~~	-	.04	-	-	.28	-	11
12	.03	-	.36	-	-	~~4~~	-	-	.16	-	.12	-	12
13	-	-	.05	-	-	~~8~~	-	-	-	-	.06	.28	13
14	-	.02	.02	-	.14	~~8~~	-	-	-	.01	.01	.60	14
15	-	.08	.07	-	-	-	-	-	-	.05	-	.11	15
16	-	.03	-	.01	-	.07	-	-	-	.01	.16	.04	16
17	-	-	-	.01	-	.46	-	-	-	-	.05	.14	17
18	-	.23	-	.05	-	.18	-	-	-	-	.08	.04	18
19	-	.03	-	-	-	.29	.01	.01	.10	.08	.12	.05	19
20	.02	.05	-	.06	-	~~9~~	.01	.26	.07	.13	.05	.14	20
21	-	.27	.03	-	-	~~10~~	-	.28	.09	.23	.08	.04	21
22	-	.05	.02	.06	-	.05	-	.01	-	.29	.14	.21	22
23	-	.06	.10	-	-	.10	-	-	.44	.01	-	.09	23
24	-	.09	.02	.16	-	.80	-	.01	-	.07	-	.15	24
25	-	.24	-	.23	.15	.01	-	-	.02	-	.03	.11	25
26	-	.02	-	.27	.11	.01	-	.01	-	.20	.26	.42	26
27	-	.20	.07	.08	.02	-	-	.41	.20	-	.03	.09	27
28	-	.10	-	.25	-	.05	-	-	.05	-	.08	-	28
29	-	-	-	-	-	.12	.01	-	.15	.20	-	.02	29
30	-	-	.01	.07	-	.05	-	-	-	.24	.01	-	30
31	-	-	.02	-	.01	-	-	-	-	.01	-	.01	31
Total	.75	1.54	1.34	1.33	.64	2.19	.06	1.50	1.39	1.77	1.83	.63	TOTAL for year 17.97
No. of Rain Days.	11	17	18	14	8	12	4	14	10	18	22	24	172

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL

Kept at Derbyshire Royal Infirmary

in the County of Derby

by Superintendent & Secretary

Pattern 2 1/2 in. Bellum Nephelometer
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 190 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Midland
Distance 4 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.09	-	-	-	.03	.03	-	-	.03	-	1
2	.07	-	.04	-	.05	-	-	.04	-	-	.06	.06	2
3	-	.01	-	-	.15	~~0~~	-	.24	-	.04	.06	.02	3
4	.02	-	.09	.05	.01	-	-	.02	.11	.03	.11	.07	4
5	.02	-	.01	.01	-	-	-	-	-	.01	-	-	5
6	.25	-	-	.02	-	-	-	.05	-	.02	.02	.27	6
7	.02	.02	.01	-	-	~~2~~	-	-	-	.15	.05	.07	7
8	.11	-	.22	-	-	-	-	-	-	-	.06	.23	8
9	.03	-	-	-	-	~~0~~	-	-	-	-	.14	-	9
10	.02	.04	.11	-	-	~~4~~	-	.09	-	-	.01	.37	10
11	.16	-	-	-	-	~~2~~	-	.04	-	-	.28	-	11
12	.03	-	.36	-	-	~~8~~	-	-	.16	-	.12	-	12
13	-	-	.05	-	-	~~8~~	-	-	-	-	.06	.28	13
14	-	.02	.02	-	.14	~~8~~	-	-	-	.01	.01	.60	14
15	-	.08	.07	-	-	-	-	-	-	.054	-	.11	15
16	-	.03	-	.01	-	.07	-	-	-	.01	.16	.04	16
17	-	-	-	.01	-	.46	-	-	-	-	.05	.14	17
18	-	.23	-	.05	-	.18	-	-	-	-	.08	.04	18
19	-	.03	-	-	-	.29	.01	.01	.10	.08	.12	.05	19
20	.02	.05	-	.06	-	~~9~~	.01	.26	.07	.13	.05	.14	20
21	-	.27	.03	-	-	~~10~~	-	.28	.09	.23	.08	.04	21
22	-	.05	.02	.06	-	.05	-	.01	-	.29	.14	.21	22
23	-	.06	.10	-	-	.10	-	-	.44	.01	-	.09	23
24	-	.09	.02	.16	-	.80	-	.01	-	.07	-	.15	24
25	-	.24	-	.23	.15	.07	-	-	.02	-	.03	.11	25
26	-	.02	-	.27	.11	.01	-	.01	-	.20	.26	.42	26
27	-	.20	.07	.08	.02	-	-	.41	.20	-	.03	.09	27
28	-	.10	-	.25	-	.05	-	-	.05	-	.08	-	28
29	-	-	-	-	-	.12	.01	-	.15	.20	-	.02	29
30	-	-	.01	.07	-	.05	-	-	-	.24	.01	-	30
31	-	-	.02	-	.01	-	-	-	-	.01	-	.01	31
Total	.75	1.54	1.34	1.33	.64	2.19	.06	1.50	1.39	1.77	1.83	2.63	TOTAL for year
No. of Rain Days.	11	17	18	14	8	12	4	14	10	18	22	24	172

and for with 11-11-13

REGISTER OF RAINFALL IN 1912

2660

FORM A2.
BRITISH RAINFALL

16 JAN 1913

Kept at Derbyshire Royal Infirmary

in the County of Derby

by Superintendent & Secretary

RAIN GAUGE Pattern 9 Believe Repett's
Diameter of top 5 in. Lambard
Height of top above Ground 1 ft. — in.
" " " Sea Level 190 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Midland Railway
Distance 4 mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.05	-	-	.26	.01	.04	.05	-	-	.48	1
2	-	-	.05	.02	-	.25	.29	-	-	-	-	.07	2
3	.10	-	.03	.01	.03	.15	.02	.63	.06	-	-	.05	3
4	.08	-	.27	.02	.13	.80	-	.20	.01	-	.25	-	4
5	.12	.03	.03	.01	.04	.11	-	.21	.03	-	.02	.01	5
6	.62	.18	-	-	.03	-	-	.28	-	-	.01	.03	6
7	-	.04	-	-	-	.09	-	.02	.04	-	-	.02	7
8	.44	.21	.08	.04	-	.44	-	.01	.10	-	-	.02	8
9	.02	.01	.03	.13	-	.30	-	.07	-	-	-	.14	9
10	-	-	-	-	-	.04	-	.18	.01	-	.32	.01	10
11	.06	.02	.01	-	-	.08	-	.03	-	-	.06	.68	11
12	.05	.32	.08	-	-	.13	.25	-	-	-	-	.01	12
13	.02	.02	.01	-	-	.18	-	.01	-	.04	.06	.02	13
14	.09	0	.56	-	-	.16	-	.05	-	-	.01	-	14
15	.14	.07	.14	-	.35	.17	-	.01	-	-	-	.06	15
16	.82	-	.17	-	.07	.04	-	.15	-	.22	.02	-	16
17	.65	.02	.11	-	-	.35	.03	.35	-	-	.03	.27	17
18	.19	-	.07	-	-	.01	-	-	-	.04	.01	.04	18
19	.20	.08	.02	-	.01	-	.36	.37	-	.05	.02	.01	19
20	.17	-	.09	-	.09	-	.04	.06	-	.25	.01	-	20
21	.01	.03	.12	-	.63	-	.84	.03	-	.46	.02	.02	21
22	-	.12	.01	-	.38	.35	.22	.60	-	.01	-	.19	22
23	.03	.21	.30	-	-	-	.55	.41	-	-	.15	.01	23
24	.06	.02	.03	-	.01	.10	.26	.13	-	-	-	.18	24
25	.01	.01	.03	-	-	.39	-	.33	-	-	.37	.25	25
26	-	.09	.02	-	-	.14	.37	.99	-	.66	.23	.12	26
27	-	-	.02	-	.05	.26	.04	.01	-	.85	-	.28	27
28	-	.02	-	-	-	.06	.14	.41	-	.22	.48	.31	28
29	-	.01	.03	-	.11	.12	.12	.07	.03	.04	.03	.03	29
30	.03	-	.03	-	.29	.04	.01	-	.52	.02	-	-	30
31	-	-	.04	-	.28	-	.37	.10	.12	-	-	.03	31
Total	3.91	1.51	2.43	.23	2.50	5.02	3.12	5.75	.97	2.86	2.10	3.29	TOTAL for year 33.69
No. of Rain Days.	21	19	27	6	15	25	17	27	10	12	18	26	223

REGISTER OF RAINFALL IN 1913.

Kept at Derbyshire Royal Infirmary
 in the County of Derby
 by E. J. Smith 6
Superintendent & Secretary

Lat. 52° 55' N. Long. 1° 28' W.
 Time of Observation 9 a.m.
 Nearest Railway Station Gridland
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. - in.
 " " " " Sea Level 190 ft.

FORM A.
 BRITISH RAINFALL
 19 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.04	-	-	-	-	-	.24	-	.02	-	1
2	-	.09	.02	.04	-	-	-	-	.01	-	.03	-	2
3	.03	.02	.17	-	.71	-	-	-	.02	.09	-	.04	3
4	.94	-	-	-	.08	.04	.02	-	.01	.35	.17	.41	4
5	.06	.02	.08	-	-	.03	.02	.02	.03	.75	-	.02	5
6	.03	.04	.16	-	.34	.06	.65	-	-	.41	-	.02	6
7	-	.03	.02	-	.11	.02	.02	-	-	.50	.07	.03	7
8	-	.02	-	-	.17	.09	-	-	.01	.05	.03	-	8
9	-	.38	.03	.02	.03	.64	-	.02	-	-	.12	.04	9
10	.03	.01	.01	.08	.02	-	-	.26	-	.02	.27	.01	10
11	.99	-	-	.42	.02	.01	-	.28	-	.02	.48	-	11
12	-	.01	-	-	.14	.03	-	-	-	-	.41	-	12
13	.01	-	.28	.06	-	-	-	.01	.04	-	.17	-	13
14	.09	.02	.52	.02	-	-	-	.06	-	.07	.06	-	14
15	.03	.09	.36	.38	-	-	-	-	.07	-	.09	-	15
16	.02	.02	.27	.02	-	-	-	.02	.09	-	.03	-	16
17	.02	-	.07	.11	.03	.05	.03	-	.03	-	.01	-	17
18	.01	.01	.25	.08	.02	-	.04	-	-	-	.05	.03	18
19	.07	-	.05	.01	-	.04	.01	-	.42	-	.01	.02	19
20	.16	-	.07	.03	-	-	-	-	.03	.03	.06	-	20
21	-	-	.10	.01	.04	-	.03	-	-	-	.18	-	21
22	.42	-	.39	-	-	-	-	.80	.35	-	-	-	22
23	.03	-	.02	-	.01	.07	-	.03	.07	-	.03	-	23
24	.09	-	-	.02	-	-	-	.15	-	-	.03	-	24
25	-	-	-	.02	-	-	-	-	.04	-	.01	.02	25
26	.01	.10	.09	.08	.02	-	-	.04	-	.17	-	.17	26
27	.01	.03	.01	.52	-	-	-	-	-	-	.01	-	27
28	.43	-	.15	.62	.04	-	-	-	-	.03	-	.03	28
29	.01	-	.38	.53	.02	-	-	.36	-	-	-	.16	29
30	.26	-	.01	.01	-	-	-	.02	-	.18	.04	.02	30
31	.01	-	.05	-	-	-	-	-	-	-	-	-	31
Total	3.76	.89	3.60	3.08	1.80	1.08	.82	2.07	1.46	2.67	2.38	1.02	YEAR'S TOTAL 24.63
Rain Days.	23	15	25	20	16	11	8	13	15	13	23	14	196

REGISTER OF RAINFALL IN 1914

Kept at Derbyshire Royal Infirmary
in the County of Derby
by Superintendent & Secretary
E. Forster.

Lat. 52° 55' N Long. 1° 28' W
Time of Observation 9 a.m.
Nearest Railway Station Midland
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 190 ft.

FORM A.
BRITISH RAINFALL.
19 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.02	—	—	—	<u>1.60</u> ~~.10~~	.20	—	—	.02	.08	1
2	.04	—	—	—	—	—	.01	.22	—	—	.39	.07	2
3	.04	.01	.04	.03	.12	—	.23	.02	—	—	.01	.02	3
4	.28	—	.06	.14	.04	—	—	.07	—	—	.41	.37	4
5	.08	—	.12	.31	.27	.13	.26	.01	—	—	.05	.04	5
6	.02	.20	—	.03	.12	—	.01	.02	—	—	.02	.05	6
7	—	.07	.37	.03	.11	—	.03	.08	—	—	.01	.43	7
8	.09	—	.01	.02	.12	.59	.05	.29	—	.01	—	.08	8
9	.30	.02	.02	.04	.02	.83	—	.10	.28	—	.01	.01	9
10	.13	.07	—	.10	.06	—	—	—	.12	—	—	—	10
11	—	.05	.28	.02	.09	.09	—	—	.02	—	.86	.42	11
12	.01	.04	.18	—	—	—	—	—	.19	—	.10	.40	12
13	.02	.11	.17	—	—	—	—	—	.02	.31	.35	.34	13
14	.02	.09	.07	—	—	—	—	—	.04	.11	.15	.24	14
15	.03	.02	.12	—	—	—	—	—	.03	—	.20	.03	15
16	.04	—	.02	—	—	—	.53	—	.03	—	—	—	16
17	—	.17	.04	—	—	—	.04	—	.19	—	—	.40	17
18	—	—	—	—	—	—	.05	—	.01	—	—	.65	18
19	—	—	.01	—	—	—	.03	—	.07	—	.05	.08	19
20	—	.17	.02	—	—	.01	.06	—	.03	—	—	.02	20
21	—	.29	.01	—	—	.03	.02	.05	—	.09	—	.25	21
22	—	.01	.01	—	.47	.02	.03	.03	—	.18	—	.03	22
23	—	.06	.08	.01	.11	.01	.04	.01	—	.04	—	.01	23
24	.02	.01	.27	.01	.18	—	.12	.04	—	.07	.19	—	24
25	—	—	.01	—	—	.01	.14	.19	—	.56	.03	.29	25
26	.01	—	.03	—	—	—	.02	.29	—	.17	.04	.21	26
27	.02	—	—	—	—	—	.01	—	—	—	.18	.43	27
28	.24	.05	.03	—	—	—	—	—	—	.03	.05	.52	28
29	.02	—	.11	—	.02	—	—	—	—	.28	.02	—	29
30	—	X	.01	.01	—	.08	—	—	—	.03	.38	.19	30
31	.12	X	—	X	—	X	.35	—	X	.05	X	.03	31
Total	1.49	1.44	2.11	.75	1.73	1.80	<u>3.63</u> ~~2.19~~	1.62	1.03	1.93	3.52	5.69	25.3
Rain Days.	20	14	25	12	13	10	20	15	12	13	21	27	26.74
													205

14 APR 1915

DERBYSHIRE ROYAL INFIRMARY,
DERBY.

EDMUND FORSTER,
SUPERINTENDENT AND SECRETARY OF INFIRMARY
SECRETARY OF INFY. CONVALESCENT HOME, HOLBROOKE.
" " INFIRMARY SUNDAY FUND.
HON. LOCAL REPRESENTATIVE, SOUTHPORT CONVALESCENT HOSPITAL.


13th April 1915.

C. Salter, Esq.,
62 Camden Square,
London. N.W.

Dear Sir,

On refering to our original record of the rainfall
on the 1st of July, I find that it should read 1.60in and
not .16. I regret the error in the copy sent to you.

Yours faithfully,



Secretary.

REGISTER OF RAINFALL IN 1915.

Kept at Derbyshire Royal Infirmary
in the County of Derby
by Superintendent & Secretary

Lat. 52° 55' N. Long. 1° 28' W.
Time of Observation 9 a.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 190 ft.

2020
FORM A.
BRITISH RAINFALL
20 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.15	.05	-	.44	-	-	.01	.22	-	.05	.09	1
2	.08	.04	.20	.11	.01	.09	.01	.25	.01	-	.01	.03	2
3	.49	.01	.03	.15	-	-	.42	.09	.02	.21	-	.18	3
4	.03	-	.01	-	.08	-	.72	.01	-	.01	-	.91	4
5	.07	.23	-	-	.15	-	-	.04	-	-	.02	.38	5
6	.03	.06	-	.13	-	-	.60	.06	-	-	-	.07	6
7	.24	.34	-	.01	-	.05	.05	.51	-	-	-	.26	7
8	.22	.03	-	.12	-	-	-	.09	-	-	.26	-	8
9	-	.02	-	-	-	.01	-	.01	-	-	.21	.46	9
10	.36	-	.04	-	-	-	-	.02	-	.05	.33	.02	10
11	.04	-	-	.03	.28	-	.12	.03	-	.01	.55	^{Snow.} .02	11
12	.04	-	-	.16	.15	-	.02	.14	-	.03	.95	-	12
13	.05	.35	-	-	.35	-	-	-	-	-	.01	.04	13
14	-	.02	-	-	-	-	-	.15	.04	-	.01	.22	14
15	.37	-	-	-	.03	-	.03	.08	-	-	^{Snow.} .28	.07	15
16	-	.21	-	-	.04	-	2.30	.01	-	-	-	.01	16
17	-	.28	.01	-	-	-	.37	-	-	-	.01	.02	17
18	-	.10	.17	-	-	-	.02	-	-	-	-	-	18
19	-	.09	.08	-	.03	-	.17	-	-	-	.01	-	19
20	.24	-	-	-	-	-	-	-	-	-	-	.05	20
21	.14	-	-	.06	-	-	.19	-	-	-	-	.07	21
22	.02	-	.25	.02	-	-	.03	-	.01	-	-	.03	22
23	.01	.02	.04	.01	-	.14	.22	-	.05	.34	-	.17	23
24	-	-	.08	.03	-	-	.04	-	.47	.03	-	.27	24
25	-	-	-	.01	-	.54	.03	-	.01	.09	-	.22	25
26	.01	.13	.01	-	-	-	.13	-	.02	.01	-	.37	26
27	-	.10	-	-	-	.01	.54	-	-	.56	-	.23	27
28	-	.37	.01	-	-	.28	.01	.22	-	.01	-	.03	28
29	-	~~X~~	-	-	-	.01	-	.02	-	-	.09	.27	29
30	.08	~~X~~	-	.03	-	.18	-	.03	-	.06	.02	.03	30
31	.17	~~X~~	-	~~X~~	-	~~X~~	.01	.06	~~X~~	.27	~~X~~	.26	31
Total	2.80	2.55	.98	.87	1.56	1.31	6.03	1.83	.85	1.68	2.81	4.78	28.05
Rain Days.	20	18	13	13	10	9	21	19	9	13	15	27	187

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Derbyshire Royal Infirmary
in the County of Derby
by Superintendent & Secretary

Lat. 52.55 N Long. 1.28 W
Time of Observation 9 a.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 19.0 in.
" " " " Sea Level 19.0 ft.

FORM A.
BRITISH RAINFALL.
5 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	-	.30	.	-	.12	.21	.	-	-	.21	-	1
2	.33	.06	.12	.	.03	.02	.62	.	.05	.38	.15	-	2
3	.02	.35	.01	.	-	.01	.28	.	.51	.35	.04	-	3
4	.16	.05	-	.	.52	.42	.02	.	.06	.56	.20	-	4
5	.08	.04	snow	.	.04	.08	.01	.	-	.11	.19	-	5
6	.20	.25	snow	.	.26	.03	.34	.	-	.12	.23	-	6
7	.01	.	snow	.	.03	-	.18	.	-	.10	.08	.18	7
8	-	.	.16	.	.	-	-	.	-	.06	.03	.19	8
9	.01	.	snow	.	.38	.02	-	.	-	-	.02	.01	9
10	-	.13	.05	.06	.02	.01	.02	.	.04	.11	-	.02	10
11	.04	.31	.05	.22	.03	.11	.01	.	.05	-	-	.10	11
12	.03	.01	.14	.12	.42	.04	.08	.	-	.02	-	.01	12
13	-	.22	.05	.13	.05	-	-	.01	-	.01	-	.09	13
14	-	.10	.01	.16	.01	-	-	.31	-	.10	-	-	14
15	-	.43	.65	.02	.02	-	.03	.34	-	.03	-	-	15
16	.05	.19	.46	.19	.04	-	.11	.16	-	.01	-	.01	16
17	.04	.09	.01	.48	-	-	.04	.08	.10	.19	-	-	17
18	.01	.20	.05	.02	-	-	-	.02	.15	.03	.15	snow	18
19	.06	.05	.26	.04	-	-	-	-	.13	.01	.43	0.02 snow	19
20	.28	-	.14	.15	-	-	-	-	-	-	.04	.04	20
21	.03	-	.06	.04	-	-	.09	-	-	-	.02	.28	21
22	-	.01	.01	-	.02	.03	.	-	-	.04	.02	.25	22
23	.06	0.01	-	.03	-	.01	-	.03	-	.02	.13	.31	23
24	-	0.01	-	.01	-	.03	-	.04	-	.02	.02	.13	24
25	-	0.01	.15	-	.03	-	-	.14	-	.01	.21	.02	25
26	.05	.15	.01	.01	.01	.03	-	-	-	.05	.09	-	26
27	.03	.13	.34	-	-	-	-	.21	-	.15	-	.01	27
28	-	.25	.21	.03	-	-	-	-	-	.03	.01	.15	28
29	-	.25	-	.01	-	.43	-	.56	-	.32	.01	.21	29
30	-	X	-	-	-	.10	-	-	-	.04	-	-	30
31	-	X	-	X	-	X	-	.03	X	.11	X	-	31
Total	1.63	4.22	3.52	1.18	1.91	1.29	2.10	2.05	1.09	2.54	2.94	2.29	YEAR'S TOTAL 27.64
Rain Days.	19	23	23	11	16	16	14	12	8	26	20	19	213

REGISTER OF RAINFALL IN 1917.

Kept at Derbyshire Royal Infirmary
in the County of Derby
by Superintendent & Secretary

Lat. 52° 55' N. Long. 1° 28' W.
Time of Observation 9.0 a.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 190 in.
" " " " Sea Level 190 ft.

2620
FORM A.
BRITISH RAINFALL
5 JAN 1918
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	-	Snow .05	-	.07	-	.61	.08	-	.10	.11	1
2	.21	-	-	.03	-	.43	-	.16	.01	-	.04	-	2
3	.01	Snow .03	-	.01	-	.07	-	.11	-	.41	.08	.06	3
4	.14	.02	Snow .02	-	-	-	-	.06	-	.40	-	.02	4
5	.09	-	.13	Snow .06	-	-	-	.17	.18	.24	.07	-	5
6	.04	-	-	-	-	.41	-	-	-	.21	.11	-	6
7	.46	-	-	-	-	.11	-	-	-	.37	.12	.03	7
8	.65	-	-	.13	-	-	.01	.61	-	.52	.14	.11	8
9	.12	-	Snow .03	Snow .08	.03	-	-	.09	.01	.04	.28	-	9
10	.38	-	.56	.07	.78	-	-	.06	.04	-	-	.01	10
11	.15	-	.04	.15	-	-	-	-	-	.13	.02	-	11
12	.06	-	-	.01	.28	.07	-	.02	.03	.12	.01	.07	12
13	.03	-	.01	.06	.01	-	-	.34	.10	.06	-	.03	13
14	.07	-	.02	.13	.02	-	-	.59	-	.02	-	.08	14
15	.07	-	-	.05	-	-	.09	.01	-	.03	.01	.13	15
16	.03	.11	-	.19	-	.04	-	.02	-	.02	-	.26	16
17	.02	.01	.04	.08	.33	.03	.15	.18	.10	.09	-	.10	17
18	.02	.02	.01	.03	.27	-	.59	.06	.58	.03	-	-	18
19	.01	.30	.14	.02	.05	.22	-	.06	.03	-	.01	-	19
20	.04	.37	Snow .01	.01	.33	.04	-	-	.28	.02	.07	.01	20
21	.02	.03	Snow .09	-	.21	.11	-	.07	-	.04	-	.01	21
22	.01	-	Snow .05	-	.01	-	-	.05	.09	.06	.01	-	22
23	-	.06	.01	-	.21	.01	-	.06	.03	.15	-	.01	23
24	.01	-	-	-	.04	.59	-	.03	.01	.40	.12	-	24
25	-	-	.09	-	-	-	-	-	-	.07	.09	-	25
26	-	.01	-	-	-	-	-	.34	.11	.05	.32	-	26
27	-	-	.05	-	-	.48	.26	.56	-	-	.20	-	27
28	-	-	.12	-	-	.22	-	.30	-	-	.02	.11	28
29	-	-	-	-	.01	.01	.10	.09	-	.25	-	.25	29
30	Snow .01	X	.04	-	-	-	.02	.15	-	.08	-	.02	30
31	X	X	Snow .07	X	-	X	-	.09	X	.03	X	.07	31
Total	2.68	.96	1.53	1.16	2.58	2.91	1.22	4.89	1.68	3.84	1.79	1.49	26.73
Rain Days.	24	10	19	17	14	16	7	26	15	25	19	19	211

REGISTER OF RAINFALL IN 1918

DERBYSHIRE ROYAL INFIRMARY
DERBY.

Kept at

in the County of

by Superintendent & Secretary

Lat. 52. 55 N. Long. 1. 28 W.

Time of Observation 9 a.m.

Nearest Railway Station Midland, Derby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Sea Level 190 ft.



IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.07	.01	.08	-	-	.04	-	.29	.07	.05	.03	1
2	.03	.13	.01	.09	-	-	-	.47	.11	.04	.02	.44	2
3	-	.02	.07	-	.65	-	-	.19	.08	-	.20	-	3
4	.01	.07	.02	.01	-	-	-	.08	.90	.03	.30	.44	4
5	-	.02	-	.10	.13	-	-	.10	.42	.12	-	-	5
6	.02	.13	.01	.24	-	.14	-	-	.14	.15	-	.03	6
7	snow .01	.09	-	.15	-	.01	-	-	.18	.01	.10	-	7
8	snow .01	.20	.15	.01	-	-	-	-	.14	.08	-	-	8
9	.08	.65	-	.10	-	.14	.15	-	.43	.33	.03	.02	9
10	.06	.04	-	.11	-	-	.10	-	.02	.03	.03	.03	10
11	.08	.16	-	.05	.10	-	.09	-	.16	.02	-	.07	11
12	-	.21	-	.01	.17	-	.19	.01	.18	-	-	.14	12
13	.02	.01	.01	-	.07	-	-	-	.23	.09	-	.01	13
14	.31	-	-	-	-	.04	.09	-	.23	.20	-	.23	14
15	snow .35	-	-	.10	-	.05	.32	-	.33	-	.01	.18	15
16	.01	-	-	.07	-	-	.01	.03	.16	.01	.02	.05	16
17	.23	-	-	.01	-	.05	.18	.03	.25	.06	-	.15	17
18	.41	-	-	-	-	.09	.17	-	.34	-	-	.45	18
19	.11	.01	.14	.10	-	-	.08	-	.01	.09	-	.15	19
20	.07	.07	.01	snow .21	.01	.05	.05	-	.02	-	-	-	20
21	.22	.05	-	.12	.10	.02	.04	-	.20	.04	-	.05	21
22	.04	.01	-	.03	.56	.05	.08	-	-	.08	-	.55	22
23	.07	.01	-	.01	.14	-	.21	-	.08	.02	.01	-	23
24	-	.08	-	.01	.01	-	.06	-	.05	.03	.06	.05	24
25	-	-	-	.01	.01	.04	.37	.34	.02	.01	-	-	25
26	-	-	-	-	-	-	.38	.06	.08	.01	.13	.07	26
27	-	.09	-	-	-	-	.01	.43	.17	.01	.10	.27	27
28	-	.10	.33	-	-	-	-	.12	.01	-	.20	.62	28
29	-	X	.01	-	-	-	-	-	.64	.01	.01	.03	29
30	-	X	.52	-	-	.02	-	.03	-	-	.13	.08	30
31	-	X	.08	X	-	X	-	.03	X	-	X	.01	31
Total	2.25	2.22	1.37	1.62	2.05	.70	2.62	19.2	5.87	1.54	1.40	11.5	28.61
Rain Days	20	21	13	21	11	12	19	13	28	23	16	24	23.1

REGISTER OF RAINFALL IN 1919.

Kept at Derbyshire Royal Infirmary
in the County of Derby
by Superintendent
Secretary

Lat. 52-55 Long. 1-28 W
Time of Observation 9 a.m.
Nearest Railway Station Midland Derby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	·02	·03	·01	·25	—	·14	—	·05	·18	·05	·18	1
2	·13	·04	·01	·02	·02	—	·16	·04	·17	·04	·20	·07	2
3	·19	—	—	—	·08	·08	·18	—	·10	—	·20	·05	3
4	·48	—	·24	—	·02	·07	—	·12	·08	—	·04	·45	4
5	·38	·11	—	·02	—	—	—	—	·18	—	—	·18	5
6	·01	—	·12	—	·36	—	—	—	—	—	—	—	6
7	·02	—	·15	·03	—	—	—	—	—	—	—	—	7
8	·11	—	·04	·04	—	·03	—	—	—	—	—	—	8
9	—	—	·03	·02	—	—	—	—	—	—	—	—	9
10	—	—	·37	·04	·02	—	—	—	—	—	—	·08	10
11	·07	—	·89	·01	·12	—	·24	—	—	—	—	—	11
12	—	—	·36	·01	—	·35	·02	—	—	·04	—	—	12
13	·19	—	—	·14	—	—	—	—	·20	·02	—	·07	13
14	·39	—	—	·12	—	—	—	—	·03	—	—	—	14
15	·16	·05	·04	·05	—	—	—	—	—	—	—	·35	15
16	·17	·17	·80	—	—	—	—	—	—	—	—	—	16
17	·04	·04	·41	—	·03	·07	·04	·30	—	—	·68	—	17
18	·03	·01	·20	—	·02	—	·02	·10	·02	—	—	·30	18
19	·05	·27	·18	—	—	·08	·83	·55	·18	—	·10	—	19
20	·47	·17	·22	·22	—	·03	·55	·13	—	—	·28	·15	20
21	·09	·41	·03	—	—	·02	·20	—	—	—	·03	·45	21
22	—	·07	·06	—	—	—	—	—	·67	—	·05	·68	22
23	—	—	—	—	—	·01	—	—	—	·10	—	—	23
24	—	—	—	·12	—	·01	·08	—	—	·43	·15	—	24
25	·10	—	—	·10	·60	—	—	·22	—	—	·10	·12	25
26	—	—	·27	·04	—	—	—	·05	·04	—	—	·25	26
27	·05	—	·03	·33	—	—	—	—	—	—	—	—	27
28	·07	—	—	·06	—	—	—	·63	—	—	—	—	28
29	·05	—	—	—	—	·02	—	·08	—	·58	—	—	29
30	—	X	·10	—	—	·15	—	—	—	·05	·15	—	30
31	—	X	·03	X	—	X	·05	—	X	·05	X	—	31
TOTAL	3·51	1·36	5·61	1·16	1·52	·92	2·57	2·22	1·72	2·49	2·03	3·38	YEAR'S TOTAL 28·443
Days with ·01 in. or more	22	11	22	17	10	12	12	10	11	9	12	14	162

REGISTER OF RAINFALL IN 1920.

Kept at Derbyshire Royal
Infirmary
in the County of Derby
by Superintendent Secretary

Lat. 52.55 Long 1.28 W.
Time of Observation 9 am
Nearest Railway Station Midland Derby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	.25	.22	-	.28	-	-	.20	-	.10	1
2	-	-	-	.17	.05	-	.60	-	.12	.20	-	.15	2
3	-	.05	-	.12	-	-	.67	-	.15	.17	-	.05	3
4	-	-	-	.13	-	-	-	.42	-	.42	-	-	4
5	-	-	.04	-	.45	-	.25	.10	.10	.10	-	-	5
6	-	-	.33	.05	.15	-	.10	-	-	-	-	-	6
7	.10	-	.05	.10	.05	-	.05	-	-	-	-	-	7
8	.10	-	-	.50	.15	-	.35	-	-	.10	-	-	8
9	.45	.12	-	.38	-	-	-	-	-	-	-	-	9
10	.40	.40	.15	.05	-	-	.22	-	-	-	-	-	10
11	.35	-	-	.05	.43	.15	-	-	-	-	-	-	11
12	.05	-	-	.38	-	.20	-	.10	-	-	-	-	12
13	.10	.05	-	.25	-	.52	-	-	-	-	.05	-	13
14	-	-	.50	.10	-	.85	-	-	.20	-	.12	-	14
15	-	.15	.28	.13	-	-	-	-	.12	.23	.05	-	15
16	-	-	-	.25	.05	.30	.25	-	.05	.10	-	-	16
17	-	-	-	-	.12	-	-	-	.90	.06	-	-	17
18	.10	-	-	-	.05	-	-	.05	.12	-	-	-	18
19	.07	1.00	-	.20	.10	.20	-	.05	-	-	-	-	19
20	.10	.28	-	.20	-	.25	-	-	-	-	-	-	20
21	.08	-	-	-	-	-	.25	.10	-	-	-	.23	21
22	-	-	-	.22	-	-	.10	-	-	-	-	.05	22
23	-	-	-	-	-	-	.15	-	-	-	-	.40	23
24	-	-	.10	-	-	-	-	-	-	-	-	.20	24
25	-	.05	.14	.15	-	.08	.62	-	-	-	-	-	25
26	.27	.05	.10	.10	.08	-	-	-	-	-	-	.10	26
27	.10	-	-	-	.05	.20	.05	-	-	-	.46	.30	27
28	.90	-	.05	.10	.05	.05	-	-	-	-	-	-	28
29	-	-	.17	-	.25	.05	.25	-	-	-	.05	.75	29
30	-	~~X~~	-	.22	-	.20	-	-	.12	-	.25	.35	30
31	.22	~~X~~	-	~~X~~	.10	~~X~~	-	-	~~X~~	.25	~~X~~	.05	31
TOTAL	3.39	2.15	1.91	4.07	2.35	3.05	4.19	.82	1.88	1.83	.98	2.73	YEAR'S TOTAL
Days with .01 in. or more	15	9	11	22	16	12	15	6	9	10	6	12	29.35
Days with .04 in. or more	15	9	11	22	16	12	15	6	9	10	6	12	143

RECEIVED

Kept at

Duffield
Derby

in the County of

by

Messrs J. Darr

DUFFIELD
CASTLE HILL HSE
DERBY

1911-1919

in.

e Ground ft.

Sea Level ft.

Name

Distance Direction

the result entered to the
versal rule, he is earnestly
ear in the space provided

Jan. 1, following.

IMPORTANT NOTE
previous day. If an Obs
requested to add the readi

for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	15		03	01	09		04	05		01	05	06	2
3	01	02			18			19		05	07	01	3
4	02		04	07				02	10	07	16	13	4
5	04			02				14		01	01		5
6	46							24		07	05	43	6
7	01	01								12	08		7
8	11										14	30	8
9	02		31	01		01					05	03	9
10	04	04	21					01			01	40	10
11	12		01					08			34	01	11
12	02		42						15		22	01	12
13			04								11	32	13
14		05	02		60							71	14
15		16	11							06	01	15	15
16		07	01			14	01			02	16	08	16
17			01	02	01	1.05					03	29	17
18		26		06		16				01	10	07	18
19		10				39	02	01	05	09	14	04	19
20		10		14			01	22	09	04		15	20
21	01	32	02	01				09	03	16		02	21
22		11	02	04		03	01			29	01	22	22
23		14	06			22			55	02		16	23
24		12	03	26		80		02		23		07	24
25		38	01	25	08				05	01	01	13	25
26		02		26	15	01				30	32	37	26
27		22	13	28	01			70	15	01	02	09	27
28		17		28		06			09		18	01	28
29				03		12	01		23	33	01	01	29
30			01	05		07				28	02	01	30
31			11							04			31
Total	1.01	2.29	1.72	1.79	1.12	3.06	10	1.87	1.49	2.22	2.35	4.28	TOTAL for year 23.30
No. of Rain Days	12	17	20	16	7	12	6	13	10	21	25	27	186

RE

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Duffield, Castle Hill House
in the County of Derbyshire
by Messrs J Davison & Son

RAIN GAUGE Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			12	01			04	05			05		1
2	15		03		09			10		01	05	06	2
3	01	02			18			19		05	07	01	3
4	02		04	07				02	10	07	16	13	4
5	04			02				14		01	01		5
6	46							24		07	05	43	6
7	01	01								12	08		7
8	11										14	30	8
9	02		31	01		01					05	03	9
10	04	04	21					01			01	40	10
11	12		01					08			34	01	11
12	02		42						15		22	01	12
13			04								11	32	13
14		05	02		60							71	14
15		16	11							06	01	15	15
16		07	01			14	01			02	16	08	16
17			01	02	01	1.05					03	29	17
18		26		06		16				01	10	07	18
19		10				39	02	01	05	09	14	04	19
20		10		14			01	22	09	04		15	20
21	01	32	02	01				09	03	16		02	21
22		11	02	04		03	01			29	01	22	22
23		14	06			22			55	02		16	23
24		12	03	26		80		02		23		07	24
25		38	01	25	08				05	01	01	13	25
26		02		26	15	01				30	32	37	26
27		22	13	28	01			70	15	01	02	09	27
28		17		28		06			09		18	01	28
29				03		12	01		23	33	01	01	29
30			01	05		07				28	02	01	30
31			11							04			31
Total	1.01	2.29	1.72	1.79	1.12	3.06	10	1.87	1.49	2.22	2.35	4.28	TOTAL for year 23.30
No. of Rain Days	12	17	20	16	7	12	6	13	10	21	25	27	186

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at Duffield
in the County of Derbyshire
by J. Davis & Son

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			03	01		39		03	02			35	1
2		02	05	01		18	28		01			05	2
3	10	01	08		05	22	01	74	06			06	3
4	11		41	03	10	39		32	01		28		4
5	53	05	02	01	06	10	01	08	06		01		5
6	63	14	02		04			39		01		03	6
7		13			05	08		08	03			05	7
8	35	27	09	06		02	01		03	01		02	8
9	04	06	20	22		75		13				12	9
10	02	01	02			08		21			47	01	10
11	12	03		01		03		03			11	66	11
12	09	34	20			09	30				01	01	12
13	01	03	02			11		05		07	07	02	13
14	11	01	15			13		08		01		03	14
15	21	11	45		38	14		02				13	15
16	96	01	05		07	01		17		20			16
17	47	01	48			29	05	41		01	03	30	17
18	17	01	09			01				08	01	08	18
19	35	12			01	05	44	28		12	01	01	19
20	23		12		19	02	04	07		53	01		20
21	01	04	29		57		86			56	01	03	21
22		17	01		68	33	24	57		01		21	22
23	05	10	34		01	01	48	45			18	02	23
24	02	06	04		01	16	32	13	01			16	24
25	05	01	02			33		25			43	33	25
26	01	04	08			06	29	94		78	22	01	26
27		01	04		01	20	15	03		84		28	27
28		03	04			15	18	59	04	36	82	25	28
29		02	09		02	23	10	01	40	05	02		29
30	02		03		23	01	04		11	02			30
31			16		61		36	10				02	31
Total	4.66	1.84	3.62	0.35	3.09	4.57	4.16	6.16	7.8	3.66	2.69	3.24	TOTAL for year
No. of Rain Days.	23	26	28	7	17	28	18	25	11	16	16	25	382

REGISTER OF RAINFALL IN 1913

Kept at Duffield
in the County of Derbyshire
by J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL FORM A.
31 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	01	08	02					21		06		1
2		15	01	07							01	01	2
3	06		24		48				02	05		09	3
4	1.25		02		10	02			01	25	24	54	4
5	08	02	08			05	05		05	1.27	01		5
6	02	02	20	01	48	08	10			50		02	6
7		10	01		14		40			47	14	01	7
8		03	03		18	18			01	18			8
9		40	03		05	74					19	02	9
10	02		01	10	04	01	01	25		02	27		10
11	54			34		03		17		03	56		11
12		02			12				02	01	31		12
13	02		25	07				01	09		20		13
14	07	06	60	02				06		09	10		14
15	03	09	36	51				02	04		13		15
16	02	02	30	01				02	20	01	04		16
17	01	02	09	12	09	01	01		09		01		17
18	03		17	16	09		06				02	04	18
19	05		04	01		04			43		01	01	19
20	16		06	07						02	13		20
21	01		14	01	07		09	01			24		21
22	41		63					78	33		01		22
23	01		01			08		01	10		01		23
24	13			05						01	04		24
25				05					04	01		02	25
26		11	13	06	01			01		17		34	26
27		05	01	48					04			01	27
28	34		18	47	03					02			28
29	01		42	42	06			46				16	29
30	37		01		15					26	02	01	30
31			06		01								31
Total	3.65	1.10	4.17	3.05	2.10	1.24	.72	1.80	1.68	3.37	2.75	1.28	26.91
Rain Days.	22	14	27	20	16	10	7	11	15	17	22	13	194

YEAR'S TOTAL

54 9.8
REGISTER OF RAINFALL IN 1914

82
Kept at Duffield
in the County of Derbyshire
by J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

401
28 JAN 1915
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08		.12				1.69	.30			.01	.12	1
2	.01						.01	.18			.41	.19	2
3			.08	.01	.15		.19	.10				.18	3
4	.28		.09	.31	.11		.02	.03			.42	.44	4
5	.10		.21	.29	.21	.12	.10				.05	.03	5
6		.08		.10	.19	.01	.02	.05			.01	.05	6
7		.09	.35	.04	.20		.12	.08			.01	.37	7
8	.12			.01	.17	.51	.24	.35				.01	8
9	.29	.04	.01	.02	.03	.67		.29	.02		.02		9
10	.15	.11	.02	.11	.07	.01		.01	.11				10
11		.05	.46	.03	.05	.01			.04		.91	.47	11
12		.06	.16				.03		.25		.16	.36	12
13	.03	.16	.23						.04	.25	.36	.36	13
14	.01	.17	.06				.08		.04	.25	.30	.16	14
15			.17						.04	.01	.13		15
16	.03		.03				.59		.08				16
17	.03	.15	.10				.05		.25			.47	17
18	.01					.07	.12		.13			.45	18
19						.01	.02		.04	.01	.03	.12	19
20		.11	.02			.02	.39	.01		.01			20
21		.31	.01			.04		.05		.11	.01	.26	21
22		.06			.60	.10	.04			.20		.03	22
23		.06	.15	.02	.10	.01	.12	.01		.03		.01	23
24		.02	.20	.01	.09		.20	.07		.09	.14		24
25	.04		.01				.18	.31		.71	.02	.38	25
26	.01		.03				.05	.23		.18	.09	.21	26
27	.02									.01	.28	.63	27
28	.27	.12	.11							.03	.08	.53	28
29	.02		.24		.01					.35	.02	.05	29
30			.01	.02		.01				.03	.41	.18	30
31	.17		.03				.50			.11		.02	31
Total	1.67	1.59	2.90	.97	1.98	1.59	4.76	2.07	1.04	2.38	3.87	6.08	309.0
Rain Days.	18	15	24	12	13	13	21	15	11	16	21	25	204

REGISTER OF RAINFALL IN 1915

Kept at Duffield
in the County of Derbyshire
by J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12	25	03		49			01	09	01	02	09	1
2	13	07	20	15		06	01	41	01	19		02	2
3	63		01	10			61	37	02			30	3
4	03				07		60	01				94	4
5	07	24			01			05				50	5
6	05	10		14			50	04			02	14	6
7	21	33		01			01	54				23	7
8	25	05	01	10				06			06		8
9		03		01							19	55	9
10	58		03							04	25	02	10
11	06			03	27		11	01			55	13	11
12	06			10	19		02	02		06	1.16		12
13	03	51			28							06	13
14		01					02	01	09			29	14
15	34				02		01	06		01	45	14	15
16	02	21			05		1.93	13				01	16
17		23					21					01	17
18		26	19				01				01		18
19		09	01		07		20						19
20	24			06	01			02				01	20
21	08	01		03			15					11	21
22			27	01			16		01			04	22
23		04	03			13	17		03	38		10	23
24			11	03					49	02		26	24
25						50	08		02	06		18	25
26		22				02	36		02			45	26
27		06	01			14	51		01	79		35	27
28		65	01			33	02	24		07		01	28
29					01	07				01	11	26	29
30	14	X		03		02		02		08	03	01	30
31	14	X		X		X	02	14	X	18	X	22	31
Total	3.18	3.36	.91	.80	1.47	1.27	5.71	2.14	.79	1.90	2.85	5.43	29.81
Rain Days.	18	18	12	13	11	8	21	17	10	13	11	27	179

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Duffield
in the County of Derbyshire
by J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2760
351
30 JAN 1917
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	11	01	49			16	24				02		1
2	27	09	18		02	15	73		06	31	03		2
3		29				01	17		45	45	04		3
4	17	05			49	1.29	01			07	35		4
5	08	01			02	04				16	10		5
6	22	32	22		33		31			06	38		6
7	04		19		02		20			14	06	23	7
8			13							01	02	27	8
9			03		49	07			02		02	02	9
10		03	05	07			04		14	16		07	10
11	03	42	23	30	01	14	01		03			06	11
12	08	13	13	11	47	02	13	01		04			12
13		19	08	15	03		03	36		03		09	13
14		15		33	15			10		18	01	02	14
15		33	58	02	01		04	20	01	02			15
16	02	21	43	20	01		19	16		03			16
17	06	01		47			02	25	18	13			17
18	01	18	03	05			01		21	03	1.06	17	18
19	07	03	31	02				04	04		23		19
20	18		15	21							01	13	20
21	01		11	02			04					49	21
22		10	01	02		04				02	01	16	22
23	06	28		03				05		04	15	23	23
24		52				02		04		05	03	16	24
25		06	27		05			16		01	40		25
26	02	14	03			06				05	08		26
27	01	14	54				07	05	05	19			27
28		24	18			01				04	01	20	28
29		38				42		44		35		36	29
30	01	X			08	09				10		05	30
31		X		X		X		03	X	19	X	12	31
Total	1.45	4.31	4.37	2.00	2.18	2.52	2.24	1.89	1.19	2.86	3.01	2.82	30.84
Rain Days.	18	24	21	14	14	14	16	13	10	25	19	17	205

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

Kept at Duffield Road
in the County of Derbyshire
by J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02			06		10		45	13		08	12	1
2	18					14		18			05		2
3	01	09				01		07		29	04		3
4	14	02	09					01		53			4
5	11		11	08					06	11	11		5
6	03					33				37	19	02	6
7	60		01			21				75	19	02	7
8	52			14				72		72	15	10	8
9	11		12	21				12			29		9
10			70	05	55			15	10				10
11	12			16				05		25			11
12	04				23			22		22	02	05	12
13	15			05				31	10	03			13
14	03			07				18				10	14
15	08			02	03		07	19		02		16	15
16				15		02	12					25	16
17	04	12		08	19		17	31	08	13			17
18	04			03	21		63	04	66	01			18
19	02	20	18		19	29		05	01		01		19
20	06	29			27	01			21		05		20
21		03	05		06	29		06		02			21
22	02		04					02	12	05			22
23					23	01		15		20			23
24		10	01		02	58		17		56	19		24
25			10				14			09	06		25
26		01						48	23		31		26
27						18	23	55			13		27
28			10			28		19				14	28
29					08		08	06		35		10	29
30		X	05				04	25					30
31		X	11	X		X		10	X		X	02	31
Total	2.32	.86	1.67	1.10	2.06	2.45	1.48	5.08	1.70	4.70	1.87	1.08	26.37
Rain Days.	19	8	13	12	11	13	8	25	10	18	15	11	163
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1918

Kept at Duffield Road, Derby
in the County of Derbyshire
by J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
22-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.09		.04					.24	.03			1
2		.19		.04				.47	.06	.04	.19	.53	2
3		.02	.06		.65			.26	.10		.12		3
4		.03						.09	1.25	.04	.44	.54	4
5			.02	.04	.12			.13	.40	.37			5
6		.13	.01	.30		.05			.02	.19		.03	6
7		.05		.20					.10	.01	.10		7
8		.30	.09						.02	.05		.02	8
9	.15	.55	.03	.09		.19	.13		.20	.30		.02	9
10	.06	.06		.02			.17		.02	.01	.01	.09	10
11	.06	.10		.01	.08		.14		.06			.07	11
12		.16			.13		.25		.10			.12	12
13					.34				.45	.09			13
14	.41					.04	.09		.53	.19	.01	.32	14
15	.25			.03	.03	.02	.32		.10			.25	15
16						.01	.16	.03	.55	.01		.06	16
17	.23				.10	.01	.20	.08	.10	.08		.22	17
18	.40					.14	.22		.38			.34	18
19	.05	.01	.15	.16			.13		.01	.04		.19	19
20	.10	.10		.15		.07	.60				.02		20
21	.13	.07		.10	.52	.16	.03		.17	.03		.10	21
22	.02				.46	.05	.17			.06		.58	22
23	.08				.90		.11		.05				23
24		.04					.09		.04	.02	.07	.02	24
25						.01	.10	.54					25
26							.80	.01	.09	.01	.16	.06	26
27		.05						.45	.12		.07	.21	27
28		.12	.29					.06	.04		.20	.84	28
29									.63			.01	29
30		X	.83					.02			.10	.08	30
31		X	.12	X		X			X		X		31
Total	1.96	2.07	1.60	1.18	3.33	.75	3.71	2.14	5.83	1.57	1.49	4.70	30.33
Rain Days.	13	17	9	12	10	11	17	11	26	18	12	22	178
YEAR'S TOTAL													

81 REGISTER OF RAINFALL IN 1919

Kept at Duffield
in the County of Derbyshire
by J. Davis & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2474
2073
FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	29	02	03		16		10		07	21		27	1
2	14	01	02				10		08	07	16	05	2
3	86				09	07	09		10		20	04	3
4			28		05	05	01	15	10		01	35	4
5		09					01		27	01		23	5
6			13		35						02	06	6
7	01		34	01									7
8	13		03										8
9			02						01				9
10			25	05							05	14	10
11	01		02	01	03		14					01	11
12			47	12		28	08		01	02	11	03	12
13	34			21			01		25	14		03	13
14	41			43					04			01	14
15	36	13	01	02							06	54	15
16	17	87									18		16
17	04	22		02	10	08	13				35	01	17
18			26				04	09	01		01	33	18
19	22	33	176			04	71	49	09		05	03	19
20	107	08	25				30	13			18	22	20
21	10	50	02			01	15	01			02	29	21
22		10							95		02	58	22
23									01	94	02	01	23
24	08			15	20	01	08			48	11	05	24
25		12		09	44			33			04	12	25
26			34	05		01		08	08			61	26
27	07		02	20		01		01			12	02	27
28				05				50				44	28
29	05		02					30		58	07	03	29
30		X	10	05		14				05	08	24	30
31		X	01	X		X	05		X	02	X	02	31
Total	4.35	2.47	4.88	1.46	1.42	70	2.00	2.09	2.07	2.52	1.86	4.76	30.58
Rain Days.	17	11	20	14	8	10	15	10	14	10	20	27	176

RE

DUFFIELD
KIRKSTYLES
DERBY
1911 - 1914

Kept at *Kirkstyles*
in the County of *Derby*
by *H. B. Worthing*

911.  FORM A2.
BRITISH RAINFALL.
JAN 1914
p. 5 in.
above Ground 1 ft. — in.
Sea Level 235 ft.
8 am. + entered *to the morning*
Name *Duffield M.R.*
Distance *1 mile* Direction *E from house*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
?

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.09	-	-	-	0.03	0.05	-	-	0.04	-	1
2	0.13	-	0.04	-	0.06	-	-	0.11	-	0.01	0.04	0.05	2
3	-	-	-	-	0.17	-	-	0.17	-	0.04	0.06	-	3
4	-	0.01	0.03	0.06	-	0.01	-	0.02	0.10	0.05	0.15	0.13	4
5	0.02	-	-	0.02	-	-	-	0.13	-	0.01	-	-	5
6	0.41	-	-	0.02	-	-	-	0.20	-	0.05	0.03	0.30	6
7	0.01	-	-	-	-	-	-	-	-	0.13	0.09	0.10	7
8	0.11	0.01	0.28	-	-	-	-	-	-	-	0.11	0.28	8
9	0.02	-	-	-	-	0.01	-	-	-	-	0.09	0.01	9
10	0.03	0.04	0.21	-	-	-	-	0.01	-	-	-	0.40	10
11	0.09	-	-	-	-	-	-	0.08	-	-	0.29	-	11
12	0.01	-	0.37	-	-	-	-	-	0.14	-	0.20	-	12
13	-	-	0.05	-	-	-	-	-	-	-	0.11	0.33	13
14	-	0.05	0.03	-	0.30	-	-	-	-	-	-	0.70	14
15	-	0.17	0.11	-	-	-	-	-	-	0.03	0.01	0.15	15
16	-	0.07	0.01	-	-	0.14	0.01	-	-	0.01	0.15	0.07	16
17	-	-	0.02	0.01	-	1.01	-	-	-	-	0.02	0.28	17
18	-	0.18	-	0.04	-	0.13	-	-	-	-	0.11	0.07	18
19	-	0.06	-	-	0.01	0.42	0.02	-	0.05	0.08	0.11	0.04	19
20	-	0.06	-	0.11	-	-	0.01	0.20	0.07	0.06	-	0.14	20
21	-	0.31	0.03	0.04	-	-	-	0.08	0.04	0.17	-	0.01	21
22	-	0.07	-	0.03	-	0.03	-	-	-	0.30	-	0.20	22
23	-	0.12	0.07	-	-	0.19	-	-	0.56	0.01	-	0.13	23
24	-	0.12	0.01	0.25	-	0.71	-	0.01	-	0.22	-	0.09	24
25	-	0.31	-	0.27	0.04	-	-	-	0.03	-	-	0.12	25
26	-	-	-	0.22	0.23	-	-	-	-	0.30	0.22	0.38	26
27	-	0.25	0.11	0.25	-	-	-	0.66	0.13	-	0.05	0.08	27
28	-	0.16	-	0.26	-	0.06	-	-	0.04	-	0.18	-	28
29	-	-	-	-	-	0.11	-	-	0.27	0.35	-	0.01	29
30	-	-	-	0.08	-	0.06	-	-	-	0.22	0.02	-	30
31	-	-	0.10	-	-	-	-	-	-	0.02	-	-	31
Total	0.83	1.99	1.56	1.66	0.81	2.88	0.07	1.72	1.43	2.06	2.08	4.07	TOTAL for year 21.16
No. of Rain Days.	9	16	16	14	6	12	4	12	10	18	20	23	160

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL
8 JAN 1912

Kept at *Kirkstall, Duffield*

in the County of *Derby*

by *W. B. Worthington*

Pattern
RAIN GAUGE { Diameter of top *5* in.
Height of top above Ground *1* ft. — in.
" " " Sea Level *235* ft.
Time of Observation *8* am. + entered in the morning
Nearest Railway Station { Name *Duffield M.R.*
Distance *1 mile* Direction *E. from house*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.09	—	—	—	0.03	0.05	—	—	0.04	—	1
2	0.13	—	0.04	—	0.06	—	—	0.11	—	0.01	0.04	0.05	2
3	—	—	—	—	0.17	—	—	0.17	—	0.04	0.06	—	3
4	—	0.01	0.03	0.06	—	0.01	—	0.02	0.10	0.05	0.15	0.13	4
5	0.02	—	—	0.02	—	—	—	0.13	—	0.01	—	—	5
6	0.41	—	—	0.02	—	—	—	0.20	—	0.05	0.03	0.30	6
7	0.01	—	—	—	—	—	—	—	—	0.13	0.09	0.10	7
8	0.11	0.01	0.28	—	—	—	—	—	—	—	0.11	0.28	8
9	0.02	—	—	—	—	0.01	—	—	—	—	0.09	0.01	9
10	0.03	0.04	0.21	—	—	—	—	0.01	—	—	—	0.40	10
11	0.09	—	—	—	—	—	—	0.08	—	—	0.29	—	11
12	0.01	—	0.37	—	—	—	—	—	0.14	—	0.20	—	12
13	—	—	0.05	—	—	—	—	—	—	—	0.11	0.33	13
14	—	0.05	0.03	—	0.30	—	—	—	—	—	—	0.70	14
15	—	0.17	0.11	—	—	—	—	—	—	0.03	0.01	0.15	15
16	—	0.07	0.01	—	—	0.14	0.01	—	—	0.01	0.15	0.07	16
17	—	—	0.02	0.01	—	1.01	—	—	—	—	0.02	0.28	17
18	—	0.18	—	0.04	—	0.13	—	—	—	—	0.11	0.07	18
19	—	0.06	—	—	0.01	0.42	0.02	—	0.05	0.08	0.11	0.04	19
20	—	0.06	—	0.11	—	—	0.01	0.20	0.07	0.06	—	0.14	20
21	—	0.31	0.03	0.04	—	—	—	0.08	0.04	0.17	—	0.01	21
22	—	0.07	—	0.03	—	0.03	—	—	—	0.30	—	0.20	22
23	—	0.12	0.07	—	—	0.19	—	—	0.56	0.01	—	0.13	23
24	—	0.12	0.01	0.25	—	0.71	—	0.01	—	0.22	—	0.09	24
25	—	0.31	—	0.27	0.04	—	—	—	0.03	—	—	0.12	25
26	—	—	—	0.22	0.23	—	—	—	—	0.30	0.22	0.38	26
27	—	0.25	0.11	0.25	—	—	—	0.66	0.13	—	0.05	0.08	27
28	—	0.16	—	0.26	—	0.06	—	—	0.04	—	0.18	—	28
29	—	—	—	—	—	0.11	—	—	0.27	0.35	—	0.01	29
30	—	—	—	0.08	—	0.06	—	—	—	0.22	0.02	—	30
31	—	—	0.10	—	—	—	—	—	—	0.02	—	—	31
Total	0.83	1.99	1.56	1.66	0.81	2.88	0.07	1.72	1.43	2.06	2.08	4.07	TOTAL for year 21.16
No. of Rain Days.	9	16	16	14	6	12	4	12	10	18	20	23	160

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A. 9 JAN 1913

Kept at Kirkstiles Duffield
in the County of Drby
by W.B. Worthington M. Inst. C.E.

Lat. _____ Long. _____
Time of Observation 8 am.
Nearest Railway Station Duffield M.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	0.05	—	—	0.34	0.01	0.03	0.02	—	—	0.39	1
2	—	—	0.10	0.01	—	0.20	0.27	—	—	—	—	0.06	2
3	0.10	0.01	0.02	—	0.05	0.18	0.01	0.79	0.05	—	—	0.07	3
4	0.10	—	0.39	0.02	0.12	0.41	—	0.24	0.01	—	0.27	—	4
5	0.36	0.03	—	—	0.06	0.10	—	0.04	0.05	—	0.03	—	5
6	0.69	0.57	—	—	0.04	—	—	0.34	—	—	—	0.05	6
7	—	0.11	—	—	0.05	0.06	—	0.05	0.02	—	—	—	7
8	0.46	0.30	0.13	0.04	—	0.05	0.01	—	0.03	—	—	0.03	8
9	0.04	0.01	0.13	0.20	—	1.10	—	0.05	—	—	—	0.11	9
10	—	—	—	—	—	0.06	—	0.19	—	—	0.44	—	10
11	0.13	0.01	—	—	—	0.01	—	0.04	—	—	0.09	0.59	11
12	0.09	0.34	0.21	—	—	0.10	0.37	0.01	—	—	0.01	—	12
13	0.01	—	—	—	—	0.09	—	—	—	0.06	0.07	0.02	13
14	0.12	—	0.52	—	—	0.11	—	0.47	—	—	—	0.02	14
15	0.20	0.10	0.10	—	0.36	0.12	—	—	—	—	—	0.09	15
16	0.94	—	0.27	—	0.07	0.01	—	0.17	—	0.23	—	—	16
17	0.39	—	0.13	—	—	0.27	0.04	0.42	—	—	0.03	0.21	17
18	0.19	—	0.10	—	—	0.02	—	—	—	0.05	—	0.07	18
19	0.34	0.11	—	—	0.02	0.06	0.40	0.32	—	0.13	0.01	—	19
20	0.21	—	0.05	—	0.18	—	0.02	0.04	—	0.42	0.01	—	20
21	—	0.03	0.27	—	0.56	—	0.61	—	—	0.56	0.01	0.04	21
22	—	0.15	—	—	0.62	0.36	0.21	0.29	0.01	—	—	0.21	22
23	0.04	0.13	0.37	—	—	—	0.49	0.67	—	—	0.15	0.10	23
24	0.09	—	0.02	—	0.01	0.19	0.42	0.12	—	—	—	0.13	24
25	—	—	0.01	—	—	0.23	—	0.12	—	—	0.32	0.23	25
26	0.01	0.07	0.05	—	—	0.10	0.37	1.04	—	0.83	0.17	0.10	26
27	—	—	0.02	—	—	0.20	0.16	0.01	—	0.81	—	0.26	27
28	—	0.02	0.04	—	—	0.05	0.17	0.59	0.03	0.38	0.70	0.25	28
29	—	0.01	0.07	—	0.02	0.10	0.09	—	0.41	0.04	0.03	—	29
30	0.01	—	0.09	—	0.16	0.01	0.02	—	0.10	0.03	—	—	30
31	—	—	0.10	—	0.33	—	0.34	0.11	—	—	—	0.01	31
Total	4.52	1.60	3.24	0.27	2.65	4.53	4.01	5.85	0.73	3.54	2.34	3.04	YEAR'S TOTAL 36.32
Rain Days.	20	16	23	4	15	26	18	23	10	11	15	21	202

REGISTER OF RAINFALL IN 1913

Kept at Itwistyles, Duffield

in the County of Derby

by W.B. Worthington

Lat. 52° 59' N Long. 1° 30' W

Time of Observation 8 a.m.

Nearest Railway Station Duffield M.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 235 ft.

FORM A.
BRITISH RAINFALL
4- JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.07	0.04	-	-	-	-	0.18	-	0.03	0.01	1
2	-	0.13	0.01	0.02	-	-	-	-	0.01	-	0.01	-	2
3	0.07	-	0.24	-	0.44	-	-	-	0.01	0.09	-	0.07	3
4	1.21	-	0.02	-	0.11	0.01	0.02	-	0.01	0.18	0.23	0.47	4
5	0.05	0.01	0.08	-	-	0.05	0.05	0.01	0.03	1.22	-	0.03	5
6	0.03	0.01	0.20	-	0.37	0.08	0.46	-	-	0.52	-	0.01	6
7	-	0.07	0.01	-	0.10	0.04	-	-	-	0.45	0.11	0.03	7
8	-	0.02	-	-	0.23	0.13	-	-	-	0.17	0.04	-	8
9	-	0.38	0.03	0.02	0.05	0.68	-	-	-	-	0.16	0.02	9
10	0.02	-	-	0.07	0.05	0.01	0.01	0.19	-	0.01	0.32	-	10
11	0.64	-	-	0.35	-	0.03	-	0.13	-	0.02	0.53	-	11
12	-	-	-	-	0.15	-	-	-	-	-	0.29	-	12
13	0.05	-	0.24	0.06	-	-	-	-	0.08	-	0.18	-	13
14	0.07	0.02	0.66	0.02	-	-	-	0.05	-	0.09	0.01	-	14
15	0.03	0.12	0.32	0.46	-	-	-	-	0.07	-	0.10	-	15
16	0.02	0.01	0.36	0.05	-	-	-	0.01	0.26	-	0.03	-	16
17	-	0.03	0.01	0.11	0.06	0.05	0.01	-	0.14	-	-	-	17
18	-	-	0.10	0.15	0.07	-	0.06	-	-	-	0.04	0.04	18
19	0.07	-	0.08	0.01	-	0.03	-	-	0.37	0.03	-	0.01	19
20	0.16	-	0.04	0.10	-	-	-	-	-	-	0.11	-	20
21	-	-	0.10	0.02	0.07	-	0.09	-	-	-	0.27	-	21
22	0.43	-	0.50	-	-	-	-	0.87	0.34	-	-	-	22
23	0.01	-	0.01	-	-	0.08	-	-	0.09	-	0.01	-	23
24	0.12	-	-	0.05	-	-	-	0.01	-	0.02	0.03	-	24
25	-	-	-	0.04	-	-	-	-	0.03	0.16	-	0.01	25
26	-	0.10	0.12	0.06	0.01	-	-	0.01	0.01	-	-	0.23	26
27	-	0.02	-	0.49	-	-	-	-	-	0.02	-	-	27
28	0.35	-	0.19	0.41	0.02	-	-	-	-	-	-	-	28
29	0.01	-	0.39	0.48	0.07	-	-	0.37	-	0.29	-	0.13	29
30	0.29	-	-	-	0.26	-	-	-	-	-	-	-	30
31	-	-	0.04	-	-	-	-	-	-	-	-	-	31
Total	3.63	0.92	3.82	3.01	2.06	1.19	0.70	1.65	1.63	3.27	2.50	1.06	YEAR'S TOTAL 25.44
Rain Days.	18	12	23	20	15	11	7	9	14	14	18	12	173

REGISTER OF RAINFALL IN 1914

Kept at Kirkstiles Duffield
in the County of Derby
by W B Worthington M. Inst. C.E.

Lat. 52° 59' N Long. 1° 30' W
Time of Observation 8 am.
Nearest Railway Station Duffield M. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft.

FORM A.
BRITISH RAINFALL
11 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	—	0.12	—	—	—	1.77	0.18	—	—	0.01	0.12	1
2	—	—	—	—	—	—	0.01	0.21	—	—	0.39	0.17	2
3	—	—	0.05	0.01	0.15	—	0.18	0.08	—	—	0.01	0.15	3
4	0.23	—	0.08	0.32	0.08	—	—	0.04	—	—	0.40	0.39	4
5	0.07	—	0.16	0.25	0.16	0.12	0.12	—	—	—	0.06	0.01	5
6	—	—	—	0.06	0.21	—	0.09	0.04	—	—	—	0.06	6
7	—	0.05	0.38	0.06	0.18	—	0.03	0.15	—	—	0.01	0.39	7
8	0.11	—	—	0.03	0.23	0.58	0.31	0.34	—	—	—	0.01	8
9	0.27	0.03	0.01	0.02	0.01	0.69	—	0.31	0.03	—	0.02	—	9
10	0.16	0.06	0.02	0.14	0.04	—	—	—	0.03	—	—	—	10
11	—	0.09	0.43	0.03	0.05	0.01	—	—	0.14	—	0.76	0.44	11
12	0.04	0.05	0.15	—	—	—	0.10	—	0.22	—	0.04	0.32	12
13	—	0.16	0.12	—	—	—	—	—	0.03	0.19	0.45	0.29	13
14	0.02	0.16	0.06	—	—	—	0.07	—	0.01	0.34	0.30	0.23	14
15	0.03	—	0.16	—	—	—	—	0.01	0.03	—	0.17	0.01	15
16	0.02	—	0.03	—	—	—	0.61	—	0.10	—	—	—	16
17	—	0.13	0.08	—	—	—	0.05	—	0.20	—	—	0.39	17
18	—	—	—	—	—	0.09	0.06	—	0.12	—	—	0.52	18
19	—	—	—	—	—	—	0.06	—	0.04	—	—	0.10	19
20	—	0.12	0.01	—	—	0.05	0.35	0.02	—	—	—	0.03	20
21	—	0.30	—	—	—	0.02	—	—	—	0.09	—	0.29	21
22	—	0.04	—	0.01	0.54	0.09	0.03	0.04	—	0.27	—	—	22
23	—	0.05	0.13	—	0.18	0.01	0.09	—	—	0.01	—	—	23
24	0.03	0.03	0.20	0.02	0.19	—	0.19	0.07	—	0.11	0.15	—	24
25	0.01	—	0.01	—	—	—	0.17	0.32	—	0.72	0.03	0.32	25
26	—	—	0.02	—	—	—	0.05	0.20	—	0.18	0.09	0.19	26
27	0.02	—	—	—	—	—	—	—	—	—	—	0.59	27
28	0.20	0.12	0.07	—	—	—	—	—	—	0.04	0.28	0.59	28
29	0.08	—	0.29	—	—	—	—	0.01	—	0.31	0.06	0.01	29
30	—	X	0.01	0.03	—	—	—	—	—	0.04	0.32	0.17	30
31	0.16	X	0.03	X	—	X	0.50	—	X	0.09	X	0.03	31
Total	1.47	1.39	2.62	0.98	2.02	1.66	4.84	2.02	0.95	2.39	3.55	5.82	YEAR'S TOTAL 29.71
Rain Days.	16	14	23	12	12	9	20	15	11	12	18	25	187

REGISTER OF RAINFALL IN 1916

Kept at Kirkstyles, Duffield

in the County of Derby

by W. Barton Worthington M. Inst. C.E.

Lat. 52° 29' N Long. 1° 30' W.

Time of Observation 8 am.

Nearest Railway Station Duffield M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.08	—	0.45	—	—	0.16	0.21	—	—	—	0.23	—	1
2	0.25	0.10	0.11	—	0.02	0.21	0.68	—	0.04	0.30	0.10	—	2
3	—	0.24	—	—	—	—	0.18	—	0.39	0.40	0.05	—	3
4	0.15	0.05	—	—	0.49	1.19	—	—	—	0.09	0.26	—	4
5	0.06	0.01	—	—	0.01	0.04	—	—	—	0.15	0.20	—	5
6	0.16	0.28	0.14	—	0.38	—	0.30	—	—	0.05	0.37	—	6
7	0.04	—	0.11	—	0.02	—	0.20	—	—	0.10	0.07	0.20	7
8	—	—	0.12	—	—	—	—	—	—	—	0.03	0.17	8
9	—	—	0.01	—	0.43	0.04	—	—	—	—	—	—	9
10	0.01	0.09	0.03	0.07	—	—	0.04	—	0.10	—	—	0.16	10
11	—	0.18	0.08	0.23	—	0.09	0.01	—	0.02	—	—	0.06	11
12	0.05	0.09	0.21	0.11	0.43	0.02	0.09	0.01	—	0.02	—	—	12
13	—	0.21	0.08	0.12	0.01	—	0.08	0.41	—	0.03	—	0.07	13
14	—	0.14	—	0.28	0.12	—	—	0.12	—	0.10	—	0.02	14
15	—	0.25	0.53	—	—	—	0.01	0.23	—	—	—	—	15
16	0.02	0.14	0.46	0.19	—	—	0.19	0.15	—	—	—	—	16
17	0.06	0.16	—	0.35	—	—	0.03	0.09	0.17	0.18	—	—	17
18	—	0.11	0.02	0.02	—	—	—	—	0.15	0.04	0.92	0.06	18
19	0.05	0.09	0.26	0.03	—	—	—	0.04	—	—	0.23	—	19
20	0.16	—	0.15	0.16	—	—	—	—	—	—	—	0.10	20
21	0.01	—	0.08	—	—	—	0.08	—	—	—	—	0.26	21
22	—	0.04	0.01	—	—	0.04	—	—	—	0.03	—	0.28	22
23	0.04	0.14	0.01	0.01	—	—	—	0.06	—	0.04	0.15	0.24	23
24	—	0.71	—	0.01	—	0.01	—	0.03	—	0.03	—	0.11	24
25	—	0.05	0.22	—	0.06	—	—	0.17	—	—	0.31	—	25
26	0.01	0.07	0.03	—	—	0.04	—	—	—	0.08	0.05	—	26
27	0.02	0.10	0.30	—	—	—	0.10	0.04	0.03	0.22	—	—	27
28	—	0.18	0.09	—	—	0.03	—	—	—	0.07	—	0.15	28
29	—	0.35	—	—	0.01	0.43	—	0.38	—	0.37	—	0.39	29
30	—	X	—	—	0.13	0.06	—	—	—	0.09	—	—	30
31	—	X	—	X	—	X	—	0.02	X	0.16	X	0.11	31
Total	1.17	3.78	3.50	1.58	2.11	2.36	2.20	1.75	0.90	2.55	2.97	2.39	YEAR'S TOTAL 27.25
Rain Days.	16	23	22	12	12	13	14	13	7	20	13	15	180

REGISTER OF RAINFALL IN 1917

Kept at Kirkstiles, Duffield
in the County of Derby
by W. Barton Worthington

Lat. 52° 29' N Long. 1° 36' W
Time of Observation 8 am
Nearest Railway Station Duffield M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	—	—	0.10	—	0.08	—	0.43	0.13	—	0.10	0.10	1
2	0.18	—	—	0.02	—	0.14	—	0.13	—	—	0.02	—	2
3	—	0.09	—	—	—	0.01	—	0.06	—	0.32	0.02	—	3
4	0.08	—	0.08	—	—	—	—	—	—	0.47	—	—	4
5	0.11	—	0.11	0.07	—	—	—	0.01	0.04	0.15	0.12	—	5
6	0.03	—	—	—	—	0.23	—	—	—	0.34	0.20	0.01	6
7	0.53	—	—	—	—	0.18	—	—	—	0.55	0.17	0.01	7
8	0.50	—	—	0.11	—	—	—	0.67	—	0.75	0.12	0.01	8
9	0.04	—	0.10	0.20	0.03	—	—	0.15	—	—	0.28	—	9
10	0.35	—	0.65	0.07	0.47	—	—	0.20	0.08	—	—	—	10
11	0.07	—	—	0.12	—	—	—		—	0.21	—	—	11
12	0.04	—	—	—	0.28	—	—	0.23	—	0.16	—	0.03	12
13	—	—	—	0.03	—	—	—	0.28	0.11	0.02	—	—	13
14	0.11	—	—	0.07	0.01	—	—	0.22	—	—	—	0.08	14
15	—	—	—	0.01	0.01	—	0.06	—	—	0.01	—	0.11	15
16	0.05	0.08	—	0.12	—	0.01	0.03	0.01	—	0.01	—	0.30	16
17	0.01	0.01	—	0.08	0.19	—	0.15	0.39	0.05	0.13	—	—	17
18	—	—	—	0.03	0.18	—	0.65	0.03	0.61	—	—	—	18
19	0.03	0.17	0.16	—	0.16	0.29	—	0.11	0.01	—	—	—	19
20	—	0.23	—	—	0.27	0.01	—	0.01	0.28	—	0.05	—	20
21	—	0.02	0.09	—	0.13	0.23	—	0.05	—	0.06	—	—	21
22	—	—	0.05	—	—	—	—	0.02	0.06	0.14	0.01	—	22
23	—	0.10	—	—	—	—	—	0.17	0.04	0.50	—	—	23
24	—	—	—	—	0.01	0.54	0.06	0.17	—		0.14	—	24
25	—	—	0.07	—	—	—	0.02	0.01	—	0.03	0.03	—	25
26	—	—	—	—	—	—	—	0.51	0.17	0.08	0.43	—	26
27	—	—	0.04	—	—	0.25	0.23	0.49	—	—	0.17	—	27
28	—	—	0.07	—	—	0.23	—	0.20	—	—	—	0.12	28
29	—	~~X~~	—	—	0.05	—	0.08	0.06	—	0.30	—	0.14	29
30	—	~~X~~	0.04	—	—	—	0.02	0.28	—	—	0.01	—	30
31	—	~~X~~	0.10	~~X~~	—	~~X~~	0.01	0.10	~~X~~	—	~~X~~	—	31
Total	2.15	0.70	1.56	1.03	1.79	2.20	1.31	4.99	1.58	4.23	1.87	0.91	YEAR'S TOTAL 24.32
Rain Days.	15	7	12	13	12	12	10	27	11	18	15	10	162

NOTE! Aug. 10, 11 — Rain on both days
Oct. 23, 24 — It is believed that this all fell in 24 hours 8 am. 24th to 8 am. 25th

REGISTER OF RAINFALL IN 1918

Kept at Kirkstiles, Duffield

in the County of Derbyshire

by W. Barton Worthington J.P., M.L.C.

Lat. 52° 29' N. Long. 1° 30' W.

Time of Observation 9 a.m.

Nearest Railway Station Duffield (M.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.09	—	0.03	—	—	—	—	0.24	0.02	0.16	—	1
2	—	0.14	—	0.04	—	—	—	0.39	0.06	0.04	—	0.55	2
3	—	0.02	0.03	—	0.66	—	—	0.22	0.07	—	0.18	—	3
4	—	0.02	0.01	—	—	—	—	0.07	1.09	0.09	0.44	0.53	4
5	—	—	—	0.09	0.11	—	—	0.12	0.43	0.37	—	—	5
6	—	0.15	0.02	0.26	—	0.08	—	—	0.01	0.10	—	0.02	6
7	0.02	0.06	—	0.15	—	0.05	—	—	0.10	0.08	0.11	—	7
8	0.01	0.37	0.09	—	—	—	0.01	—	0.09	0.10	—	0.02	8
9	0.12	0.49	—	0.09	—	0.12	0.12	—	0.53	0.30	—	—	9
10	0.04	0.19	—	0.02	—	—	0.15	—	0.01	0.01	0.04	0.12	10
11	0.05	0.07	—	—	0.08	—	0.13	—	0.04	—	—	0.06	11
12	—	0.18	—	—	0.13	—	0.22	—	0.14	—	—	0.14	12
13	—	—	—	—	0.34	—	—	—	0.27	0.14	—	—	13
14	0.40	—	—	—	—	0.06	0.10	—	0.25	0.16	—	0.30	14
15	0.25	—	—	0.05	0.02	0.01	0.30	—	0.38	—	—	0.29	15
16	—	—	—	—	—	0.01	0.16	0.03	0.57	—	—	0.05	16
17	0.19	—	—	—	0.10	—	0.20	0.06	0.16	0.09	—	0.22	17
18	0.40	—	—	—	—	0.16	0.21	—	0.40	—	—	0.33	18
19	0.03	0.01	0.14	0.16	—	—	0.15	—	—	0.04	—	0.19	19
20	0.07	0.08	—	0.17	—	0.05	0.53	—	—	—	—	—	20
21	0.10	0.06	—	0.10	0.63	0.10	0.04	—	0.21	0.02	—	0.11	21
22	0.01	—	—	—	0.64	0.03	0.17	—	—	0.08	—	0.51	22
23	0.08	—	—	—	0.83	—	0.10	—	—	—	—	—	23
24	—	0.03	—	—	—	—	0.08	—	0.06	0.01	0.07	0.02	24
25	—	—	—	—	—	—	0.11	0.53	—	—	—	—	25
26	—	—	—	—	—	—	0.46	0.08	0.08	—	0.15	0.10	26
27	—	0.05	—	—	—	—	—	0.47	0.12	—	0.08	0.23	27
28	—	0.11	0.32	—	—	—	—	0.04	0.03	—	0.19	0.78	28
29	—	X	—	—	—	—	—	—	0.56	—	—	—	29
30	—	X	0.70	—	—	—	—	0.02	—	—	0.13	0.07	30
31	—	X	0.15	X	—	X	—	—	X	—	X	—	31
Total	1.77	2.03	1.46	1.16	3.54	0.67	3.24	2.03	5.90	1.65	1.55	4.64	YEAR'S TOTAL 29.64
Rain Days	14	17	8	11	10	10	18	11	24	16	10	20	169

REGISTER OF RAINFALL IN 1919.

Kept at Kirkstiles Duffield
in the County of West Yorkshire
by W. Barton Wetherington M. Inst. C.E.
J.P.

Lat. 52° 29' N Long. 1° 30' W
Time of Observation 9 a.m.
Nearest Railway Station Duffield M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " OD Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.30	0.02	0.03	-	0.18	-	0.07	-	0.07	0.42	-	0.25	1
2	0.14	0.02	0.02	-	-	-	0.08	-	0.07	0.05	0.17	0.06	2
3	0.94	-	0.01	-	0.11	0.06	0.11	-	0.11	-	0.19	0.05	3
4	-	-	0.25	-	-	0.06	0.01	0.12	0.10	-	0.02	0.32	4
5	-	0.06	-	-	-	-	0.02	-	0.28	-	-	0.26	5
6	-	-	0.21	-	0.36	-	-	-	-	-	0.01	0.04	6
7	-	-	0.26	0.02	-	-	-	-	-	-	-	-	7
8	0.12	-	0.02	-	-	0.01	-	-	-	-	-	-	8
9	-	-	0.03	0.01	-	-	-	-	-	-	0.01	-	9
10	-	-	0.32	0.05	-	-	-	-	-	-	0.04	0.12	10
11	0.01	-	0.62	0.01	0.04	-	0.13	-	-	-	-	0.03	11
12	-	-	0.46	0.07	-	0.36	0.04	-	-	0.02	0.13	0.01	12
13	0.35	-	-	0.32	-	-	-	-	0.26	0.14	-	0.03	13
14	0.41	-	-	0.27	-	-	-	-	0.01	0.02	0.02	0.02	14
15	0.33	0.10	0.03	0.02	-	-	-	-	-	-	0.05	0.49	15
16	0.17	0.45	-	0.01	-	-	-	-	-	-	0.19	-	16
17	0.03	0.37	-	0.03	0.10	0.07	0.35	-	-	-	0.40	-	17
18	-	-	0.23	-	-	-	0.02	0.05	0.01	-	0.30	0.39	18
19	0.22	0.30	1.84	-	-	0.05	0.70	0.54	0.11	-	0.05	0.02	19
20	0.95	0.10	0.21	-	-	0.01	0.29	0.10	-	-	0.18	0.16	20
21	0.08	0.45	0.04	-	-	0.02	0.14	-	0.03	-	0.01	0.30	21
22	-	0.08	-	-	-	-	-	-	0.89	-	0.04	0.55	22
23	-	-	-	-	-	-	-	-	-	0.99	0.01	0.01	23
24	-	-	-	0.14	0.40	0.02	0.07	-	-	0.40	0.12	0.01	24
25	0.08	0.12	-	0.11	0.18	-	-	0.29	-	-	0.03	0.14	25
26	-	-	0.37	0.03	-	0.01	-	0.09	0.11	-	-	0.50	26
27	0.07	-	0.02	0.27	-	-	-	0.03	-	-	0.14	0.03	27
28	0.01	-	-	0.06	-	-	-	0.57	-	0.01	-	0.41	28
29	0.06	X	0.02	-	-	0.01	-	0.10	-	0.56	0.07	0.02	29
30	0.01	X	0.12	0.05	-	0.13	-	-	-	0.05	0.07	0.23	30
31	0.01	X	0.01	X	-	X	0.05	-	X	0.02	X	-	31
TOTAL	4.29	2.07	5.12	1.47	1.37	0.81	2.08	1.89	2.05	2.68	2.25	4.45	YEAR'S TOTAL 30.53
Days with "1 in. or more	19	11	21	16	7	12	14	9	12	11	22	25	179

REGISTER OF RAINFALL IN 1921

Kept at Kirkstiles, Duffield
in the County of Derby
by W.B. Lounting to M. West C.E.

Lat. 53° 29' N Long 1° 30' W
Time of Observation 9 a.m.
Nearest Railway Station Duffield M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-										1
2	-	-	-										2
3	0.03	-	-										3
4	-	-	-										4
5	-	-	0.03										5
6	-	-											6
7	0.01	-											7
8	0.23	0.04											8
9	0.47	0.64											9
10	0.41												10
11	0.17	-											11
12	0.03	0.02											12
13	0.07	0.11											13
14	0.02	0.02											14
15	0.01	0.12											15
16	-	-											16
17	-	-											17
18	0.10	-											18
19	0.11	1.41											19
20	0.10	0.03											20
21	-	-											21
22	0.03	-											22
23	-	-											23
24	0.04	-											24
25	-	0.03											25
26	0.23	0.03											26
27	0.07	0.02											27
28	0.94	-											28
29	0.04	-											29
30	0.10	X											30
31	0.15	X		X		X		X		X			31
TOTAL	3.36	2.47											YEAR'S TOTAL
Days with "01 in. or more	21	12											
Days with "04 in. or more	15	6											

REGISTER OF RAINFALL IN 1920.

Kept at Duffield, Castle Hill House
in the County of Derbyshire
by Messrs J. Davies & Son

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				23	32		40		02	11	01	16	1
2				15	01		12		11	14		20	2
3		03		31			68		11	21		09	3
4	04			13			01	71	01	49		01	4
5			04		55		21	08	06	06			5
6			16	03	17		08		02	06		02	6
7			04	02	01		06						7
8	13	04		45	09		18	01					8
9	58	10		44			02	04					9
10	40	52	07	30			27				01	01	10
11	20		03	12	49	17	01					05	11
12	03	01		38	01	14	04	02		01	03	08	12
13	10	10	07	44		26		10			01		13
14	02	03	59	11		100	07		27		10		14
15		11	16	17			01		28	18	02		15
16			01	17	02	15	30		01	14			16
17			01		18		03		57	05			17
18	08	01		01	17		03	06	20				18
19	14	16		25	15	11		08	12			01	19
20	09	25		22		25	02						20
21	01			01			21	09				05	21
22	03			27			19		01			02	22
23				04			05	01				57	23
24	02		24	10			85					24	24
25	04	04	11				09					02	25
26	21	04	09	07	14	03				01			26
27	13		03	06	11	19	07				43	29	27
28	78	02	10	15	09	03	01			01	05	06	28
29	04		11		17		12				17	75	29
30	08			24	21	07	01		10		18	45	30
31	14		06		04		01			28		13	31
TOTAL	329	246	192	487	293	240	515	120	189	175	101	321	YEAR'S TOTAL 3208
Days with 01 in. or more	21	14	17	26	18	11	28	10	14	13	10	19	201

ECKINGTON
MOSBROUGH

C.E. SCHOOL
DERBY

1911

Snowdon

r of top 5 in.

f top above Ground 1 ft. 0 in.

" " Sea Level 330 ft. T.

ion 9 a.m.

Station { Name Killamarsh
Distance 2 mls Direction E

Jan. 1, following.

Kept at Mosbrough
in the County of
by W. H. H.

1911 - 1920

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	0.26	2	-	-	0.06	-	0.03	-	-	-	-	-	2
3	-	-	-	-	0.16	-	-	0.05	-	0.03	0.08	0.08	3
4	0.03	-	-	0.10	-	-	-	0.03	0.45	0.25	0.28	0.21	4
5	0.03	-	0.03	0.05	-	-	-	0.07	-	0.15	-	-	5
6	0.16	-	0.01	-	-	-	-	0.13	-	0.12	0.19	0.71	6
7	-	0.01	-	-	-	-	-	-	-	-	0.14	-	7
8	0.15	-	0.12	-	-	-	-	-	-	-	0.10	0.31	8
9	-	-	-	-	-	0.11	-	-	-	-	-	0.03	9
10	-	-	-	-	-	-	-	-	-	-	-	0.56	10
11	0.18	-	-	-	-	-	-	0.03	-	-	0.46	-	11
12	0.04	-	0.10	-	-	-	-	-	0.32	-	0.16	-	12
13	-	-	0.06	-	-	0.02	-	-	-	-	0.05	0.42	13
14	-	0.01	0.05	-	0.44	-	0.01	-	-	-	0.02	0.11	14
15	-	0.12	0.09	0.01	-	-	-	-	-	0.02	-	0.07	15
16	0.01	0.10	0.06	0.03	-	0.08	0.02	-	-	0.04	0.19	0.04	16
17	-	-	0.01	0.02	-	0.18	-	-	-	-	0.04	0.20	17
18	-	0.22	-	-	-	0.06	-	-	-	0.02	0.14	0.11	18
19	-	0.06	0.02	-	-	0.09	0.02	-	0.18	0.11	0.31	0.05	19
20	-	0.06	-	0.10	-	-	0.01	0.85	0.10	-	-	0.15	20
21	-	0.32	-	0.01	-	-	-	0.12	-	0.19	0.04	-	21
22	0.02	0.05	0.01	0.01	-	-	-	0.05	-	0.23	0.02	0.20	22
23	-	0.23	0.01	-	-	0.40	-	-	0.33	0.02	0.01	0.18	23
24	-	0.05	0.05	0.04	-	0.69	-	0.01	-	0.18	-	0.10	24
25	0.05	0.13	-	0.09	-	-	-	-	0.13	0.01	-	0.30	25
26	-	0.02	-	0.11	0.19	0.02	-	-	-	0.25	0.40	0.29	26
27	-	0.12	0.11	0.09	-	-	-	-	0.28	-	0.02	0.16	27
28	-	0.06	0.01	0.20	-	-	-	0.63	0.03	0.01	0.09	0.06	28
29	-	-	0.01	0.03	-	0.02	-	-	0.17	0.22	-	0.03	29
30	-	-	-	-	0.13	0.08	-	-	-	0.19	0.02	0.01	30
31	-	-	0.60	-	-	-	-	-	-	0.08	-	-	31
Total	0.93	1.56	1.41	0.89	0.98	2.25	0.09	1.99	1.99	2.18	2.76	4.38	21.41
No. of Rain Days	10	15	18	14	5	11	5	11	9	18	20	23	159

1911

FORM A2.
BRITISH RAINFALL
11 JAN 1912

Kept at Mosbrough C.E. School

in the County of Derby

by W. H. Holmes

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 330 ft. T.

Time of Observation 9 a.m.

Nearest Railway Station { Name Killamarsh
Distance 2 mls. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	0.26	2	-	-	0.06	-	0.03	-	-	-	-	-	2
3	-	-	-	-	0.16	-	-	0.05	-	0.03	0.08	0.08	3
4	0.03	-	-	0.10	-	-	-	0.03	0.45	0.25	0.28	0.21	4
5	0.03	-	0.03	0.05	-	-	-	0.07	-	0.15	-	-	5
6	0.16	-	0.01	-	-	-	-	0.13	-	0.12	0.19	0.71	6
7	-	0.01	-	-	-	-	-	-	-	-	0.14	-	7
8	0.15	-	0.12	-	-	-	-	-	-	-	0.10	0.31	8
9	-	-	-	-	-	0.11	-	-	-	-	-	0.03	9
10	-	-	-	-	-	-	-	-	-	-	-	0.56	10
11	0.18	-	-	-	-	-	-	0.03	-	-	0.46	-	11
12	0.04	-	0.10	-	-	-	-	-	0.32	-	0.16	-	12
13	-	-	0.06	-	-	0.02	-	-	-	-	0.05	0.42	13
14	-	0.01	0.05	-	0.44	-	0.01	-	-	-	0.02	0.11	14
15	-	0.12	0.04	0.01	-	-	-	-	-	0.03	-	0.07	15
16	0.01	0.10	0.06	0.03	-	0.08	0.02	-	-	0.04	0.19	0.04	16
17	-	-	0.01	0.02	-	0.18	-	-	-	-	0.04	0.20	17
18	-	0.22	-	-	-	0.06	-	-	-	0.02	0.14	0.11	18
19	-	0.06	0.02	-	-	0.09	0.02	-	0.18	0.11	0.31	0.05	19
20	-	0.06	-	0.10	-	-	0.01	0.85	0.10	-	-	0.15	20
21	-	0.32	-	0.01	-	-	-	0.12	-	0.19	0.04	-	21
22	0.02	0.05	0.01	0.01	-	-	-	0.05	-	0.23	0.02	0.20	22
23	-	0.23	0.01	-	-	0.40	-	-	0.33	0.02	0.01	0.18	23
24	-	0.05	0.05	0.04	-	0.69	-	0.01	-	0.18	-	0.10	24
25	0.05	0.13	-	0.04	-	-	-	-	0.13	0.01	-	0.30	25
26	-	0.02	-	0.11	0.19	0.02	-	-	-	0.25	0.40	0.29	26
27	-	0.12	0.11	0.04	-	-	-	-	0.28	-	0.02	0.16	27
28	-	0.06	0.01	0.20	-	-	-	0.63	0.03	0.01	0.04	0.06	28
29	-	-	0.01	0.03	-	0.02	-	-	0.17	0.22	-	0.03	29
30	-	-	-	-	0.13	0.08	-	-	-	0.19	0.02	0.01	30
31	-	-	0.60	-	-	-	-	-	-	0.08	-	-	31
Total	0.93	1.56	1.41	0.89	0.98	2.25	0.09	1.99	1.99	2.18	2.76	4.38	21.41
No. of Rain Days	10	15	18	14	5	11	5	11	4	18	20	23	159

loc 7.6
REGISTER OF RAINFALL IN 1912

FORM A2
BRITISH RAINFALL

Kept at Mosbro C.E. School
in the County of Derby
by W. H. Holmes
Headmaster

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 330 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Killamarsh
Distance 1 1/2 m. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.02	—	—	—	0.54	0.60	—	0.08	—	—	0.65	1
2	0.03	—	0.31	—	—	0.38	0.51	—	0.04	—	—	0.03	2
3	—	0.05	0.03	—	—	0.47	—	0.54	0.23	—	—	0.04	3
4	0.06	—	0.54	0.03	0.28	0.51	—	0.33	0.02	—	0.13	—	4
5	0.22	0.04	0.07	0.01	0.11	0.11	0.01	0.14	0.04	—	0.02	—	5
6	0.80	0.12	0.03	—	0.07	—	—	0.56	—	—	—	—	6
7	—	0.06	—	—	0.01	0.11	—	—	—	—	—	—	7
8	0.45	0.42	0.16	—	0.01	—	0.15	—	0.14	—	—	—	8
9	—	0.12	0.18	0.19	—	0.07	0.01	0.39	0.01	—	0.20	0.05	9
10	0.04	—	0.01	—	—	—	—	—	—	—	0.15	—	10
11	0.14	0.03	0.01	—	—	0.04	—	—	0.01	—	0.08	0.84	11
12	0.06	0.46	0.03	—	—	0.03	0.92	—	—	—	0.03	—	12
13	—	0.04	—	—	—	—	0.01	0.02	—	0.06	0.09	—	13
14	0.09	—	0.39	—	—	0.08	—	—	—	—	—	—	14
15	0.16	0.03	0.16	—	0.38	0.07	—	—	—	—	—	0.14	15
16	0.74	—	0.05	—	0.08	0.18	—	0.33	—	0.07	—	0.02	16
17	0.16	—	0.17	—	—	0.19	0.05	—	—	—	—	0.45	17
18	0.13	—	0.11	—	—	0.01	—	0.35	—	0.03	0.01	0.05	18
19	—	0.16	0.10	—	—	—	0.84	0.03	—	—	0.03	—	19
20	0.55	—	0.11	—	0.12	0.06	0.14	—	—	0.18	—	—	20
21	—	—	0.53	—	0.89	—	0.55	—	—	0.10	—	—	21
22	0.01	0.05	0.05	—	0.78	0.70	0.09	0.60	—	—	—	—	22
23	0.05	—	0.24	—	0.02	—	0.46	0.14	—	—	—	0.06	23
24	0.23	—	0.03	—	0.01	0.07	0.43	0.23	—	—	0.06	0.15	24
25	—	—	—	—	—	0.12	—	0.68	—	0.03	0.21	0.06	25
26	—	0.08	0.07	—	—	0.01	0.35	0.40	—	0.93	0.16	0.23	26
27	—	—	0.04	—	—	0.21	0.83	—	—	0.84	0.04	0.09	27
28	—	0.03	0.16	—	—	0.15	0.18	0.01	0.08	0.24	0.78	—	28
29	—	0.01	0.03	—	—	0.15	0.06	—	0.39	0.07	—	0.11	29
30	0.10	—	0.03	—	0.86	0.04	0.04	—	0.20	0.02	—	—	30
31	—	—	0.15	—	0.19	—	0.29	0.25	—	0.09	—	0.02	31
Total	4.02	1.72	3.79	0.23	3.81	4.30	6.52	5.00	1.24	2.66	1.99	2.99	TOTAL for year 38.27
No. of Rain Days	18	16	27	3	14	23	20	16	11	12	14	16	1902

REGISTER OF RAINFALL IN 1913

FORM A
BRITISH RAINFALL

Kept at Mosby L. E. School

in the County of Derby

by W. H. Holmes

Lat. 53.20' N Long. 1.20' W

Time of Observation 9 a.m.

Nearest Railway Station Killamarsh

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.07	0.07	—	—	—	—	0.38	—	0.03	—	1
2	—	0.05	0.04	0.02	—	—	—	—	—	0.02	0.05	0.02	2
3	0.02	0.06	0.14	—	0.32	—	0.03	—	0.02	0.47	—	0.21	3
4	0.80	0.14	—	—	0.40	—	0.34	—	0.05	0.19	0.20	0.33	4
5	0.02	0.01	0.04	—	—	0.10	0.10	—	—	0.91	—	—	5
6	—	0.04	0.10	0.02	0.45	0.04	0.45	—	0.05	0.77	—	—	6
7	—	0.34	—	—	0.12	0.26	—	—	—	0.85	—	—	7
8	—	0.07	0.02	—	0.30	—	—	0.09	0.02	0.01	—	0.03	8
9	—	0.34	—	0.01	0.36	0.11	0.09	—	—	—	0.35	—	9
10	0.01	0.01	—	0.11	—	—	0.05	—	—	—	0.23	—	10
11	1.28	—	—	0.41	—	0.02	—	—	—	—	0.25	—	11
12	—	—	—	—	—	—	—	—	—	0.03	0.35	—	12
13	0.06	—	0.06	—	—	—	—	0.02	0.17	—	0.15	—	13
14	0.08	—	0.48	—	—	—	—	—	—	0.06	0.33	—	14
15	0.07	—	—	0.36	—	—	—	—	0.15	—	0.40	—	15
16	—	0.03	0.49	—	—	—	—	0.01	0.23	—	—	—	16
17	—	0.04	0.31	0.10	0.01	—	—	—	1.31	—	0.05	—	17
18	—	0.03	0.19	0.21	—	—	0.08	—	—	—	0.05	—	18
19	0.12	—	—	0.09	—	—	—	—	0.28	—	—	—	19
20	0.17	—	0.06	0.05	—	—	—	—	0.02	0.09	0.13	—	20
21	—	—	—	—	0.10	—	0.23	0.01	—	—	—	—	21
22	0.21	—	0.50	—	—	—	—	0.87	—	—	0.10	—	22
23	0.08	—	—	—	—	0.04	—	0.04	0.36	—	—	—	23
24	0.16	—	—	0.02	—	0.04	—	—	—	—	—	—	24
25	—	—	—	0.02	—	—	—	—	0.07	—	—	0.04	25
26	—	—	0.18	0.18	—	0.01	—	—	—	0.13	—	0.44	26
27	—	—	0.02	0.47	—	—	—	—	—	0.01	—	0.08	27
28	0.22	—	0.18	0.65	—	—	—	—	—	0.01	—	0.48	28
29	—	—	0.34	0.45	0.04	—	—	0.50	—	—	—	0.05	29
30	0.39	—	—	—	—	—	—	—	—	0.43	0.02	0.10	30
31	—	—	0.02	—	—	—	—	—	—	—	—	—	31
Total	3.69	1.16	3.24	3.24	2.10	0.62	1.37	1.54	3.11	3.98	2.64	1.78	28.47
Rain Days.	15	12	18	17	9	8	8	7	13	14	15	10	146

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Mosbro C. & School
in the County of Derby
by W. H. Holmes

Lat. 53° 20' N Long. 1° 20' W
Time of Observation 9 a.m.
Nearest Railway Station Killamarsh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 330 ft.

BRITISH RAINFALL
FORM A.
11 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0.02	0.04	-	-	-	1.20	0.20	-	-	-	0.16	1
2	-	-	-	-	-	-	2.32	0.16	-	-	0.47	0.16	2
3	0.04	-	0.02	-	0.09	-	0.05	-	-	-	0.03	0.61	3
4	0.18	-	0.08	0.13	0.22	-	-	0.02	-	-	0.35	0.18	4
5	0.14	-	0.08	0.10	0.10	-	-	0.01	-	-	0.06	0.18	5
6	-	0.04	0.13	0.15	0.09	-	0.32	0.02	-	-	0.03	0.21	6
7	-	0.02	0.19	0.10	0.02	0.02	0.01	0.06	-	-	-	0.20	7
8	0.03	-	-	-	0.06	0.59	0.38	0.12	0.33	0.01	-	-	8
9	0.50	0.01	-	-	0.02	0.76	-	0.10	-	-	-	-	9
10	-	0.16	0.01	0.32	-	-	-	-	0.04	-	0.01	-	10
11	-	0.06	0.26	-	0.03	0.09	-	-	-	0.02	0.50	0.38	11
12	-	0.04	0.11	-	-	-	0.02	-	0.35	-	0.05	0.44	12
13	0.01	0.10	0.25	-	-	-	-	-	0.02	0.06	0.30	0.21	13
14	0.03	0.24	0.06	-	-	-	0.02	-	0.02	0.48	0.27	0.20	14
15	-	0.01	0.16	-	-	0.01	-	-	0.01	0.02	0.06	0.03	15
16	-	-	0.04	-	-	-	0.38	-	0.06	-	-	-	16
17	0.08	0.15	0.06	-	-	-	0.03	-	0.26	-	-	0.28	17
18	-	-	-	-	-	0.14	-	-	-	-	-	0.30	18
19	-	-	0.14	-	-	-	0.08	-	0.02	-	-	0.15	19
20	0.02	-	0.06	-	-	-	-	0.02	0.04	0.13	-	-	20
21	-	0.19	-	-	-	0.08	-	-	-	0.10	-	0.13	21
22	-	0.38	0.01	-	-	0.05	0.01	0.03	-	0.12	-	0.02	22
23	-	0.05	0.04	-	0.45	0.01	0.04	-	-	-	0.04	0.02	23
24	-	-	0.14	-	0.17	-	0.09	0.10	-	0.04	0.10	0.01	24
25	0.03	-	-	0.02	-	-	0.02	0.21	-	0.58	0.01	0.22	25
26	-	-	0.04	-	-	-	0.01	0.25	-	0.19	0.05	0.24	26
27	0.06	0.10	-	-	-	-	-	-	-	-	0.09	0.66	27
28	0.06	0.11	-	-	-	-	-	-	-	0.04	-	0.41	28
29	0.02		0.16	-	-	-	-	0.01	-	0.54	0.07	0.01	29
30	0.01	X	0.03	-	-	-	-	0.02	-	-	0.16	0.20	30
31	0.12	X	0.02	X	-	X	0.31	-	X	0.20	X	0.08	31
Total	1.33	1.68	2.13	0.82	1.25	1.75	5.29	1.33	1.15	2.53	2.65	5.69	27.60
Rain Days.	15	16	23	6	10	9	17	15	10	14	18	26	179

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Mosbro L. & School

in the County of Derby

by W. H. Holmes

Lat. 53° 20' N Long. 1° 20' W

Time of Observation 9 a.m.

Nearest Railway Station Killamarsh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.17	0.15	0.02	—	0.34	—	0.05	—	0.12	—	0.04	0.11	1
2	0.08	0.05	0.12	0.24	—	0.03	0.61	0.10	—	0.12	—	0.02	2
3	0.58	0.01	0.01	0.12	—	—	0.44	0.03	0.01	—	0.02	0.38	3
4	0.01	—	—	—	0.06	—	0.24	0.54	—	—	—	0.79	4
5	0.01	0.34	—	—	0.19	—	—	0.16	—	0.02	0.02	0.62	5
6	0.06	0.14	0.02	0.12	—	—	0.39	0.06	—	—	0.07	0.12	6
7	0.15	0.27	0.01	0.02	—	—	0.03	0.03	—	—	0.11	0.16	7
8	0.13	0.09	0.02	0.06	—	—	—	0.54	—	—	0.07	0.01	8
9	0.02	0.02	—	0.04	—	—	—	0.22	0.01	—	—	0.63	9
10	0.37	—	0.08	—	—	—	—	0.11	—	0.02	0.14	—	10
11	0.11	—	0.01	0.01	0.53	—	0.11	0.27	—	—	0.43	0.48	11
12	0.01	—	—	0.14	0.21	—	—	0.03	—	0.04	1.68	—	12
13	—	0.54	—	—	0.04	—	—	—	—	—	—	0.01	13
14	0.01	0.02	—	—	—	—	—	0.02	0.03	—	—	0.26	14
15	0.55	—	—	—	—	—	0.01	0.01	—	—	0.06	—	15
16	—	0.40	—	—	0.12	—	1.63	0.31	—	—	0.04	0.02	16
17	—	0.19	0.01	—	—	—	0.12	0.03	—	0.02	0.02	—	17
18	—	0.30	0.08	—	—	—	—	—	—	—	0.04	—	18
19	—	0.02	—	—	0.05	—	0.11	—	—	0.03	—	—	19
20	0.01	—	—	0.01	—	—	0.01	—	—	—	—	0.24	20
21	0.08	—	0.08	0.08	—	—	0.09	—	—	—	—	—	21
22	0.02	—	0.19	0.01	—	—	0.07	—	—	—	—	0.06	22
23	0.01	0.01	0.07	0.02	—	—	0.13	—	0.03	0.20	—	0.03	23
24	0.01	—	0.08	0.03	—	—	—	—	0.48	0.02	0.02	0.28	24
25	0.01	—	—	—	—	—	0.05	—	—	0.04	—	0.05	25
26	0.04	0.39	—	—	—	0.06	0.12	—	0.03	—	—	0.48	26
27	0.01	0.20	—	—	—	—	0.05	—	—	0.52	—	0.58	27
28	—	0.35	0.06	—	—	0.20	—	0.41	—	0.14	—	0.04	28
29	—	~~X~~	—	—	0.03	0.19	—	—	0.02	—	0.14	0.53	29
30	0.09	~~X~~	—	0.02	—	0.25	—	—	—	—	0.01	0.02	30
31	0.08	~~X~~	—	~~X~~	—	~~X~~	—	0.05	~~X~~	0.26	~~X~~	0.31	31
Total	2.62	3.49	0.86	0.92	1.57	0.73	4.26	2.92	0.73	1.43	2.91	6.23	28.67
Rain Days.	24	18	15	14	9	5	18	17	8	12	16	24	180

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Mosbro b. b. School
in the County of Derby
by W. H. Holmes

Lat. 53° 20' N Long. 1° 20' W
Time of Observation 9 a.m.
Nearest Railway Station Killamash
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 330 ft.

FORM A.
BRITISH RAINFALL.

2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.38	0.04	0.15	-	-	0.06	0.03	-	-	-	0.18	-	1
2	0.24	0.09	0.24	-	-	-	-	-	0.06	0.15	0.01	-	2
3	-	0.37	-	0.05	-	-	0.29	-	0.37	0.18	0.02	-	3
4	-	0.10	-	0.05	0.63	0.24	0.05	-	0.25	0.19	0.41	-	4
5	0.58	0.02	-	-	0.06	0.21	-	-	-	0.30	0.32	-	5
6	0.08	0.39	0.30	0.05	0.37	0.02	0.25	-	-	-	0.45	0.02	6
7	-	-	0.17	-	-	-	0.18	-	-	-	0.17	0.39	7
8	-	-	0.26	-	-	-	-	-	-	0.16	0.04	-	8
9	-	-	0.08	-	0.36	0.15	-	-	0.06	-	0.01	0.26	9
10	-	0.09	0.05	0.05	-	0.41	0.02	0.15	0.02	0.01	-	0.34	10
11	-	0.42	0.25	0.09	-	0.15	-	0.34	0.05	-	-	0.01	11
12	-	-	0.42	0.05	0.43	0.06	-	0.25	-	0.05	-	-	12
13	-	0.05	0.34	0.01	-	-	-	-	-	-	0.02	-	13
14	-	0.20	0.03	0.09	0.06	-	0.10	-	0.01	0.13	0.02	-	14
15	-	0.50	0.62	-	-	-	-	0.47	-	0.01	-	-	15
16	-	0.28	0.43	0.12	-	-	0.06	0.02	-	-	-	-	16
17	0.02	0.16	-	0.11	-	-	0.07	0.18	0.09	0.16	0.01	-	17
18	0.01	0.32	0.02	0.01	-	0.06	-	0.06	0.20	0.05	1.14	0.09	18
19	0.06	-	0.31	0.10	-	-	-	-	0.07	-	0.39	0.12	19
20	0.09	0.01	0.18	0.13	-	-	-	-	-	-	-	0.04	20
21	-	-	0.13	0.07	-	-	-	-	-	-	-	-	21
22	0.05	0.02	0.01	-	-	-	-	0.18	-	0.03	0.05	0.38	22
23	-	0.10	0.05	0.02	-	-	-	0.08	-	0.09	0.14	0.44	23
24	-	1.04	-	-	-	0.02	0.05	0.04	-	0.03	-	0.18	24
25	-	0.06	0.24	-	0.03	-	-	0.12	-	0.06	0.02	-	25
26	-	0.15	0.07	-	-	-	-	0.05	-	0.10	0.05	-	26
27	-	0.26	0.04	-	-	-	-	0.15	0.03	-	-	-	27
28	-	0.32	0.11	0.02	-	0.09	-	-	0.04	-	-	0.05	28
29	-	0.28	-	-	-	0.68	-	0.14	-	0.43	-	0.35	29
30	-	X	-	-	-	-	-	-	-	0.16	-	-	30
31	-	X	-	X	-	X	-	-	X	0.13	X	0.12	31
Total	1.51	5.27	4.50	1.02	1.94	2.15	1.10	2.23	1.25	2.42	3.45	2.79	29.63
Rain Days.	9	23	23	16	7	12	10	14	12	19	18	14	177

REGISTER OF RAINFALL IN 1917

Kept at Mosbro C. E. School
in the County of Derby
by M^r W. H. Holmes

Lat. 53° 20' Long. 1° 20' W
Time of Observation 9 a.m.
Nearest Railway Station Killamarsh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 330 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	-	-	0.27	-	0.04	-	0.59	0.08	-	0.35	0.08	1
2	0.12	-	-	0.03	-	0.26	-	0.15	-	-	0.13	-	2
3	0.02	0.04	-	0.01	-	-	-	0.22	-	0.06	0.15	0.08	3
4	0.01	0.04	0.14	-	-	0.04	-	0.10	-	0.13	0.02	-	4
5	0.19	-	0.09	0.12	-	-	-	0.02	-	0.03	-	-	5
6	0.02	-	-	-	-	0.12	-	-	-	0.36	0.08	-	6
7	0.44	-	0.05	-	-	0.12	-	-	-	0.33	0.06	-	7
8	0.68	-	-	0.29	-	0.20	-	1.21	-	0.63	0.21	0.03	8
9	0.13	-	0.08	0.08	0.01	-	-	0.01	-	0.05	0.38	-	9
10	0.26	-	0.85	0.20	0.24	-	-	0.11	-	0.20	-	0.05	10
11	0.01	-	-	0.77	-	-	-	0.10	-	-	-	-	11
12	0.08	-	-	-	0.36	-	-	0.15	0.03	-	-	-	12
13	0.08	-	-	0.11	-	-	-	0.27	0.09	0.09	-	0.08	13
14	0.20	-	0.03	0.02	-	-	-	0.50	-	-	-	0.13	14
15	0.02	-	-	0.01	-	-	0.08	-	0.05	0.05	-	0.04	15
16	0.07	-	-	0.15	0.44	-	-	0.06	-	-	-	0.44	16
17	0.02	0.13	-	0.14	-	0.14	0.10	0.19	0.05	0.08	-	0.25	17
18	0.01	-	0.03	0.02	0.06	-	0.35	0.01	0.39	0.01	-	-	18
19	0.03	0.21	0.09	-	0.38	0.42	-	-	0.08	-	0.06	-	19
20	0.05	0.19	0.05	-	0.21	0.41	-	-	0.07	-	0.08	-	20
21	0.03	0.03	0.15	-	0.10	-	-	0.56	-	0.06	-	-	21
22	0.02	0.05	0.08	-	-	-	-	0.03	0.05	0.01	-	-	22
23	-	-	-	-	0.10	0.04	-	0.42	-	0.10	-	-	23
24	-	-	-	-	-	0.26	-	0.68	-	0.51	0.34	-	24
25	-	0.07	0.11	-	-	-	0.13	-	-	-	0.07	-	25
26	-	-	0.02	-	-	0.06	0.01	-	0.05	-	-	-	26
27	-	-	0.07	-	-	0.23	0.25	0.38	-	0.01	0.07	0.03	27
28	-	-	0.08	-	-	0.01	-	0.09	-	0.01	0.06	0.27	28
29	-	-	0.05	-	0.36	-	0.02	0.08	-	0.26	-	0.11	29
30	0.09	X	0.38	-	-	-	0.16	0.01	-	0.01	-	0.26	30
31	0.07	X	0.24	X	-	X	-	0.12	X	0.01	X	-	31
Total	2.67	0.76	2.59	2.22	2.26	2.35	1.10	6.06	.94	2.97	2.06	1.85	27.83
Rain Days.	24	8	18	14	10	14	8	24	10	21	14	13	178

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Mosbro C. & School
in the County of Derby
by M^r W. H. Holmes

Lat. 53° 20' Long. 1° 20' W.
Time of Observation 9 a.m.
Nearest Railway Station Killamarsh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 330 ft.

FORM A.
BRITISH RAINFALL
1. 1. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0.06	-	0.04	-	-	-	-	0.04	0.06	0.20	0.10	1
2	-	-	-	-	-	-	-	0.30	0.07	0.02	-	0.39	2
3	-	0.12	0.05	-	0.76	-	-	0.32	0.05	0.01	-	0.38	3
4	-	-	0.07	-	-	-	-	0.08	0.51	0.02	0.36	-	4
5	-	-	-	-	0.40	-	-	-	0.17	0.34	-	-	5
6	-	0.26	-	0.74	-	0.05	-	0.23	-	0.18	-	0.02	6
7	0.10	0.07	-	0.11	-	-	-	-	0.10	0.03	0.13	-	7
8	-	0.19	0.07	0.07	-	-	0.03	-	0.40	0.05	-	0.01	8
9	0.11	-	-	0.26	-	0.12	0.13	-	0.57	0.74	0.03	0.04	9
10	0.05	0.56	-	0.02	-	-	0.12	-	-	-	0.04	-	10
11	0.15	0.05	-	0.03	0.20	-	0.08	-	0.07	-	-	-	11
12	-	0.09	0.06	0.28	0.02	-	0.75	-	0.12	-	-	-	12
13	-	-	-	0.02	0.01	-	-	-	0.78	0.10	-	-	13
14	0.39	-	-	0.03	-	0.01	0.05	-	0.27	0.08	-	0.29	14
15	0.34	-	-	-	-	0.08	0.39	-	0.81	0.02	-	0.05	15
16	-	-	-	0.02	-	0.03	0.67	-	0.26	0.03	-	0.24	16
17	0.26	-	-	-	-	-	0.65	-	0.07	0.06	-	0.18	17
18	-	-	0.05	-	-	0.02	-	-	0.79	-	-	0.15	18
19	-	-	0.15	0.01	-	0.01	0.09	-	0.04	0.10	-	0.30	19
20	0.44	0.08	-	0.03	-	0.12	0.14	-	0.06	0.02	-	-	20
21	0.14	0.08	-	0.11	0.34	-	-	-	0.25	0.30	-	0.03	21
22	0.05	-	-	-	0.14	0.03	0.13	-	0.03	-	-	0.51	22
23	0.08	-	-	-	0.28	0.05	0.26	-	0.01	-	0.01	-	23
24	-	0.07	-	-	-	-	0.14	-	0.10	-	0.02	-	24
25	-	-	-	-	-	0.05	-	0.40	0.02	0.25	-	-	25
26	-	-	-	-	-	-	-	0.05	0.07	-	0.02	0.17	26
27	-	0.07	-	-	-	-	0.21	0.20	0.24	-	0.12	0.16	27
28	-	0.13	-	-	-	-	-	0.20	0.04	-	0.07	0.34	28
29	-	X	-	-	-	-	-	-	0.13	-	0.12	0.16	29
30	-	X	0.38	-	-	-	-	-	0.03	-	-	0.24	30
31	-	X	0.10	X	-	X	-	0.04	X	-	X	0.02	31
Total	2.11	1.83	0.93	1.77	2.15	0.57	3.94	1.82	6.10	1.81	1.12	3.78	27.93
Rain Days.	11	13	8	14	8	11	15	9	28	18	11	20	166

REGISTER OF RAINFALL IN 1919.

Kept at Mosbro C E School
 in the County of Derby
 by M^r W. H. Holmes

Lat. 53° 20' Long. 1° 20'
 Time of Observation 9 a.m.
 Nearest Railway Station Kilham Marsh
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.29	-	-	-	0.18	-	0.26	-	0.06	0.11	0.07	0.19	1
2	0.16	0.21	-	-	0.04	0.08	0.05	-	0.08	-	0.09	0.02	2
3	1.98	-	0.04	-	0.01	-	0.70	-	0.18	-	0.24	0.10	3
4	0.04	-	0.25	-	0.01	0.10	0.05	0.11	0.08	-	0.09	0.22	4
5	-	-	-	-	0.01	-	-	0.30	0.23	-	0.01	0.38	5
6	0.03	-	-	0.01	0.56	-	-	-	-	0.04	0.02	0.28	6
7	0.01	-	0.38	0.01	-	-	-	-	-	-	0.02	-	7
8	0.12	-	0.02	-	-	-	-	-	-	-	-	-	8
9	0.06	-	0.03	0.01	-	-	-	-	-	-	0.05	-	9
10	-	-	0.15	-	0.03	-	-	-	-	-	0.04	0.15	10
11	-	-	0.97	0.02	-	-	0.14	-	-	-	0.01	-	11
12	0.01	-	0.88	0.25	-	0.07	0.12	-	0.19	-	0.01	0.01	12
13	0.12	-	-	0.18	-	-	0.02	-	0.70	0.11	0.03	-	13
14	0.22	-	-	0.21	-	-	-	0.08	-	0.01	0.05	0.02	14
15	0.24	0.26	0.03	0.03	-	-	-	-	-	-	0.03	0.65	15
16	0.03	0.69	-	0.06	-	-	-	-	-	-	0.15	-	16
17	-	0.74	-	0.03	-	0.12	-	0.03	-	-	0.20	-	17
18	-	-	0.28	-	-	-	-	0.12	0.01	-	0.06	0.22	18
19	0.12	0.23	0.73	-	-	-	1.61	0.42	0.02	-	0.22	0.02	19
20	0.35	0.24	0.05	-	-	-	0.33	-	0.02	-	0.05	0.08	20
21	0.17	0.31	0.16	-	-	0.13	0.22	-	-	-	0.01	0.23	21
22	-	0.06	-	-	-	-	-	-	0.65	-	0.04	0.49	22
23	-	-	-	-	0.14	-	-	-	-	1.57	0.05	0.28	23
24	-	-	-	0.19	0.20	-	-	-	-	0.32	0.01	0.12	24
25	-	-	-	0.40	-	-	-	-	-	-	0.06	0.01	25
26	0.02	-	0.21	0.05	-	0.12	-	0.32	-	0.01	0.04	0.40	26
27	0.09	-	0.03	0.22	-	-	-	0.52	-	0.05	0.06	0.04	27
28	-	-	-	0.15	-	-	-	0.38	0.04	0.10	-	0.30	28
29	0.19	~~X~~	-	0.01	-	-	-	0.94	-	1.30	-	0.14	29
30	-	~~X~~	-	0.09	-	0.13	-	-	-	0.03	0.14	0.26	30
31	-	~~X~~	-	~~X~~	-	~~X~~	0.05	-	~~X~~	0.08	~~X~~	0.02	31
TOTAL	4.25	2.74	4.21	1.92	1.18	0.75	3.55	3.22	2.26	3.73	1.85	4.63	34.29
Days with "1 in. or more	19	8	15	17	9	7	11	10	12	12	27	24	171

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920.

Kept at Mosbro C.E. School.

in the County of Derby

by Mr. W. H. Holmes

Pattern Snowdon
 RAIN GAUGE Diameter of top 5 in.
 Height of top above Ground 1 ft. 0 in.
 " " " Sea Level 330 ft.
 Time of Observation 9am
 Nearest Railway Station { Name Killamarsh
 Distance 2 1/2 Direction

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. -	in. 0.01	in. 0.02	in. 0.22	in. 0.23	in. -	in. 0.25	in. -	in. 0.01	in. 0.17	in. 0.16	in. -	1
2	-	-	-	0.06	0.02	-	0.22	-	0.23	0.35	-	0.17	2
3	0.02	-	-	0.21	0.05	0.10	0.52	0.01	0.12	0.28	-	0.11	3
4	-	-	-	-	-	-	0.15	0.32	-	0.67	-	0.07	4
5	-	-	0.01	-	0.04	-	0.05	0.04	0.01	0.03	-	-	5
6	-	-	0.04	-	0.02	-	0.11	-	-	-	-	-	6
7	0.05	-	0.07	0.19	-	-	0.60	-	-	-	-	-	7
8	0.06	0.50	-	0.46	-	-	0.16	0.03	-	-	-	-	8
9	0.17	0.15	-	0.56	0.07	-	0.02	-	-	-	-	-	9
10	0.24	0.24	0.02	0.29	-	-	0.22	0.03	-	0.03	-	-	10
11	0.38	0.06	0.06	0.17	0.24	0.27	0.02	0.04	-	-	-	0.22	11
12	0.03	0.08	-	0.29	-	0.28	0.02	0.01	-	-	0.02	0.08	12
13	0.14	0.05	0.06	0.52	-	1.31	-	-	-	-	-	0.07	13
14	0.02	0.08	0.58	0.14	-	0.79	0.04	-	0.29	0.05	0.25	0.02	14
15	0.01	-	0.18	0.40	-	-	-	-	0.07	0.01	-	0.02	15
16	-	-	0.03	-	-	-	0.57	-	0.03	0.06	-	-	16
17	-	-	0.06	-	0.08	-	0.04	-	0.36	0.08	-	-	17
18	0.04	-	-	0.02	0.11	-	-	-	0.02	-	-	-	18
19	0.12	2.14	-	0.20	0.01	-	-	0.09	0.02	-	-	0.01	19
20	0.01	0.03	-	0.42	-	0.38	0.08	-	-	-	-	0.01	20
21	0.01	-	-	-	-	-	0.28	-	-	-	-	0.06	21
22	0.02	-	-	0.21	-	-	0.10	0.01	-	-	-	-	22
23	-	-	0.05	-	-	-	0.04	-	-	-	-	0.34	23
24	0.01	-	-	-	-	-	-	-	-	-	-	0.37	24
25	0.05	0.04	0.05	0.03	-	-	0.56	-	-	0.01	-	-	25
26	0.14	0.01	0.07	0.10	0.05	-	-	-	-	-	-	-	26
27	0.24	-	0.02	0.11	0.03	-	0.13	-	-	0.01	0.28	0.21	27
28	1.06	-	0.20	0.01	0.25	-	0.03	-	0.01	-	0.20	0.05	28
29	0.11	-	0.08	-	1.22	-	0.07	-	0.01	-	-	0.70	29
30	0.15	-	-	0.15	0.19	0.03	-	-	0.13	-	0.17	0.32	30
31	0.10	-	0.04	-	0.06	-	0.04	-	-	0.29	-	0.02	31
Total	2.18	3.39	1.64	4.76	2.67	2.16	4.32	0.58	1.31	2.04	1.08	2.85	TOTAL for year 28.98
No. of Rain Days	23	12	18	21	16	7	24	9	13	13	6	18	180

REGIS

EDLASTON
RECTORY
DERBY
1911

Kept at Edlaston Rectory
in the County of Derby
by Rev G. Z. Lander

in. _____
Ground 1 ft. 6 in. 2
Sea Level _____ ft. _____
Name Clifton
Distance 1 1/2 Direction N.W.

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 0	in.	in. 29	in.	in. .05	in.	in. 10	in. 07	in.	in.	in.	in.	1
2	04		24 15		.03			06		03	05		2
3	02		14		.25			01		01	10	02	3
4	0		04	.07	.01			07	11		20	18	4
5	08		.04 1	.04				12		03			5
6	48		01					17			08	38	6
7	.04										15		7
8	.20		.23						02		21	56	8
9	01										08		9
10	05	.07	.19									56	10
11	06										36	02	11
12	01		.41						43	02	35	01	12
13	0		.02							07 02	23	37	13
14	02	.10	.02		22					07	10	84	14
15	0	.19	.01									20	15
16	.01	12				.12				01	15	08	16
17	0			.03		37				21	05	24	17
18	0	.33		.02		19				01	05	17	18
19	0	.04		.02		75	04	03	17	21	08	07	19
20	01	.11		.11			02	95	24	09		16	20
21	0	39	07	01		01		24		21	01	02	21
22	0	.02	01	03		02	02	01		26		21	22
23	0	.10	02			09			64	10		24	23
24	0	.16	02	.33		69				20		06	24
25	0	.44	0	.41	.15	03		03	08	02		14	25
26	0	.05		.28	05	29			01	26	28	52	26
27	0	.33	.05	.30				58	25	01	03	12	27
28	0	.17		.25		05		01			14	02	28
29	0			.01		11	22		24	38	01	02	29
30	0		01	.02		05				34	02		30
31	0		10							03		02	31
Total	1.03	2.62	1.67	1.83	.70	2.77	.40	2.45	2.09	2.28	2.32	5.28	21.01
No. of Rain Days	12	15	17	15	7	13	5	12	10	18	21	26	172
	13							13				25	172

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL
11 JAN 1912

Kept at Wellington Rectory
in the County of Derby
by Rev G. Z. Scudamore

RAIN GAUGE { Pattern Went
Diameter of top _____ in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level _____ ft.
Time of Observation 9.00 am
Nearest Railway Station { Name Clifton
Distance 1 1/2 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 0	in.	in. 29	in.	in. .05	in.	in. 10	in. 07	in.	in.	in.	in.	1
2	04		24 15		.03			06		03	05		2
3	02		14		.25			01		01	10	02	3
4	0		04	.07	.01			07	11		20	18	4
5	08		.041	.04				12		03			5
6	.48		~~01~~					17			08	38	6
7	.04										15		7
8	.20		.23						02		21	56	8
9	01										08		9
10	05	.07	.19									56	10
11	06										36	02	11
12	01		.42						43	02	35	01	12
13	0		.02							0702	23	37	13
14	02	.10	.02		22					07	10	89	14
15	0	.19	.01									20	15
16	.01	12				.12				01	15	08	16
17	0			.03		37				21	05	24	17
18	0	.33		.02		19				01	05	17	18
19	0	.04		.02		75	04	03	17	21	08	07	19
20	01	.11		.11			02	95	14 24	09		16	20
21	0	39	07	01		01		24		21	01	02	21
22	0	.02	01	03		02	02	01		26		21	22
23	0	.10	02			09			64	10		24	23
24	0	.16	02	.33		69				20		06	24
25	0	.44	0	.41	.15	03		03	08	02		14	25
26	0	.05		.28	05	29			01	26	28	52	26
27	0	.33	.05	.30				58	25	01	03	12	27
28	0	.17		.25		05		01			14	02	28
29	0			.01		11	22		24	38	01	02	29
30	0		01	.02		05				34	02		30
31	0		10							03		02	31
Total	1.03	2.62	1.67	1.83	.70	2.77	.40	2.45	2.09	2.28	2.32	5.28	20.01
No. of Rain Days	12	15	17	15	7	13	5	12	10	18	21	26	172
	13			15				13				25	172

REGIS

ETWALL

ETWALL

SEWAGE FARM

DERBY

1911-1920

Kept at the Burton upon Trent
in the County of Derby
by B. Hydes



FORM A2.
BRITISH RAINFALL.
16 JAN 1912

in. und 13 ft. in.
Level 200.83 ft. 2651
G. N. R. Etwall
Distance 1 Direction N

IMPORTANT NOTE.—R
previous day. If an Observer
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			114				05	08		02		22	1
2	07		02		06			04		03	07	02	2
3					13			10		02	04		3
4	02		06	02	07				05		13	10	4
5	06			02				09			02		5
6	33							05					6
7	02										06		7
8	13		21								12	21	8
9	01										17	09	9
10	05	05	09					04				24	10
11	09										24		11
12			33						21		19		12
13											05	30	13
14												63	14
15		07	02							06	02		15
16						10					15	14	16
17						82					07	15	17
18		07				16					04	08	18
19						23	03	02	14	32	09	07	19
20		04		03				31	09	15		12	20
21		17						29		24		07	21
22										40	03	26	22
23		03	13			09			24			11	23
24		07		14		57				08		16	24
25		12		19	21	06			02			06	25
26		02		14	07	16				21	32	31	26
27		17	06	03				40	27		03	10	27
28		15		29		06			09		15		28
29						18	14		16	18	02	03	29
30				03		03				14			30
31												02	31
Total	78	107	106	89	54	246	22	142	127	188	200	350	TOTAL for year 1703
No. of Rain Days.	9	11	9	9	5	11	3	10	9	12	20	22	120 days

REGISTER OF RAINFALL IN 1977

FORM A2.
BRITISH RAINFALL
16 JAN 1972

Kept at *The Burton-on-Trent Corporation*
Shropshire
in the County of *Derby*
by *B. Hydes*

Pattern: 
RAIN GAUGE Diameter of top *4 1/2* in.
Height of top above Ground *1 3/4* ft. in.
" " " Sea Level *200.83* ft. *2651*
Time of Observation *9.15h*
Nearest Railway Station { Name *G. N. R. F. Wall*
Distance *1* mile Direction *N*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			<i>.14</i>				<i>.05</i>	<i>.08</i>		<i>.02</i>		~~<i>.02</i>~~	1
2	<i>.07</i>		<i>.02</i>		<i>.06</i>			<i>.04</i>		<i>.03</i>	<i>.07</i>	<i>.02</i>	2
3					<i>.13</i>			<i>.10</i>		<i>.02</i>	<i>.04</i>		3
4	<i>.02</i>		<i>.06</i>	<i>.02</i>	<i>.07</i>				<i>.05</i>		<i>.13</i>	<i>.10</i>	4
5	<i>.06</i>			<i>.03</i>				<i>.09</i>		<i>.02</i>			5
6	<i>.33</i>							<i>.05</i>					6
7	<i>.02</i>										<i>.06</i>		7
8	<i>.13</i>		<i>.21</i>								<i>.12</i>	<i>.21</i>	8
9	<i>.01</i>										<i>.17</i>	<i>.09</i>	9
10	<i>.05</i>	<i>.05</i>	<i>.09</i>					<i>.04</i>				<i>.24</i>	10
11	<i>.09</i>										<i>.24</i>		11
12			<i>.03</i>						<i>.21</i>		<i>.19</i>		12
13											<i>.05</i>	<i>.30</i>	13
14												<i>.63</i>	14
15		<i>.07</i>	<i>.02</i>							<i>.06</i>	<i>.02</i>		15
16						<i>.10</i>					<i>.15</i>	<i>.14</i>	16
17						<i>.82</i>					<i>.07</i>	<i>.15</i>	17
18		<i>.07</i>				<i>.16</i>					<i>.04</i>	<i>.08</i>	18
19						<i>.23</i>	<i>.03</i>	<i>.02</i>	<i>.14</i>	<i>.32</i>	<i>.04</i>	<i>.07</i>	19
20		<i>.14</i>		<i>.03</i>				<i>.31</i>	<i>.09</i>	<i>.15</i>		<i>.12</i>	20
21		<i>.17</i>						<i>.29</i>		<i>.24</i>		<i>.07</i>	21
22										<i>.40</i>	<i>.03</i>	<i>.26</i>	22
23		<i>.03</i>	<i>.13</i>			<i>.09</i>			<i>.24</i>			<i>.11</i>	23
24		<i>.07</i>		<i>.14</i>		<i>.57</i>				<i>.08</i>		<i>.16</i>	24
25		<i>.12</i>		<i>.19</i>	<i>.21</i>	<i>.06</i>			<i>.02</i>			<i>.06</i>	25
26		<i>.02</i>		<i>.14</i>	<i>.07</i>	<i>.16</i>				<i>.21</i>	<i>.32</i>	<i>.31</i>	26
27		<i>.17</i>	<i>.06</i>	<i>.03</i>				<i>.40</i>	<i>.27</i>		<i>.02</i>	<i>.10</i>	27
28		<i>.15</i>		<i>.29</i>		<i>.06</i>			<i>.09</i>		<i>.15</i>		28
29						<i>.18</i>	<i>.14</i>		<i>.16</i>	<i>.18</i>	<i>.02</i>	<i>.03</i>	29
30				<i>.03</i>		<i>.03</i>				<i>.14</i>			30
31												<i>.02</i>	31
Total	<i>.78</i>	<i>1.07</i>	<i>1.06</i>	<i>.89</i>	<i>.54</i>	<i>2.46</i>	<i>.22</i>	<i>1.42</i>	<i>1.27</i>	<i>1.88</i>	<i>2.00</i>	<i>3.50</i>	TOTAL for year <i>17.03</i>
No. of Rain Days.	<i>9</i>	<i>11</i>	<i>9</i>	<i>9</i>	<i>5</i>	<i>11</i>	<i>3</i>	<i>10</i>	<i>9</i>	<i>12</i>	<i>20</i>	<i>22</i>	<i>120 days</i>

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
28 JAN 1913

Kept at *Post office, Etwall*
Barton on Trent Sewage Works.
in the County of *Derby* *5*
by *B. Hydes.*

Pattern 
RAIN Gauge Diameter of top *5* in.
Height of top above Ground *13* ft. in.
" " " Sea Level *200.83* ft. *2651*
Time of Observation *9.15.16*
Nearest Railway Station { Name *Etwall*
Distance *1* mile Direction *N.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05			27	05	23	05			37	1
2		04	05			14	34					06	2
3	11		06		02	08		67	05			04	3
4	07		36		14	79		19			28		4
5	06		07		03	19		14	06		02		5
6	36	19			03			18	13			06	6
7	02	07				12		04	24				7
8	27	22	14			04	04	18				03	8
9	02	02	07	27		77		15				20	9
10	02	03				07		27			26		10
11	18					08					07	74	11
12	09	29	14			08	21						12
13	03					38				04	04		13
14			66			11		09					14
15	15	07	24		38	33						09	15
16	52	02	19		05	14		15		14	06		16
17	12	02	17			26		39				22	17
18	21		08				04			14	02	08	18
19	36	14						31		24			19
20	17		09		09		37	14		48			20
21		02	18		43		03	07					21
22	03	12	04		67	34	28	55				17	22
23	08	16	31			03	73	44			12		23
24	08		05			04	03	10				19	24
25						34		52			28	31	25
26		06	04			04	43	1.35		64	13	09	26
27			03		03	16	14			73		21	27
28		02				04	18	36	04	23	39	22	28
29		02	05		06	26	23	10	20	07			29
30			02		32		02		05	06			30
31			03		09		33	09					31
Total	294	1.51	3.09	27	2.34	5.07	3.45	6.68	.82	2.77	1.67	3.18	TOTAL for year 33.79
No. of Rain Days.	20	17	23	1	13	24	16	23	8	10	11	16	182

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
13 JAN 1914

Kept at The Burton upon Trent
Sewage Farm, Etwall
in the County of Derby
by B. Hydas

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Etwall, Equidistant with Loughborough
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 13 ft. - in.
" " " " Sea Level 200.83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.2		0.7	0.3					7.5		0.4	1.0	1
2	0.2	1.1	0.2						0.2		0.2		2
3			1.7		8.1				0.2	1.7	0.2	0.6	3
4	9.7						0.2			0.7	0.9	0.7	4
5	0.9		0.7		0.3	1.6	0.4		0.4	1.4			5
6	0.3	0.7	0.7		3.8	0.6	8.9			4.9		0.4	6
7		0.3	0.4		0.9	0.7				3.3	1.2	0.3	7
8			0.7		1.2	0.5				4.4		0.3	8
9		3.8	2.9		0.3	4.4		0.4			1.2	0.4	9
10								6.4			2.1		10
11	2.1			3.7				3.1			5.7		11
12					1.2						4.8		12
13			2.7	0.4				0.2	0.9		0.9		13
14	1.1		5.7					0.4		0.7	0.7		14
15	0.5		3.1	2.9							0.9		15
16		2.3	3.3						2.4		0.3		16
17			0.4	1.9		0.4	0.4						17
18	0.2		2.3	1.2	0.6		0.6				1.7		18
19	0.9		0.3			0.6			6.8			0.5	19
20	1.3		1.0	0.4							0.7		20
21			1.3		0.4		0.8	0.3			2.6		21
22	2.4		3.9					7.9	3.4				22
23						0.9			0.7		0.5		23
24	1.2			0.4				1.2			0.8		24
25				0.2									25
26		0.9	0.8	0.9								1.7	26
27		0.5		2.4						1.9			27
28	3.5		2.0	2.4	0.4				x	0.4		0.4	28
29			3.4	8.6	0.5			2.9				1.3	29
30	2.4									2.2		0.4	30
31			1.4										31
Total	2.69	9.6	3.67	2.61	1.77	9.7	1.33	2.28	2.29	2.86	2.38	1.24	25.85
Rain Days.	15	7	21	13	11	8	6	9	9	10	18	12	24.85
													139

REGISTER OF RAINFALL IN 1914

Kept at *The Test office,
Barton Corporation Sewage Farm,
Elwell,
Derby, 5*
in the County of *Derby*
by *B. Hydes*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Equal distance*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *13* ft. in.
" " " " Sea Level *200.83* ft.

10 MAY 1915
BRITISH RAINFALL FORM A. 2651
Elwell, Eggington, Willington

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			'05				*'34	'25			'03	'09	1
2											'24	'12	2
3			'04		'13		'17	'12				'04	3
4	'26		'03	'16	'05			'07			'44	'29	4
5	'11		'24	'17	'11	'12	'22	'02			'12		5
6		'07		'11	'09							'07	6
7	'03	'02	'43		'21		'08	'04				'31	7
8	'18				'77	'34	'17	'36	'04			'04	8
9	'40		'04	'14		'74		'04	'12			'03	9
10	'11	'06		'12	'08				'11				10
11		'03	'28	'03	'08	'06			'09		'06	'36	11
12		'07	'18						'20		'16	'26	12
13		'12	'11						'03	'33	'26	'36	13
14		'09	'04				'04		'06	'23	'13	'14	14
15		'04	'14								'05		15
16	'04		'02				'55		'03				16
17		'07	'08				'06		'18			'31	17
18			'82				'04					'53	18
19			'04				'05						19
20		'13					'05					'15	20
21		'23					'03	'11		'10		'27	21
22		'05	'03		'56	'02		'10		'19			22
23		'06	'13	'02	'18		'05			'04			23
24			'31		'22		'12	'05		'09	'17		24
25							'07	'22		'43	'03	'19	25
26								'29		'13	'05	'15	26
27	'07										'19	'49	27
28	'18	'10	'08							'06	'05	'42	28
29	'02		'10		'02					'14			29
30		X				'03				'03	'29	'17	30
31	'07	X		X		X	'32		X	'03	X		31
Total	1'47	1'14	2'40	'75	1'90	1'31	3'36	1'67	'86	1'80	3'17	4'79	24'62
Rain Days.	11	14	19	7	12	6	16	12	9	12	15	21	154

REGISTER OF RAINFALL IN 1915

2841
26 FEB 1916
FORM A.
BRITISH RAINFALL
2651

Kept at The Test Office ETWALL
Barton Corporation Sewage Farm
in the County of Egginton
Derby
by Benjamin Styles

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Egginton
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1.3 ft. in.
" " " " Sea Level 502.92 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.17	.23		.29		.8	.12	.06		.04	.09	1
2	.12	.05	.21	.05				.78		.76			2
3	.24	.02	.04	.14		.10	.32	.28				.21	3
4					.09		1.17*					.49	4
5	.02	.4			.03			.00				.24	5
6	.03	.11		.06			.62					.08	6
7	.21	.75					.12	.33				.29	7
8	.15	.04		.02				.04			.05		8
9				.05							.41	.43	9
10	.37		.09							.03	.20		10
11	.03				.26		.08	.02			.53	.10	11
12	.05			.20	.12			.16			.49		12
13	.04	.23			.31								13
14								.15	.05		.04	.32	14
15	.29				.04		.09				.26	.06	15
16		.22			.05		2.61*						16
17		.12					.04						17
18		.15	.04				.02	.04					18
19		.09	.03		.06		.16						19
20	.12			.05								.06	20
21	.06				.03		.13					.06	21
22			.75	.04			.15					.02	22
23			.06			.03	.48		.05	.34		.24	23
24			.05	.05			.05		.44	.08		.24	24
25						.42	.07		.85			.20	25
26		.09					.21		.05			.39	26
27		.08	.02				.98			.52		.13	27
28		.14	.02			.32	.14	.21					28
29						.04					.05	.24	29
30		X		.04		.66				.04		.04	30
31	.06	X		X		X	.04	.04	X	.19	X	.16	31
Total	2.21	2.02	1.10	.20	1.43	1.63	2.54	2.36	.65	1.54	2.10	4.42	YEAR'S TOTAL inches 24.40
Rain Days.	15	15	11	10	10	6	19	12	5	4	9	21	140

2746
REGISTER OF RAINFALL IN 1916

West Burton upon Trent Corporation
Kept at Sewage Farm at the West Office
at Ewath.
in the County of Derby.
by Benjamin Hyde

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Equal distance, Ewath, & Willington.
Diameter of Funnel of Rain Gauge 4 1/2 in. 2651
Height of top of Gauge above Ground 10 ft. _____ in.
" " " " Sea Level 200.82 ft.

FORM A.
BRITISH RAINFALL
9 MAR 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18		.54			.23	.31				.22		1
2	.23	.06	.04		.05		.67		.11	.57	.14		2
3		.22					.22		.20	.23	.05		3
4	.16	.13			.57	.36	.21			.13	.39		4
5	.04				.04	.11				.09			5
6	.14	.14	.09		.14		.26			.11	.21		6
7	.03		.04		.09		.11			.12	.08	.21	7
8		.02	.06				.02			.04	.04	.24	8
9					.47							.09	9
10		.19	.04	.07	.04				.08	.11		.04	10
11	.06	.28	.05	.18	.02	.03	.02		.03			.13	11
12	.09	.10	.34	.03	.42	.04	.04			.03			12
13		.14	.09	.12	.05			.08		.02		.11	13
14		.14		.03	.03			.19	.02	.12			14
15		.34	.62	.04	.06		.04	.34		.06			15
16		.04	.39	.16			.08	.08		.02			16
17	.10	.10		.32			.03	.02	.18	.16			17
18		.08	.05	.09				.03	.19	.03	.76	.06	18
19	.05	.06	.21	.03					.04		.31	.08	19
20	.16	.02	.14	.14							.04	.09	20
21	.02		.04	.16			.54					.32	21
22		.03				.02				.03		.21	22
23	.05	.06		.06		.03		.04		.04	.11	.35	23
24		* 1.00		.05				.06		.04		.16	24
25		.11	.11		.02			.13		.05	.23		25
26	.04	.08						.04		.06	.13		26
27		.11	.29			.09	.16	.24		.14			27
28		.10			.04					.24		.22	28
29		.20	.31			.14		.39				.24	29
30		X				.20				.02			30
31		X		X		X		.04	X	.08	X	.03	31
Total	135	3.80	3.60	1.48	2.31	1.52	2.64	1.64	.88	2.43	2.76	2.89	24.33
Rain Days.	14	24	18	14	14	10	14	13	8	25	14	16	184

REGISTER OF RAINFALL IN 1917

Kept at *The Barton upon Trent*
Cooperativa Trading Store
at *Estwath*
in the County of *Derby*
by *R. Rydes*

Lat. _____ Long. _____
Time of Observation *9 A.M.*
Nearest Railway Station *Eggington* distance *1 1/2* miles
Diameter of Funnel of Rain Gauge *1 1/2* in. *2631*
Height of top of Gauge above Ground *12* ft. _____ in.
" " " " Sea Level *200.82* ft.

2612
FORM A.
BRITISH RAINFALL
12 FEB 1918
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				.09		.29		.62			.06	.05	1
2	.06							.11		.88	.02	.08	2
3	.05	.06						.06		.12			3
4	.06	.09	.04							.82	.05		4
5	.12		.05						.04	.31	.09		5
6	.04					.44				.26	.07		6
7	.45					.16				.49	.05	.04	7
8	.39			.26				.56		.46	.04	.11	8
9	.04		.04	.04				.11		.03	.22		9
10	.09		.32		.74			.11			.02		10
11	.11		.03	.19				.11		.14			11
12	.02				.10			.04		.11		.10	12
13				.04				.26	.13	.04		.03	13
14	.06		.04					.36				.10	14
15	.03						.09	.02				.03	15
16	.04	.19		.14								.18	16
17	.02				.36		.04	.24	.04	.08			17
18	.04			.04	.29		.64		.58	.12			18
19	.03	.26	.16		.24	.26		.02	.03		.03		19
20		.25			.24	.09		.03	.22		.12		20
21		.03	.08		.34			.09					21
22			.03					.04	.09	.08	.05		22
23		.14			.24			.03		.04			23
24						.58		.04		.13	.03		24
25		.03	.04							.02	.08		25
26								.44	.16	.04	.24		26
27			.02			.31	.29	.71		.02	.05		27
28			.09			.04		.14		.02		.10	28
29					.11		.11	.02		.44		.19	29
30		X						.13		.08			30
31		X	.05	X		X		.03	X	.04	X	.05	31
Total	1.70	1.05	1.05	.83	2.69	2.14	1.14	4.46	1.29	3.75	1.24	1.11	22.51
Rain Days.	14	8	10	4	9	8	5	25	8	22	16	12	150

REGISTER OF RAINFALL IN 1918

Kept at The Burton upon Trent Sewage Farm
Test office
in the County of Derby
by B. Hydes

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Equal distance Etwall, Peggworth & Willington
Diameter of Funnel of Rain Gauge 4 1/2 in. 26.51
Height of top of Gauge above Ground 13 ft. _____ in.
" " " " Sea Level 200.83 ft.

BRITISH RAINFALL FORM A
21 2

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	~~0.07~~	08		12					12	03	13		1
2	~~08~~	03						13	03	10	{ 13	38	2
3	03	03			53			{ 18	12				3
4	02	02							64		23	34	4
5	03	03			14			05	34	04			5
6	03	03		24				03	09			04	6
7	03 ~~04~~	04		08		10			09		08		7
8	~~04~~	16	08						45	04			8
9	~~04 25~~	45		11		12			04	16		03	9
10	03 ~~08~~	09		06			29		03	04	02	06	10
11	05 ~~08~~	04			14		08		09	02		11	11
12	~~09~~	19			14		04	03	16			08	12
13					12		12		14	04		02	13
14	19					04			14	16		28	14
15	14			03		11	22		22			12	15
16				04	05	04	03	04	23	02		08	16
17	22				08	11			12	09		22	17
18	45				06		08		36			29	18
19	02	03	14	06			11			06		21	19
20	03	06		16		05	{ 34		04			04	20
21	04			09	46	02			22	02		11	21
22				16	03	09				12		19	22
23	04				53		18		08				23
24		06					04	04	04	02	14		24
25						06	51	25				06	25
26							16	09	04		04	02	26
27		05						36	21		11	09	27
28		04						14	02		21	22	28
29			41						51				29
30		X	34					04			11	05	30
31	14	X	11	X		X		06	X		X		31
Total	1.55	1.49	1.11	.99	2.40	.68	3.03	2.24	4.60	1.08	1.22	3.10	23.40
Rain Days	14	14	5	10	10	10	16	13	26	16	11	22	140

REGISTER OF RAINFALL IN 1919.

Kept at *The Post Office*
The Surge Farm
Chiswell
in the County of *Derby*
by *B. Hides*

Lat. _____ Long. _____
Time of Observation *9 A.M.*
Nearest Railway Station *Equal distance*
Diameter of Funnel of Rain Gauge *6* in.
Height of top of Gauge above Ground *13* ft. - in.
Sea Level *200.83* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>74</i>	<i>05</i>	<i>02</i>		<i>23</i>		<i>07</i>		<i>04</i>	<i>22</i>	<i>04</i>	<i>16</i>	1
2	<i>11</i>	<i>06</i>	<i>03</i>				<i>14</i>		<i>15</i>		<i>09</i>	<i>03</i>	2
3	<i>53</i>					<i>31</i>	<i>17</i>	<i>09</i>	<i>14</i>		<i>16</i>	<i>08</i>	3
4	<i>03</i>		<i>27</i>			<i>07</i>		<i>35</i>	<i>06</i>			<i>17</i>	4
5	<i>03</i>	<i>05</i>		<i>03</i>					<i>19</i>			<i>21</i>	5
6	<i>04</i>		<i>08</i>	<i>02</i>								<i>02</i>	6
7			<i>39</i>	<i>02</i>	<i>44</i>							<i>03</i>	7
8	<i>13</i>					<i>04</i>							8
9			<i>04</i>										9
10			<i>28</i>									<i>10</i>	10
11	<i>05</i>		<i>76</i>		<i>04</i>		<i>21</i>				<i>04</i>	<i>02</i>	11
12			<i>24</i>			<i>21</i>					<i>05</i>	<i>02</i>	12
13	<i>19</i>			<i>43</i>					<i>19</i>		<i>02</i>		13
14	<i>31</i>			<i>09</i>					<i>06</i>	<i>04</i>	<i>03</i>	<i>05</i>	14
15	<i>21</i>			<i>05</i>						<i>06</i>	<i>02</i>	<i>32</i>	15
16	<i>21</i>	<i>08</i>								<i>05</i>	<i>09</i>	<i>03</i>	16
17	<i>12</i>	<i>68</i>									<i>09</i>	<i>02</i>	17
18		<i>18</i>	<i>27</i>			<i>05</i>	<i>02</i>	<i>24</i>	<i>09</i>			<i>16</i>	18
19	<i>17</i>	<i>24</i>	<i>94</i>			<i>11</i>	<i>52</i>	<i>33</i>	<i>15</i>		<i>04</i>		19
20		<i>22</i>	<i>14</i>			<i>20</i>	<i>48</i>	<i>29</i>			<i>24</i>	<i>09</i>	20
21	<i>05</i>	<i>34</i>	<i>02</i>				<i>17</i>		<i>02</i>		<i>03</i>	<i>19</i>	21
22		<i>11</i>	<i>03</i>						<i>41</i>		<i>03</i>	<i>87</i>	22
23										<i>1.13</i>	<i>04</i>	<i>06</i>	23
24				<i>19</i>	<i>14</i>	<i>03</i>				<i>41</i>	<i>13</i>	<i>04</i>	24
25	<i>11</i>			<i>06</i>	<i>10</i>			<i>22</i>			<i>04</i>	<i>05</i>	25
26			<i>26</i>	<i>09</i>		<i>04</i>		<i>06</i>	<i>08</i>			<i>32</i>	26
27				<i>31</i>									27
28	<i>02</i>			<i>03</i>				<i>49</i>			<i>23</i>	<i>27</i>	28
29	<i>02</i>		<i>07</i>			<i>14</i>		<i>13</i>		<i>37</i>		<i>21</i>	29
30	<i>03</i>	~~X~~	<i>06</i>			<i>04</i>		<i>02</i>		<i>02</i>		<i>11</i>	30
31		~~X~~		~~X~~		~~X~~	<i>09</i>		~~X~~	<i>05</i>	~~X~~	<i>06</i>	31
TOTAL	<i>2.60</i>	<i>2.01</i>	<i>3.90</i>	<i>1.32</i>	<i>.95</i>	<i>1.27</i>	<i>1.87</i>	<i>2.22</i>	<i>1.58</i>	<i>2.35</i>	<i>1.41</i>	<i>3.69</i>	YEAR'S TOTAL <i>25.17</i>
Days with at least one in.	<i>19</i>	<i>10</i>	<i>14</i>	<i>11</i>	<i>5</i>	<i>11</i>	<i>9</i>	<i>10</i>	<i>12</i>	<i>9</i>	<i>18</i>	<i>26</i>	<i>154</i>

REGISTER OF RAINFALL IN 1920.

FTWALL
London & Lancashire Corporation
Kept at *Essex Farm, Epsall*
in the County of *Derby*
by *Benjamin Bydes*

Lat. _____ Long. _____
Time of Observation *9.4.10*
Nearest Railway Station *Epsall*
Diameter of Funnel of Rain Gauge *4* in.
Height of top of Gauge above Ground *13* ft. _____ in.
" " " " Sea Level *200.83* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>06</i>	<i>02</i>		<i>28</i>	<i>16</i>		<i>29</i>		<i>02</i>	<i>12</i>		<i>14</i>	1
2				<i>20</i>			<i>36</i>		<i>07</i>	<i>26</i>		<i>05</i>	2
3		<i>08</i>		<i>16</i>			<i>59</i>		<i>13</i>	<i>21</i>		<i>07</i>	3
4	<i>02</i>			<i>20</i>			<i>09</i>	<i>35</i>		<i>26</i>			4
5			<i>03</i>		<i>31</i>		<i>18</i>	<i>09</i>	<i>18</i>				5
6			<i>08</i>	<i>07</i>	<i>04</i>		<i>13</i>	<i>02</i>					6
7	<i>02</i>	<i>02</i>	<i>11</i>	<i>06</i>	<i>06</i>		<i>08</i>						7
8	<i>13</i>	<i>05</i>		<i>44</i>	<i>09</i>		<i>19</i>	<i>02</i>					8
9	<i>26</i>	<i>03</i>		<i>36</i>			<i>03</i>						9
10	<i>26</i>	<i>21</i>	<i>03</i>	<i>09</i>	<i>54</i>		<i>16</i>	<i>02</i>					10
11	<i>28</i>		<i>04</i>	<i>18</i>		<i>08</i>	<i>03</i>					<i>07</i>	11
12				<i>22</i>	<i>02</i>	<i>23</i>	<i>03</i>	<i>22</i>			<i>04</i>	<i>14</i>	12
13	<i>02</i>	<i>18</i>	<i>08</i>	<i>24</i>	<i>02</i>	<i>06</i>					<i>03</i>	<i>02</i>	13
14		<i>06</i>	<i>52</i>	<i>10</i>		<i>21</i>	<i>02</i>		<i>23</i>		<i>06</i>		14
15	<i>06</i>	<i>16</i>	<i>14</i>	<i>14</i>			<i>02</i>		<i>04</i>	<i>33</i>	<i>02</i>		15
16				<i>14</i>			<i>12</i>		<i>03</i>	<i>14</i>			16
17				<i>14</i>	<i>12</i>				<i>54</i>	<i>05</i>			17
18	<i>06</i>				<i>06</i>		<i>02</i>	<i>04</i>	<i>21</i>				18
19	<i>12</i>	<i>23</i>				<i>09</i>		<i>07</i>					19
20	<i>09</i>	<i>14</i>		<i>18</i>		<i>16</i>	<i>03</i>	<i>03</i>					20
21				<i>16</i>			<i>20</i>	<i>04</i>				<i>13</i>	21
22	<i>02</i>			<i>21</i>			<i>03</i>	<i>02</i>				<i>04</i>	22
23							<i>16</i>	<i>04</i>				<i>21</i>	23
24			<i>08</i>									<i>12</i>	24
25		<i>06</i>	<i>11</i>	<i>07</i>	<i>77</i>	<i>04</i>	<i>53</i>	<i>05</i>					25
26	<i>14</i>	<i>03</i>	<i>09</i>	<i>04</i>	<i>14</i>		<i>02</i>					<i>03</i>	26
27	<i>09</i>			<i>08</i>	<i>10</i>	<i>16</i>	<i>03</i>				<i>23</i>	<i>26</i>	27
28	<i>69</i>		<i>06</i>	<i>02</i>	<i>10</i>	<i>04</i>						<i>06</i>	28
29	<i>02</i>		<i>14</i>	<i>03</i>	<i>24</i>	<i>04</i>	<i>04</i>				<i>10</i>	<i>58</i>	29
30	<i>04</i>	~~X~~		<i>26</i>		<i>06</i>	<i>03</i>		<i>12</i>		<i>13</i>	<i>26</i>	30
31	<i>06</i>	~~X~~	<i>05</i>	~~X~~	<i>06</i>	~~X~~		<i>08</i>	~~X~~	<i>14</i>	~~X~~	<i>12</i>	31
TOTAL	<i>2.48</i>	<i>1.44</i>	<i>1.56</i>	<i>4.21</i>	<i>2.89</i>	<i>1.30</i>	<i>3.49</i>	<i>1.20</i>	<i>1.60</i>	<i>1.54</i>	<i>61</i>	<i>2.40</i>	<i>23.08</i>
Days with "01 in. or more	<i>19</i>	<i>13</i>	<i>14</i>	<i>25</i>	<i>16</i>	<i>11</i>	<i>25</i>	<i>14</i>	<i>10</i>	<i>8</i>	<i>2</i>	<i>16</i>	<i>148</i>
Days with "04 in. or more	<i>14</i>	<i>9</i>	<i>12</i>	<i>23</i>	<i>14</i>	<i>11</i>	<i>14</i>	<i>9</i>	<i>8</i>	<i>8</i>	<i>5</i>	<i>13</i>	<i>140</i>

REGI

ETWALL

FORM A2.
BRITISH RAINFALL
5-JAN-1912

Kept at Blakeley Lodge
in the County of Derby
by Richard Giles

BLAKELEY LODGE
DERBY
1911-1920

in. 1
ound 1 ft.
Level 189 ft. 85
me Etwell
tance 1 mile Direction North
e result entered to the
al rule, he is earnestly

IMPORTANT NOTE.—
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			14				06	08					1
2	05	05			09			11			10	04	2
3					20			10					3
4			07					02	14		22	11	4
5	09			5.02				13					5
6	40							05	07			30	6
7	02											08	7
8	14		21				02				18	16	8
9											15	18	9
10	04	07	18					04				22	10
11	08	08									28	06	11
12			34								15		12
13			5.02						17		05	24	13
14		02	02		07							64	14
15		03	5.04			09						09	15
16		08		02							16	16	16
17				03		1.16					08	23	17
18		11				07					07		18
19						26	02		19	10	08	13	19
20		09						24	02	38		15	20
21								31		20		02	21
22		05	12							47		20	22
23			02			06			30			23	23
24		09		19		71				08		14	24
25				19	22	06			03			12	25
26		08		17	02					20	REF 30	31	26
27		13	5.10					37	28			11	27
28	02	18		31		18			10		15		28
29						18	13		17	20		03	29
30						04				23	02		30
31			02										31
Total	0.84	93	1.26	0.93	0.60	2.81	0.23	1.45	1.47	1.86	1.99	3.95	TOTAL for year
No. of Rain Days.	8	11	11	7	5	10	4	10	10	8	14	20	18.32

REGI

FORM A2.
BRITISH RAINFALL.

Kept at Melkely Lodge Ecton
in the County of Derby
by Richard Giles

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 189 ft. 85"
Time of Observation 9 am
Name Ecton
Nearest Railway Station { Distance 1 mi Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			14				06	08					1
2	05				09			11			10	04	2
3					20			10					3
4			07					02	14		22	11	4
5	09			5.02				13					5
6	40							05	07			30	6
7	02											08	7
8	14		21				02				18	16	8
9											15	18	9
10	04	07	18					04				22	10
11	08										28	06	11
12			34								15		12
13			5.02						17		05	24	13
14		02	02		07							64	14
15		03	5.04			09						09	15
16		08		02							16	16	16
17				03		1.16					08	23	17
18		11				07					07		18
19						26	02		19	10	08	13	19
20		09						24	02	38		15	20
21								31		20		02	21
22		05	12							47		20	22
23			02			06			30			23	23
24		09		19		71				08		14	24
25				19	22	06			03			12	25
26		08		17	02					20	30	31	26
27		13	5.10					37	28			11	27
28	02	18		31		18			10		15		28
29						18	13		17	20		03	29
30						04				23	02		30
31			02										31
Total	0.84	93	1.26	0.93	0.60	2.81	0.23	1.45	1.47	1.86	1.99	3.95	TOTAL for year
No. of Rain Days.	8	11	11	7		10	4	10	10	8	14	2	18.32

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
3-JAN 1913

Kept at Blakeley Lodge, Etivall
in the County of Derby
by Richard Giles

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 189 ft.
Time of Observation 9 am
Nearest Railway Station { Name Etivall G. N.R.
Distance 1 Mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			06			25		21	04			43	1
2	04	02				15	33		02			04	2
3	02	05	06			07	02	30				06	3
4	10		50		14	50		21			29		4
5	09		07	07	02	18		13	08				5
6	50	18						20				03	6
7		10				11		03	15				7
8	37	23	15	04		07		15	27				8
9	03		07	17		61		13				19	9
10	14					19		20			40		10
11						04		34			06	71	11
12	07	30				06	20						12
13						43						02	13
14	05		83			11	02	08					14
15		09	05		38	49							15
16	09		31		04	03		13	77	17	06		16
17	1-22		17			31	08	40				33	17
18	20		07					02			05	05	18
19	32	15					34	35	40	10	03		19
20	15		09		08		02		49	19		05	20
21		03			48			09	52	52		06	21
22	04	08	14		77	28	15	58				08	22
23	05	21	35			02	81	38			12		23
24	08		03			07		14				17	24
25						31		46			31	36	25
26		09				03	50	1-20		70	16	15	26
27			05			16	32			75		10	27
28						05	12	44		25	52	28	28
29		08	03			25	19	08	26	07			29
30					25	03				06			30
31			06		10		32	08				04	31
Total	3-56	1-67	3-09	0-28	2-26	4-80	3-42	6-33	0-82	2-81	2-0	3-15	TOTAL 34-13 inches
No. of Rain Days.	18	13	18	3	9	23	14	24	Total 34-13 inches				167

REGISTER OF RAINFALL IN 1913

Kept at Blakeley Lodge Elviall
in the County of Derby
by Richard Giles

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Elviall S.N.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
Sea Level 169' 86" ft.

FORM A.
BRITISH RAINFALL
4 - JAN. 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12								.04		1
2		.10	.02	.03					.60		.04	S+R.	2
3	.06	.02	.18		.71				.02	.12		.08	3
4	1-08				.08		.02			.12	.10	S+R .57	4
5	.08	.03	.06			.17	.03			1.12	.02		5
6	.03	.04	.14		.39	.08	.72			.48		.07	6
7		.05								.34		.02	7
8		.03	.06		.09	.11				.14			8
9		.37	.03		.16	.57		.17			.20	.05	9
10	Snow			.22	.02			.46		.03	.23		10
11	.74			S.44	.03			.25			.54		11
12											.58		12
13			.30	.03							.09		13
14	.09	.15	S+R .53					.10		.07	.10		14
15		.10	S+R .47	.40				.06			(.09)		15
16			.38				.02						16
17		.03	.25	.17		.06			.27				17
18			.04	.12	.04		.04				.05		18
19				.03									19
20	.09		.09	.04					.76	.02	.11		20
21	.16		.13		.05		.09	.03			.23		21
22	S+R .45		.37					.71	.29				22
23					.15			.03	.17		.02		23
24	.14							.10			.04		24
25									.03	.05		.07	25
26		.08	.07	.17						.13		.25	26
27				.31								.03	27
28	.43		.30	.34									28
29			.25	.91	.09								29
30	.29				.06					.31	.08	Snow .10	30
31	.02		.12										31
Total	3-66	1-00	4-05	3-21	1-72	0-93	0-92	1-91	2-14	2-93	2-56	1-24	26-27
Rain Days.	13	11	20	13	12	5	6	9	7	12	14	10	134

REGISTRATION CARD FOR ANNUAL REGISTER OF RAINFALL IN 1914

Kept at Blackley Lodge Etnall
in the County of Derby
by Richard Miles

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Etnall G. H. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - 85 in.
" " " " Sea Level 189 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
12

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1.20	.22				.12	1
2								.17		.08	.25	.22	2
3	.02		.07	.02	.14		.15	.04				.08	3
4	.32		.04	.17							.41	.34	4
5	.11		.24	.20			.25				.41		5
6		.08		.09	.34	.14		.06				.07	6
7		.05	.38	.04	.25		.10	.15				.43	7
8	.23				.16	.43		.27	.03				8
9	.39		.02	.03	.10	.82		.12	.10				9
10	.15	.10	.03	.12	.09				.15				10
11		.05	.33								1.04	.46	11
12	.02	.10	.19						.19		.19	.26	12
13		.11	.09						.02	.36	.38	.30	13
14		.10	.08							.15	20	.22	14
15	.08		.10				.69		.08		.05		15
16			.03				.02		.07				16
17		.11	.06				.07		.16			.43	17
18												.54	18
19		.02	.05				.05					.09	19
20		.16					.05					.06	20
21		.25					.05	.09				.27	21
22		.03	.03		.67			.16		.23			22
23		.05	.08		.14	.07							23
24	.06		.49	.04	.19		.04	.03		.09	.15		24
25						.06	.15	.25		.64	.04	.28	25
26							.03	.29		.14		.20	26
27			.05								.28	.54	27
28	.20	.11	.10							.02	.14	.47	28
29			.07		.04					.14	.05		29
30		X				.02					.35	.26	30
31	.11	X		X		X	.42		X	.05	X		31
Total	1.69	1.32	2.53	0.71	2.12	1.54	3.27	1.87	0.80	1.90	3.64	5.64	27.03
Rain Days.	11	14	20	8	10	6	14	12	8	10	14	20	147

REGISTER OF RAINFALL IN 1915

Kept at Blakeley Lodge Ebtun
in the County of Derbyshire
by Richard Miles

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Ebtun. G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 189 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.16	.05		.39			.30	.06		.11	.08	1
2	.14	.02	.21	.12		(.14)	.14	.61		.25			2
3	.54	.04	.03	.14			.52	.39				.27	3
4					.11		.70					.90	4
5	.09	.25			.02			.04				.32	5
6	.02	.07		.08			.63		.02			.08	6
7	.19	.41		.03		.02	.10	.37				.21	7
8	.16	.06	.03					.06			.08		8
9	.03	.03										.50	9
10	.41		.06	.07				.02		.03	.45		10
11	.05				.24		.08				.21		11
12	.08			.15	.21			.14			.61	.13	12
13	.04	.27			.26						.60	.12	13
14	.02							.23			S+R.	.12	14
15	.37				.06						.24	.18	15
16	.04	.26			.04		2.20						16
17		.22					.04						17
18		.19	.06				.03	.04					18
19		.10	.05				.14					.06	19
20	.06												20
21	.12			.09			.09					.05	21
22			.38				.12						22
23			.02			.02	.49					.25	23
24		.06	.03	.06				~~.52~~	.52	.68		.26	24
25						.56	.04		.03	.10		.18	25
26		.04					.18					.40	26
27		.10					1.18			.66		.21	27
28		.24	.02			.27	.06	.27					28
29						.05						.24	29
30	.06	~~X~~		.03		.18				.08	.06		30
31	.10	~~X~~		~~X~~		~~X~~	.06	.08	~~X~~	.10	~~X~~	.22	31
Total	2.65	2.52	0.93	0.77	1.33	1.24	6.80	2.55	0.63	1.90	2.36	4.73	28.43
Rain Days.	19	17	11	9	8	6	18	12	4	7	8	20	139
YEAR'S TOTAL													28.41

REGISTER OF RAINFALL IN 1916

Kept at Blakeley Lodge Etwell
in the County of Derby
by Richard Giles

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Etwell G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0.94 ft. 9.5 in.
" " " " Sea Level 189'-9.5" ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18		S.R. .54			.30	.30						1
2	.24	.08	S. .06		.04	.03	.71		.07	.60	.20		2
3		.29				.03	.30		.14	.35	.10		3
4	.14	.08			.50	.38	.43		.02	.12	.32		4
5	.04				.03	.13				.08	.06		5
6	.19	.17	S. .06		.40	.03	.25			.17	.40		6
7	.03		S. .07		.02		.11			.18	.10		7
8		.04								.05	.08		8
9					.48								9
10		.19	S. .02	.07					.05				10
11	.04	R. 15.25	.04	.22		.05							11
12	.11	.13	.24		.40		.10			.20			12
13		.17	.09	.13	.03			.08				S.R. .25	13
14	~~Earthquake 7-20~~	.27		.10	.03			.32		.12			14
15		.43	.67	.04	.02		.05			.15			15
16		.11	.41	.18			.08	.32		.17			16
17	.11	.10		.42			.03		.19				17
18		.17	.05					.04	.22	.03	.74	S. .25	18
19	.15		.23	.12							.34		19
20	~~Thunder storm~~ 12		.10	.09								S.R. .07	20
21	.02		.04	.07	.06		.68			.03		S.R. .30	21
22		S. .02										S.R. .36	22
23	.06	S. .06	.02	.09		.06		.05		.04	.13	S.R. .27	23
24		S. 1-20						.07		.08		.13	24
25		S. .05	.16					.12		.07	.21		25
26	.03	S. .05				.03		.27		.08	Hail 11	.12	26
27		S. .10	S. .34			.07	.14			.31			27
28		S. .13	.09					.43				.10	28
29		.21				.37				.31		.24	29
30		X		X		.25			.02		X		30
31		X		X		X		.03	X	.25	X	.03	31
Total	1.46	4.30	3.23	1.53	2.01	1.73	3.18	1.73	X.70	3.39	2.79	2.12	28.18
Rain Days.	14	22	18	11	11	12	12	10	7	20	12	11	160

REGISTER OF RAINFALL IN 1917

Kept at Blakeley Lodge Etnall
in the County of Derby
by Richard Giles

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Etnall G.M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 189.95 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				^S '03			~~40~~ '60				'05	^S '05	1
2	6.7	^S '07					~~72~~ '12				'02		2
3						20	~~03~~ '03			12	'02	'06	3
4	'15	^S '05	^S '07							~~83~~			4
5	'07	^S '11	^S '05			02			'05	~~35~~	'06		5
6	~~R+H~~ '38					~~54~~				~~32~~	'10		6
7	~~S~~ '28									~~52~~	'08		7
8	~~S+R~~ '12			^S '09			^S '11	'60		~~56~~	'08		8
9	~~S~~ '28			^S '04	'65			'11		'05	'24		9
10	~~S+R~~ '14			^S '17						'18		'22	10
11	~~S+R~~ '11				'13			'09		'10			11
12								'22	'09				12
13								'32				'10	13
14	^S '06			'07			'07			'08		'08	14
15													15
16		'18		'18	'36								16
17				'06			'12	'24		'07			17
18			34		'31		~~62~~	'10	'64				18
19	'10	'26			'19	'20							19
20		27	^S '05		'27	~~R+H~~ '06		'03	'27		'13		20
21		'04	^S '07		'31			'06					21
22		'13	^S '03					'04	'10	'11	'04		22
23					'27			'10		'26			23
24						~~56~~		~~05~~		(~~21~~)			24
25			'07								'22		25
26								'52	'13	'06	'30		26
27						'09	'33	'80					27
28			'12			'25		'10					28
29							'10			'25		'26	29
30		~~X~~	^S '10	~~X~~	'14	~~X~~		'14	~~X~~	'13	'05		30
31		~~X~~						'09	~~X~~	~~X~~			31
Total	1-76	1-11	1-31	0-87	2-63	1-92	1-24	4-56	1-28	4-20	1.39	0.78	23-05
Rain Days.	11	8	11	8	9	8	5	21	6	17	13	6	123.

REGISTER OF RAINFALL IN 1918

Kept at *Blakeley Lodge Etnay*
in the County of *Sherburyshire*
by *Richard Giles*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *St. Ives*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Sea Level *189.95* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.04</i>	<i>.11</i>	<i>-</i>	<i>.12</i>					<i>.17</i>	<i>.04</i>	<i>.20</i>		1
2		<i>.06</i>						<i>.71</i>	<i>.03</i>	<i>.07</i>		<i>.44</i>	2
3					<i>.50</i>			<i>.13</i>	<i>.09</i>		<i>.05</i>		3
4			<i>.02</i>					<i>.07</i>	<i>.65</i>		<i>.35</i>	<i>.43</i>	4
5				<i>.06</i>	<i>.11</i>			<i>.10</i>	<i>.43</i>	<i>.13</i>			5
6	<i>.06</i>	<i>.10</i>		<i>.26</i>		<i>.08</i>			<i>.02</i>	<i>.10</i>		<i>.03</i>	6
7				<i>.07</i>		<i>.04</i>			<i>.13</i>		<i>.10</i>		7
8		<i>.31</i>					<i>.13</i>		<i>.08</i>	<i>.10</i>		<i>.04</i>	8
9	<i>.08</i>	<i>.50</i>	<i>.10</i>	<i>.06</i>		<i>.16</i>			<i>.40</i>	<i>.23</i>			9
10		<i>.08</i>		<i>.09</i>			<i>.34</i>		<i>.03</i>	<i>.04</i>	<i>.04</i>	<i>.05</i>	10
11	<i>.05</i>	<i>.05</i>			<i>.18</i>		<i>.13</i>		<i>.10</i>			<i>.12</i>	11
12		<i>.18</i>			<i>.15</i>		<i>.09</i>		<i>.17</i>				12
13					<i>.18</i>				<i>.21</i>	<i>.04</i>		<i>.12</i>	13
14							<i>.07</i>		<i>.10</i>	<i>.21</i>		<i>.28</i>	14
15	<i>.33</i>			<i>.04</i>		<i>.15</i>	<i>.22</i>		<i>.24</i>			<i>.16</i>	15
16				<i>.03</i>			<i>.05</i>		<i>.27</i>	<i>.02</i>		<i>.08</i>	16
17					<i>.12</i>	<i>.10</i>	<i>.16</i>		<i>.23</i>	<i>.08</i>		<i>.17</i>	17
18	<i>.71</i>					<i>.08</i>	<i>.12</i>		<i>.12</i>			<i>.31</i>	18
19		<i>.02</i>	<i>.15</i>	<i>.05</i>					<i>.34</i>	<i>.05</i>		<i>.22</i>	19
20	<i>.10</i>			<i>.15</i>	<i>.12</i>	<i>.04</i>	<i>.25</i>					<i>.08</i>	20
21		<i>.08</i>		<i>.07</i>	<i>.94</i>		<i>.04</i>		<i>.05</i>	<i>.03</i>		<i>.17</i>	21
22					<i>.15</i>	<i>.04</i>	<i>.07</i>		<i>.23</i>	<i>.05</i>		<i>.22</i>	22
23	<i>.15</i>				<i>.58</i>		<i>.28</i>						23
24		<i>.06</i>					<i>.04</i>	<i>.05</i>	<i>.07</i>		<i>.08</i>		24
25							<i>.55</i>	<i>.58</i>	<i>.06</i>			<i>.09</i>	25
26		<i>.12</i>					<i>1-0</i>	<i>.06</i>	<i>.08</i>		<i>.12</i>		26
27		<i>.07</i>	<i>.40</i>					<i>.42</i>	<i>.22</i>	<i>.05</i>	<i>.13</i>	<i>.23</i>	27
28								<i>.32</i>	<i>.02</i>		<i>.22</i>	<i>.29</i>	28
29									<i>.50</i>			<i>.04</i>	29
30		<i>X</i>	<i>.48</i>					<i>.02</i>			<i>.16</i>	<i>.05</i>	30
31		<i>X</i>	<i>.18</i>	<i>X</i>		<i>X</i>		<i>.06</i>	<i>X</i>		<i>X</i>		31
Total	<i>1-52</i>	<i>1-74</i>	<i>1-33</i>	<i>1-0</i>	<i>2-91</i>	<i>0-69</i>	<i>3-54</i>	<i>2-59</i>	<i>5-04</i>	<i>1-24</i>	<i>1-45</i>	<i>3-62</i>	<i>31-76</i>
Rain Days.	<i>8</i>	<i>13</i>	<i>6</i>	<i>11</i>	<i>9</i>	<i>8</i>	<i>16</i>	<i>11</i>	<i>27</i>	<i>15</i>	<i>10</i>	<i>21</i>	<i>145</i>

REGISTER OF RAINFALL IN 1919.

Kept at Blackley Lodge Etwell
in the County of Derby
by Richard Miles

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Etwell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 9 in.
" " " " Sea Level 189.95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36				.23		.07				.03	.18	1
2	.10	.08	.03				.15	.10	.15	.32	.09	.07	2
3	1.06		.02			.44	.15		.12		.10	.10	3
4			.24					.29			.04	.14	4
5		.09							.33			.21	5
6			.20		.44								6
7	.10		.33	.06		.03							7
8	(.45)		.05									.09	8
9													9
10			.38	.10									10
11	.05		.65				.19					.10	11
12			.11	.02	.02	.33					.08		12
13	.27			R+H .25						.04	.02	.03	13
14	.34			R+H .12							.03	.05	14
15	.20		.05	.06						.07	.04		15
16	.22	.08					.07				.09	.36	16
17	.13	.65	S+R	.03		.05					.12	R+H	17
18		.18	.20				.03	.13				.28	18
19	.07	.24	S+R 1-12			.12	.66	.54			.22		19
20	.38	.22	.20				.56	.12			.30	.16	20
21	.04	.34	.02				.15		.46		.02	.17	21
22		.11				.03			.40	1.14	.08	.94	22
23		.08											23
24				R+H .22	.14					.35	.16	.03	24
25	.09		S+R	R+H .06		.06		.27			.03	.05	25
26			.32	.05				.04				.34	26
27	.10			.32							.15	.03	27
28				.03			.63				.02	.30	28
29			.03						.36	.05	.05	.17	29
30			.14			.16				.03		.12	30
31							(.07)						31
TOTAL	3-66	2-07	4-09	1-32	0-53	1-22	2-10	2-12	1-46	2-28	1-70	3-95	YEAR'S TOTAL 26-80
Days with ".01 in. or more	16	10	17	12	4	8	10	8	5	6	20	21	137

REGISTER OF RAINFALL IN 1921

Kept at Blakeley Lodge Eltham
in the County of Surrey
by Richard Giles

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Eltham S.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 189.95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.6			10	21		25		06	20		17	1
2				34			42		10	07		09	2
3				12			56		11	18		05	3
4	02			17			03	41		28			4
5			03		38				20				5
6				08	06		30	06	02			03	6
7	02		14				10						7
8	R+5 14	06	05	44	16		08	02					8
9	38	07		33			01	02					9
10	31	30	05	10			22				02		10
11	30			16		14							11
12				25	55	20	05			02	03	5	12
13	12	21	05	35		07		10					13
14	02	02	65	11		R+4 20	03		25				14
15		15	5+R 11	17					06	27	05		15
16				18		26	24			18			16
17				03	16		03		60				17
18	09				10			04	18				18
19	513	83		20		16		05					19
20	12	02		20		20	03						20
21	502						18	12					21
22				(24)			04					05	22
23	03						13					31	23
24			12				57					14	24
25		05	11	09				04					25
26	21		12	05	62		07					02	26
27	13		02	06	11	25	02					35	27
28	73	02	08	08	11	05					31	08	28
29	02				26	06	10				12	58	29
30			11	26		08	02		09		13	39	30
31	10		05										31
TOTAL	2.95	1.73	1.69	4.13	2.72	1.67	3.48	0.87	1.67	1.20	0.66	2.44	25.19
Days with 0.1 in. or more	19	10	14	23	11	11	22	9	10	7	6	13	155
Days with 0.4 in. or more	13	7	13	22	11	11	15	7	9	6	4	11	129

End by own date 15.10.11
End for pt WD

REGI

EYAM
SCHOOL

Kept at Eyam Sch
in the County of Derby
by Elder Schola

DERBY

1911

FORM A2.
BRITISH RAINFALL.
24 JAN 1912
w don
8 in.
e Ground 1 ft 6 in.
Sea Level 856 ft.
a.m.
Name Brimbleford
Distance 3 1/2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.17	.11	.06		.09				.06		1
2	.27		.31				.03	.10			.01	.19	2
3	.06		.13		.19		.01			.01	.29	.02	3
4	.05		.02	.01	.29					.01	.42	.30	4
5	.06			.13	.02					.17			5
6	.43			.09				.17		.27	.38	.79	6
7	.03		.04					.22			.18	.03	7
8	.15										.14	.05	8
9			.15							.11		.89	9
10	.02		.02						.62		.36	.57	10
11	.05		.15								.48	.05	11
12	.27		.20					.02			.15	.01	12
13	.03	.03	.082						.73		.05	.42	13
14			.04							.02	.03	.57	14
15		.10	.09		.21						.22	.10	15
16	.01	(.155)	.01	.04	.02					.10	.19	.25	16
17		.31	.02							.06	.09	.22	17
18		.30	.01	.01		.50					.28	.18	18
19		.11	.02	.04		.04						.10	19
20	(.015)			.01		.03	.02		.17	.10		.23	20
21		.19		.02			.02	.69	.17	.03	.01	.17	21
22		.42	.02	.17				.09	.03	.24	.04	.20	22
23	.02	.06	.01			.38		.01		.31		.51	23
24		.33	.01			.98	.02		.33	.04		.57	24
25	.005	.01	.03	.10		.03				.11		.08	25
26	.07	.30		.16		.14	.02	.02	.25	.02	.50	.21	26
27		.02		.22						.33	.06	.06	27
28		.10	.15	.57		.04		.77	.42		.16	.27	28
29				.30				.02	.08		.01	.01	29
30			.01	.14		.04			.48	.43	.04		30
31					.11		.09			.50		.02	31
Total	1.54	2.42	1.63	2.12	.90	2.08	.21	2.11	2.70	2.86	4.15	7.07	TOTAL
No. of Rain Days.	15	15	22	16	16	10	7	10	10	18	23	28	179

and by sun dial 15. IV. 12
and by pit WD

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
24 JAN 1912

Kept at Gyam School
in the County of Derbyshire
by Elder Scholars (boys)

RAIN GAUGE { Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 856 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Grindleford
Distance 3 1/2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.17	.11	.06		.09				.06		1
2	.27		.31				.03	.10			.01	.19	2
3	.06		.13		.19		.01			.01	.29	.02	3
4	.05		.02	.01	.29					.01	.42	.30	4
5	.06			.13	.02					.17			5
6	.43			.09				.17		.27	.38	.79	6
7	.03		.04					.22			.18	.03	7
8	.15										.14	.05	8
9			.15							.11		.89	9
10	.02		.02						.62		.36	.57	10
11	.05		.15								.48	.05	11
12	.27		.20					.02			.15	.01	12
13	.03	.03	.082						.73		.05	.42	13
14			.04							.02	.03	.57	14
15		.10	.09		.21						.22	.10	15
16	.01	(.155)	.01	.04	.02					.10	.19	.25	16
17		.31	.02							.06	.09	.22	17
18		.30	.01	.01		.50					.28	.18	18
19		.11	.02	.04		.04						.10	19
20	(.015)			.01		.03	.02		.17	.10		.23	20
21		.19 1/2		.02			.02	.69	.17	.03	.01	.17	21
22		.40	.02	.17				.09	.03	.24	.04	.20	22
23	.02	.06	.01			.38		.01		.31		.51	23
24		.33	.01			.98	.02		.33	.04		.57	24
25	.005	.01	.03	.10		.03				.11		.08	25
26	.07	.30		.16		.04	.02	.02	.25	.02	.50	.21	26
27		.02		.22						.33	.06	.06	27
28		.10	.15	.57		.04		.77	.42		.16	.27	28
29				.30				.02	.08		.01	.01	29
30			.01	.14		.04			.48	.43	.04		30
31					.11					.50		.02	31
Total	1.54	2.42	1.63	2.12	.90	2.08	.21	2.11	2.70	2.86	4.15	7.07	TOTAL 29.79
No. of Rain Days.	13	10	22	16	7	10	7	10	10	18	23	28	179

REG

EYAM
VIEW

Kept at Eyam

in the County of Derby

by P. Thorpe

DERBY
1911 - 1915FORM A2.
BRITISH RAINFALL

5 in.

above Ground 1 ft.

Sea Level 945 ft.

Name

Distance

Grindelford

4.9m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	45	—	—	—	04	09	—	—	09	01	1
2	35	—	26	—	20	—	—	—	—	—	01	21	2
3	—	01	—	02	30	—	—	—	01	—	31	02	3
4	11	—	04	17	03	—	—	04	04	19	45	30	4
5	09	—	—	04	—	—	—	25	—	29	—	—	5
6	47	—	04	—	—	—	—	22	—	08	45	85	6
7	05	01	01	—	—	—	—	—	—	—	17	—	7
8	17	—	16	—	—	—	—	—	—	03	17	67	8
9	02	—	03	01	—	—	—	—	—	—	—	07	9
10	05	03	16	—	—	—	—	—	—	—	—	90	10
11	31	—	—	—	—	—	—	—	—	—	34	06	11
12	02	—	20	—	—	—	—	—	72	—	47	01	12
13	—	—	04	—	—	—	—	—	—	—	16	42	13
14	01	14	06	—	20	—	—	—	—	02	05	62	14
15	—	18	10	—	04	—	—	—	—	07	06	25	15
16	01	43	03	05	—	12	—	—	—	04	26	14	16
17	—	01	—	01	—	52	—	—	—	—	19	29	17
18	—	35	02	02	—	04	—	—	—	—	12	20	18
19	—	13	01	03	—	06	02	—	22	12	33	11	19
20	—	22	—	17	—	01	02	69	10	03	—	25	20
21	02	47	03	—	—	01	04	11	—	26	02	02	21
22	02	06	—	02	—	—	—	01	—	35	04	26	22
23	—	33	01	—	—	49	—	—	37	05	—	24	23
24	02	09	03	10	—	91	—	01	—	13	—	21	24
25	12	35	01	19	—	04	—	—	28	01	—	58	25
26	—	05	—	22	11	05	—	01	—	36	51	53	26
27	—	25	13	68	—	—	—	87	42	01	03	10	27
28	—	20	01	27	—	04	—	05	08	—	12	26	28
29	—	—	—	19	—	05	—	—	50	41	02	08	29
30	—	—	—	07	10	10	—	—	01	49	05	03	30
31	—	—	11	—	—	—	—	—	—	—	—	—	31
Total	183	331	194	226	198	244	12	235	275	294	442	769	TOTAL for year 33.03
No. of Rain Days.	16	18	22	17	7	13	4	11	11	18	23	28	188

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

Kept at Egarn View
in the County of Derby
by P. Thorpe

Pattern
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 945 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Grindelford
Distance 1 1/2 m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	45	—	—	—	04	09	—	—	09	01	1
2	35	—	26	—	20	—	—	—	—	—	01	21	2
3	—	01	—	02	30	—	—	—	01	—	31	02	3
4	11	—	04	17	03	—	—	04	04	19	45	30	4
5	09	—	—	04	—	—	—	25	—	29	—	—	5
6	47	—	04	—	—	—	—	22	—	08	45	85	6
7	05	01	01	—	—	—	—	—	—	—	17	—	7
8	17	—	16	—	—	—	—	—	—	03	17	67	8
9	02	—	03	01	—	—	—	—	—	—	—	07	9
10	05	03	16	—	—	—	—	—	—	—	—	90	10
11	31	—	—	—	—	—	—	—	—	—	34	06	11
12	02	—	20	—	—	—	—	—	72	—	47	01	12
13	—	—	04	—	—	—	—	—	—	—	16	42	13
14	01	14	06	—	20	—	—	—	—	02	05	62	14
15	—	18	10	—	04	—	—	—	—	07	06	25	15
16	01	43	03	05	—	12	—	—	—	04	26	14	16
17	—	01	—	01	—	52	—	—	—	—	19	29	17
18	—	35	02	02	—	04	—	—	—	—	12	20	18
19	—	13	01	03	—	06	02	—	22	12	33	11	19
20	—	22	—	17	—	01	02	69	10	03	—	25	20
21	02	47	03	—	—	01	04	11	—	26	02	02	21
22	02	06	—	02	—	—	—	01	—	35	04	26	22
23	—	33	01	—	—	49	—	—	37	05	—	24	23
24	02	09	03	10	—	91	—	01	—	13	—	21	24
25	12	35	01	19	—	04	—	—	28	01	—	58	25
26	—	05	—	22	11	05	—	01	—	36	51	53	26
27	—	25	13	68	—	—	—	87	42	01	03	10	27
28	—	20	01	27	—	04	—	05	08	—	42	26	28
29	—	—	—	19	—	05	—	—	50	41	02	08	29
30	—	—	—	07	10	10	—	—	01	49	05	03	30
31	—	—	11	—	—	—	—	—	—	—	—	—	31
Total	183	331	194	226	98	244	12	235	275	294	442	769	TOTAL 33-03
No. of Rain Days.	16	18	22	17	7	13	4	11	11	18	23	28	188

REGISTER OF RAINFALL IN 1912

Kept at Egarrs View
in the County of Derby
by P. Thorpe

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Grindleford M.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 945 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	'04	'25	—	—	'21	'06	'02	'40	—	—	'15	1
2	'01	—	'08	'08	'01	'10	'75	—	'01	—	—	'12	2
3	'67	'04	'01	—	—	'20	'01	'77	'28	—	'01	'14	3
4	'345	—	'84	'36	'02	'40	—	'31	'10	—	'24	—	4
5	'65	'05	'01	'02	'17	'20	—	'15	'18	—	'04	'01	5
6	—	'23	—	—	'08	—	—	'52	—	—	'01	'01	6
7	'53	'05	—	'01	'12	'02	—	'11	'32	—	—	'05	7
8	'13	'34	'30	'11	'04	'04	—	—	'31	—	'01	—	8
9	—	'05	'16	'43	—	'42	—	'17	—	—	'09	'12	9
10	'06	'01	'01	'01	—	'09	'01	'16	—	—	'53	'01	10
11	'16	'01	—	—	—	—	'02	'04	—	—	'08	'78	11
12	'09	'48	'13	—	—	'06	'61	—	—	—	'03	'02	12
13	'04	'05	'01	—	—	'02	—	'18	'01	'07	'05	'14	13
14	'10	'01	'42	—	—	'12	—	'27	'01	'01	—	'50	14
15	'24	'08	'18	—	'87	'34	—	'06	—	—	—	'48	15
16	'69	'01	'24	—	'25	'06	—	'12	—	'14	—	'02	16
17	'22	'02	'20	—	—	'46	'04	'24	—	—	'01	'67	17
18	'12	'01	'18	—	—	'01	—	—	—	'16	'04	'35	18
19	'30	'11	'20	—	—	'02	'67	'46	—	'03	'05	'01	19
20	'25	—	'15	—	'24	'14	'04	'17	—	'30	—	'04	20
21	'01	'03	'20	—	'42	—	'17	—	—	'40	'04	'04	21
22	'01	'15	—	—	'70	'23	'08	'69	—	—	—	'11	22
23	'07	—	'25	—	'01	—	'71	'63	—	'02	'20	'02	23
24	'10	'01	'03	—	—	'06	'05	'18	—	—	'01	'20	24
25	—	'01	'02	—	—	'32	—	'06	—	'01	'41	'21	25
26	—	'16	'13	—	—	'04	'32	'69	—	<u>1.27</u>	'30	'15	26
27	—	—	'20	—	—	'32	'60	—	—	'85	'04	'21	27
28	—	'04	'01	—	—	'02	'22	'63	'10	'24	'62	'02	28
29	—	'01	'13	'01	—	'05	'34	'01	'46	'05	'01	'08	29
30	'09	—	'08	—	'10	—	'07	—	'01	'04	—	—	30
31	—	~~'28~~	'28	—	'62	—	'30	'19	—	—	—	'02	31
Total	4.89	2.00	4.75	1.03	3.65	3.85	5.07	6.83	1.89	3.59	2.82	5.58	YEAR'S TOTAL
Rain Days.	22	24	27	8	14	25	19	24	12	14	21	28	46.05

REGISTER OF RAINFALL IN 1913

Kept at Eyam New
in the County of Derby
by _____

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Grindleford M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 945 ft.

FORM A.
BRITISH RAINFALL
8 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	.17	.06	.04	—	—	—	.10	—	.09	.01	1
2	.01	.06	.10	.08	—	.02	—	—	—	.24	.16	.02	2
3	.10	.02	.30	—	.55	—	.01	—	.05	.32	—	.56	3
4	.45	.11	.02	—	.05	.04	.04	—	.08	.12	.20	.51	4
5	.12	.04	.13	—	.01	.24	.01	—	.07	.46	.01	.01	5
6	.05	.14	.15	.02	.47	.10	.92	—	—	.90	—	.02	6
7	.01	.49	.13	—	.23	.17	.02	—	—	.68	.09	.04	7
8	.01	.11	.02	—	.28	.12	—	.14	—	.25	.15	.01	8
9	—	.42	.11	—	.16	.44	.01	.02	—	.02	.20	.07	9
10	.04	.02	.03	.21	.02	—	—	—	—	.01	.26	.01	10
11	(.73)	—	—	.44	—	.27	—	—	—	.01	.24	.02	11
12	.02	—	—	.01	—	—	—	—	—	.01	.29	—	12
13	.02	—	.28	.02	—	—	—	.03	.19	.01	.18	—	13
14	.12	.05	.40	.09	—	—	—	.02	—	.14	.37	.03	14
15	.14	.02	.40	.60	—	—	.01	—	.10	—	.53	.02	15
16	.01	.04	.25	.06	—	—	.01	.06	.18	—	.18	.03	16
17	.04	—	.02	.19	.16	.06	.02	—	.67	—	.7	—	17
18	.02	—	.30	.44	.15	.02	.06	—	—	—	.20	.01	18
19	.17	—	.04	.19	—	.08	—	—	.20	—	.04	—	19
20	.35	—	.05	.04	—	—	—	—	.02	.02	.31	—	20
21	.02	—	.05	—	.31	—	.11	.04	—	—	.37	—	21
22	.40	—	.87	—	.02	—	—	.90	.32	—	—	—	22
23	.10	—	.02	—	.16	.15	—	.10	.12	—	.04	.03	23
24	.30	—	—	.04	—	.08	—	.01	—	—	.03	.02	24
25	—	—	—	.02	—	—	—	—	.09	.02	.03	.17	25
26	—	.01	.23	.42	—	—	—	—	.01	.09	—	.62	26
27	—	.03	.01	.32	—	—	—	—	—	.02	.01	.17	27
28	.28	—	.22	.33	—	—	—	—	—	.02	.04	.10	28
29	.01	—	.40	.46	.02	—	—	.47	—	.02	.01	.14	29
30	.65	—	.02	—	—	—	—	—	—	.60	.16	.03	30
31	.02	—	.11	—	.24	—	—	—	—	.01	—	—	31
Total	4.52	1.56	4.83	4.04	2.87	1.79	1.22	1.79	2.20	4.27	4.26	2.65	35.00
Rain Days.	27	14	27	20	16	13	11	10	14	21	26	23	222

YEAR'S TOTAL
35.00
222

REGISTER OF RAINFALL IN 1914

Kept at Eyarn Brew
in the County of Derby
by P. Thorpe

Lat. _____ Long. _____
Time of Observation 9. A.M.
Nearest Railway Station Grindelford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 945 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	'01	'10	—	—	—	100	'14	—	'01	'01	'27	1
2	'01	—	'01	—	—	—	'62	'37	—	'02	'48	'26	2
3	'19	—	'35	—	'16	—	'02	'17	—	'05	—	'64	3
4	'70	—	'48	'20	'37	—	'03	03	—	—	'54	'34	4
5	'15	—	'45	'20	'26	'21	'17	'11	—	—	'32	'18	5
6	—	'04	'17	'37	'25	'01	—	'02	—	—	'01	'30	6
7	'02	'07	'21	'10	'17	—	—	'07	—	—	—	'17	7
8	'40	—	'01	'04	'29	'82	—	'22	'03	'04	'01	'04	8
9	'35	'02	—	'08	'02	'92	—	'18	'01	—	'02	—	9
10	'14	'16	'04	'20	'09	—	—	—	04	—	'14	—	10
11	—	'20	'44	'03	'01	'11	'16	—	'42	—	152	'44	11
12	—	'18	'04	—	'06	'06	'06	—	'64	—	'37	'47	12
13	'04	'23	'17	—	—	—	02	—	'12	'10	115	'36	13
14	'15	'40	'16	—	—	—	'09	—	'15	'41	'34	'22	14
15	'02	'02	'25	—	—	—	—	'02	'01	'02	'08	—	15
16	'14	—	'09	—	—	—	'70	—	'19	—	—	—	16
17	'03	'50	'20	—	—	—	'02	—	'84	—	—	'80	17
18	—	'02	'10	—	—	—	—	—	'10	—	—	'22	18
19	—	—	'15	—	—	—	'16	—	'07	—	'05	'12	19
20	'01	'22	'04	—	—	—	—	—	—	'06	—	'05	20
21	—	'39	—	—	—	'42	—	—	—	'08	'01	'17	21
22	—	'06	—	'02	'22	'11	'11	'03	—	'31	—	'03	22
23	—	'01	'14	'14	'20	'05	'17	—	—	—	—	'01	23
24	'02	'01	'54	—	'10	—	'47	'18	—	'01	'05	—	24
25	'10	—	—	—	—	—	'40	'17	—	'84	'04	'34	25
26	'02	—	'10	—	—	—	'02	'41	—	'28	'17	'33	26
27	'04	'01	—	—	—	—	—	—	—	'14	'12	'88	27
28	'17	'18	'14	—	—	—	—	—	—	'02	—	'24	28
29	'10	—	'20	—	'05	—	—	—	—	'68	'28	'28	29
30	'02	X	'18	—	'01	—	—	—	—	'07	'26	'35	30
31	'22	X	'07	X	—	X	'28	—	X	'25	X	—	31
Total	3.04	2.73	4.83	1.38	2.26	2.71	4.50	2.12	2.62	3.39	6.05	7.51	YEAR'S TOTAL 43.14
Rain Days.	22	19	26	10	15	9	18	14	12	18	21	25	209

and by Reading 2.30.11.16



4 JAN 1916

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

Kept by P. Thorpe Gardener

YEAR

At

Time of Observation 9.20 AM

1915

County

Eggen Vale
Derbyshire

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Inches	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.													
1	3.2	2.6	0.2	—	3.2	—	0.2	0.9	1.7	—	2.1	5.4	9												
2	0.4	1.7	2.7	2.0	—	0.3	0.1	5.1	0.2	1.4	—	0.3													
3	7.4	0.1	0.4	1.2	—	—	3.9	2.2	—	—	—	3.2													
4	0.5	0.5	0.2	—	2.0	—	8.9	—	—	—	—	—	8												
5	0.8	3.3	2.4	—	0.1	—	—	1.1	—	—	0.3	5.9													
6	2.4	1.3	0.8	2.3	—	—	4.5	0.6	—	0.4	—	7.5													
7	3.2	4.4	0.2	0.7	—	—	2.1	4.9	—	—	0.1	2.9													
8	3.4	1.9	0.2	1.7	—	—	—	1.2	—	—	1.3	3.6	7												
9	—	0.6	—	0.4	—	—	—	0.5	—	0.2	1.7	1.7													
10	6.2	—	0.2	—	—	—	0.4	1.6	—	0.3	4.9	4.5													
11	1.7	—	0.2	0.2	4.6	—	1.4	0.4	—	—	3.0	2.0	6												
12	2.4	—	—	0.7	1.7	—	—	0.6	—	0.8	1.0	1.1													
13	0.5	8.1	—	—	0.6	—	0.1	0.3	—	—	—	1.6													
14	0.8	0.2	—	—	0.1	—	0.3	0.9	1.3	—	—	0.7													
15	1.0	4	—	—	—	—	—	1.2	0.5	—	3.8	5.0	5												
16	—	—	—	0.3	1.4	—	1.3	0.3	—	—	—	1.8													
17	—	5.6	0.5	—	—	—	0.9	—	—	0.2	—	—													
18	0.1	3.1	2.0	—	—	—	—	—	—	—	0.3	—	4												
19	0.2	1.2	0.4	0.3	0.4	—	1.2	0.4	—	0.1	—	—													
20	1.5	0.1	—	—	—	—	1.0	—	—	—	—	—													
21	1.3	0.1	—	0.8	—	—	2.4	—	—	—	—	2.7	3												
22	1.6	—	1.0	0.3	—	—	4.7	—	—	0.2	—	4.5													
23	0.1	0.1	1.1	—	—	0.1	0.5	—	0.1	3.9	—	1.4													
24	0.7	—	0.6	0.4	—	—	0.2	—	3.5	0.3	—	1.8													
25	—	—	0.2	0.2	—	9.6	2.9	—	0.5	0.5	—	3.3	2												
26	0.3	4.1	—	—	—	0.4	1.5	—	0.3	0.3	—	1.8													
27	—	2.4	—	—	—	1.5	0.5	—	—	—	—	6.8													
28	—	7.0	—	—	—	0.2	—	4.7	—	1.0	—	1.4	1												
29	—	—	—	—	0.3	7.2	—	0.2	—	1.7	1.3	—													
30	2.6	—	—	0.2	—	1.4	—	0.5	—	—	0.2	3.8													
31	1.2	—	0.1	—	—	—	—	0.4	—	0.5	—	0.6													
Totals	52.9	48.4	13.4	11.7	14.4	21.2	51.6	29.0	8.1	18.9	36.0	88.3													

MONTHLY TOTALS

39.29

34 3 18 15 10 5 21 20 15 12 26 197

CA
GRINDLEFORD STATION M.R.
PARCELS.

December 29th

EYAM VIEW,
DERBYSHIRE
VIA SHEFFIELD.

26 JAN 1916

J. G. Mill.

Dear Sir,
I sincerely think
it advisable to send
you Mr. Ray's Quag Quag
for 1915. My Gardener
went in September, my
present man has left it
to the Garden Boy. Should
you like me to forward it
1

2nd ed.

RE

BRETTON

ELHAM

1911

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

Kept at *Bretton*

in the County of *Derb*

by *John Moore*

DERBY

1911 - 1912

top 5 in.

above Ground 1 ft. 6 in.

Sea Level 1250 ft.

Name *Grindelford*
Distance Direction

IMPORTANT NOTE - Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30						.05				.10		1
2				.09	.30		.03			.10		.16	2
3					.20						.50	.07	3
4					.16						.50	.35	4
5				.08				.20		.85	.10		5
6								.30			.40		6
7											.10	.96	7
8	.75											.26	8
9													9
10											.30	1.75	10
11	.60								.80				11
12											.50		12
13			.75								.15	.49	13
14		.20			.15						.04		14
15		.26	.03		.10		.10				.07	1.00	15
16		.35	.50			.05				.06	.30	.10	16
17	.08		.03			.30						.40	17
18		.26				.30			.40				18
19							.25	.05			.45		19
20		.30		.40				.85		.30	.04	.50	20
21		.40								.50			21
22		.50	.07							.30		.45	22
23		.60				.15			.15	.20			23
24						1.85							24
25	.26	.45	.40	.30					.55			1.60	25
26		.35		.30	.05	.04				.10	.27		26
27		.50	.07	.95		.08		.94	.45			.54	27
28		.48		.20				.10	.03			.40	28
29			.08	.25		.10			.04	.90			29
30			.02	.03	.20	.15					.07		30
31			.03				.10			.80			31
Total	1.99	4.65	1.98	2.60	1.16	3.02	.53	2.44	2.42	4.19	3.89	9.03	38.90
No. of Rain Days.	5	12	10	10	7	9	5	6	7	10	16	15	112

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL
8 - JAN 1914

Kept at Bretton
in the County of Derby
by Miss Moorhouse

RAIN GAUGE { Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 1250 ft.
Time of Observation _____
Nearest Railway Station { Name Grindleyford
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30						.05				.10		1
2				.09	.30		.03			.10		.16	2
3					.20						.50	.07	3
4					.16						.50	.35	4
5				.08				.20		.85	.10		5
6								.30			.40		6
7											.10	.96	7
8	.75											.26	8
9													9
10											.30	1.75	10
11	.60								.80				11
12											.50		12
13			.75								.15	.49	13
14		.20			.15						.04		14
15		.26	.03		.10		.10				.07	1.00	15
16		.35	.50			.05				.06	.30	.10	16
17	.08		.03			.30						.40	17
18		.26				.30			.40				18
19							.25	.05			.45		19
20		.30		.40				.85		.30	.04	.50	20
21		.40								.50			21
22		.50	.07							.30		.45	22
23		.60				.15			.15	.20			23
24						1.85							24
25	.26	.45	.40	.30					.55			1.60	25
26		.35		.30	.05	.04				.10	.27		26
27		.50	.07	.95		.08		.94	.45			.54	27
28		.48		.20				.10	.03			.40	28
29			.08	.25		.10			.04	.90			29
30			.02	.03	.20	.15					.07		30
31			.03				.10			.80			31
Total	1.99	4.65	1.98	2.60	1.16	3.02	.53	2.44	2.42	4.19	3.89	9.03	38.90
No. of Rain Days.	5	12	10	10	7	9	5	6	7	10	16	15	112

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
15 MAY 1912

Kept at

Bietta

in the County of

Deity

by

John Monahan

per Rev. F. L. Shaw.

Pattern
RAIN GAUGE Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station Name Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	8 in.	25 in.	in.	in.	15 in.	in.	in.	26 in.	in.	in.	16 4 in.	1
2	27		11	10	4	26			24			21	2
3	55				6	25		156	27				3
4	57		93	25	28	10		72	39		15		4
5	125	10		11	6	49	12	65	15	16	10		5
6	128	24	26				10	104	4	19			6
7	0	10	30					21	43			15	7
8	130	38		8		5			30				8
9	20			35		45		21			30	21	9
10	25			10		23					46		10
11	21							16				74	11
12		37	8			10	107				2	19	12
13	14		5				3	76		124		26	13
14	16		50			27		42				43	14
15	35	14	25		102	29		12				50	15
16	78				12	5		21		5			16
17	90		170			54	20	22		10		86	17
18	45		8				19	18		25	14	25	18
19	29	18	48			10	25	32		29	5		19
20	23		30		43		18	27		63			20
21			18		45		40			45			21
22		14			70	29	12	106				27	22
23	45		30		4	4	59	51			30		23
24	4		22				10	46				15	24
25		5						27			54	57	25
26			15				56	159		126	45	15	26
27		15	28				47			80		23	27
28		6				39	30	136	20	35	148	18	28
29		4	15				32		15	6		30	29
30	11		14		15		10	4	3			26	30
31			22		66		80	25					31
Total	9.78	2.09	6.93	.99	4.61	4.03	5.90	12.59	2.46	4.73	4.49	7.55	TOTAL for year 66.15
No. of Rain Days	20	14	21	6	12	17	18	23	11	13	11	19	185

EYAM

RE

EYAM

9/11

8 Form A2.
BRITISH RAINFALL
JAN 1917

Kept at *Gyan Rect*
in the County of *Der*
by *Rev. F. L. L.*

THE RECTORY
DERBY
1911 - 1917

op *5* in.
above Ground *1* ft. *6* in.
Sea Level *856* ft.
9.0 a.m.
Name *Grindley*
ion { Distance *3 1/2* in Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.37				.03	.09			.07		1
2	.27		.16		.19		.01	.04			.01	.19	2
3	.06			.02	.27					.04	.29	.02	3
4	.05		.02	.15	.02				.05	.13	.42	.30	4
5	.06			.05				.17		.28			5
6	.43		.03					.22		.07	.38	.80	6
7	.03									.04	.18	.01	7
8	.15		.18								.14	.64	8
9												.05	9
10	.06	.02	.15									.89	10
11	.30							.02			.36	.03	11
12	.06		.20						.72		.48	.43	12
13			.04								.15	.01	13
14		.10	.04		.21					.02	.05	.60	14
15		.15	.09		.02					.08	.04	.22	15
16		.37	.02	.04		.10				.05	.23	.10	16
17						.50					.19	.25	17
18		.30	.02	.01		.04					.09	.16	18
19	.02	.11	.01	.02		.03	.03		.18	.11	.28	.09	19
20		.21		.17		.02	.02	.69	.18	.03		.27	20
21		.41	.03			.01		.09	.03	.24	.02	.01	21
22	.02	.06						.01		.32	.05	.26	22
23		.35	.02			.38			.33	.04		.17	23
24		.09	.03	.09		.98				.11		.20	24
25	.10	.30		.15		.03			.24	.01		.51	25
26		.03		.22	.11	.04		.03		.35	.50	.57	26
27		.20	.16	.64				.85	.39		.01	.08	27
28		.18		.30		.04		.09	.07		.10	.21	28
29				.14		.05			.48	.43	.01	.06	29
30				.06	.11	.09				.48	.04		30
31			.12				.02			.09		.02	31
Total	1.61	2.88	1.69	2.06	.93	2.31	.11	2.30	2.67	2.92	4.09	7.15	30.82
No. of Rain Days.	13	15	18	14	7	13	5	11	10	19	23	28	176

EYAM

REGISTER OF RAINFALL IN 1911

8 JAN 1912 FORM A2. BRITISH RAINFALL.

Kept at *Gyan Rectory*
in the County of *Derby*

by *Rev. F. L. Shaw*

RAIN GAUGE Pattern
Diameter of top *5* in.
Height of top above Ground *1* ft. *6* in.
" " " Sea Level *856* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Grindleford*
Distance *3 1/2* Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.37				.03	.09			.07		1
2	.27		.16		.19		.01	.04			.01	.19	2
3	.06			.02	.27					.04	.29	.02	3
4	.05		.02	.15	.02				.05	.13	.42	.30	4
5	.06			.05				.17		.28			5
6	.43		.03					.22		.07	.38	.80	6
7	.03									.04	.18	.01	7
8	.15		.18								.14	.64	8
9												.05	9
10	.06	.02	.15									.89	10
11	.30							.02			.36	.03	11
12	.06		.20						.72		.48	.43	12
13			.04								.15	.01	13
14		.10	.04		.21					.02	.05	.60	14
15		.15	.09		.02					.08	.04	.22	15
16		.37	.02	.04		.10				.05	.23	.10	16
17						.50					.19	.25	17
18		.30	.02	.01		.04					.09	.16	18
19	.02	.11	.01	.02		.03	.03		.18	.11	.28	.09	19
20		.21		.17		.02	.02	.69	.18	.03		.27	20
21		.41	.03			.01		.09	.03	.24	.02	.01	21
22	.02	.06						.01		.32	.05	.26	22
23		.35	.02			.38			.33	.04		.17	23
24		.09	.03	.09		.98				.11		.20	24
25	.10	.30		.15		.03			.24	.01		.51	25
26		.03		.22	.11	.04		.03		.35	.50	.57	26
27		.20	.16	.64				.85	.39		.01	.08	27
28		.18		.30		.04		.09	.07		.10	.21	28
29				.14		.05			.48	.43	.01	.06	29
30				.06	.11	.09				.48	.04		30
31			.12				.02			.09		.02	31
Total	1.61	2.88	1.69	2.06	.93	2.31	.11	2.30	2.57	2.92	4.09	7.15	30.82
No. of Rain Days.	13	15	18	14	7	13	5	11	10	19	23	28	176

REGISTER OF RAINFALL IN 1912

Kept at *Gyam Rectory*
 in the County of *Derby*
 by *Rev. F. L. Shaw*

Lat. *55.20* Long. _____
 Time of Observation *9.0 a.m.*
 Nearest Railway Station *Grindleton*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *6* in.
 " " " " Sea Level *886* ft.

BRITISH RAINFALL
 FORM A.
 2-JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05	.23			.23	.06	.02	.08			1.13	1
2	.01	.04	.07	.06	.02	.08	.72		.03			.10	2
3	.51	.02	.01		.03	.17	.01	.67	.24			.04	3
4	.28		.83	.32	.15	.42		.24	.10		.22		4
5	.52	.06		.02	.07	.19		.14	.15		.03	.01	5
6	.88	.22			.11	.01		.59			.01		6
7		.06			.03	.02		.09	.26			.06	7
8	.55	.33	.26	.07		.06	.03		.23				8
9	.13	.03	.15	.45		.41		.14			.08	.08	9
10	.04	.01	.01			.06		.16			.50		10
11	.12	.02									.08	.76	11
12	.06	.46	.12			.07	.03				.02	.01	12
13	.02	.03				.03	.57	.17	.01	.06	.04	.12	13
14	.09		.40			.11		.21	.01			.33	14
15	.22	.07	.22		.79	.32		.04				.41	15
16	.70		.20		.24	.07		.11		.14		.02	16
17	.23	.02	.15			.44	.05	.24				.68	17
18	.20		.22					.02		.13	.03	.31	18
19	.38	.09	.17		.01	.03	.72	.42		.03	.04	.01	19
20	.25		.21		.26	.10	.04	.13		.32		.03	20
21		.02	.17		.45		.15	.66		.38	.02	.02	21
22		.12			.64	.18	.00			.01		.11	22
23	.07	.01	.25		.01	.01	.73	.59			.19	.01	23
24	.09		.03			.04	.08	.17				.19	24
25			.01			.26		.05			.38	.20	25
26	.01	.14	.10			.03	.30	.68		1.33	.25	.13	26
27			.16			.28	.77	.02		.87	.02	.19	27
28		.03	.02			.05	.19	.60	.09	.27	~~1.1~~	.02	28
29			.15	.01		.04	.27	.01	.47	.05	.61	.06	29
30	.05		.07		.10		.07		.01	.05			30
31			.25		.72		.28	.19				.01	31
Total	6.33	1.81	4.46	.93	3.63	3.71	5.15	6.34	1.68	3.64	2.52	5.03	44.23
Rain Days.	22	20	25	6	15	26	19	25	12	12	16	26	202

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Eyam Rectory
in the County of Derby
by Rev. F. L. Shaw

Lat. _____ Long. _____
Time of Observation 9-0 a.m.
Nearest Railway Station Grindleford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 856 ft.

FORM A.
BRITISH RAINFALL.
- 2 JAN 1914

IMPORTA
previous day.
requested to ad
for it at the e
the selection a
Organization ar
Dr. H. R. MIL

RAILWAY STATION,
GRINDLEFORD.

THE RECTORY,
EYAM,
SHEFFIELD.

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
cation to

Jan. 1, following.

Date.	Jan.	Feb.
1	.01	
2		.03
3	.10	.02
4	.75	.10
5	.10	.22
6	.04	.12
7	.01	.47
8		.07
9		.45
10	.03	.01
11	.81	
12	.04	
13	.01	
14	.11	.08
15	.14	.02
16	.02	.01
17	.03	.03
18		
19	.17	
20	.35	
21		
22	.38	
23	.07	
24	.25	
25		
26		
27		
28	.26	
29	.01	
30	.64	
31	.02	

De Sir,
I am thank of cutting my
attention to error in calculation
in my Rainfall report.
Yours faithfully
F. L. Shaw

As per 4/14

Nov.	Dec.	Date.
.07		1
.16	.01	2
	.47	3
.19	.47	4
.01	.02	5
	.01	6
.09	.04	7
.14		8
.20	.05	9
.23		10
.25	.01	11
.28		12
.13		13
.34	.02	14
.48	.02	15
.18		16
.06	.02	17
.18	.02	18
.02		19
.31		20
.35		21
		22
.03	.02	23
.02	.01	24
.01	.16	25
	.59	26
.01	.16	27
.02	.08	28
	.08	29
.58	.03	30
.01		31

Total	4.34	1.44	4.66	3.91	2.68	1.67	1.20	1.72	2.02	4.19	3.86	2.29	32.98
Rain Days.	23	14	27	20	15	13	12	10	13	18	25	20	210

Written
3-4-14 ✓

Kept at

in the County of

by

IMPORT

previous day.

requested to a

for it at the

the selection a

Organization at

Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A.
BRITISH RAINFALL.
- 2 JAN 1914

26 feet

in.

und 1 ft. in.

Level 856 ft.

result entered to the

rule, he is earnestly

the space provided

of rain,

Rainfall

cation to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.14	.06					.07		.07		1
2		.03	.09	.05	.03	.02				.16	.16	.01	2
3	.10	.02	.15		.49				.04	.36		.47	3
4	.75	.10	.02	.01	.05	.03	.05		.07	.12	.19	.47	4
5	.10	.22	.11			.25	.02		.06	.71	.01	.02	5
6	.04	.12	.15		.46	.08	.83			.96		.01	6
7	.01	.47	.14		.22	.15	.04			.73	.09	.04	7
8		.07	.02		.30	.16		.15		.24	.14		8
9		.45	.08	.01	.14	.38	.02	.01			.20	.05	9
10	.03	.01	.02	.17	.02		.01			.01	.23		10
11	.81			.48		.25				.01	.25	.01	11
12	.04			.01						.01	.28		12
13	.01		.25					.01	.21		.13		13
14	.11	.05	.41	.08				.03		.12	.34	.02	14
15	.14	.02	.48	.55			.02		.10		.48	.02	15
16	.02	.01	.27	.05			.01	.05	.12		.18		16
17	.03	.03	.03	.19	.12	.05	.02		.67		.06	.02	17
18			.32	.41	.14	.01	.07		.17		.18	.02	18
19	.17		.04	.21		.09					.02		19
20	.35		.05	.03			.01			.03	.31		20
21			.03		.30		.10	.03			.35		21
22	.38		.88					.86	.35				22
23	.07		.02		.14	.12		.06	.07		.03	.02	23
24	.25			.04		.08		.04			.02	.01	24
25				.06					.08		.01	.16	25
26			.20	.39	.02					.10		.59	26
27		.04	.01	.40					.01	.01	.01	.16	27
28	.25		.22	.32						.02	.08	.08	28
29	.01		.43	.39	.02			.48		.01		.08	29
30	.64		.01							.58	.12	.03	30
31	.02		.09		.23					.01			31
Total	4.34	1.44	4.66	3.91	2.68	1.67	1.20	1.72	2.02	4.19	3.86	2.29	YEAR'S TOTAL 32.98 33.98 187 210
Rain Days.	23	14	27	20	15	13	12	10	13	18	25	20	

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
9-JAN 1914

Kept at Bretton
in the County of Derby
by John Mon Lane

Lat. _____ Long. _____
Time of Observation 9.0
Nearest Railway Station Grindley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		12	04	22		355	240	59	369	410	515	140	1
2		04											2
3	10		50		110								3
4	76	08											4
5	09	37	12										5
6	07	54	105										6
7	04	50	04										7
8		27	02										8
9	06	50		06									9
10	12			04									10
11	52		06	37									11
12	05			106									12
13	10		86	10									13
14	23	52	44	16	69								14
15	12	10	51		07								15
16	14		70	12	102								16
17				27	48								17
18	20			104	110								18
19	48				60								19
20	35		15		28								20
21													21
22	56		89		20								22
23	49				14								23
24	10				26								24
25				98	07								25
26				102	03								26
27		10	12	110									27
28	68		46	129									28
29	09		112										29
30	40			76									30
31	102		46										31
Total	677	314	754	859	602	355	240	59	369	410	515	140	YEAR'S TOTAL 5296?
Rain Days.		99	174	5	260	4	356	1	380	1	386	0	5296?

RAILWAY STATION,
GRINDLEFORD.

THE RECTORY,
EYAM, SHEFFIELD.

9- JAN. 1914

Jan 7/14

D. R.

I see the enclosure is quite
incorrect and therefore useless. I shall
anymore in future to take the incum-
ment myself at convenient intervals
of time. I am the guarantor the
total being correct.

Yours truly
Francis L. Shaw

cont. with 5-IV-15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
JAN 1915

Kept at Glan Rectory
in the County of Derby
by Rev. F. L. Shaw

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Grindleyford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 856 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09				.86	.11				.24	1
2							.50	.42		.01	.45	.25	2
3	.16		.36		.16		.03	.12		.02	.02	.59	3
4	.60		.37	.20	.30	.01		.06			.54	.32	4
5	.20		.35	.16	.19	.20	.07				.26	.17	5
6		.03	.17	.37	.24	.02	.14	.03			.01	.29	6
7	.01	.05	.22		.16	.01		.05				.11	7
8	.33		.02	.08	.23	.80	.04	.21	.05	.04	.01	.09	8
9	.30	.01		.09	.01	.94		.20	.01		.02		9
10	.19	.14	.04	.23	.09	.01			.06		.14		10
11		.18	.41	.03	.01	.09	.12		.38		1.33	.51	11
12		.17	.13		.06	.06	.07		.57		.26	.55	12
13	.01	.20	.16	.01	.02		.03		.12	.10	1.06	.32	13
14	.04	.30	.00				.10		.15	.38	.33	.22	14
15	.02	.02	.25						.01	.02	.08		15
16	.14		.09				.67		.18		.01		16
17	.04	.47	.04				.03		.76			.71	17
18		.01	.07			.02			.08			.22	18
19			.20				.11		.08		.03	.19	19
20	.03	.21	.05					.04		.06		.03	20
21		.41				.52				.12		.15	21
22		.05			.26	.10	.09	.03		.22	.01		22
23		.01	.14	.08	.25	.02	.16					.02	23
24	.02		.56	.12	.08	.03	.41	.19			.14		24
25	.08						.39	.21		.80	.03	.31	25
26	.02		.07				.01	.39		.26	.16	.32	26
27	.03		.02							.15	.17	.90	27
28	.16	.17	.08							.03	.05	.25	28
29	.09		.22		.03					.70	.18	.21	29
30	.01	X	.16							.10	.36	.33	30
31	.22	X	.04	X	.02	X	.29		X	.01	X		31
Total	2.70	2.51	4.49	1.37	2.11	2.83	4.12	2.06	2.45	3.02	5.64	7.30	40.60
Rain Days.	21	16	26	10	16	14	19	13	12	16	23	24	210

REGISTER OF RAINFALL IN 1915

Kept at Glan Rectory
in the County of Derby
by Rev. F. L. Shaw

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Grindleton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 856 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	.26	.02		.31		.02	.08	.18		.08	.49	1
2	.04	.14	.25	.25		.04		.51		.14		.03	2
3	.67		.03	.10			.26	.20			.01	.30	3
4	.65	.04			.20		.81					.68	4
5	.07	.35	.16		.01			.17		.03	.02	.72	5
6	.22	.12	.06	.23			.42	.01		.01		.25	6
7	.36	.44	.03	.07			.18	.44				.33	7
8	.38	.18		.17				.15			.17	.15	8
9	.02	.04	.01	.04				.04		.01	.38	.49	9
10	.56		.02				.03	.19		.03	.48	.07	10
11	.42		.01	.02	.47		.13	.02			.62	.40	11
12	.13			.05	.17			.03		.08	1.42		12
13	.18	1.14			.07			.01		.01	.09	.18	13
14	.07	.06			.01		.02	.12	.11	.01		.36	14
15	.95							.10	.03		.46	.18	15
16		.55			.14		1.46	.02				.02	16
17		.33	.06				.11	.04					17
18		.37	.23								.03		18
19	.02	.11	.03		.03		.19			.02			19
20	.12			.03			.08	.03				.21	20
21	.16			.06			.24					.06	21
22			.20	.03			.43			.02		.13	22
23	.08	.02	.11			.01	.05		.02	.30		.18	23
24			.09	.03		.01			.35	.08		.36	24
25				.02		.97	.38			.04		.10	25
26	.03	.44				.03	.12					.65	26
27		.27				.11	.13			.67		.80	27
28		.78	.01					.45		.15		.01	28
29	.02				.04	.44		.02	.07		.15	.46	29
30	.23	X		.04		.69		.05			.04	.04	30
31	.14	X		X		X	.03	.03	X	.52	X	.55	31
Total	5.24	5.64	1.32	1.14	1.45	2.30	5.09	2.71	.76	2.12	3.95	8.20	39.92
Rain Days.	23	18	16	14	10	8	19	21	6	16	13	27	191

REGISTER OF RAINFALL IN 1916

Kept at Egan Rectory
 in the County of Derby
 by Rev. Francis L. Shaw

Lat. 53° 22' Long. _____
 Time of Observation 9-0 a.m.
 Nearest Railway Station Grindleton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 " " " " Sea Level 856 ft.

FORM A.
 BRITISH RAINFALL
 9 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.03	.17			.10	.15		.01		.25		1
2	.50	.26	.34			.01	.01		.03	.25	.06		2
3		.48					.17		.38	.27	.17	.02	3
4	.17	.14			.51	.51	.05		.10	.35	.30		4
5	.14	.02			.03	.66				.64	.70		5
6	.56	.66	.29		.46		.43			.12	.50		6
7	.14		.21		.13		.36			.18	.09	.25	7
8	.01	.05	.51		.02	.15				.02	.19	.20	8
9	.02		.15		.45		.02			.07	.10	.12	9
10	.07	.09	.09	.13			.07		.16	.01		.10	10
11	.05	.36	.29	.28		.23			.10			.07	11
12	.11	.09	.28	.14	.40	.02	.29			.06			12
13		.10	.12	.09			.03	.34		.22		.10	13
14	.01	.24	.02	.20	.26			.23	.01	.28	.01	.05	14
15	.01	.59	.81	.01			.04	.26	.10	.16			15
16	.01	.54	.44	.28	.03		.21	.67		.02			16
17	.04	.35		.99					.29	.17	.01		17
18		.64	.01	.31					.36	.18	.24	.22	18
19	.22	.05	.27	.09					.02	.33	.50		19
20	.27		.18	.15			.01	.03			.02	.13	20
21	.09		.08	.03			.01				.01	.16	21
22		.10	.01			.05				.17	.18	.21	22
23	.05	.27	.15	.06				.11		.01		.38	23
24		.67		.02		.38		.06		.06			24
25		.19	.42		.02			.32		.10	.35	.15	25
26	.02	.28	.09					.18		.19	.06		26
27		.33	.18				.43			.12			27
28	.01	.47				.24			.01	.28	.02	.20	28
29	.01	.35				.49		.01		.17		.50	29
30		X			.10	.13				.19		.02	30
31		X		X		X		.02	X	.28	X	.71	31
Total	2.65	7.35	5.11	2.78	2.41	2.97	2.28	2.23	1.57	4.90	4.46	3.60	YEAR'S TOTAL 42.31
Rain Days.	22	25	22	14	11	12	15	11	12	27	19	18	208

REGISTER OF RAINFALL IN 1917

Kept at Gan Rectory
in the County of Derby
by Rev. F. L. Shaw

Lat. _____ Long. _____
Time of Observation 9-00 a.m.
Nearest Railway Station Grimsthorpe
Diameter of Funnel of Rain Gauge 1.65 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 856 ft.

2647
FORM A
BRITISH RAINFALL
- 2 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07			.26		.07		.20	.20		.13	.12	1
2	.44					.12		.10	.01		.02	.01	2
3	.04	.08		.05		.05		.10		.22	.05	.02	3
4	.27	.05	.18					.07		.42			4
5	.21		.17	.08				.01	.02	.16	.15		5
6	.08					.07				.40	.22	.04	6
7	.49					.51				.72	.15	.07	7
8	.83			.46				.48		.76	.24	.10	8
9	.03			.22						.15	.35		9
10	.20		.64	.20	.27				.02	.02	.01		10
11	.26			.54					.01	.43	.01		11
12	.11				.32			.47		.08	.05	.12	12
13	.10			.20				.30	.21	.15		.05	13
14	.26			.08				.05			.01	.23	14
15	.04			.02	.02		.05	.02		.09			15
16	.06	.09	.02	.17		.22	.10	.16		.01		.82	16
17			.03	.13	.41	.01	.16	.57	.10	.10	.01	.05	17
18	.04		.34	.05	.05		.71	.10	.36	.12			18
19	.06	.23	.02		.14	.48		.05	.07		.07		19
20	.12	.25	.11		.23	.31		.02	.13		.46	.04	20
21		.02	.07		(.03)	.05				.06	.01		21
22								.20	.07	.11	.14		22
23	.04	.05			.19	.06		.18	.02	.26		.05	23
24		.04				.22		.10		.66	.28		24
25			.18					.91		.02	.23		25
26						.01	.02		.21	.11	.74		26
27			.02			.17		1.00			.48	.09	27
28			.12		.57	.10		.74			.02	.19	28
29			.03				.10	.20		.43	.02	.25	29
30		X	.45					.18		.06	.06	.02	30
31		X	.26	X	.02	X		.10	X		X	.05	31
Total	3.75	.81	2.64	2.46	2.24	2.45	1.14	6.31	1.43	5.54	3.91	2.32	YEAR'S TOTAL 35.00
Rain Days.	20	8	15	13	11	15	6	24	13	23	24	18	190

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

Kept at Stoke Flat Filter Beds Froggatt Edge

in the County of Derby

by Johnston Bowdler Waterworks Manager

Lat. 53° 17' 34" Long. 1° 36' 53" W

Time of Observation weekly Fridays 11 am

Nearest Railway Station Gunnelsford MR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

" " " " Sea Level 934 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2											0.70		2
3													3
4													4
5										0.38			5
6													6
7												0.20	7
8													8
9											0.88		9
10													10
11													11
12										2.35			12
13													13
14												0.32	14
15													15
16													16
17											0.32		17
18													18
19										0.34			19
20													20
21												0.83	21
22													22
23											0.57		23
24													24
25													25
26										0.93			26
27													27
28												0.13	28
29									Fixed				29
30		X									1.66		30
31		X		X		X			X		X	0.66	31
Total										4.00	4.07	2.14	YEAR'S TOTAL
Rain Days.													

REG 2684

FROGGATT EDGE

Kept at Stoke Flat water

STOKE FLAT FILTERS

in the County of

by J. Hanout Brown

1917 - 20

FORM A.
BRITISH RAINFALL

13 days weekly
maliford

uge Ave in.

round 1 ft. in.

Sea Level 960 ft.

ie result entered to the
sal rule, he is earnestly
in the space provided

Jan. 1. following.

0.48

IMPORTANT NOT

previous day. If an Ob

requested to add the read

for it at the end of this

the selection and placing of rain gauges, and particulars as to the British Rainfall

Organization are given in "Rules for Rainfall Observers," sent post-free on application to

THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

paragraph. Full instructions for the measurement of rain,

the selection and placing of rain gauges, and particulars as to the British Rainfall

Organization are given in "Rules for Rainfall Observers," sent post-free on application to

THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.025	0.27								0.01		1
2								0.19					2
3													3
4	0.66			~~0.03~~ 0.03						0.93			4
5				1.10			0.02						5
6									1.60			1.30	6
7						0.08					1.05		7
8		1.00	0.17										8
9								0.9					9
10	0.87			~~0.02~~ 0.82									10
11													11
12				1.29			0.66						12
13									2.32			0.55	13
14						0.25					0.48		14
15		1.71	0.14										15
16								0.005					16
17				~~0.30~~ 0.30									17
18	1.84									1.72			18
19				0.05			2.3					1.40	19
20													20
21						0.44							21
22		0.40	0.23								0.03		22
23								0.19					23
24				~~2.04~~ 2.04									24
25	0.77									0.49			25
26				0.25			0.82						26
27									4.10			1.68	27
28			0.01										28
29						0.45					(0.57)		29
30		X						0.91					30
31		X		X	-	X			X		X	1.40	31
Total	4.14	3.135	0.82	2.69	3.19	1.22	3.80	2.195	8.02	3.14	2.08	6.33	40.760
Rain Days.													

Kept at Stoke Flat Waterworks Filter Beds
Froggatt Edge
in the County of Derbyshire
by Sproughtown Waterworks Manager

Lat. _____ Long. _____
Time of Observation 11 am 7 days weekly
Nearest Railway Station Gunnaleford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 960 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.
0.48

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.025	0.27								0.01		1
2							0.19						2
3													3
4	0.66			~~0.03~~ 0.03						0.93			4
5				1.10			0.02						5
6									1.60			1.30	6
7						0.08					1.05		7
8		1.00	0.17										8
9							0.9						9
10	0.87			~~0.82~~ 0.82									10
11													11
12				1.29			0.66						12
13									2.32			0.55	13
14						0.25					0.48		14
15		1.71	0.14										15
16								0.005					16
17				~~0.30~~ 0.30									17
18	1.84									1.72			18
19				0.05			2.3					1.40	19
20													20
21						0.44							21
22		0.40	0.13								0.03		22
23								0.19					23
24				~~2.04~~ 2.04									24
25	0.77									0.49			25
26				0.25			0.82						26
27									4.10			1.68	27
28			0.01										28
29						0.45					(0.57)		29
30		X						0.91					30
31		X		X	—	X			X		X	1.40	31
Total	4.14	3.135	0.82	2.69	3.19	1.22	3.80	2.195	8.02	3.14	2.08	6.33	40.760
Rain Days.													

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Stoke Hat Felted Beds
Froggett Edge
in the County of Derby
by J. Mutton Brown Waterloo Manager
to Bakewell R.D.C.

Lat. as last year Long year
Time of Observation 11 am weekly
Nearest Railway Station Grindleford
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1' ft. — in.
" " " " Sea Level 960 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								0.20					1
2					1.10								2
3	1.0									0.44			3
4				0.20			2.27						4
5									1.10			1.35	5
6						0.77							6
7		0.12	0.93								1.07		7
8								0.44					8
9					0.80								9
10	1.03									0.06			10
11				0.10			0.13						11
12									0.25			1.37	12
13			1.82			0.25					0.14		13
14		nil									0.14		14
15								0.03					15
16					0.03								16
17	1.25			0.82									17
18							0.13						18
19						0.20						1.10	19
20													20
21		1.60									1.48		21
22								0.96	0.96				22
23					0.07								23
24	0.6			0.20						1.03			24
25						2.12							25
26									2.08				26
27						0.45							27
28		0.53	2.30					1.90			0.5		28
29					0.23								29
30		X											30
31	0.40	X		X		X			X	2.50	X	3.32	31
TOTAL	4.28	2.25	5.05	1.32	2.17	1.07	4.65	3.53	3.43	4.03	3.19	7.14	YEAR'S TOTAL 42.11
Days with 0.1 in. or more													

REGISTER OF RAINFALL IN 1920

Kept at Stoke Newington
Frogatt Road
in the County of Derbyshire
by John Brown, Works Manager

Lat 53° 17' 24" N Long 1° 36' 53" W
Time of Observation 10 am Friday
Nearest Railway Station Stoke Newington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 930 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0'30			0'67						0'13			1
2							0'83						2
3									0'32			1'10	3
4						0'73							4
5			0'18					0'53			0'93		5
6		0'38											6
7					1'07								7
8				1'23			1'10			1'35			8
9	0'55												9
10									0'26			0'40	10
11			0'67										11
12								0'40			<u>nil</u>		12
13		1'32											13
14					0'53					0'05			14
15													15
16	1'80			2'65			1'065					0'25	16
17									0'57				17
18													18
19											0'72		19
20			0'95					0'13					20
21													21
22					0'40					0'62			22
23	0'80			0'93			1'20		0'30			0'33	23
24													24
25						2'45							25
26		1'60	0'50								0'03		26
27								(0'08)					27
28					0'54								28
29										0'05			29
30	1'48	~~X~~		1'03			1'075						30
31		~~X~~		~~X~~		~~X~~			~~X~~		~~X~~	2'55	31
TOTAL	4'93	3'30	2'30	6'57	2'54	3'18	5'27	1'14	1'45	2'20	1'68	4'63	YEAR'S TOTAL 39'13
Days with "01 in. or more													
Days with "04 in. or more													

REGIS

Kept at Moorlands,
in the County of Derby
by Rev. W. Vale

FROGGATT EDGE
"MOORLANDS"
DERBY
1915-1919

5
g. 1.38 W
9.30 a.m.
Grindleford M.R. 4/10
5 in.
above Ground 1 ft. 0 in.
Sea Level 530 ft.
and the result entered to the

Jan. 1, following.

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.24	—	—	.23	—	.02	.07	.14	—	.08	.48	1
2	.08	.13	.23	.18	—	.05	—	.56	—	.13	—	.03	2
3	.75	.13	.02	.08	.05	—	.44	.18	—	—	.02	.31	3
4	.03	.02	—	—	.12	—	.75	—	—	—	—	.90	4
5	.06	.50	.13	—	—	—	—	.11	—	.06	.02	.69	5
6	.21	.07	—	.19	—	—	.44	.09	—	—	—	.17	6
7	.32	.27	.02	.07	—	—	.17	.32	—	—	—	.40	7
8	.35	.18	—	.18	—	—	—	.12	—	—	.28	—	8
9	.03	.03	—	.04	—	—	—	.06	—	.02	.21	.58	9
10	.54	—	.02	—	—	—	.01	.08	—	.02	.33	.09	10
11	.36	—	—	.03	.44	—	.25	—	—	—	.84	.39	11
12	.11	—	—	.03	.19	—	—	.10	—	.08	1.96	—	12
13	.11	1.26	—	—	.11	—	—	.05	—	—	—	.08	13
14	.08	—	—	—	—	—	.02	.10	.08	.02	—	.32	14
15	.87	—	—	—	—	—	—	.22	.02	—	.32	.14	15
16	—	.50	—	.01	.15	—	1.34	—	—	—	—	.01	16
17	—	.22	.07	—	—	—	.05	—	—	—	—	—	17
18	—	.32	.32	—	—	—	—	.03	—	—	.04	—	18
19	—	.05	.02	.05	.03	—	.12	—	—	.03	—	—	19
20	.13	—	—	—	—	—	.06	—	—	—	—	.14	20
21	.10	—	—	.12	—	—	.23	—	—	—	—	.06	21
22	—	—	.20	—	—	—	.44	—	—	—	—	.12	22
23	.05	.02	.08	—	—	—	.06	—	.03	.30	—	.15	23
24	—	—	.11	—	—	—	—	—	.42	.06	—	.35	24
25	—	—	—	.07	—	.86	.29	—	—	.03	—	.15	25
26	.05	.39	—	—	—	.01	.13	—	—	—	—	.63	26
27	—	.26	.01	—	—	.09	.16	—	.06	.52	—	.70	27
28	—	.60	.01	—	—	.02	—	.34	—	.11	—	—	28
29	—	X	—	—	.02	.55	—	—	—	—	.12	.66	29
30	.22	X	—	.05	—	.31	—	.04	—	—	.02	.08	30
31	.15	X	—	X	—	X	.04	.03	X	.46	X	.42	31
Total	4.89	5.19	1.24	1.10	1.34	1.89	5.02	2.50	0.75	1.84	4.24	8.05	38.05
Rain Days.	21	18	13	13	9	7	19	17	6	13	12	25	173

REGISTER OF RAINFALL IN 1915

Kept at Moorlands, Froggatt Edges
in the County of Derby
by Rev. W. Vale Bagshawe

Lat. 53.18 N Long. 1.38 W
Time of Observation 9.30 a.m.
Nearest Railway Station Frimleyford M.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 530 ft.

FORM A.
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.24	—	—	.23	—	.02	.07	.14	—	.08	.48	1
2	.08	.13	.23	.18	—	.05	—	.56	—	.13	—	.03	2
3	.75	.13	.02	.08	.05	—	.44	.18	—	—	.02	.31	3
4	.03	.02	—	—	.12	—	.75	—	—	—	—	.90	4
5	.06	.50	.13	—	—	—	—	.11	—	.06	.02	.69	5
6	.21	.07	—	.19	—	—	.44	.09	—	—	—	.17	6
7	.32	.27	.02	.07	—	—	.17	.32	—	—	—	.40	7
8	.35	.18	—	.18	—	—	—	.12	—	—	.28	—	8
9	.03	.03	—	.04	—	—	—	.06	—	.02	.21	.58	9
10	.54	—	.02	—	—	—	.01	.08	—	.02	.33	.09	10
11	.36	—	—	.03	.44	—	.25	—	—	—	.84	.39	11
12	.11	—	—	.03	.19	—	—	.10	—	.08	1.96	—	12
13	.11	1.26	—	—	.11	—	—	.05	—	—	—	.08	13
14	.08	—	—	—	—	—	.02	.10	.08	.02	—	.32	14
15	.87	—	—	—	—	—	—	.22	.02	—	.32	.14	15
16	—	.50	—	.01	.15	—	1.34	—	—	—	—	.01	16
17	—	.22	.07	—	—	—	.05	—	—	—	—	—	17
18	—	.32	.32	—	—	—	—	.03	—	—	.04	—	18
19	—	.05	.02	.05	.03	—	.12	—	—	.03	—	—	19
20	.13	—	—	—	—	—	.06	—	—	—	—	.14	20
21	.10	—	—	.12	—	—	.23	—	—	—	—	.06	21
22	—	—	.20	—	—	—	.44	—	—	—	—	.12	22
23	.05	.02	.08	—	—	—	.06	—	.03	.30	—	.15	23
24	—	—	.11	—	—	—	—	—	.42	.06	—	.35	24
25	—	—	—	.07	—	.86	.29	—	—	.03	—	.15	25
26	.05	.39	—	—	—	.01	.13	—	—	—	—	.63	26
27	—	.26	.01	—	—	.09	.16	—	.06	.52	—	.70	27
28	—	.60	.01	—	—	.02	—	.34	—	.11	—	—	28
29	—	X	—	—	.02	.55	—	—	—	—	.12	.66	29
30	.22	X	—	.05	—	.31	—	.04	—	—	.02	.08	30
31	.15	X	—	X	—	X	.04	.03	X	.46	X	.42	31
Total	4.89	5.19	1.24	1.10	1.34	1.89	5.02	2.50	0.75	1.84	4.24	8.05	38.05
Rain Days.	21	18	13	13	9	7	19	17	6	13	12	25	173

REGISTER OF RAINFALL IN 1916

Kept at Moorlands, Froggatt Edge, Calver
in the County of Derby
by Rev. W. Vale Bagshawe

Lat. 53.18 N Long. 1.38 W
Time of Observation 9.30 a.m.
Nearest Railway Station Grindleford, Midland Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 530 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26	.06	.17	—	~~.05~~	.14	.14	~~.07~~	~~.24~~	—	.25	~~.08~~	1
2	.27	.21	.28	—	—	—	—	—	.11	.23	.08	—	2
3	—	.44	—	—	—	—	.6	—	.27	.33	.12	—	3
4	.15	.10	—	—	.55*	.40	.5	—	.11	.15	.42	—	4
5	.16	.02	—	—	.06	.65*	—	—	—	.59*	.43	—	5
6	.40*	.57	.26	—	.50	—	.41*	—	—	.07	.47	.03	6
7	.13	—	.24	—	.09	—	.29	—	—	.15	.10	.23	7
8	—	.04	.46	—	—	.15	—	—	—	—	.13	.27	8
9	.01	—	.15	—	.41	—	—	—	.05	—	.06	.17	9
10	.06	.14	.09	.15	—	.17	.5	—	.09	.05	—	.08	10
11	.03	.32	.33	.28	—	.10	—	—	.07	—	—	.14	11
12	.09	.08	.36	.10	.50	—	.25	.03	—	.04	—	—	12
13	—	.16	.16	.11	—	—	—	.22	—	.20	—	.08	13
14	—	.14	.02	.18	.19	—	—	.20	—	.21	—	.06	14
15	—	.57	.93*	.03	.01	—	.5	.17	.05	.14	—	—	15
16	.02	.60	.43	.23	—	—	.14	.41*	—	—	—	.01	16
17	.03	.17	—	.78*	—	—	.5	.01	.21	.14	.02	—	17
18	—	.46	—	.20	—	—	—	—	.30*	.20	1.12*	.28	18
19	.18	.02	.42	.16	—	—	—	.02	.04	—	.65	—	19
20	.28	—	.21	.09	—	—	—	.03	—	—	.01	.20	20
21	.08	—	.07	.03	—	—	.5	—	—	—	—	.07	21
22	—	.08	—	.01	—	.4	—	—	—	.08	—	.27	22
23	.06	.21	.01	.06	—	—	—	.09	—	.01	.15	.25	23
24	—	.75*	—	—	—	.32	—	.05	—	.08	—	.19	24
25	—	.13	.36	—	.04	—	—	.24	—	.11	.33	.02	25
26	—	.23	.05	—	—	—	—	.12	—	.26	.05	—	26
27	.01	.29	.18	—	~~.05~~	—	.29	.22	—	.36	—	—	27
28	.02	.49	.14	—	.04	.14	—	—	—	.03	—	.24	28
29	.02	.49	—	—	—	.46	—	.03	—	.28	—	.35	29
30	—	X	—	—	.01	.10	—	—	—	.18	—	.02	30
31	—	X	—	X	—	X	—	.01	X	.23	X	.55*	31
Total	2.26	6.77	5.32	2.41	2.40	2.67	1.83	1.85	1.30	4.12	4.39	3.51	38.83
Rain Days.	19	25	21	14	11	11	12	15	10	23	16	20	197

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Moorlands, Froggatt Edge, Sheffield
in the County of Derby
by Rev. W. Vale Bagshawe

Lat. 53.18 N Long. 1.38 W
Time of Observation 9 a.m.
Nearest Railway Station Grindleford 2½ m. N.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 530 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	—	—	.56	—	.07	—	.15	.09	—	.11	.09	1
2	.35	.01	—	.09	—	.15	—	.09	—	—	.02	—	2
3	.02	.09	—	.02	—	.05	—	.11	—	.15	.07	.01	3
4	.17	.02	.25	—	—	—	—	.13	—	.34	—	.02	4
5	.21	—	.15	.08	—	—	—	—	—	.12	.04	—	5
6	.06	—	—	—	—	.51	—	—	—	.32	.24	.04	6
7	.47	—	—	—	—	.15	—	—	—	.69	.14	.08	7
8	.61	—	—	.44	—	—	—	.56	—	.70	.24	.09	8
9	.01	—	.12	.17	.05	—	—	.02	—	.12	.27	—	9
10	.23	—	.70	.20	.15	—	.06	.13	.01	.02	—	—	10
11	.24	—	—	.50	—	—	—	.29	—	.32	.01	—	11
12	.09	—	—	—	.30	—	—	.24	—	.06	—	.10	12
13	.10	—	—	.20	—	—	—	.42	.16	.01	.05	.02	13
14	.28	—	—	.09	.03	—	—	.09	—	—	—	.19	14
15	.05	~~—~~	—	.03	—	—	.18	.02	—	.14	—	.17	15
16	.04	.10	—	.14	—	.25	.06	.09	—	—	—	.58	16
17	—	—	.02	.13	.40	.02	.16	.23	.01	.07	—	.08	17
18	.06	—	—	.03	.03	.01	.55	.26	.38	.09	.01	—	18
19	.07	.28	.29	—	.13	.45	—	.04	.07	.02	.07	—	19
20	.03	.17	—	—	.25	.74	—	—	.09	—	.27	—	20
21	.04	.04	.10	—	.03	.06	—	.03	—	.05	—	—	21
22	—	—	.12	—	—	.02	—	.16	.03	.07	.07	—	22
23	—	.064	—	—	.18	.11	—	.12	.02	.16	.02	.02	23
24	—	—	—	—	—	.16	—	.07	—	.64	.26	.01	24
25	—	.03	.17	—	—	—	—	—	—	.01	.23	—	25
26	—	—	.04	—	—	—	—	.78	.14	.08	.67	—	26
27	—	—	.08	—	—	.04	.16	.97	—	—	.35	.07	27
28	—	—	.11	—	—	.01	—	.63	—	—	.03	.14	28
29	—	~~X~~	.04	—	.07	—	.08	.10	—	.38	—	.52	29
30	—	~~X~~	.48	—	—	—	.02	.15	—	.04	.05	—	30
31	—	~~X~~	.40	~~X~~	.01	~~X~~	—	.17	~~X~~	.02	~~X~~	.05	31
Total	3.23	.78	3.07	2.68	1.63	2.80	1.27	6.05	1.00	4.62	3.22	2.28	YEAR'S TOTAL 32.63
Rain Days.	20	9	15	14	12	16	8	26	10	24	21	18	193

REGISTER OF RAINFALL IN 1918

Kept at Moorlands, Froggatt Edge
in the County of Derby
by Rew. W. Vale Bagshawe

Lat. 53.18 N Long. 1.38 W
Time of Observation 9.30 a.m.
Nearest Railway Station Grindleford M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 530 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.07	.03	.03	—	—	—	—	.39	.07	.38	.01	1
2	—	.13	—	.07	—	—	—	.26	.20	—	—	.47	2
3	—	.03	.07	—	.53	—	—	.39	.03	.02	.11	—	3
4	—	.01	.03	—	—	—	—	.07	.46	.10	.35	.47	4
5	.02	—	.02	.03	.26	—	.01	.15	.27	.30	.02	—	5
6	—	.99	.03	.39	—	.05	—	.05	.02	.18	—	—	6
7	.07	.06	—	.20	—	—	.01	—	.62	.07	.19	—	7
8	.04	.36	.13	.02	—	—	.11	—	.50	.06	.09	.02	8
9	.80	.76	—	.20	—	.22	—	—	.48	.33	.02	.03	9
10	.36	.07	—	.01	—	—	.43	—	—	.01	.12	.07	10
11	.14	.10	—	.24	.14	—	.14	—	.25	—	—	.04	11
12	.08	.09	.02	.22	.19	.02	.82	—	.37	—	—	.32	12
13	.07	.01	—	.04	.06	—	—	—	.39	.16	—	—	13
14	.61	—	—	—	—	.26	.11	—	.41	.02	.02	.27	14
15	.33	—	—	—	—	.02	.40	.03	.73	—	—	.16	15
16	—	—	—	—	—	.07	.25	.02	.22	.01	—	.22	16
17	.30	—	—	—	.09	—	.44	.03	.25	.14	—	.26	17
18	.29	—	.01	—	—	.09	.13	—	.75	—	—	.44	18
19	.13	.01	.26	.09	—	.01	.11	.07	.10	.11	—	.34	19
20	.12	.16	—	.11	—	.05	.03	—	.09	.15	—	—	20
21	.14	.16	—	.09	.77	.15	.01	—	.29	.14	—	.05	21
22	.02	—	—	—	.22	.14	.13	—	.05	.05	—	.75	22
23	.05	—	—	—	.89	—	.06	—	.11	—	.05	.11	23
24	—	.05	—	—	—	—	.12	.01	.05	.03	—	.12	24
25	—	—	—	—	.01	.08	.21	.38	.04	—	.08	—	25
26	—	.01	—	—	—	—	.40	.07	.26	.03	.08	.08	26
27	—	.10	—	—	—	.02	.01	.37	.37	—	.08	.34	27
28	—	.10	.27	—	—	—	—	.18	.24	—	.25	.63	28
29	—	—	.02	—	—	—	—	—	.29	—	—	.16	29
30	—	X	.41	—	—	—	—	.05	—	—	.12	.21	30
31	—	X	.26	X	—	X	—	.07	X	—	X	.02	31
Total	3.57	3.27	1.56	1.74	3.16	1.18	3.93	2.20	8.23	1.98	1.96	5.59	38.37
Rain Days.	17	19	13	14	10	13	20	16	28	19	15	24	208

REGISTER OF RAINFALL IN 1919.

Kept at Moorlands, Froggatt Edge
in the County of Derbyshire
by Rev W. Vale Bagshawe

Lat. 53.18 N Long. 1.38 W
Time of Observation 9.30
Nearest Railway Station Grindleford M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.47	.03	.03	-	.31	-	.38	.09	.09				1
2	.14	-	-	-	.11	-	.24	.17	.30				2
3	~~.95~~ 1.02	-	-	-	.06	.16	1.05	-	.04				3
4	.06	-	.27	-	-	.01	.12	.01	.27				4
5	.01	.06	-	-	.06	-	.01	.17	.20				5
6	.03	-	.32	-	.63	-	-	-	-				6
7	.01	-	.21	-	-	-	.01	-	-				7
8	.20	-	.02	-	-	.02	-	-	-				8
9	.02	-	.08	-	-	-	-	-	-				9
10	-	-	.27	.10	-	-	-	-	-				10
11	-	-	.99	.12	.05	-	.03	-	-				11
12	-	-	.57	.14	-	.04	.18	-	.07				12
13	.31	-	-	.26	-	.06	.02	-	1.10				13
14	.31	.10	-	.21	-	-	-	-	.06				14
15	.24	-	.04	.05	-	-	-	.01	-				15
16	.21	1.44	-	-	-	.04	.04	-	-				16
17	.10	.56	-	.04	-	.06	.03	.12	-				17
18	-	-	.18	-	.01	-	-	.53	.05				18
19	.07	.24	.81	-	-	.07	1.24	.27	.05				19
20	.31	.09	.49	-	-	.16	.55	.01	.02				20
21	.03	.33	.05	-	-	.05	.17	-	.02				21
22	-	.13	-	-	-	.01	-	.09	.46				22
23	-	-	-	-	-	.15	-	-	-				23
24	-	-	.01	.14	.07	.04	.01	.03	-				24
25	.05	-	-	.13	.12	.02	-	.55	.04				25
26	-	-	.55	.06	-	.03	-	.44	.23				26
27	.13	-	.10	.24	-	.01	-	.04	-				27
28	-	-	-	.07	-	.01	-	.61	-				28
29	.18	~~X~~	.01	.03	-	.03	-	.03	-				29
30	.11	~~X~~	.16	.08	-	.18	-	-	-				30
31	.03	~~X~~	.03	~~X~~	-	~~X~~	.15	-	~~X~~		~~X~~		31
TOTAL	4.84 3.97	2.98	5.19	1.67	1.42	1.15	4.23	3.17	3.00				YEAR'S TOTAL
Days with ".01 in. or more	22	9	20	14	9	19	16	16	15				

9 Jan: 1919

MORTON

PROGATT EDGE

CHILVER

VIA SHEFFIELD.

METEOROLOGICAL OFFICE

BRITISH RAINFALL ORGANIZATION

Dear Sir

The snow ^{Real} ~~score~~ ^{And} for Jan 3 in

My usual ^A— ^{C.} ^{S.} ^{M.} & found
I measured it in many places & found
it varied from ⁴ to ⁵ inches
Temp. File ³ Perm. File

The snow in my gauge was heaped up
but not drifted I think as it was so
Extraordinarily wet & heavy — (It has
broken down all the telegraph & telephone
wires in the district!) 1.02

& when melted it came to ~~low~~.
instead of 2.45 as I expected —

At Chatsworth it was 5 inches as it was
& melted to 2.95. Please tell me
what I ought to enter —
from my trap

W. Vale Bagshawe

REG.

GLOSSOP W.W.
SWINESHAU
DERBY
1911-1920

94

Round

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at

Swineshaw

in the County of

Derby

by

Jno

p 12 in.

above Ground 3 ft. in.

Sea Level 733 ft.

9 a.m.

Name

Glossop

Distance 1 1/2 miles Direction N.E.

and the result entered to the universal rule, he is earnestly

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~0.00~~	~~0.00~~	0.66	~~0.00~~	~~0.00~~	~~0.00~~	0.20	~~0.00~~	~~0.00~~	~~0.00~~	0.19	~~0.00~~	1
2	0.29	~~0.00~~	0.16	~~0.00~~	0.06	~~0.00~~	~~0.00~~	0.09	~~0.00~~	~~0.00~~	0.05	0.02	2
3	0.03	0.01	0.01	~~0.00~~	0.27	~~0.00~~	~~0.00~~	0.02	~~0.00~~	~~0.00~~	0.21	0.02	3
4	0.09	~~0.00~~	0.16	0.13	0.05	~~0.00~~	0.02	0.19	0.20	~~0.00~~	0.46	0.07	4
5	0.05	~~0.00~~	0.01	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.25	~~0.00~~	0.06	~~0.00~~	~~0.00~~	5
6	0.33	~~0.00~~	0.02	0.11	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.12	0.48	0.45	6
7	0.05	~~0.00~~	~~0.00~~	0.01	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.18	0.05	~~0.00~~	7
8	0.27	~~0.00~~	0.28	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.09	0.07	0.44	8
9	0.03	~~0.00~~	0.01	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.01	~~0.00~~	0.15	9
10	0.06	~~0.00~~	0.04	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.51	10
11	0.35	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.02	~~0.00~~	~~0.00~~	0.92	0.19	11
12	0.05	0.01	0.33	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.51	~~0.00~~	12
13	~~0.00~~	~~0.00~~	0.02	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.00	0.82	~~0.00~~	0.21	0.52	13
14	0.06	0.34	0.05	~~0.00~~	0.85	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.06	0.44	14
15	~~0.00~~	0.25	0.18	~~0.00~~	0.32	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.03	0.05	0.24	15
16	~~0.00~~	0.96	0.11	0.05	~~0.00~~	~~0.00~~	0.02	~~0.00~~	~~0.00~~	0.02	0.14	0.08	16
17	0.02	~~0.00~~	0.08	0.01	~~0.00~~	0.51	0.02	~~0.00~~	~~0.00~~	~~0.00~~	0.13	0.08	17
18	~~0.00~~	0.38	0.07	~~0.00~~	~~0.00~~	0.29	~~0.00~~	0.06	~~0.00~~	0.06	0.26	0.08	18
19	~~0.00~~	0.11	0.03	0.10	~~0.00~~	0.14	0.08	~~0.00~~	0.36	0.04	~~0.00~~	0.06	19
20	~~0.00~~	0.22	~~0.00~~	0.20	~~0.00~~	0.01	0.08	1.21	~~0.00~~	0.07	~~0.00~~	0.40	20
21	~~0.00~~	0.57	~~0.00~~	0.01	~~0.00~~	0.01	~~0.00~~	0.82	0.05	0.37	0.10	0.03	21
22	0.03	0.04	~~0.00~~	0.05	~~0.00~~	0.02	0.06	~~0.00~~	~~0.00~~	0.18	0.14	0.14	22
23	0.02	0.26	~~0.00~~	0.01	0.07	0.21	~~0.00~~	~~0.00~~	0.28	0.19	0.02	0.30	23
24	~~0.00~~	0.08	~~0.00~~	0.15	~~0.00~~	0.06	~~0.00~~	0.03	~~0.00~~	0.75	~~0.00~~	0.22	24
25	0.01	0.40	~~0.00~~	0.34	~~0.00~~	0.09	~~0.00~~	~~0.00~~	0.25	0.27	0.04	0.50	25
26	~~0.00~~	0.04	~~0.00~~	0.18	~~0.00~~	0.17	~~0.00~~	0.09	0.72	~~0.00~~	0.41	0.37	26
27	~~0.00~~	0.22	0.15	0.78	0.19	~~0.00~~	~~0.00~~	0.76	0.10	~~0.00~~	0.11	0.09	27
28	~~0.00~~	0.27	~~0.00~~	0.23	~~0.00~~	0.14	~~0.00~~	0.02	0.20	0.61	~~0.00~~	0.53	28
29	0.01	~~0.00~~	~~0.00~~	0.43	~~0.00~~	0.13	~~0.00~~	~~0.00~~	0.24	0.20	~~0.00~~	0.20	29
30	~~0.00~~	~~0.00~~	~~0.00~~	0.01	0.12	0.28	~~0.00~~	0.09	~~0.00~~	0.06	~~0.00~~	~~0.00~~	30
31	~~0.00~~	~~0.00~~	0.17	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.07	31
Total	1.75	4.16	2.55	2.80	1.93	3.06	0.48	3.65	3.22	2.71	4.61	6.20	35.12
No. of Rain Days.	17	16	20	17	8	13	7	13	10	18	21	26	181

REG

94

Round

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at

Swineshaw

in the County of

Derby

by

Jno Garner

RAIN
GAUGE

Diameter of top 12 in.

Height of top above Ground 3 ft. in.

Sea Level 733 ft.

Time of Observation 9 a.m.

Name

Glossop

Nearest Railway Station

Distance 1 1/2 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~0.00~~	~~0.00~~	0.66	~~0.00~~	~~0.00~~	~~0.00~~	0.20	~~0.00~~	~~0.00~~	~~0.00~~	0.19	~~0.00~~	1
2	0.29	~~0.00~~	0.16	~~0.00~~	0.06	~~0.00~~	~~0.00~~	0.09	~~0.00~~	~~0.00~~	0.05	0.02	2
3	0.03	0.01	0.01	~~0.00~~	0.27	~~0.00~~	~~0.00~~	0.02	~~0.00~~	~~0.00~~	0.21	0.02	3
4	0.09	~~0.00~~	0.16	0.13	0.05	~~0.00~~	0.02	0.19	0.20	~~0.00~~	0.46	0.07	4
5	0.05	~~0.00~~	0.01	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.25	~~0.00~~	0.06	~~0.00~~	~~0.00~~	5
6	0.33	~~0.00~~	0.02	0.11	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.12	0.48	0.45	6
7	0.05	~~0.00~~	~~0.00~~	0.01	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.18	0.05	~~0.00~~	7
8	0.27	~~0.00~~	0.28	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.09	0.07	0.44	8
9	0.03	~~0.00~~	0.01	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.01	~~0.00~~	0.15	9
10	0.06	~~0.00~~	0.04	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.51	10
11	0.35	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.02	~~0.00~~	~~0.00~~	0.92	0.19	11
12	0.05	0.01	0.33	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.51	~~0.00~~	12
13	~~0.00~~	~~0.00~~	0.02	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.82	~~0.00~~	0.21	0.52	13
14	0.06	0.34	0.05	~~0.00~~	0.85	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.06	0.44	14
15	~~0.00~~	0.25	0.18	~~0.00~~	0.32	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.03	0.05	0.24	15
16	~~0.00~~	0.96	0.11	0.05	~~0.00~~	~~0.00~~	0.02	~~0.00~~	~~0.00~~	0.02	0.14	0.08	16
17	0.02	~~0.00~~	0.08	0.01	~~0.00~~	0.51	0.02	~~0.00~~	~~0.00~~	~~0.00~~	0.13	0.08	17
18	~~0.00~~	0.38	0.07	~~0.00~~	~~0.00~~	0.29	~~0.00~~	0.06	~~0.00~~	0.06	0.26	0.08	18
19	~~0.00~~	0.11	0.03	0.10	~~0.00~~	0.14	0.08	~~0.00~~	0.36	0.04	~~0.00~~	0.06	19
20	~~0.00~~	0.22	~~0.00~~	0.20	~~0.00~~	0.01	0.08	1.21	~~0.00~~	0.07	~~0.00~~	0.40	20
21	~~0.00~~	0.57	~~0.00~~	0.01	~~0.00~~	0.01	~~0.00~~	0.82	0.05	0.37	0.10	0.03	21
22	0.03	0.04	~~0.00~~	0.05	~~0.00~~	0.02	0.06	~~0.00~~	~~0.00~~	0.18	0.14	0.14	22
23	0.02	0.26	~~0.00~~	0.01	0.07	0.21	~~0.00~~	~~0.00~~	0.28	0.19	0.02	0.30	23
24	~~0.00~~	0.08	0.01	0.15	~~0.00~~	0.06	~~0.00~~	0.03	~~0.00~~	0.15	~~0.00~~	0.22	24
25	0.01	0.40	~~0.00~~	0.34	~~0.00~~	0.09	~~0.00~~	~~0.00~~	0.25	0.27	0.04	0.50	25
26	~~0.00~~	0.04	~~0.00~~	0.18	~~0.00~~	0.17	~~0.00~~	0.09	0.72	~~0.00~~	0.41	0.37	26
27	~~0.00~~	0.22	0.15	0.78	0.19	~~0.00~~	~~0.00~~	0.76	0.10	~~0.00~~	0.11	0.09	27
28	~~0.00~~	0.27	~~0.00~~	0.23	~~0.00~~	0.14	~~0.00~~	0.02	0.20	0.61	~~0.00~~	0.53	28
29	0.01	~~0.00~~	~~0.00~~	0.43	~~0.00~~	0.13	~~0.00~~	~~0.00~~	0.24	0.20	~~0.00~~	0.20	29
30	~~0.00~~	~~0.00~~	~~0.00~~	0.01	0.12	0.28	~~0.00~~	0.09	~~0.00~~	0.06	~~0.00~~	~~0.00~~	30
31	~~0.00~~	~~0.00~~	0.17	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.07	31
Total	1.75	4.16	2.55	2.80	1.93	3.06	0.48	3.65	3.22	2.71	4.61	6.20	37.12
No. of Rain Days.	17	16	20	17	8	13	7	13	10	18	21	26	184

REGISTER OF RAINFALL IN 1912

Kept at Swineshaw Glossop
in the County of Derby
by John Garner

Lat. _____ Long. _____
Time of Observation 9.9 a.m.
Nearest Railway Station Glossop
Diameter of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 733 ft.

BRITISH RAINFALL
FORM A.
10 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
12 1	0.00	0.01	0.14	~~0.00~~	~~0.00~~	0.16	0.14	0.07	0.33	0.00	0.00	1.24	1
2	~~0.00~~	0.05	0.06	0.08	0.09	0.05	0.67	~~0.00~~	0.05	~~0.00~~	~~0.00~~	0.22	2
3	0.51	0.06	0.03	~~0.00~~	~~0.00~~	0.40	0.02	0.57	0.55	0.00	0.04	0.12	3
4	0.70	~~0.00~~	0.59	0.57	0.05	0.28	~~0.00~~	1.02	0.14	~~0.00~~	0.49	~~0.00~~	4
5	0.98	~~0.00~~	0.01	~~0.00~~	0.17	0.22	~~0.00~~	0.19	0.10	0.05	0.06	0.02	5
6	0.63	0.06	~~0.00~~	0.02	0.09	0.04	~~0.00~~	0.54	0.07	0.05	~~0.00~~	~~0.00~~	6
7	~~0.00~~	0.01	0.12	0.02	0.08	0.03	~~0.00~~	0.13	0.10	~~0.00~~	0.01	~~0.00~~	7
8	0.31	0.15	0.10	0.23	0.01	0.02	0.13	0.16	0.20	~~0.00~~	0.35	~~0.00~~	8
9	0.16	0.04	0.29	0.43	0.03	0.01	~~0.00~~	0.04	~~0.00~~	~~0.00~~	0.03	0.07	9
10	0.02	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.04	0.02	0.04	0.01	~~0.00~~	0.58	~~0.00~~	10
11	0.38	0.01	~~0.00~~	0.01	~~0.00~~	~~0.00~~	~~0.00~~	0.17	~~0.00~~	~~0.00~~	0.03	0.93	11
12	0.14	0.36	~~0.00~~	0.01	~~0.00~~	0.10	0.68	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.07	12
13	~~0.00~~	0.05	0.06	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.12	~~0.00~~	0.14	0.10	0.33	13
14	0.14	~~0.00~~	0.85	~~0.00~~	~~0.00~~	0.09	~~0.00~~	0.53	0.02	~~0.00~~	~~0.00~~	0.67	14
15	0.07	0.16	0.21	~~0.00~~	0.76	0.21	~~0.00~~	0.17	0.01	~~0.00~~	~~0.00~~	0.21	15
16	0.48	~~0.00~~	0.35	~~0.00~~	0.12	0.15	~~0.00~~	0.07	~~0.00~~	0.26	0.03	0.09	16
17	0.10	0.05	0.14	~~0.00~~	0.02	0.87	~~0.00~~	0.32	~~0.00~~	~~0.00~~	0.06	0.43	17
18	0.26	~~0.00~~	0.02	~~0.00~~	~~0.00~~	0.13	~~0.00~~	0.06	~~0.00~~	0.39	0.03	0.11	18
19	0.09	0.01	0.08	~~0.00~~	~~0.00~~	0.06	0.68	0.47	~~0.00~~	0.07	0.07	~~0.00~~	19
20	0.15	0.06	0.15	~~0.00~~	0.12	0.03	0.03	0.46	~~0.00~~	0.49	~~0.00~~	0.02	20
21	0.01	0.04	0.14	~~0.00~~	0.28	~~0.00~~	0.19	0.16	~~0.00~~	0.37	0.03	0.14	21
22	0.04	0.12	0.02	~~0.00~~	0.61	0.49	0.07	0.12	~~0.00~~	~~0.00~~	~~0.00~~	0.14	22
23	~~0.00~~	~~0.00~~	0.15	~~0.00~~	~~0.00~~	~~0.00~~	0.16	1.80	~~0.00~~	~~0.00~~	0.39	0.03	23
24	0.71	~~0.00~~	0.06	~~0.00~~	0.03	0.07	~~0.00~~	0.05	~~0.00~~	0.07	0.01	0.11	24
25	0.02	0.04	0.06	~~0.00~~	~~0.00~~	0.25	~~0.00~~	0.05	~~0.00~~	~~0.00~~	0.56	0.18	25
26	0.03	0.23	0.16	~~0.00~~	~~0.00~~	0.01	0.43	0.57	~~0.00~~	0.89	0.07	0.42	26
27	~~0.00~~	0.02	0.46	~~0.00~~	~~0.00~~	0.36	0.34	~~0.00~~	~~0.00~~	0.55	0.01	0.13	27
28	0.06	0.01	0.09	~~0.00~~	~~0.00~~	0.07	0.26	0.30	0.09	0.30	0.52	~~0.00~~	28
29	~~0.00~~	0.01	0.03	~~0.00~~	~~0.00~~	0.23	0.51	0.02	0.40	0.02	~~0.00~~	0.08	29
30	0.09	~~0.00~~	0.07	~~0.00~~	0.01	0.02	0.11	~~0.00~~	0.01	0.04	0.02	0.01	30
31	~~0.00~~	~~0.00~~	0.36	~~0.00~~	0.48	~~0.00~~	0.43	0.57	~~0.00~~	0.02	~~0.00~~	0.04	31
99 Total	4.68	1.55	4.80	1.30	2.95	4.39	4.87	8.77	2.08	3.71	3.39	5.71	YEAR'S TOTAL 48.20
Rain Days.	23	21	27	8	16	26	17	27	14	15	21	24	239

REGISTER OF RAINFALL IN 1913

Kept at

in the County of

by

Lewisham

Derby

John Garner

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

9 a.m.

Glossop

12 in.

3 ft. in.

733 ft.

FORM A.
BRITISH RAINFALL
10 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
13 1	0.02	0.11	0.14	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	1
2	0.00	0.07	0.11	0.04	0.00	0.06	0.00	0.00	0.00	0.00	0.01	0.05	2
3	0.04	0.07	0.42	0.00	0.68	0.00	0.01	0.00	0.00	0.20	0.00	0.47	3
4	0.58	0.16	0.04	0.00	0.06	0.02	0.12	0.00	0.00	0.00	0.07	0.40	4
5	0.12	0.05	0.27	0.00	0.05	0.31	0.06	0.00	0.03	0.77	0.00	0.00	5
6	0.04	0.12	0.20	0.01	0.51	0.06	0.62	0.00	0.00	0.42	0.01	0.01	6
7	0.00	0.17	0.01	0.00	0.16	0.16	0.00	0.00	0.02	0.57	0.04	0.02	7
8	0.00	0.06	0.11	0.00	0.25	0.08	0.00	0.32	0.00	0.05	0.09	0.03	8
9	0.00	0.35	0.31	0.04	0.11	0.36	0.00	0.09	0.00	0.00	0.03	0.21	9
10	0.06	0.03	0.11	0.10	0.00	0.05	0.07	0.00	0.06	0.00	0.05	0.00	10
11	0.32	0.00	0.00	0.20	0.00	0.32	0.00	0.00	0.00	0.02	0.08	0.02	11
12	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.06	0.00	0.28	0.02	12
13	0.00	0.01	0.49	0.03	0.00	0.00	0.06	0.06	0.16	0.00	0.47	0.00	13
14	0.08	0.01	0.24	0.07	0.00	0.00	0.00	0.05	0.00	0.39	0.21	0.05	14
15	0.13	0.03	0.19	0.47	0.00	0.00	0.02	0.00	0.10	0.00	0.51	0.11	15
16	0.00	0.00	0.09	0.05	0.07	0.00	0.02	0.19	0.00	0.00	0.35	0.00	16
17	0.01	0.02	0.00	0.25	0.00	0.01	0.07	0.00	0.90	0.00	0.12	0.00	17
18	0.05	0.00	0.19	0.26	0.09	0.06	0.08	0.00	0.00	0.00	0.20	0.01	18
19	0.15	0.00	0.00	0.06	0.00	0.20	0.03	0.00	0.12	0.12	0.15	0.00	19
20	0.06	0.01	0.07	0.11	0.14	0.07	0.01	0.00	0.11	0.04	0.23	0.00	20
21	0.01	0.00	0.08	0.00	0.16	0.00	0.13	0.06	0.00	0.00	0.16	0.00	21
22	0.42	0.00	0.96	0.00	0.06	0.00	0.00	0.86	0.13	0.00	0.02	0.04	22
23	0.47	0.01	0.11	0.00	0.42	0.23	0.00	0.23	0.16	0.00	0.08	0.00	23
24	0.45	0.00	0.00	0.11	0.03	0.30	0.00	0.14	0.00	0.00	0.03	0.70	24
25	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.11	0.01	0.01	0.43	25
26	0.00	0.04	0.07	0.24	0.00	0.01	0.00	0.00	0.00	0.09	0.00	0.70	26
27	0.01	0.04	0.00	0.25	0.00	0.01	0.00	0.00	0.00	0.03	0.05	0.19	27
28	0.15	0.00	0.28	0.34	0.03	0.01	0.00	0.00	0.01	0.05	0.03	0.11	28
29	0.00	0.00	0.44	0.68	0.05	0.00	0.00	0.19	0.00	0.00	0.08	0.08	29
30	0.58	0.00	0.05	0.00	0.01	0.00	0.00	0.01	0.01	0.60	0.14	0.00	30
31	0.02	0.00	0.08	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	31
99 Total	3.78	1.37	5.05	3.45	3.05	2.27	1.30	2.20	1.98	3.36	3.59	3.05	YEAR'S TOTAL 34.45
Rain Days.	22	19	25	20	18	19	13	11	14	14	27	19	221

REGISTER OF RAINFALL IN 1914

Kept at Swinslow
in the County of Derby.
by John Garner

Lat. _____ Long. _____
Time of Observation 7 a.m.
Nearest Railway Station Glossop
Diameter of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. - in.
" " " " Sea Level 733 ft.

FORM A.
BRITISH RAINFALL
12 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1	0.01	0.01	0.22	0.00	0.00	0.04	0.44	0.45	0.00	0.04	0.00	0.23	1
2	0.03	0.00	0.25	0.00	0.00	0.00	0.39	0.83	0.00	0.05	0.32	0.15	2
3	0.34	0.00	0.33	0.00	0.16	0.00	0.07	0.04	0.00	0.08	0.03	0.50	3
4	0.73	0.00	0.98	0.28	0.47	0.00	0.00	0.04	0.00	0.00	0.30	0.18	4
5	0.13	0.00	0.66	0.24	0.24	0.23	0.00	0.00	0.00	0.04	0.16	0.17	5
6	0.00	0.02	0.13	0.13	0.13	0.00	0.01	0.02	0.00	0.00	0.04	0.02	6
7	0.71	0.02	0.12	0.01	0.38	0.05	0.00	0.04	0.00	0.00	0.02	0.05	7
8	0.60	0.00	0.00	0.11	0.49	0.70	0.00	0.20	0.00	0.06	0.01	0.02	8
9	0.25	0.03	0.02	0.18	0.02	1.26	0.00	0.52	0.00	0.00	0.11	0.01	9
10	0.00	0.11	0.02	0.04	0.06	0.00	0.00	0.00	0.10	0.00	0.12	0.36	10
11	0.00	0.48	0.39	0.00	0.01	0.38	0.00	0.00	0.50	0.00	0.83	0.39	11
12	0.00	0.09	0.07	0.07	0.12	0.00	0.04	0.00	0.82	0.00	0.55	0.18	12
13	0.06	0.12	0.23	0.00	0.09	0.00	0.00	0.00	0.08	0.00	0.65	0.19	13
14	0.00	0.13	0.12	0.00	0.00	0.00	0.04	0.00	0.23	0.19	0.18	0.02	14
15	0.03	0.06	0.30	0.00	0.00	0.00	0.62	0.00	0.00	0.14	0.26	0.00	15
16	0.04	0.07	0.09	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.00	0.00	16
17	0.06	0.44	0.20	0.00	0.00	0.00	0.16	0.00	0.43	0.00	0.00	0.51	17
18	0.00	0.00	0.10	0.00	0.00	0.19	0.00	0.00	0.11	0.00	0.04	0.28	18
19	0.00	0.01	0.00	0.00	0.00	0.00	0.13	0.00	0.14	0.00	0.00	0.24	19
20	0.00	0.02	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.03	0.04	20
21	0.00	0.76	0.03	0.00	0.00	0.08	0.00	0.10	0.00	0.02	0.00	0.06	21
22	0.00	0.11	0.00	0.02	0.37	0.19	0.00	0.11	0.00	0.09	0.02	0.00	22
23	0.00	0.05	0.10	0.08	0.35	0.12	0.33	0.00	0.00	0.00	0.00	0.13	23
24	0.03	0.00	0.12	0.18	0.00	0.06	0.95	0.49	0.00	0.76	0.18	0.00	24
25	0.07	0.00	0.07	0.00	0.00	0.00	0.30	0.32	0.00	0.30	0.09	0.28	25
26	0.01	0.00	0.06	0.00	0.00	0.00	0.05	0.15	0.00	0.12	0.19	0.27	26
27	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.25	1.26	27
28	0.11	0.00	0.03	0.00	0.00	0.00	0.48	0.00	0.00	0.08	0.22	0.13	28
29	0.12	X	0.19	0.34	0.02	0.01	0.00	0.06	0.00	0.76	0.09	0.13	29
30	0.01	X	0.03	0.00	0.03	0.00	0.00	0.08	0.00	0.06	0.12	0.24	30
31	0.21	X	0.16	X	0.00	X	0.20	0.00	X	0.20	X	0.00	31
99 Total	3.72	2.53	5.16	1.68	2.94	3.31	4.21	3.45	2.83	3.15	4.81	6.04	YEAR'S TOTAL 43.83
Rain Days.	20	17	27	12	15	12	15	15	9	18	24	26	210

REGISTER OF RAINFALL IN 1915

Kept at Swineshead
in the County of Derby
by John Garner

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Glossop
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. _____ in.
" " " " Sea Level 733 ft.

FORM A.
BRITISH RAINFALL
10 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	0.29	0.28	0.13	0.00	0.38	0.00	0.01	0.02	0.44	0.00	0.07	0.10	1
2	0.00	0.33	0.38	0.25	0.00	0.04	0.22	0.36	0.02	0.04	0.01	0.20	2
3	0.75	0.00	0.11	0.28	0.00	0.00	0.11	0.14	0.00	0.00	0.03	0.27	3
4	0.14	0.02	0.00	0.00	0.13	0.00	0.56	0.00	0.00	0.00	0.00	1.96	4
5	0.03	0.37	0.25	0.00	0.00	0.04	0.00	0.03	0.00	0.02	0.02	0.29	5
6	0.40	0.10	0.06	0.29	0.00	0.00	0.51	0.03	0.00	0.02	0.03	0.37	6
7	0.70	0.46	0.00	0.00	0.00	0.00	0.33	0.50	0.00	0.00	0.01	0.10	7
8	0.15	0.21	0.04	0.05	0.00	0.00	0.03	0.16	0.00	0.00	0.49	0.00	8
9	0.05	0.04	0.00	0.03	0.00	0.00	0.05	0.10	0.00	0.00	0.17	0.52	9
10	0.77	0.01	0.18	0.04	0.00	0.00	0.09	0.39	0.00	0.00	0.17	0.16	10
11	0.26	0.00	0.11	0.00	0.48	0.00	0.56	0.20	0.00	0.00	0.53	0.53	11
12	0.14	0.00	0.00	0.00	0.19	0.00	0.04	0.00	0.00	0.31	2.05	0.00	12
13	0.68	1.10	0.03	0.00	0.00	0.00	0.01	0.00	0.00	0.02	0.00	0.06	13
14	0.12	0.11	0.03	0.05	0.01	0.00	0.09	0.15	0.18	0.06	0.00	0.29	14
15	1.16	0.00	0.00	0.03	0.00	0.00	0.08	0.38	0.07	0.00	0.14	0.14	15
16	0.00	0.34	0.01	0.04	0.13	0.00	1.24	0.85	0.00	0.00	0.00	0.00	16
17	0.00	0.14	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.01	0.00	0.02	17
18	0.03	0.02	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	18
19	0.06	0.06	0.13	0.00	0.01	0.00	0.18	0.00	0.00	0.00	0.00	0.01	19
20	0.22	0.00	0.07	0.06	0.00	0.00	0.07	0.05	0.00	0.00	0.00	0.36	20
21	0.12	0.04	0.01	0.06	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.19	21
22	0.06	0.00	0.08	0.04	0.00	0.00	0.09	0.01	0.00	0.02	0.02	0.35	22
23	0.04	0.00	0.15	0.00	0.00	0.03	0.20	0.00	0.01	0.13	0.00	0.06	23
24	0.00	0.30	0.17	0.05	0.00	0.00	0.00	0.00	0.20	0.03	0.00	0.21	24
25	0.00	0.21	0.01	0.01	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.21	25
26	0.01	0.25	0.00	0.00	0.00	0.71	0.34	0.00	0.13	0.00	0.00	0.42	26
27	0.00	0.10	0.01	0.00	0.00	0.88	0.20	0.00	0.00	0.65	0.00	0.43	27
28	0.00	0.30	0.00	0.00	0.00	0.28	0.02	0.50	0.00	0.23	0.00	0.06	28
29	0.00	X	0.00	0.00	0.01	0.07	0.00	0.13	0.00	0.01	0.05	0.56	29
30	0.16	X	0.00	0.06	0.00	0.17	0.00	0.04	0.00	0.00	0.00	0.01	30
31	0.17	X	0.04	X	0.00	X	0.00	0.54	X	0.68	X	0.37	31
99 Total	6.51	4.79	2.38	1.34	1.34	2.40	5.51	4.58	1.05	2.23	3.84	8.25	YEAR'S TOTAL 44.22
Rain Days.	23	21	21	15	8	9	24	19	7	14	15	27	203

REGISTER OF RAINFALL IN 1916

Kept at

Livinsshaw

in the County of

Derby

by

John Garner

Lat.

Long.

Time of Observation

7.30 a.m.

Nearest Railway Station

Glossop

Diameter of Funnel of Rain Gauge

12

in.

Height of top of Gauge above Ground

3

ft.

in.

"

"

"

"

Sea Level

738

ft.

BRITISH RAINFALL FORM A. 12 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.15	0.03	0.27	0.00	0.00	0.46	0.31	0.01	0.00	0.00	0.62	0.00	1
2	0.23	0.28	0.20	0.00	0.00	0.06	0.00	0.00	0.06	0.05	0.00	0.01	2
3	0.00	0.17	0.07	0.02	0.00	0.00	0.04	0.00	0.47	0.26	0.10	0.00	3
4	0.39	0.56	0.00	0.01	0.43	0.56	0.24	0.00	0.24	0.33	0.21	0.00	4
5	0.20	0.00	0.00	0.00	0.05	0.86	0.00	0.00	0.00	0.61	0.35	0.00	5
6	0.90	0.96	0.30	0.00	0.34	0.07	0.33	0.00	0.00	0.25	0.42	0.00	6
7	0.14	0.02	0.25	0.00	0.10	0.06	0.29	0.00	0.00	0.28	0.04	0.45	7
8	0.02	0.11	0.63	0.00	0.04	0.13	0.02	0.00	0.00	0.05	0.51	0.16	8
9	0.18	0.02	0.16	0.00	0.23	0.06	0.00	0.00	0.03	0.00	0.40	0.18	9
10	0.00	0.06	0.13	0.25	0.00	0.00	0.17	0.00	0.06	0.20	0.01	0.02	10
11	0.06	0.38	0.43	0.38	0.04	0.06	0.03	0.00	0.21	0.00	0.01	0.08	11
12	0.25	0.20	0.27	0.20	0.28	0.00	0.54	0.53	0.09	0.12	0.01	0.02	12
13	0.00	0.02	0.15	0.07	0.05	0.00	0.00	0.49	0.02	0.51	0.00	0.16	13
14	0.01	0.27	0.00	0.16	0.54	0.00	0.00	0.25	0.12	0.16	0.00	0.10	14
15	0.01	0.32	0.71	0.03	0.00	0.00	0.09	0.37	0.32	0.10	0.00	0.00	15
16	0.00	0.42	0.33	0.31	0.00	0.00	0.45	0.03	0.00	0.04	0.00	0.00	16
17	0.02	0.43	0.00	0.67	0.00	0.00	0.17	0.01	0.68	0.10	0.97	0.00	17
18	0.02	0.40	0.00	0.27	0.00	0.00	0.01	0.08	0.54	0.16	0.54	0.17	18
19	0.27	0.04	0.30	0.10	0.00	0.00	0.00	0.30	0.09	0.00	0.00	0.07	19
20	0.15	0.00	0.27	0.39	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.10	20
21	0.10	0.00	0.04	0.02	0.01	0.00	0.03	0.13	0.00	0.00	0.00	0.00	21
22	0.00	0.01	0.00	0.01	0.06	0.08	0.00	0.00	0.00	0.08	0.00	0.06	22
23	0.06	0.33	0.07	0.00	0.00	0.15	0.00	0.03	0.00	0.00	0.11	0.35	23
24	0.00	0.38	0.00	0.02	0.00	0.45	0.00	0.06	0.00	0.07	0.03	0.14	24
25	0.06	0.21	0.12	0.00	0.02	0.00	0.00	0.06	0.00	0.10	0.59	0.09	25
26	0.06	0.34	0.11	0.00	0.00	0.00	0.01	0.08	0.00	0.21	0.00	0.00	26
27	0.00	0.18	0.00	0.00	0.63	0.00	0.00	0.21	0.03	0.52	0.00	0.00	27
28	0.00	0.34	0.03	0.02	0.00	0.11	0.00	0.00	0.00	0.19	0.05	0.19	28
29	0.02	0.54	0.14	0.00	0.00	0.18	0.00	0.00	0.00	0.28	0.00	0.88	29
30	0.00	X	0.00	0.00	0.00	0.36	0.00	0.00	0.00	0.26	0.07	0.08	30
31	0.00	X	0.00	X	0.00	X	0.00	0.05	X	0.25	X	0.52	31
99 Total	3.38	7.02	4.98	2.93	2.83	3.73	2.73	2.69	2.96	5.18	5.04	3.83	47.22
Rain Days.	21	26	21	17	15	16	15	16	14	24	18	20	223

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at

Swinslow Gossop

in the County of

Derby

by

John Garner

Lat.

Long.

Time of Observation

9 am

Nearest Railway Station

Gossop

Diameter of Funnel of Rain Gauge

12 in.

Height of top of Gauge above Ground

3

ft.

in.

Sea Level

733

ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
17													
1	0.15	0.00	0.00	0.16	0.00	0.05	0.00	0.29	0.50	0.00	0.15	0.20	1
2	0.64	0.00	0.00	0.05	0.00	0.00	0.00	0.09	0.05	0.09	0.00	0.02	2
3	0.09	0.12	0.00	0.03	0.00	0.14	0.00	0.03	0.00	0.47	0.04	0.01	3
4	0.14	0.02	0.05	0.00	0.00	0.00	0.00	0.01	0.00	0.43	0.00	0.01	4
5	0.25	0.00	0.10	0.22	0.00	0.00	0.00	0.04	0.01	0.19	0.17	0.03	5
6	0.04	0.00	0.00	0.03	0.00	0.03	0.00	0.00	0.00	0.10	0.19	0.13	6
7	0.41	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	1.34	0.13	0.07	7
8	0.91	0.00	0.00	0.34	0.00	0.01	0.00	0.33	0.03	0.66	0.35	0.08	8
9	0.07	0.00	0.21	0.18	0.00	0.00	0.00	0.07	0.00	0.17	0.63	0.01	9
10	0.24	0.00	1.10	0.08	0.10	0.00	0.00	0.05	0.00	0.07	0.00	0.00	10
11	0.25	0.00	0.00	0.08	0.00	0.00	0.00	0.09	0.02	0.57	0.02	0.01	11
12	0.13	0.04	0.05	0.50	0.48	0.26	0.00	0.12	0.00	0.26	0.02	0.13	12
13	0.14	0.00	0.00	0.11	0.39	0.00	0.00	0.16	0.47	0.02	0.04	0.45	13
14	0.20	0.00	0.00	0.18	0.01	0.00	0.00	0.05	0.00	0.00	0.02	0.14	14
15	0.13	0.00	0.00	0.12	0.00	0.00	1.00	0.02	0.02	0.03	0.00	0.24	15
16	0.02	0.14	0.01	0.22	0.00	0.03	0.02	0.35	0.00	0.03	0.03	0.62	16
17	0.05	0.04	0.26	0.59	0.26	0.06	0.10	0.40	0.26	0.13	0.00	0.00	17
18	0.05	0.00	0.08	0.15	0.01	0.00	0.10	0.19	0.37	0.04	0.00	0.04	18
19	0.00	0.10	0.24	0.33	0.89	0.22	0.89	0.09	0.00	0.00	0.12	0.14	19
20	0.07	0.22	0.00	0.00	0.12	0.20	0.00	0.03	0.12	0.00	0.55	0.00	20
21	0.00	0.00	0.18	0.00	0.00	0.02	0.00	0.03	0.00	0.10	0.07	0.00	21
22	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.04	0.44	0.30	0.15	0.00	22
23	0.00	0.06	0.00	0.00	0.00	0.06	0.00	0.41	0.06	0.21	0.05	0.20	23
24	0.00	0.00	0.01	0.00	0.09	0.38	0.04	0.29	0.00	0.52	0.34	0.11	24
25	0.00	0.00	0.12	0.00	0.00	0.00	0.13	0.11	0.00	0.02	0.13	0.00	25
26	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.49	0.22	0.12	1.25	0.00	26
27	0.00	0.00	0.01	0.00	0.00	0.00	0.38	0.41	0.00	0.00	0.30	0.05	27
28	0.00	0.16	0.27	0.00	0.00	0.00	0.04	0.50	0.00	0.11	0.15	0.10	28
29	0.00	X	0.17	0.00	0.83	0.00	0.03	0.22	0.00	0.35	0.07	0.51	29
30	0.01	X	0.19	0.00	0.00	0.00	0.00	0.11	0.00	0.05	0.12	0.00	30
31	0.00	X	0.23	X	0.00	X	0.07	0.28	X	0.00	X	0.11	31
99 Total	3.99	0.90	3.42	3.37	3.19	1.66	2.80	5.30	2.57	6.38	5.09	3.41	42.08
Rain Days.	20	9	18	17	11	13	11	29	13	25	24	23	213

REGISTER OF RAINFALL IN 1918

Kept at

Swineshaw

in the County of

Derby

by

John Gann

Lat.

Long.

Time of Observation

9 a.m.

Nearest Railway Station

Glossop

Diameter of Funnel of Rain Gauge

12

in.

Height of top of Gauge above Ground

3

ft.

in.

Sea Level

733

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1918													
1	0.00	0.11	0.02	0.22	0.04	0.00	0.00	0.00	0.86	0.13	0.22	0.25	1
2	0.00	0.17	0.00	0.05	0.00	0.00	0.00	0.05	0.44	0.01	0.00	0.70	2
3	0.00	0.03	0.04	0.00	0.42	0.00	0.00	0.08	0.00	0.06	0.24	0.03	3
4	0.03	0.02	0.03	0.00	0.00	0.00	0.00	0.16	0.24	0.50	0.00	0.49	4
5	0.06	0.00	0.02	0.12	0.07	0.00	0.00	0.64	0.19	0.40	0.00	0.00	5
6	0.03	1.50	0.04	0.43	0.00	0.44	0.00	0.20	0.00	0.06	0.08	0.00	6
7	0.09	0.21	0.01	0.48	0.00	0.00	0.00	0.00	0.34	0.35	0.00	0.01	7
8	0.08	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.77	0.35	0.07	0.04	8
9	0.57	0.94	0.00	0.09	0.00	0.51	0.28	0.03	0.31	0.33	0.11	0.06	9
10	0.02	0.46	0.05	0.00	0.00	0.00	0.08	0.00	0.25	0.11	0.13	0.02	10
11	0.50	0.22	0.03	0.00	0.16	0.00	0.05	0.00	0.50	0.00	0.00	0.15	11
12	0.03	0.38	0.02	0.15	0.03	0.05	0.66	0.00	0.51	0.07	0.00	0.55	12
13	0.10	0.00	0.00	0.06	0.07	0.03	0.00	0.00	0.35	0.16	0.00	0.00	13
14	0.42	0.00	0.01	0.00	0.00	0.34	0.15	0.00	0.43	0.27	0.00	0.18	14
15	0.22	0.00	0.00	0.01	0.00	0.05	0.34	0.00	1.29	0.00	0.00	0.45	15
16	0.01	0.00	0.00	0.00	0.00	0.01	0.14	0.02	0.16	0.00	0.00	0.31	16
17	0.21	0.00	0.09	0.00	1.01	0.01	0.36	0.16	0.02	0.12	0.00	0.27	17
18	0.44	0.00	0.09	0.00	0.00	0.05	0.50	0.00	0.81	0.00	0.00	0.69	18
19	0.19	0.08	0.00	0.08	0.00	0.00	0.44	0.45	0.22	0.16	0.00	0.40	19
20	0.06	0.30	0.00	0.15	0.00	0.30	0.44	0.07	0.17	0.15	0.00	0.04	20
21	0.10	0.40	0.00	0.06	0.12	0.24	0.00	0.00	0.34	0.07	0.00	0.05	21
22	0.03	0.03	0.00	0.00	0.50	0.07	0.38	0.00	0.25	0.00	0.00	0.78	22
23	0.11	0.08	0.00	0.00	0.86	0.00	0.34	0.00	0.07	0.00	0.23	0.15	23
24	0.00	0.16	0.00	0.00	0.00	0.00	0.35	0.46	0.11	0.05	0.87	0.11	24
25	0.00	0.00	0.00	0.00	0.02	0.03	0.13	0.30	0.11	0.02	0.06	0.00	25
26	0.00	0.19	0.00	0.00	0.00	0.04	0.00	0.49	0.30	0.01	0.12	0.37	26
27	0.00	0.18	0.22	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.30	0.45	27
28	0.00	0.28	0.34	0.00	0.00	0.00	0.00	0.27	0.10	0.01	0.29	0.59	28
29	0.00	X	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.01	0.50	29
30	0.00	X	0.24	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.06	0.15	30
31	0.00	X	0.25	X	0.00	X	0.00	0.26	X	0.00	X	0.11	31
Total	3.24	5.74	1.57	1.90	3.33	2.17	4.65	3.87	9.59	3.39	1.99	7.90	49.28
Rain Days	20	19	17	12	11	14	16	16	27	21	14	27	214

REGISTER OF RAINFALL IN 1919.

Kept at Swineshaw
in the County of Derby
by John Garner

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Glossop
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 733 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.43	0.02	0.03	0.04	0.78	0.00	0.43	0.12	0.40	0.14	0.07	0.11	1
2	0.20	0.00	0.60	0.00	0.00	0.00	0.34	0.12	0.01	0.07	0.06	0.11	2
3	0.00	0.00	0.00	0.00	0.02	0.15	0.39	0.00	0.04	0.00	0.32	0.22	3
4	1.50	0.00	0.19	0.00	0.03	0.10	0.18	0.23	0.12	0.00	0.02	0.13	4
5	0.04	0.02	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.56	5
6	0.22	0.00	0.60	0.00	0.66	0.00	0.00	0.00	0.00	0.01	0.00	0.24	6
7	0.06	0.00	0.50	0.01	0.00	0.00	0.00	0.00	0.02	0.00	0.07	0.00	7
8	0.14	0.00	0.06	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8
9	0.16	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	9
10	0.00	0.00	0.04	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	10
11	0.01	0.00	0.77	0.15	0.16	0.00	0.00	0.00	0.00	0.01	0.09	0.00	11
12	0.01	0.00	2.00	0.07	0.00	0.11	0.24	0.00	0.08	0.29	0.00	0.00	12
13	0.32	0.00	0.00	0.31	0.00	0.08	0.01	0.00	0.11	0.00	0.00	0.05	13
14	0.33	0.01	0.01	0.06	0.00	0.00	0.00	0.00	0.02	0.00	0.05	0.00	14
15	0.42	0.05	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.33	15
16	0.06	0.56	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.16	0.02	16
17	0.00	0.55	0.00	0.29	0.00	0.36	0.00	0.13	0.00	0.00	1.54	0.07	17
18	0.00	0.00	0.13	0.00	0.03	0.00	0.00	0.18	0.15	0.00	0.03	0.37	18
19	0.13	0.20	0.57	0.00	0.00	0.16	0.46	0.58	0.18	0.00	0.27	0.50	19
20	0.20	0.25	0.43	0.00	0.00	0.06	0.86	0.16	0.02	0.00	0.25	0.67	20
21	0.02	0.41	0.20	0.00	0.00	0.34	0.24	0.00	0.02	0.00	0.03	0.36	21
22	0.00	0.12	0.07	0.00	0.00	0.05	0.00	0.07	0.46	0.00	0.16	1.05	22
23	0.00	0.00	0.01	0.00	0.00	0.28	0.00	0.01	0.00	0.60	0.09	0.27	23
24	0.02	0.00	0.00	0.11	0.00	0.00	0.00	0.00	0.27	0.68	0.14	0.13	24
25	0.19	0.04	0.00	0.64	0.16	0.05	0.00	0.49	0.00	0.00	0.21	0.00	25
26	0.03	0.03	0.59	0.08	0.00	0.05	0.00	0.67	0.13	0.00	0.07	0.62	26
27	0.14	0.00	0.03	0.55	0.00	0.06	0.00	0.02	0.00	0.00	0.04	1.00	27
28	0.04	0.00	0.02	0.17	0.00	0.00	0.00	0.32	0.00	0.03	0.00	0.50	28
29	0.08	~~X~~	0.16	0.02	0.00	0.07	0.00	0.08	0.00	1.39	0.00	0.15	29
30	0.20	~~X~~	0.09	0.31	0.00	0.28	0.00	0.00	0.00	0.27	0.12	0.21	30
31	0.00	~~X~~	0.00	~~X~~	0.00	~~X~~	0.46	0.00	~~X~~	0.06	~~X~~	0.06	31
99	4.95	2.26	7.23	3.17	1.87	2.21	3.61	3.18	2.03	3.55	3.90	8.03	YEAR'S TOTAL.
TOTAL	24	12	23	18	8	16	10	14	15	11	23	24	198
Days with 0.1 in. or more													

REGISTER OF RAINFALL IN 1920.

Kept at Lurnishaw

in the County of Derby

by John Garner

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Glossop

Diameter of Funnel of Rain Gauge 12 in.

Height of top of Gauge above Ground 3 ft. _____ in.

_____ " _____ " _____ " _____ " Sea Level 753 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.05	0.16	0.26	0.02	0.39	0.10	0.20	0.05	0.12	0.09	1
2	0.03	0.00	0.02	0.24	0.02	0.00	0.26	0.18	0.38	0.10	0.00	0.07	2
3	0.02	0.12	0.02	0.10	0.04	0.04	0.74	0.75	0.26	0.08	0.00	0.12	3
4	0.03	0.00	0.00	0.26	0.01	0.00	0.29	0.35	0.09	0.26	0.00	0.10	4
5	0.00	0.00	0.06	0.00	0.63	0.00	0.05	0.05	0.31	0.20	0.00	0.03	5
6	0.00	0.00	0.39	0.10	0.18	0.00	0.16	0.00	0.01	0.00	0.05	0.10	6
7	0.05	0.02	0.28	0.08	0.01	0.00	0.25	0.00	0.01	0.00	0.00	0.00	7
8	0.03	0.10	0.00	0.27	0.44	0.00	0.22	0.13	0.00	0.00	0.00	0.00	8
9	0.40	0.70	0.02	0.33	0.00	0.00	0.21	0.05	0.02	0.00	0.02	0.00	9
10	0.98	1.20	0.05	0.07	0.00	0.42	0.82	0.00	0.00	0.00	0.02	0.00	10
11	0.28	0.10	0.00	0.12	0.22	0.42	0.00	0.00	0.00	0.00	0.00	0.10	11
12	0.07	0.08	0.15	0.22	0.04	0.13	0.01	0.10	0.00	0.00	0.25	0.07	12
13	0.21	0.29	0.18	0.12	0.01	0.83	0.08	0.00	0.00	0.00	0.14	0.16	13
14	0.06	0.03	0.10	0.12	0.01	0.69	0.00	0.00	0.58	0.05	0.43	0.09	14
15	0.00	0.12	0.39	0.31	0.00	0.00	0.04	0.00	0.15	0.04	0.02	0.00	15
16	0.00	0.00	0.23	0.38	0.00	0.13	0.55	0.00	0.08	0.02	0.02	0.00	16
17	0.03	0.00	0.09	0.00	0.18	0.00	0.00	0.22	0.27	0.06	0.00	0.09	17
18	0.30	0.00	0.00	0.02	0.25	0.00	0.09	0.07	0.19	0.00	0.00	0.02	18
19	0.30	0.99	0.00	0.10	0.70	0.10	0.00	0.04	0.00	0.00	0.00	0.00	19
20	0.21	0.48	0.00	0.25	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.14	20
21	0.02	0.00	0.00	0.00	0.00	0.00	0.65	0.09	0.00	0.00	0.00	0.12	21
22	0.12	0.00	0.00	0.42	0.00	0.03	0.26	0.02	0.00	0.00	0.00	0.12	22
23	0.00	0.00	0.01	0.09	0.00	0.00	0.63	0.02	0.00	0.00	0.00	0.41	23
24	0.10	0.00	0.32	0.08	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.25	24
25	0.00	0.05	0.08	0.21	0.00	0.06	0.57	0.00	0.00	0.00	0.00	0.00	25
26	0.17	0.10	0.26	0.61	1.20	0.00	0.15	0.00	0.00	0.00	0.00	0.00	26
27	0.20	0.00	0.03	0.23	0.18	0.52	0.02	0.00	0.00	0.00	0.13	0.08	27
28	0.70	0.10	0.11	0.14	0.73	0.03	0.05	0.00	0.00	0.00	0.03	0.13	28
29	0.21	0.00	0.06	0.04	0.70	0.07	0.46	0.00	0.00	0.00	0.16	0.55	29
30	0.26	X	0.01	0.26	0.20	0.14	0.02	0.00	0.27	0.00	0.11	0.44	30
31	0.49	X	0.06	X	0.00	X	0.02	0.00	X	0.53	X	0.05	31
99													
TOTAL	5.24	4.48	2.97	5.33	5.72	3.25	7.09	2.18	2.82	1.39	1.50	3.33	45.30
Days with "01 in. or more	24	15	23	27	20	14	26	15	14	10	13	22	223
Days with "04 in. or more	18	13	17	26	15	11	22	12	11	9	8	20	182
YEAR'S TOTAL													45.30

REG

GRASSMOOR

Kept at Grassmoor

in the County of Derby

by The Grassmoor

COLLIERY
DERBY

1911-1920

11

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

5 in.

Eye Ground 19 ft. 10 in.

Sea Level 370 ft.

Name Grassmoor

Distance 4 miles Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02		02			01					1
2	02				02						02	08	2
3	01				22			03			08		3
4				04						02	18	19	4
5	03			08				06		09			5
6	47							02		02	03	55	6
7	09										09	02	7
8	02		08								12	47	8
9	04					02						01	9
10			01									46	10
11								02			26	01	11
12			08								14		12
13									27		02	37	13
14					76						01	70	14
15		06	03							01		09	15
16			01			08				01	13	03	16
17						22					04	32	17
18		21				01					02	08	18
19		01				01			01	05	20	02	19
20		03		04				99	12	01		08	20
21		21						01	03	15		02	21
22		08								18		21	22
23		05				47		01	20	03		15	23
24				03		104			01	14		05	24
25		13		14		01			03			12	25
26		08		06	18					29	24	44	26
27		08	03	07				44	11		01	03	27
28		16		12							11	02	28
29									15	17	01	01	29
30					14					21			30
31			06							02			31
Total	68	102	32	58	132	186	—	156	103	140	171	453	TOTAL for year 1601
No. of Rain Days.	7	10	8	8	5	8		9	9	15	18	25	122

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Grassmoor Colliery
in the County of Derby
by The Grassmoor Colliery

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 19 ft. 10 in.
" " " Sea Level 370 ft.
Time of Observation 9 am
Nearest Railway Station { Name Grassmoor
Distance 1/2 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02		02			01					1
2	03				02						02	08	2
3	01				22			03			08		3
4				04						02	18	19	4
5	03			08				06		09			5
6	47							02		02	03	85	6
7	09										09	02	7
8	02		08								12	47	8
9	04					02						01	9
10			01									46	10
11								02			26	01	11
12			08								14		12
13									27		02	37	13
14					76						01	70	14
15		06	03							01		09	15
16			01			08				01	13	03	16
17						22					04	32	17
18		21				01					02	08	18
19		01				01			01	05	20	02	19
20		03		04				99	12	01		08	20
21		21						01	03	15		02	21
22		08								18		21	22
23		05				47		01	30	03		15	23
24				03		104			01	14		05	24
25		13		14		01			03			12	25
26		08		06	18					29	24	44	26
27		08	03	07				44	11		01	03	27
28		16		12							11	02	28
29									15	17	01	01	29
30					14					21			30
31			06							02			31
Total	68	102	32	58	132	186	—	156	103	140	171	453	TOTAL for year 1501
No. of Rain Days.	7	10	8	8	5	8		9	9	15	18	25	122

REGISTER OF RAINFALL IN 1913

Kept at Grassmoor Colliery
in the County of Derby
by The Grassmoor Colliery

Lat. _____ Long. _____
Time of Observation 9.0 am
Nearest Railway Station Grassmoor
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 19 ft. 10 in.
" " " " Sea Level 370 ft.

FORM A.
BRITISH RAINFALL
JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10			34	01		03			36	1
2			03			16	39		05			02	2
3	03		02		03	44		61	13			01	3
4	05		61		11	40		21			17		4
5	18		02		04	25		07	03		02		5
6	75	08			05			28					6
7	02	05				06		03					7
8	24	36	16	01		02	02		06				8
9		05	13	15		13		05			05		9
10	13		01	01				36			25		10
11		02				01		01			04	43	11
12	03	28	02			03	45						12
13	01	02				01	01		01	02	05		13
14	02		30			03		03	07			05	14
15	13		08		31	08						23	15
16	675		12		07	03		02		05		02	16
17	02		16			08		30			05	24	17
18	02		10			02		07			01	13	18
19	48	14	05			07	40	27				05	19
20	26		09		10		12	02		21			20
21	01		45		71		24			28			21
22		04			61	57	15	45				07	22
23	02	05	20		01		40	19			11		23
24	08		01			05	32	07				15	24
25						16	01	19			28	06	25
26		02	06				23	99		73	20	12	26
27						08	73			84	01	12	27
28						09	27	42	03	41	465	13	28
29			11			07	03	07	45	04	09	01	29
30					22				17	02			30
31	03				06		25	10					31
Total	518	111	279	17	232	306	403	469	97	257	199	216	2884
Rain Days.	20	11	21	3	12	23	14	22	10	9	13	17	174

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Grassmoor Colliery
in the County of Derby
by The Grassmoor Colliery

Lat. _____ Long. _____
Time of Observation 9.0 am
Nearest Railway Station Grassmoor
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 19 ft. 10 in.
" " " " Sea Level 370 ft.

FORM A
BRITISH RAINFALL
7-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			14	02		~~14~~			06		03		1
2		03									03		2
3	01	01	15		23					50		15	3
4	65	02	02		10		03			12	10	40	4
5	03		04		01	01	07		03	41		01	5
6		07	12		37	01	22			61			6
7		34			07		21			78	04		7
8		02	08		16	05	01	10	01	05	04	01	8
9		26			04	10	04				13		9
10				09			03				25		10
11	66s			20				06			38		11
12	13										27		12
13				03					10		10		13
14	26	04	44	02							09		14
15	5		49	33					08		24		15
16		10	09	11			01	03	29		02		16
17		02	09	03					44				17
18			19	09			07				03		18
19	08		05	02					26				19
20	14		07	01					09		14		20
21			03		10		08		01	02	15		21
22	10		36		01			94	17		01		22
23	02		01						02				23
24	10							01					24
25	01								03				25
26		02	15		06					11		25	26
27				48						01			27
28	14		16	63						01			28
29			32	39	52			65				14s	29
30	54		01	01	10			03		24		13s	30
31	01												31
Total	293	93	301	246	127	17	77	182	157	286	203	108	YEAR'S TOTAL 2090
Rain Days.	17	11	20	15	12	4	10	9	13	11	17	7	144

REGISTER OF RAINFALL IN 1914

Kept at Grassmoor Colliery
in the County of Derby
by The Grassmoor Colliery

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Grassmoor
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 19 ft. 10 in.
" " " " Sea Level 370 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		03				148	18					1
2							26	17			27	10	2
3					07		11				03	16	3
4	22		03	20	13						39	40	4
5			07	19	03	02					09	31	5
6		04		13	02		05					18	6
7			25	02	02							13	7
8	02		02		02	58	08	07	11			01	8
9	22					89		19					9
10	20	14		12					03				10
11		05	29		04	02			10		74	28	11
12			07	04					15		03	30	12
13		07	15						01	03	59	26	13
14		20	01				02			48	13s	17	14
15	03	04	11								32	01	15
16	04		02				36		01				16
17	03	16	09						33			30	17
18									02			28	18
19			04				01				02	09	19
20		09							04				20
21		34				29				08	01	09	21
22		01			14	02				21			22
23		04	04		26							01	23
24			09		26		07	02			06		24
25							02	12		55		27	25
26								30		13	14	19	26
27											07	69	27
28	03	03	02							07	02	33	28
29	01		15							33	07	08	29
30		X	01							03	26	17	30
31	09	X		X		X	27		X	09	X	03	31
Total	911	121	149	70	99	182	271	105	80	200	324	474	YEAR'S TOTAL 21661
Rain Days.	11	12	18	6	10	6	11	7	9	10	17	24	141

REGISTER OF RAINFALL IN 1915

Kept at Grassmoor Colliery
in the County of Derby
by The Grassmoor Colliery

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Grassmoor
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 19 ft. 10 in.
Sea Level 370 ft.

BRITISH RAINFALL FORM A.
13 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	7	9	2		32			22	13		2	26	1
2	6	4	9	13				23		5		2	2
3	74		4				45	17				38	3
4	5						75					93	4
5	1	27			1			3		3	3	49	5
6	4	11	1	13			31					6	6
7	11	30		23			1	33				7	7
8	5	11		4				23			5	4	8
9	2	2						2			9	55.5	9
10	31		5					9			16	2	10
11	8			1	36		9				47	30.5	11
12				10	13			1			118		12
13		48			9						1	1	13
14		3										34	14
15	58							17			6	13	15
16	1	49			4		131					1	16
17		21					25						17
18		15	16.5				1						18
19							6			5			19
20												13	20
21	2						8					4	21
22			14	4			2					6	22
23			7				15			17		2	23
24			3						41	4		21	24
25						34	1			4		3	25
26		25				2	8		5			48	26
27		3				3				36		55	27
28		23						20		4		2	28
29					2	60		1			7	41	29
30	8	X				1		1				1	30
31	8	X		X		X		1	X	17	X	17	31
Total	231	281	57	49	94	100	358	151	59	95	214	564	2256
Rain Days.	16	15	7	7	7	5	14	13	3	9	10	27	133

REGISTER OF RAINFALL IN 1916

Kept *Grassmoor Collieries*
in the County of *Derby*
by *The Grassmoor Colliery*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Grassmoor*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *740.4* ft. *10* in.
" " " " Sea Level *370* ft.

FORM A.
BRITISH RAINFALL.
JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>02</i>		<i>09</i>			<i>02</i>	<i>09</i>		<i>02</i>		<i>22</i>		1
2	<i>21</i>	<i>02</i>	<i>11</i>						<i>02</i>	<i>12</i>	<i>05</i>		2
3	<i>01</i>	<i>24</i>	<i>02</i>				<i>14</i>		<i>88</i>	<i>15</i>	<i>03</i>		3
4	<i>02</i>	<i>10</i>			<i>46</i>	<i>18</i>			<i>10</i>	<i>20</i>			4
5	<i>01</i>	<i>01</i>			<i>03</i>	<i>22</i>				<i>19</i>	<i>42</i>		5
6	<i>06</i>	<i>37</i>	<i>01</i>		<i>39</i>		<i>22</i>			<i>03</i>	<i>43</i>		6
7	<i>01</i>				<i>02</i>		<i>05</i>			<i>02</i>	<i>04</i>	<i>23</i>	7
8			<i>12</i>								<i>01</i>	<i>16</i>	8
9					<i>32</i>	<i>03</i>						<i>08</i>	9
10		<i>04</i>				<i>25</i>			<i>08</i>	<i>03</i>		<i>14</i>	10
11		<i>35.5</i>	<i>07</i>	<i>16</i>		<i>07</i>			<i>02</i>				11
12		<i>02</i>	<i>37</i>		<i>39</i>		<i>06</i>					<i>12</i>	12
13		<i>03</i>	<i>24</i>		<i>01</i>			<i>39</i>				<i>04</i>	13
14		<i>20</i>	<i>02</i>		<i>05</i>			<i>03</i>					14
15		<i>28</i>	<i>50</i>				<i>14</i>	<i>40</i>		<i>04</i>			15
16		<i>20</i>	<i>50</i>	<i>07</i>			<i>11</i>	<i>02</i>					16
17		<i>11</i>		<i>2.3</i>			<i>02</i>	<i>10</i>	<i>08</i>	<i>05</i>			17
18		<i>12</i>	<i>01</i>					<i>04</i>	<i>10</i>	<i>07</i>	<i>66</i>		18
19	<i>05</i>	<i>02</i>	<i>35</i>	<i>07</i>					<i>06</i>		<i>38</i>	<i>20</i>	19
20	<i>10</i>		<i>24</i>	<i>03</i>								<i>11</i>	20
21	<i>01</i>		<i>08</i>									<i>29</i>	21
22										<i>04</i>		<i>03</i>	22
23	<i>02</i>	<i>02.5</i>									<i>11</i>	<i>36</i>	23
24		<i>52.5</i>								<i>01</i>		<i>13</i>	24
25		<i>09</i>	<i>15</i>					<i>06</i>		<i>04</i>	<i>16</i>		25
26			<i>02</i>					<i>25</i>		<i>05</i>	<i>02</i>	<i>02</i>	26
27		<i>13</i>	<i>06</i>					<i>02</i>		<i>13</i>			27
28		<i>18</i>				<i>20</i>				<i>01</i>		<i>07</i>	28
29		<i>28</i>				<i>66</i>		<i>18</i>		<i>33</i>		<i>23</i>	29
30		<i>X</i>			<i>01</i>	<i>01</i>				<i>23</i>			30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>	<i>08</i>	<i>X</i>	<i>16</i>	31
Total	<i>56</i>	<i>323</i>	<i>296</i>	<i>56</i>	<i>168</i>	<i>164</i>	<i>83</i>	<i>139</i>	<i>134</i>	<i>182</i>	<i>253</i>	<i>237</i>	YEAR'S TOTAL <i>2101</i>
Rain Days.	<i>12</i>	<i>22</i>	<i>18</i>	<i>5</i>	<i>9</i>	<i>9</i>	<i>8</i>	<i>10</i>	<i>8</i>	<i>19</i>	<i>13</i>	<i>16</i>	<i>149</i>

REGISTER OF RAINFALL IN 1917

Kept at Grassmoor Colliery
in the County of Derby
by The Grassmoor Colliery

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Grassmoor
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 19 ft. 10 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02					04		11.0	14		05	04	1
2	22			19				06	02		03		2
3						05		15	88	06	01		3
4	02		12.5							15			4
5	08		04					10	01	02	05		5
6	01					02				01	06		6
7	32					25				47	02	04	7
8	35			14				52		40	04	06	8
9	02			16.5				05		02	17	08	9
10	09		70	4	34			11			02		10
11	08			20.5 4	01			01		16			11
12	04			08	25			21		06			12
13	02			07	04			21	03	01			13
14	16.5		04	04				05					14
15	01						01		01	02		04	15
16	02	11		05		01	04					19	16
17	01	02		03	35		06	12	06	14		02	17
18	01			06	04		37		35				18
19	01	08	14		04	29	01	04					19
20		13			17	21			07	02			20
21		02			15	01							21
22								07	01				22
23					10			04		02			23
24					02	32	02	05		30	11		24
25			05					01			08		25
26								30	01	03	05		26
27			05			08	14	45		01			27
28			06			03	01	30				04	28
29					03		01	6		14		23	29
30		X	12.5 22				10	04		06			30
31		X		X				01	X		X		31
Total	149	36	154	110	145	131	77	330	70	216	69	74	1539
Rain Days.	18	5	9	11	12	11	10	22	10	19	12	9	148

REGISTER OF RAINFALL IN 1918

Kept at Grassmoor Colliery
in the County of Derby
by The Grassmoor Colliery

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				2					7		13	5	1
2		13		1				45		1		35	2
3					79			43			15		3
4		2	1		1			5	54		41	36	4
5					22			8	15			1	5
6	06s	14		29		2			1	18			6
7		2		8					9	2	17		7
8		3	3	1					26				8
9	7	58		7		4	7		37	16	2		9
10		3		2			9				1	3	10
11	10	2		2	3		9		3				11
12	04	5		3			40		2			10	12
13					10				6				13
14	28					3	1		46	9		25	14
15	30s			2			18		57			27	15
16									31	2		5	16
17	33s				3		29	3	2	8		19	17
18	17						7		65	1		11	18
19			5	5			3			3		30	19
20	20	9		14s		2	21			1			20
21	11	3		9	96				12	5		2	21
22	4				4				12	2		40	22
23	3				31								23
24		5							5	5		2	24
25							4	34					25
26							45				2	4	26
27								26	7			12	27
28		10	16s					11	4		12	40	28
29									25			2	29
30		X	28						1			10	30
31		X	5	X		X			X		X		31
Total	173	129	38	85	249	11	203	175	430	73	103	310	1999
Rain Days.	12	13	6	13	9	4	12	8	22	13	8	20	140

REGISTER OF RAINFALL IN 1919.

Kept at Grassmoor Colliery
in the County of Derby
by The Grassmoor Colliery

Lat. 53° 12' 10" N Long. 1° 23' W
Time of Observation 9 am
Nearest Railway Station Grassmoor
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 19 ft. 10 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres shou'd not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	23	01	01		10		10		02	07		15	1
2	11	02					13				18		2
3	57s						32		05		20s	07	3
4	27		22			10	20	13	05		04	23	4
5	01	01	01		02				18			35	5
6			04		46							25	6
7			15		04								7
8	12												8
9			02								02		9
10			15									18	10
11			58		04		07						11
12			46			09	04		02			02	12
13	14			27					59			01	13
14	26			22					02				14
15	22	10										47	15
16	02	69s	02	01							08		16
17	03	20s				04					17		17
18			09									18	18
19	04	20	86			05	111	66			15	01	19
20	35	10	36s				41	11			08	09	20
21	11	24	04				15					21	21
22		10							50			40	22
23									02	78	03	07	23
24				17	08					40	07		24
25				12	20			41			05	04	25
26			21					18	11			27	26
27	12s	01		10							02		27
28	03			06				85		02		27	28
29	06							06		72		09	29
30	01	~~X~~	03	07		11				02	24	14	30
31		~~X~~		~~X~~		~~X~~	03		~~X~~	04	~~X~~	02	31
TOTAL	264	168	325	102	94	39	256	240	156	205	133	354	YEAR'S TOTAL 2536
Days with ≥ 1 in. or more	18	11	16	8	7	5	10	7	10	7	13	21	133

REGISTER OF RAINFALL IN 1920.

Kept at Grassmoor Collieries
in the County of Derby
by The Grassmoor Colliery

Lat. 53° 12' 10" Long. 1° 23'
Time of Observation 9 am
Nearest Railway Station Grassmoor
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 14 ft. 10 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				13			16						1
2				28	22		34		13	9	5	10	2
3				57	4	3	44		3	23		10	3
4				10	1		40	10		12		4	4
5				7	12		26	18	4	46			5
6				6	2		5					9	6
7			24.5	3			14	2		2		1	7
8	15	2		44	17		20						8
9	14	2		35									9
10	28	20		34			25						10
11	40	2	5	9	24	11	1						11
12	2		2	26	2	10						19.5	12
13	7		3	27		38							13
14	1		46.5	8		54			10		24	9	14
15		8	8	35		3				10			15
16							14						16
17			5	2	8		15		27	13			17
18	2				13	3	2		34				18
19	16	1.52.5		25	3			5					19
20	3	42		26		20		1					20
21		1					8	4					21
22	3			14			8						22
23							9					25	23
24			18	2								15	24
25	3	2	5	6			16						25
26	11		7	5	3		31						26
27	11			14	85	8					28	20	27
28	66.5		8	5	30							6	28
29	5		7			2	4				8	55	29
30	6	X		17	41				2		12	17	30
31	10	X		X	8	X	18		X	22	X		31
TOTAL	243	231	138	451	275	152	330	40	93	137	77	203	2290
Days with "01 in. or more	18	9	12	24	16	10	20	6	7	8	5	13	148
Days with "04 in. or more	12	4	10	21	11	6	18	4	5	7	5	12	115

REGIST

GRINDLEFORD
CALVER
GROUSE INN
DERBY

Kept at The Grouse Inn
in the County of Derbyshire

by Miss J. Procter, Grouse
Froggatt Edge, Calver

IMPORTANT NOTE.—If an Observer does not conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

m.
Grindleford (Mid. Ry.)
Gauge 5 in.
e Ground 1 ft. 0 in.
Sea Level 990 ft.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.31	-	-	.24	-	.02	.05	.16	-	.06	.44	1
2	.04	-	.33	.16	-	.04	.01	.60	.01	.16	-	-	2
3	1.04	.11	-	.12	-	-	.35	.13	-	-	-	.36	3
4	.03	-	-	-	.12	-	.90	-	-	-	-	1.47	4
5	.06	.55	.13	-	.01	-	-	.10	-	.08	.04	.66	5
6	.16	.11	.05	.22	-	-	.51	.08	-	.02	-	.18	6
7	.21	.32	.02	-	-	-	.13	.42	-	-	-	.27	7
8	.13	.20	.01	.23	-	-	-	.19	-	-	.14	.08	8
9	.02	.03	-	.03	-	-	-	.02	-	.02	.33	.87	9
10	.53	-	.02	-	-	-	-	.06	-	.02	.63	.09	10
11	.33	-	-	-	.39	-	.25	.01	-	-	1.05	.43	11
12	.09	-	-	.05	.25	-	.01	.04	-	.07	2.12	-	12
13	.17	1.37	-	-	.11	-	-	.09	-	.02	-	-	13
14	.04	.03	-	-	-	-	.02	.12	-	-	-	.50	14
15	.73	.03	-	-	-	-	-	.26	-	-	.33	.16	15
16	.01	.50	-	-	.21	-	1.60	.03	-	-	-	-	16
17	-	.22	.05	-	-	-	.12	.03	-	-	-	-	17
18	-	.09	.15	-	-	-	-	-	-	-	-	-	18
19	-	.21	.02	.02	.02	-	.13	-	-	.04	-	-	19
20	.13	-	-	-	-	-	.08	-	-	-	-	.17	20
21	-	-	-	.07	-	-	.25	-	-	-	-	.07	21
22	-	-	.20	.05	-	-	.40	-	-	-	-	.10	22
23	.13	.05	.10	-	-	-	.13	-	.11	.49	-	.17	23
24	-	-	.12	.03	-	-	-	-	.53	.03	-	.56	24
25	-	-	.01	.05	-	.59	.33	-	.07	.03	-	.25	25
26	.03	.31	-	-	-	.05	.11	-	-	-	-	.65	26
27	-	.26	.01	-	-	.08	.13	-	-	.57	-	.64	27
28	-	.47	-	-	-	.01	-	.23	-	.12	-	-	28
29	-	X	.01	-	.03	.68	-	.01	-	-	.18	1.04	29
30	.20	X	-	.02	-	.25	-	.04	-	-	.02	.06	30
31	-	X	-	X	-	X	.02	.05	X	.50	X	.47	31
Total	4.41	5.17	1.23	1.05	1.38	1.70	5.50	2.56	0.82	2.17	4.92	9.47	40.44
Rain Days.	20	18	15	12	9	7	20	20	5	14	10	23	173

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915.

Kept at The Grouse Inn (No 58)

in the County of Derbyshire.

by Miss J. Procter, Grouse Inn,
Froggatt Edge, Calver, Sheffield.

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Grindleford (Mid. Ry.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 990 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.31	-	-	.24	-	.02	.05	.16	-	.06	.44	1
2	.04	-	.33	.16	-	.04	.01	.60	.01	.16	-	-	2
3	1.04	.11	-	.12	-	-	.35	.13	-	-	-	.36	3
4	.03	-	-	-	.12	-	.90	-	-	-	-	1.47	4
5	.06	.55	.13	-	.01	-	-	.10	-	.08	.04	.66	5
6	.16	.11	.05	.22	-	-	.51	.08	-	.02	-	.18	6
7	.21	.32	.02	-	-	-	.13	.42	-	-	-	.27	7
8	.13	.20	.01	.23	-	-	-	.19	-	-	.14	.06	8
9	.02	.03	-	.03	-	-	-	.02	-	.02	.33	.87	9
10	.53	-	.02	-	-	-	-	.06	-	.02	.63	.09	10
11	.33	-	-	-	.39	-	.25	.01	-	-	1.05	.43	11
12	.09	-	-	.05	.25	-	.01	.04	-	.07	2.12	-	12
13	.17	1.37	-	-	.11	-	-	.09	-	.02	-	-	13
14	.04	.03	-	-	-	-	.02	.12	-	-	-	.50	14
15	.73	.03	-	-	-	-	-	.26	-	-	.33	.16	15
16	.01	.50	-	-	.21	-	1.60	.03	-	-	-	-	16
17	-	.22	.05	-	-	-	.12	.03	-	-	-	-	17
18	-	.09	.15	-	-	-	-	-	-	-	-	-	18
19	-	.21	.02	.02	.02	-	.13	-	-	.04	-	-	19
20	.13	-	-	-	-	-	.08	-	-	-	-	.17	20
21	-	-	-	.07	-	-	.25	-	-	-	-	.07	21
22	-	-	.20	.05	-	-	.40	-	-	-	-	.10	22
23	.13	.05	.10	-	-	-	.13	-	.11	.49	-	.17	23
24	-	-	.12	.03	-	-	-	-	.53	.03	-	.56	24
25	-	-	.01	.05	-	.59	.33	-	.07	.03	-	.25	25
26	.03	.31	-	-	-	.05	.11	-	-	-	-	.65	26
27	-	.26	.01	-	-	.08	.13	-	-	.57	-	.64	27
28	-	.47	-	-	-	.01	-	.23	-	.12	-	-	28
29	-	X	.01	-	.03	.68	-	.01	-	-	.13	1.04	29
30	.20	X	-	.02	-	.25	-	.04	-	-	.02	.06	30
31	-	X	-	X	-	X	.02	.05	X	.50	X	.47	31
Total	4.41	5.17	1.23	1.05	1.38	1.70	5.50	2.56	0.83	2.17	4.92	9.47	40.44
Rain Days.	20	18	15	12	9	7	20	20	5	14	10	23	173

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at The Grouse Inn. (Gauge No. 56)

in the County of Derbyshire.

by Miss J. Procter, Grouse Inn.
Froggatt Edge, Calver, Sheffield.

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Grindleford. (Mid Ry)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 990 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.27	.03	.29	-	-	.08	.13	-	-	-	.27	-	1
2	.30	.20	.43	-	-	-	-	-	.14	.23	.08	-	2
3	-	.44	.02	-	-	-	.08	-	.71	.34	.15	-	3
4	.13	.08	-	-	.50	.44	.05	-	.18	.14	.43	-	4
5	-	.02	-	-	.05	.67	-	-	.91	.54	.58	-	5
6	.59	.59	.31	-	.50	.02	.47	-	-	.09	.46	.01	6
7	.12	.01	.30	-	.10	-	.38	-	-	.18	.10	.21	7
8	-	.04	.39	-	-	.15	-	-	-	.01	.15	.34	8
9	.02	-	.47	-	.42	.01	-	-	.01	-	.07	.41	9
10	.03	.08	-	.19	-	.22	.04	-	.12	.03	.02	.14	10
11	-	.36	.81	.22	-	.09	-	-	.07	.04	-	.09	11
12	-	.07	.63	.09	.47	.02	.17	.04	-	.17	-	.03	12
13	-	.12	.35	.11	.06	-	-	.18	-	.14	-	.06	13
14	-	.14	.31	.14	.23	-	-	.17	-	.15	.02	.13	14
15	-	.58	1.02	.02	.01	.22	.08	.16	.12	.15	-	-	15
16	.16	.42	.44	.21	-	-	.15	.46	-	-	-	-	16
17	-	.33	-	.80	-	-	.10	.02	.25	-	-	-	17
18	-	.53	-	.17	-	-	-	-	.30	.23	1.08	.10	18
19	.23	.02	.42	.12	-	-	-	.03	.10	-	.73	.11	19
20	.20	-	.23	.12	-	-	-	.04	-	-	-	.12	20
21	.09	-	.11	.01	-	-	.06	-	-	-	-	.21	21
22	-	.05	.02	.02	-	.03	-	-	-	.08	-	.23	22
23	-	.24	-	.05	-	.09	-	.05	-	.03	.20	.39	23
24	-	.49	-	.02	-	.20	-	.05	-	-	-	.18	24
25	.04	.16	.32	-	.05	-	-	.27	-	.18	.29	-	25
26	-	.80	.05	-	.02	-	-	.09	-	.29	.03	-	26
27	-	.32	.08	-	-	-	.05	.22	-	.36	-	-	27
28	.03	.54	.19	-	.06	.08	-	.02	-	.01	.02	.17	28
29	.03	.59	-	-	.09	.46	-	.03	.03	.55	-	.45	29
30	-	X	-	-	.02	.07	-	-	-	.13	-	.02	30
31	-	X	-	X	.01	X	-	.02	X	.22	X	.57	31
Total	2.24	7.25	7.19	2.29	2.59	2.63	1.76	1.85	2.04	4.29	4.68	3.97	42.78
Rain Days.	14	26	21	15	15	15	12	16	12	23	17	20	206

YEAR'S TOTAL

REGISTER OF RAINFALL IN 19 17

Kept at The Grouse Inn. Gauge. No. 58.

in the County of Derbyshire.

by Miss J. Procter. Grouse Inn,
Froggatt Edge. Salver. Sheffield.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Grindleford (Mid Rly)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 990 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	—	.32	—	.06	—	.19	.17	—	.12	.03	1
2	.34	—	—	.09	—	.15	—	.10	—	—	.03	—	2
3	.02	.09	—	.02	—	.04	—	.17	—	.07	.12	—	3
4	.14	.03	.08	—	—	—	—	.14	—	.30	—	—	4
5	.25	—	.19	.06	—	—	—	—	—	.11	.13	—	5
6	.03	—	—	—	—	.06	—	—	—	.29	.13	.05	6
7	.44	—	—	—	—	.59	—	—	—	.03	.09	.06	7
8	.91	—	—	.32	—	.01	—	.60	—	.72	.25	.08	8
9	.08	—	.12	.20	—	—	—	.02	—	.09	.29	—	9
10	.24	—	.26	.10	.17	—	—	.12	.06	.02	.01	—	10
11	.14	—	—	.32	—	—	—	.29	—	.35	—	—	11
12	.16	—	—	.03	.36	—	—	.30	—	.05	—	.11	12
13	.09	—	—	.16	—	—	—	.31	.16	.07	.03	.05	13
14	.30	—	.01	.07	—	—	—	.06	—	—	—	.17	14
15	.08	—	—	.01	.03	—	.07	—	—	.15	—	.21	15
16	—	—	—	.13	—	.29	.25	.04	—	.01	—	.52	16
17	—	—	.01	.10	.47	.02	.22	.42	.03	.06	.02	.07	17
18	.14	—	.04	.05	.04	—	.50	.16	.33	.09	—	—	18
19	.09	.22	.21	—	.10	.42	—	.07	—	—	.12	—	19
20	—	.24	.03	—	.31	.42	—	—	.09	—	.24	.26	20
21	—	—	.09	—	.05	.04	—	—	—	.04	.01	—	21
22	—	—	.13	—	—	.01	—	.04	.06	.05	.05	—	22
23	—	.02	—	—	.15	.07	—	.13	.01	.13	—	.03	23
24	—	—	—	—	.02	.16	—	.15	—	.56	.27	—	24
25	—	.02	.18	—	—	—	—	—	—	.01	.19	—	25
26	—	—	.01	—	—	—	.02	.72	.15	.06	.54	—	26
27	—	—	.05	—	—	.18	.19	1.00	—	—	.39	.06	27
28	—	.01	.12	—	—	.05	—	.72	—	—	.01	.11	28
29	—	—	.03	—	.02	.01	—	.06	—	.35	—	.71	29
30	.05	X	.49	—	—	—	.12	.15	—	.04	.04	—	30
31	.03	X	.32	X	—	X	.02	.08	X	.01	X	.03	31
Total	3.67	0.74	2.84	1.87	1.62	2.55	1.19	6.15	1.13	4.22	3.07	2.59	YEAR'S TOTAL 31.76
Rain Days.	19	7	18	.15	11	17	8	24	10	24	21	16	190

S. made

REG

HOLESFIELD

BARBROOK RES

DERBY

1911-1920

Kept at Barbrook

in the County of Derby

by Robert Frith
Christine Frith

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

3/11

rowden

p 8 in.

bove Ground 1 ft. in.

Sea Level 1080 ft.

9 am.

Name

Distance Direction

and the result entered to the
universal rule, he is earnestly
year in the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.30	.02	.01	.00	.08	.13	.00	.00	.04	.01	1
2	.24	.00	.08	.01	.14	.00	.00	.01	.00	.00	.01	.13	2
3	.04	.01	.00	.02	.20	.01	.00	.01	.01	.02	.23	.02	3
4	.05	.00	.04	.14	.03	.00	.00	.04	.04	.19	.37	.30	4
5	.05	.00	.01	.02	.00	.00	.01	.13	.01	.24	.00	.01	5
6	.33	.00	.01	.00	.00	.01	.00	.19	.00	.07	.51	.67	6
7	.08	.02	.01	.00	.00	.00	.00	.01	.00	.01	.15	.01	7
8	.16	.00	.14	.00	.00	.00	.00	.00	.02	.05	.09	.50	8
9	.02	.00	.02	.01	.00	.07	.00	.00	.00	.01	.01	.09	9
10	.04	.03	.12	.00	.00	.00	.00	.00	.00	.01	.00	.69	10
11	.24	.02	.01	.00	.00	.00	.00	.01	.00	.01	.55	.03	11
12	.03	.02	.12	.00	.01	.00	.00	.00	.60	.01	.32	.02	12
13	.03	.00	.03	.00	.01	.01	.00	.01	.01	.01	.41	.39	13
14	.01	.08	.06	.00	.37	.00	.02	.00	.01	.01	.04	.71	14
15	.00	.14	.17	.02	.02	.00	.00	.00	.00	.10	.05	.15	15
16	.02	.33	.07	.06	.01	.12	.01	.00	.00	.07	.16	.07	16
17	.00	.01	.01	.02	.00	.47	.01	.00	.00	.01	.15	.28	17
18	.01	.30	.02	.02	.01	.15	.00	.00	.01	.01	.12	.15	18
19	.01	.14	.03	.02	.00	.04	.03	.02	.39	.15	.36	.07	19
20	.01	.15	.01	.17	.00	.01	.02	.52	.33	.02	.00	.13	20
21	.01	.40	.03	.01	.00	.06	.02	.07	.03	.18	.01	.02	21
22	.03	.05	.01	.02	.00	.00	.04	.06	.00	.29	.04	.26	22
23	.02	.32	.04	.00	.00	.37	.00	.02	.31	.04	.01	.20	23
24	.02	.07	.03	.09	.00	1.03	.00	.07	.01	.08	.00	.12	24
25	.14	.23	.01	.24	.00	.02	.01	.01	.17	.02	.01	.38	25
26	.01	.04	.00	.20	.14	.06	.00	.02	.01	.28	.50	.54	26
27	.00	.18	.13	.56	.00	.00	.00	.73	.42	.02	.01	.67	27
28	.01	.13	.02	.22	.00	.03	.00	.12	.07	.02	.12	.15	28
29	.01		.03	.12	.00	.05	.02	.01	.40	.40	.02	.05	29
30	.00		.01	.02	.13	.09	.00	.01	.00	.40	.03	.02	30
31	.00		.14		.01		.00	.00		.07		.02	31
Total	1.62	2.67	1.71	2.01	1.09	2.55	2.7	2.20	2.85	2.80	4.02	6.26	TOTAL for year 30.05
No. of Rain Days.	25	20	29	21	13	17	11	21	18	29	26	31	261

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.

Kept at Bailbrook Reservoir

in the County of Leeds

by Libert Frith - Waterworks Engineer
Christophers R.D.C.

RAIN GAUGE { Pattern Snowden
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 1080 ft.
Time of Observation 9 am.
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.30	.02	.01	.00	.08	.13	.00	.00	.04	.01	1
2	.24	.00	.08	.01	.14	.00	.00	.01	.00	.00	.01	.13	2
3	.04	.01	.00	.02	.20	.01	.00	.01	.01	.02	.23	.02	3
4	.05	.00	.04	.14	.03	.00	.00	.04	.04	.19	.37	.30	4
5	.05	.00	.01	.02	.00	.00	.01	.13	.01	.24	.00	.01	5
6	.33	.00	.01	.00	.00	.01	.00	.19	.00	.07	.51	.67	6
7	.68	.02	.01	.00	.00	.00	.00	.01	.00	.01	.15	.01	7
8	.16	.00	.14	.00	.00	.00	.00	.00	.02	.05	.09	.50	8
9	.02	.00	.02	.01	.00	.07	.00	.00	.00	.01	.01	.09	9
10	.04	.03	.12	.00	.00	.00	.00	.00	.00	.01	.00	.69	10
11	.24	.02	.01	.00	.00	.00	.00	.01	.00	.01	.55	.03	11
12	.03	.02	.12	.00	.01	.00	.00	.00	.60	.01	.32	.02	12
13	.03	.00	.03	.00	.01	.01	.00	.01	.01	.01	.41	.39	13
14	.01	.08	.06	.00	.37	.00	.02	.00	.01	.01	.04	.71	14
15	.00	.14	.17	.02	.02	.00	.00	.00	.00	.10	.05	.15	15
16	.02	.33	.07	.06	.01	.12	.01	.00	.00	.07	.16	.07	16
17	.00	.01	.01	.02	.00	.47	.01	.00	.00	.01	.15	.28	17
18	.01	.30	.02	.02	.01	.15	.00	.00	.01	.01	.12	.15	18
19	.01	.14	.03	.02	.00	.04	.03	.02	.39	.15	.36	.07	19
20	.01	.15	.01	.19	.00	.01	.02	.52	.33	.02	.00	.13	20
21	.01	.40	.03	.01	.00	.06	.02	.07	.03	.18	.01	.02	21
22	.03	.05	.01	.02	.00	.00	.04	.06	.00	.29	.04	.26	22
23	.02	.32	.04	.00	.00	.37	.00	.02	.31	.04	.01	.20	23
24	.02	.07	.03	.09	.00	1.03	.00	.07	.01	.08	.00	.12	24
25	.14	.23	.01	.24	.00	.02	.01	.01	.17	.02	.01	.38	25
26	.01	.04	.00	.20	.14	.06	.00	.02	.01	.28	.50	.54	26
27	.00	.18	.13	.56	.00	.00	.00	.73	.42	.02	.01	.67	27
28	.01	.13	.02	.22	.00	.03	.00	.12	.07	.02	.12	.15	28
29	.01		.03	.12	.00	.05	.02	.01	.40	.40	.02	.05	29
30	.00		.01	.02	.13	.09	.00	.01	.00	.40	.03	.02	30
31	.00		.14		.01		.00	.00		.07		.02	31
Total	1.62	2.67	1.71	2.01	1.09	2.55	2.7	2.20	2.85	2.80	4.02	6.26	TOTAL for year 30.05
No. of Rain Days.	25	20	29	21	13	17	11	21	18	29	26	31	261

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
20 FEB 1913

Kept at *Barbrook Reservoir*

in the County of *Derby*

by *Albert Faith C.E.*

PATTERN
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1080 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name *Sovereign*
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.02	.17	.00	.01	.48	.05	.01	.06	.00	.01	.85	1
2	.02	.00	.09	.05	.01	.20	.92	.00	.09	.01	.01	.07	2
3	.39	.02	.01	.01	.10	.26	.01	1.22	.26	.01	.01	.06	3
4	.23	.00	.62	.30	.22	.54	.00	.70	.07	.01	.20	.01	4
5	.32	.06	.01	.03	.08	.15	.01	.15	.09	.01	.02	.01	5
6	.82	.14	.00	.01	.09	.01	.00	.63	.01	.01	.01	.02	6
7	.03	.05	.01	.02	.07	.06	.01	.07	.10	.01	.00	.07	7
8	.43	.33	.16	.09	.01	.02	.14	.00	.18	.01	.01	.01	8
9	.14	.03	.10	.38	.01	.37	.00	.16	.01	.01	.09	.09	9
10	.07	.02	.01	.03	.00	.06	.01	.06	.01	.01	.54	.01	10
11	.15	.07	.01	.01	.00	.01	.01	.03	.01	.01	.10	.82	11
12	.05	.58	.10	.00	.00	.10	1.33	.01	.00	.01	.08	.01	12
13	.02	.10	.01	.00	.00	.01	.01	.10	.04	.01	.17	.10	13
14	.08	.01	.46	.02	.00	.10	.01	.16	.01	.01	.01	.29	14
15	.19	.06	.11	.00	.70	.25	.01	.03	.00	.00	.00	.32	15
16	.89	.01	.11	.00	.12	.14	.01	.09	.17	.14	.00	.04	16
17	.03	.03	.14	.01	.01	.38	.08	.24	.01	.01	.01	.43	17
18	.08	.01	.22	.00	.00	.01	.04	.10	.00	.11	.02	.25	18
19	.33	.08	.12	.00	.03	.01	.70	.42	.00	.04	.03	.01	19
20	.26	.01	.18	.00	.38	.14	.12	.10	.01	.28	.00	.03	20
21	.02	.02	.30	.00	.59	.01	.72	.00	.01	.31	.04	.03	21
22	.01	.09	.02	.00	.96	.11	.14	.63	.00	.01	.01	.12	22
23	.12	.02	.24	.07	.05	.02	.75	.43	.00	.02	.16	.05	23
24	.13	.01	.03	.00	.01	.19	.15	.21	.00	.01	.01	.18	24
25	.02	.02	.02	.00	.01	.35	.01	.21	.00	.01	.41	.16	25
26	.00	.15	.15	.00	.00	.03	.31	.94	.01	1.12	.22	.24	26
27	.00	.01	.28	.00	.00	.26	.86	.01	.00	.86	.02	.15	27
28	.01	.02	.08	.00	.00	.11	.22	.49	.14	.21	.38	.04	28
29	.00	.01	.18	.07	.00	.13	.23	.01	.86	.10	.03	.08	29
30	.08		.07	.01	.16	.01	.07	.01	.03	.08	.02	.01	30
31	.00		.25		.64		.28	.23		.05		.03	31
Total	4.93	1.98	4.26	1.05	4.26	4.42	7.21	7.45	2.18	3.49	2.52	4.09	TOTAL for year 48.34
No. of Rain Days.	27	27	30	15	31	30	28	28	21	29	26	31	1313

REGISTER OF RAINFALL IN 1913

Kept at **BARBROOK RESERVOIR**

in the County of **DERBYSHIRE**

by **Silbert Frith**
Waterworks Engineer.

Lat. **53° 17' 30"** Long. **1° 34' 30" West**

Time of Observation **9 a.m.**

Nearest Railway Station **Sore Valley N.R.**

Diameter of Rain Gauge **8** in.

Height of top of Gauge above Ground **1** ft. **0** in.

" " " " Sea Level **1080** ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.09	.09	.03	.01	.00	.00	.01	.13	.01	.04	.01	1
2	.02	.09	.07	.01	.00	.02	.00	.01	.00	.05	.11	.02	2
3	.09	.05	.24	.00	.40	.00	.01	.00	.07	.43	.00	.32	3
4	.74	.06	.02	.02	.10	.04	.18	.00	.11	.06	.20	.58	4
5	.07	.02	.09	.00	.01	.28	.01	.01	.14	.99	.02	.03	5
6	.04	.09	.14	.02	.46	.10	.96	.00	.02	.88	.01	.02	6
7	.01	.40	.10	.00	.26	.30	.02	.00	.01	.98	.07	.02	7
8	.01	.10	.04	.00	.45	.02	.00	.13	.01	.06	.11	.01	8
9	.01	.40	.05	.02	.05	.30	.03	.00	.00	.00	.14	.04	9
10	.02	.02	.02	.14	.01	.00	.01	.00	.00	.04	.18	.00	10
11	.99	.01	.01	.23	.01	.17	.00	.00	.01	.02	.31	.01	11
12	.02	.00	.00	.01	.02	.02	.00	.00	.01	.02	.29	.00	12
13	.06	.00	.19	.03	.00	.00	.00	.02	.18	.01	.13	.00	13
14	.13	.10	.50	.04	.00	.00	.00	.02	.01	.10	.37	.01	14
15	.15	.08	.34	.53	.00	.00	.02	.00	.15	.01	.65	.02	15
16	.02	.04	.19	.03	.01	.00	.02	.03	.17	.02	.17	.01	16
17	.02	.05	.04	.15	.05	.02	.02	.00	.91	.01	.06	.01	17
18	.01	.01	.24	.39	.10	.00	.09	.00	.00	.00	.18	.01	18
19	.19	.00	.07	.13	.01	.05	.01	.00	.21	.01	.02	.01	19
20	.34	.01	.03	.03	.01	.00	.00	.00	.01	.06	.26	.00	20
21	.04	.00	.02	.01	.13	.00	.17	.04	.01	.01	.25	.01	21
22	.20	.00	.83	.00	.02	.01	.00	.87	.27	.01	.01	.00	22
23	.10	.01	.01	.00	.21	.11	.01	.07	.07	.02	.04	.02	23
24	.28	.00	.00	.04	.00	.12	.00	.04	.01	.02	.02	.02	24
25	.01	.01	.00	.07	.00	.01	.00	.01	.06	.02	.01	.12	25
26	.00	.01	.27	.23	.01	.00	.00	.00	.01	.13	.00	.57	26
27	.01	.03	.02	.37	.00	.00	.00	.00	.00	.01	.01	.15	27
28	.20	.00	.27	.23	.00	.00	.00	.01	.02	.03	.01	.04	28
29	.03		.42	.44	.04	.00	.00	.30	.00	.01	.02	.01	29
30	.45		.01	.01	.01	.00	.00	.01	.00	.43	.13	.04	30
31	.06		.05		.16		.01	.00		.01		.02	31
Total	4.34	1.68	4.37	3.21	2.54	1.57	1.57	1.58	2.60	4.46	3.82	2.07	33.81
Rain Days.	30	21	28	24	23	15	15	15	23	29	28	26	277

REGISTER OF RAINFALL IN 1914

ExLMCC

BRITISH RAINFALL FORM A. FEB 1915

Kept at Barbrook Reservoir
in the County of Holmesfield
by Silbert Frith
Waterworks Engineer

Lat. 53° 17' 30" Long. 1° 34' 30"
Time of Observation 9 a.m.
Nearest Railway Station Dore & Totley
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1080 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.01	.10	.01	.00	.01	1.00	.10	.00	.02	.01	.18	1
2	.02	.00	.02	.01	.00	.01	.61	.32	.00	.00	.58	.10	2
3	.25	.01	.23	.00	.14	.00	.07	.04	.00	.00	.02	.42	3
4	.50	.00	.45	.14	.23	.01	.00	.05	.00	.00	.86	.30	4
5	.10	.01	.28	.15	.17	.11	.09	.01	.00	.00	.21	.16	5
6	.00	.05	.13	.36	.18	.03	.12	.06	.00	.00	.01	.22	6
7	.02	.05	.21	.09	.12	.03	.01	.06	.00	.00	.01	.10	7
8	.22	.01	.02	.01	.15	1.04	.10	.16	.16	.06	.01	.03	8
9	.27	.01	.01	.10	.03	1.23	.00	.21	.02	.00	.01	.00	9
10	.19	.14	.02	.22	.06	.01	.01	.01	.08	.01	.26	.02	10
11	.00	.12	.27	.05	.02	.09	.01	.00	.36	.00	.92	.51	11
12	.00	.16	.13	.01	.04	.07	.05	.01	.40	.00	.19	.49	12
13	.03	.16	.15	.01	.01	.00	.02	.01	.10	.18	.62	.44	13
14	.07	.34	.06	.00	.00	.00	.10	.01	.13	.58	.21	.22	14
15	.02	.02	.19	.00	.00	.00	.01	.00	.01	.05	.07	.01	15
16	.12	.00	.09	.00	.00	.00	.57	.00	.13	.00	.02	.00	16
17	.06	.28	.10	.01	.00	.00	.02	.00	.47	.00	.01	.49	17
18	.00	.02	.04	.00	.00	.00	.01	.00	.11	.00	.00	.24	18
19	.00	.01	.05	.00	.00	.00	.09	.00	.07	.00	.06	.14	19
20	.02	.18	.12	.00	.00	.01	.01	.01	.00	.07	.00	.03	20
21	.00	.56	.03	.00	.01	.43	.00	.01	.00	.11	.00	.14	21
22	.00	.04	.01	.01	.12	.09	.05	.05	.00	.33	.00	.00	22
23	.00	.01	.08	.06	.29	.03	.10	.01	.00	.01	.00	.06	23
24	.03	.02	.33	.07	.05	.03	.38	.32	.00	.01	.15	.00	24
25	.07	.01	.01	.01	.01	.00	.27	.20	.00	.73	.03	.25	25
26	.02	.01	.14	.00	.00	.00	.02	.32	.00	.20	.12	.23	26
27	.03	.00	.01	.00	.00	.01	.00	.00	.00	.09	.09	.86	27
28	.15	.14	.05	.00	.00	.01	.01	.01	.00	.05	.04	.34	28
29	.10		.11	.00	.00	.01	.00	.00	.00	.80	.13	.15	29
30	.02	X	.10	.02	.00	.01	.00	.00	.00	.18	.18	.33	30
31	.22	X	.05	X	.01	X	.29	.01	X	.25	X	.00	31
Total	2.55	2.37	3.59	1.32	1.64	3.25	4.02	1.99	2.04	3.73	4.82	6.46	37.78
Rain Days.	23	24	31	18	17	20	25	22	12	18	25	26	26 1/2

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Barbrook Reservoir

in the County of Sherbrooke

by Robert Hunt
Waterworks Engineer.

Lat. 53° 17' 30" Long. 1° 34' 30" West

Time of Observation 9 am.

Nearest Railway Station Sore Valley, Mid. Ry.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1080 ft.

FORM A.
BRITISH RAINFALL
12 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.21	.04	.	.33	.	.02	.02	.15	.	.10	.32	1
2	.01	.13	.25	.16	.	.05	.01	.61	.	.16	.02	.03	2
3	1.06	.01	.03	.12	.	.	.48	.07	.01	.	.01	.34	3
4	.05	.02	.	.	.06	.	.63	.	.	.	.	1.01	4
5	.04	.50	.12	.	.	.	.	.09	.	.12	.04	.57	5
6	.12	.21	.04	.21	.	.	.48	.09	.	.02	.	.20	6
7	.25	.26	.03	.06	.	.	.13	.47	.	.	.	.26	7
8	.20	.17	.01	.16	.	.	.	.13	.	.	.15	.04	8
9	.04	.05	.	.04	.	.	.	.05	.01	.02	.26	.62	9
10	.47	.	.03	.	.	.	.	.03	.	.02	.48	.11	10
11	.26	.	.02	.02	.46	.	.25	.01	.	.	.69	.39	11
12	.08	.	.	.03	.25	.	.01	.06	.	.10	1.59	.	12
13	.15	.80	.01	.	.10	.	.	.26	.	.01	.01	.05	13
14	.06	.03	.	.	.01	.	.02	.19	.06	.01	.	.35	14
15	.74	.	.	.	.	.	.	.12	.02	.	.18	.14	15
16	.	.37	.	.	.15	.	1.69	.01	.	.	.	.03	16
17	.	.25	.06	.	.	.	.16	.02	.	.	.04	.01	17
18	.	.28	.04	.	.	.	.01	.	.01	.	.02	.	18
19	.02	.09	.01	.04	.02	.	.13	.	.	.04	.01	.	19
20	.10	.01	.	.	.	.	.08	.02	.	.01	.	.17	20
21	.11	.	.	.08	.	.	.23	.	.	.	.	.07	21
22	.01	.	.21	.05	.	.	.61	.	.	.	.	.11	22
23	.07	.04	.10	.	.	.	.09	.	.03	.41	.01	.16	23
24	.01	.	.14	.06	.	.	.	.	.49	.13	.	.35	24
25	.	.	.02	.08	.	.47	.26	.	.01	.03	.	.18	25
26	.03	.37	.	.01	.	.04	.12	.	.09	.	.	.57	26
27	.	.27	.	.	.	.07	.14	.	.	.48	.	.64	27
28	.	.36	.01	.	.	.03	.01	.37	.	.14	.	.01	28
29	.	X	.	.	.04	.47	.	.	.	.01	.15	1.04	29
30	.17	X	.	.03	.	.06	.	.06	.	.	.02	.03	30
31	.15	X	.	X	.	X	.	.05	X	.35	X	.39	31
Total	4.42	4.43	1.17	1.15	1.42	1.19	5.56	2.73	.88	2.06	3.78	8.19	36.98
Rain Days.	24	20	18	15	9	7	21	20	10	17	17	28	206

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Barbrook Reservoir

in the County of Derby

by Gilbert Frith Waterworks Engineer

Lat. 53° 17' 30" Long. 1° 34' 30" W

Time of Observation 9 a.m.

Nearest Railway Station Sore & Nottley

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 1080 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.04	.21	.	.	.15	.18	.	.	.	.25	.	1
2	.28	.20	.17	.	.	.	.	.	.17	.26	.05	.01	2
3	.	.39	.03	.	.	.	.12	.	.71	.29	.15	.	3
4	.15	.08	.	.	.65	.40	.03	.	.27	.21	.47	.	4
5	.19	.02	.	.	.06	.63	.	.	.01	.53	.61	.	5
6	.38	.55	.04	.	.56	.02	.38	.	.01	.09	.37	.03	6
7	.11	.	.06	.	.08	.	.84	.	.	.22	.13	.25	7
8	.02	.02	.53	.	.01	.15	.	.	.	.	.14	.33	8
9	.02	.01	.76	.	.44	.	.	.	.03	.	.09	.27	9
10	.07	.05	1.01	.12	.	.27	.03	.	.19	.05	.02	.16	10
11	.04	.37	.64	.24	.02	.10	.	.	.08	.	.	.11	11
12	.12	.08	.37	.08	.48	.04	.31	.04	.	.04	.	.04	12
13	.	.12	.29	.09	.01	.	.01	.21	.	.23	.	.08	13
14	.01	.13	.05	.15	.26	.	.	.24	.	.16	.03	.12	14
15	.01	.63	.80	.02	.	.	.10	.16	.07	.14	.	.	15
16	.01	.30	.52	.23	.02	.	.12	.26	.	.	.	.02	16
17	.04	.30	.01	.66	.	.	.11	.01	.26	.18	.	.	17
18	.01	.50	.05	.15	.	.	.	.	.47	.24	1.32	.08	18
19	.19	.04	.45	.18	.	.	.	.02	.04	.	.64	.08	19
20	.20	.	.24	.12	.	.	.02	.04	.	.	.02	.09	20
21	.09	.	.16	.02	.	.	.04	.	.	.	.02	.18	21
22	.	.05	.01	.01	.	.02	.	.	.	.10	.	.26	22
23	.07	.02	.01	.05	.	.01	.	.09	.	.02	.17	.37	23
24	.	.09	.01	.02	.	.29	.	.10	.	.08	.01	.26	24
25	.	.31	.26	.	.06	.	.	.22	.	.12	.28	.03	25
26	.03	.07	.06	.	.	.	.	.10	.	.27	.04	.	26
27	.	.19	.03	.	.	.	.02	.19	.	.23	.	.	27
28	.01	.33	.03	.	.06	.27	.	.	.04	.03	.02	.12	28
29	.03	.54	.01	.	.	.54	.	.04	.02	.59	.	.46	29
30	.	X	.	.	.01	.07	.	.01	.	.14	.	.02	30
31	.	X	.	X	.01	X	.	.01	X	.16	X	.65	31
Total	2.38	5.43	6.81	2.14	2.73	2.96	2.31	1.74	2.37	4.38	4.83	4.02	42.10
Rain Days.	23	26	27	15	15	14	14	16	14	23	20	23	230

Rural District Council of Chesterfield.

Water Works Department.

RURAL DISTRICT COUNCIL OFFICES,
CHESTERFIELD,

GILBERT FRITH,
ENGINEER.

Telephone 101.

June 4th 1917.


Dr H.R. Mill,
Director,- British Rainfall Organization,
62, Camden Square,
London, N.W.

Dear Sir,

I have pleasure in sending you my rainfall returns for the year 1916.- I am sorry these have not been sent to you earlier.

I have made several corrections in the "Barbrook" figures for March. The total actually registered there during that month was nearly nine inches but this high figure was caused by drifting snow. I believe the figures, based on estimation, which I have substituted will be a fairly accurate record of the actual fall.

I am yours faithfully,



Waterworks Engineer.

REGISTER OF RAINFALL IN 1917

Kept at Barbrook Reservoir
in the County of Derby
by Silbert Smith
Waterworks Engineer

Lat. 53° 17' 30" Long. 1° 34' 30" W
Time of Observation 9 a.m.
Nearest Railway Station Dore & Totley M.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1080 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.	.	.08	.	.07	.	.31	.25	.	.10	.05	1
2	.32	.05	.	.12	.	.11	.	.12	.	.	.02	.	2
3	.02	.10	.	.11	.	.05	.	.19	.	.07	.06	.	3
4	.18	.03	.02	.02	.	.	.	.10	.	.24	.	.	4
5	.24	.	.08	.15	.	.	.	.02	.02	.11	.09	.	5
6	.05	.	.	.01	.	.31	.	.	.	.26	.12	.01	6
7	.43	.	.	.	.	.30	.	.	.01	.53	.04	.05	7
8	.25	.	.	.27	.	.	.	.60	.	.60	.17	.07	8
9	.	.	.02	.04	.02	.	.	.02	.	.06	.18	.02	9
10	.25	.	.72	.07	.19	.	.	.16	.02	.01	.	.	10
11	.15	.	.	.39	.	.	.	.19	.	.25	.	.01	11
12	.15	.	.01	.04	.21	.	.	.30	.	.06	.	.06	12
13	.15	.	.	.19	.02	.01	.	.25	.13	.06	.02	.01	13
14	.25	.06	.03	.07	.01	.	.	.12	.	.01	.	.07	14
15	.12	.	.	.01	.03	.	.12	.	.	.02	.	.13	15
16	.12	.07	.	.13	.	.17	.04	.10	.	.	.	.08	16
17	.04	.04	.02	.10	.48	.02	.19	.32	.02	.03	.	.	17
18	.16	.	.02	.05	.05	.	.60 .05	.08	.40	.09	.	.	18
19	.05	.17	.20	.01	.11	.36	.	.05	.08	.	.06	.	19
20	.06	.24	.03	.	.35	.50	.	.	.06	.	.12	.	20
21	.04	.04	.12	.	.05	.06	.	.04	.	.03	.	.	21
22	.06	.01	.08	.	.	.01	.	.11	.02	.04	.02	.	22
23	.09	.06	.	.	.17	.07	.	.07	.01	.09	.	.04	23
24	.06	.	.02	.	.01	.23	.	.13	.	.45	.16	.	24
25	.01	.02	.18	.	.	.	.	.02	.	.	.02	.	25
26	.	.01	.	.	.	.01	.04	.54	.11	.01	.23	.	26
27	.04	.	.03	.	.	.18	.17	.98	.	.	.09	.06	27
28	.	.01	.10	.	.	.05	.	.70	.01	.	.	.05	28
29	.	.	.02	.	.08	.	.06	.07	.	.26	.	.25	29
30	.	X	.35	.	.	.	.11	.14	.	.03	.05	.	30
31	.02	X	.28	X	.01	X	.	.09	X	.02	X	.	31
Total	3.45	.91	2.33	1.86	1.79	2.51	1.23	5.82	1.14	3.33	1.55	.96	YEAR'S TOTAL 26.88
Rain Days	26	14	19	18	15	17	8	27	13	23	13	15	208 212

REGISTER OF RAINFALL IN, 1918

Kept at Barbrook Reservoir

in the County of Derby

by Albert Frith
Waterworks Engineer.

Lat. 53° 17' 30" Long. 1° 34' 30" W.

Time of Observation 9 am.

Nearest Railway Station Overton N.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 1080 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	03	.	02	02	.	.	.	30	07	35	03	1
2	.	11	.	05	.	.	01	37	17	02	.	47	2
3	.	01	03	.	73	.	.	31	03	.	12	.	3
4	01	01	02	.	01	.	.	05	44	08	26	45	4
5	.	.	02	02	31	.	01	22	31	28	01	.	5
6	.	40	01	42	.	10	01	04	01	14	01	02	6
7	.	04	.	15	.	.	02	.	75	08	15	.	7
8	.	23	05	03	.	.	06	.	44	03	02	03	8
9	13	77	.	19	.	14	04	.	48	35	01	03	9
10	08	07	.	02	.	.	25	.	.	01	08	03	10
11	25	07	.	04	12	.	07	.	15	.	.	04	11
12	.	13	01	31	06	01	69	.	23	.	.	22	12
13	.	01	.	04	05	.	.	.	32	08	01	.	13
14	23	.	.	.	.	13	10	.	46	08	01	22	14
15	13	.	.	.	.	02	34	.	85	.	.	17	15
16	.	.	.	03	.	04	16	01	22	02	.	13	16
17	21	.	06	.	05	.	32	07	07	12	.	19	17
18	26	.	01	.	.	07	10	.	74	.	.	16	18
19	12	.	29	05	.	.	08	04	10	09	.	27	19
20	08	12	.	04	.	06	03	.	08	09	02	01	20
21	15	10	.	05	38	08	.	.	28	11	01	01	21
22	02	02	.	.	05	13	11	.	19	06	01	61	22
23	05	.	.	.	76	.	32	.	10	.	03	01	23
24	.	05	.	.	.	.	15	.	06	.	06	06	24
25	.	.	.	.	.	07	18	25	03	01	01	.	25
26	.	.	.	.	.	.	37	05	25	.	06	09	26
27	.	05	.	.	.	01	.	31	28	01	06	29	27
28	.	.	26	.	.	.	.	04	11	.	18	54	28
29	01	X	.	.	.	.	.	.	15	.	.	16	29
30	.	X	37	.	.	.	.	05	.	.	08	26	30
31	.	X	14	X	.	X	.	03	X	.	X	02	31
Total	1.73	2.22	1.27	1.46	2.54	86	3.42	1.84	7.60	1.75	1.55	4.52	30.76
Rain Days.	14	17	12	15	11	12	21	14	28	19	21	26	210

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at BARBROOK RESERVOIR

HOLMESFIELD

in the County of DERBY

by Gilbert Frith.
Waterworks Engineer.

Lat. 53° 17' 30" Long. 1° 34' 30" WEST.

Time of Observation 9 A.M.

Nearest Railway Station DORE & TOTLEY M.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 1080 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	20	.	.	02	34	.	28	02	08	14	08	27	1
2	10	03	03	.	.	.	32	10	45	02	27	02	2
3	24	.	.	.	.	14	79	.	08	.	30	21	3
4	.	.	16	.	04	02	11	19	18	.	07	23	4
5	05	.	.	.	.	.	.	.	19	.	02	33	5
6	03	.	26	.	64	.	.	.	.	04	04	21	6
7	03	01	28	.	01	.	.	.	.	01	.	.	7
8	20	.	03	.	.	03	.	.	.	01	.	.	8
9	01	.	05	.	.	.	.	.	.	.	01	.	9
10	.	.	18	05	.	.	.	.	.	.	.	00	10
11	.	.	55	08	.	.	04	.	.	.	.	.	11
12	.	.	16	10	.	15	11	.	10	02	.	.	12
13	25	.	.	16	.	02	01	.	81	07	.	02	13
14	31	03	04	18	.	.	.	02	08	.	04	.	14
15	21	08	02	03	.	.	.	.	.	.	.	30	15
16	15	46	.	02	.	04	.	.	.	.	13	01	16
17	08	12	.	03	01	10	02	08	.	.	38	.	17
18	.	.	09	.	01	.	03	20	05	.	.	32	18
19	03	26	26	.	.	07	92	51	03	.	20	04	19
20	25	07	01	.	.	09	90	09	01	.	13	10	20
21	07	31	.	.	.	04	17	.	01	.	.	28	21
22	.	20	.	.	.	.	.	08	05	.	06	77	22
23	.	01	.	.	.	11	.	.	.	76	05	11	23
24	.	.	.	20	03	03	.	02	01	64	09	04	24
25	04	.	.	21	15	01	.	54	.	.	07	.	25
26	.	.	23	10	.	03	.	29	06	.	01	33	26
27	04	01	01	07	.	.	.	02	.	.	11	08	27
28	.	.	.	04	.	.	.	93	.	06	.	29	28
29	10	X	.	.	.	02	.	05	.	1.44	.	18	29
30	02	X	.	05	.	16	.	.	.	12	15	19	30
31	.	X	.	X	.	X	13	.	X	14	X	.	31
TOTAL	2.41	1.59	2.36	1.34	1.23	1.06	3.83	3.14	2.19	3.47	2.21	4.43	YEAR'S TOTAL 29.26
Days with 01 in. or more	20	12	16	15	8	16	13	15	15	13	19	22	18.4

REGISTER OF RAINFALL IN 1920.....

Barbrook Reservoir.
Kept at.....
in the County of.....
by Gilbert Fitch Waterworks Engineers

Lat. 53° 17' 30" Long. 1° 34' 30" West.
Time of Observation 9 am
Nearest Railway Station Dore & Totley M.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1080 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				15	25		26	02	01	11	12	10	1
2				30			16		16	22		21	2
3		01		50	10	02	50		07	30		20	3
4	01			14			10	37	02	52		03	4
5			03		18		08	10	05	07		02	5
6			21	05	03		07					11	6
7	13			04			28						7
8	10	06		45	10		70	11					8
9	17	25	02	38			14	02		01			9
10	39	40	02	17			17	02					10
11	44	04	04	30	34	31						03	11
12	04	02	02	43	01	14		12			05	03	12
13	10	10	07	21		70						02	13
14	03	03	36	10		71	05		48	06	36		14
15		06	05	24					05	26			15
16			09	08			49		02	12			16
17			03		09				25	17			17
18	02			08	12		03	02					18
19	19	81		07	04	05		12	02				19
20	10	08		20		31	05					04	20
21	03			01			49	05				08	21
22	06	02		21			11	04		02	03	06	22
23							08					25	23
24			25							01	01	24	24
25		06	05	12			53						25
26	15	05	11	23	08	02	17						26
27	19	03	01	19	35	23				01	27	32	27
28	63		13	11	06	07	02		01			08	28
29	05		20		60	02	17		02		11	73	29
30	17	X		20	09	04			10		12	25	30
31	11	X	12	X	05	X	02		X	54	X	09	31
TOTAL	3.11	2.02	1.81	4.96	2.49	2.62	4.67	.99	1.26	2.42	1.07	2.89	30.31
Days with "01 in. or more	20	15	18	25	16	12	22	11	13	14	8	19	193
Days with "04 in. or more	16	10	12	24	14	9	19	7	7	10	6	14	148
YEAR'S TOTAL													

REG 2689

Kept at Hope

in the County of Derbys

by (Mr.) D. W. Chadwick

DERBY, HOPE

1915-30

Please see
back.

FORM A.
BRITISH RAINFALL

m.

pe, (Mid. Rly.)

auge 5 in. 2689

round 1 ft. 0 in.

Sea Level 555 ft.

ie result entered to the

sal rule, he is earnestly

the space provided

Jan. 1, following.

IMPORTANT NOT
previous day. If an Ob
requested to add the read

for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.25	.07	-	.35	-	.02	.08	-	-	.09	.22	1
2	.04	.29	.57	.15	.01	.04	.06	.76	-	.14	-	-	2
3	.82	.01	-	.19	-	-	.34	.12	-	-	.05	.45	3
4	.07	.08	-	-	.21	-	.85	-	-	-	-	.95	4
5	.07	.70	.27	-	.01	-	-	.12	-	.02	.01	.85	5
6	.35	.20	.08	.36	-	-	.36	.10	-	-	-	.21	6
7	.37	.47	.02	.20	-	-	.26	.55	-	-	.02	.28	7
8	.28	.37	-	.23	-	-	-	.14	-	-	.16	.04	8
9	-	.08	-	.04	-	-	-	.07	-	.02	.55	.68	9
10	.84	.01	.04	-	-	-	-	.02	-	.02	.48	.14	10
11	.43	-	.02	.02	.41	-	.18	.05	-	.10	.62	.47	11
12	.12	-	-	.09	.17	-	.05	.09	-	.02	1.52	-	12
13	.38	1.30	-	-	.03	-	-	-	-	-	-	.15	13
14	.08	.02	-	.02	-	-	.02	.18	.12	-	-	.40	14
15	1.34	-	-	.03	-	-	.06	.09	.05	-	.29	.19	15
16	-	.43	-	-	.13	-	1.37	.16	-	.01	-	-	16
17	-	.28	.03	-	-	-	.21	.03	-	-	-	-	17
18	.04	.31	.54	.03	-	-	-	-	-	-	.04	-	18
19	.02	.08	.11	-	.03	-	.07	-	-	-	-	-	19
20	.18	-	.03	-	-	-	.15	.06	-	-	-	.19	20
21	.24	-	-	.03	-	-	.25	-	-	.02	-	.21	21
22	-	.02	.20	.04	-	-	.35	-	-	.03	-	.17	22
23	.06	.01	.12	.02	-	.02	.19	-	.02	.39	-	.15	23
24	-	.01	.14	.06	-	-	.04	-	.29	.02	-	.32	24
25	-	-	-	-	-	.88	.21	-	.02	.03	-	.35	25
26	.05	.47	-	-	-	.03	.16	-	.01	-	-	.70	26
27	-	.27	-	-	-	.25	.02	-	-	.65	-	.95	27
28	-	.50	.02	-	-	.13	-	.46	-	.14	.14	.05	28
29	-	~~X~~	-	-	.02	.04	-	.02	.01	-	.05	.49	29
30	.29	~~X~~	.01	.10	-	.33	-	.07	-	-	.09	.12	30
31	.12	~~X~~	-	~~X~~	-	~~X~~	.03	.14	~~X~~	.67	~~X~~	.65	31
Total	6.54	6.16	2.27	1.61	1.37	1.72	5.25	3.31	0.52	2.28	4.11	9.38	44.52
Rain Days.	22	22	16	16	10	8	22	20	7	15	14	25	197

REG

Please see back.

FORM A.
BRITISH RAINFALL

Kept at Hope

(No 56)

in the County of Derbyshire.

by (Mr.) D. W. Chadwick, Kilncroft, Hope,
via Sheffield.

Time of Observation 9 a.m.

Nearest Railway Station Hope, (Mid. Rly.)

Diameter of Funnel of Rain Gauge 5 in. 2689

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 555 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.25	.07	-	.35	-	.02	.08	-	-	.09	.22	1
2	.04	.29	.57	.15	.01	.04	.06	.76	-	.14	-	-	2
3	.82	.01	-	.19	-	-	.34	.12	-	-	.05	.45	3
4	.07	.08	-	-	.21	-	.85	-	-	-	-	.95	4
5	.07	.70	.27	-	.01	-	-	.12	-	.02	.01	.85	5
6	.35	.20	.08	.36	-	-	.36	.10	-	-	-	.21	6
7	.37	.47	.02	.20	-	-	.26	.55	-	-	.02	.28	7
8	.28	.37	-	.23	-	-	-	.14	-	-	.16	.04	8
9	-	.08	-	.04	-	-	-	.07	-	.02	.55	.68	9
10	.84	.01	.04	-	-	-	-	.02	-	.02	.48	.14	10
11	.43	-	.02	.02	.41	-	.18	.05	-	.10	.62	.47	11
12	.12	-	-	.09	.17	-	.05	.09	-	.02	1.52	-	12
13	.38	1.30	-	-	.03	-	-	-	-	-	-	.15	13
14	.08	.02	-	.02	-	-	.02	.18	.12	-	-	.40	14
15	1.34	-	-	.03	-	-	.06	.09	.05	-	.29	.19	15
16	-	.43	-	-	.13	-	1.37	.16	-	.01	-	-	16
17	-	.28	.03	-	-	-	.21	.03	-	-	-	-	17
18	.04	.31	.54	.03	-	-	-	-	-	-	.04	-	18
19	.02	.08	.11	-	.03	-	.07	-	-	-	-	-	19
20	.18	-	.03	-	-	-	.15	.06	-	-	-	.19	20
21	.24	-	-	.03	-	-	.25	-	-	.02	-	.21	21
22	-	.02	.20	.04	-	-	.35	-	-	.03	-	.17	22
23	.06	.01	.12	.02	-	.02	.19	-	.02	.39	-	.15	23
24	-	.01	.14	.06	-	-	.04	-	.29	.02	-	.32	24
25	-	-	-	-	-	.88	.21	-	.02	.03	-	.35	25
26	.05	.47	-	-	-	.03	.16	-	.01	-	-	.70	26
27	-	.27	-	-	-	.25	.02	-	-	.65	-	.95	27
28	-	.50	.02	-	-	.13	-	.46	-	.14	.14	.05	28
29	-	~~X~~	-	-	.02	.04	-	.02	.01	-	.05	.49	29
30	.29	~~X~~	.01	.10	-	.33	-	.07	-	-	.09	.12	30
31	.12	~~X~~	-	~~X~~	-	~~X~~	.03	.14	~~X~~	.67	~~X~~	.65	31
Total	6.54	6.16	2.27	1.61	1.37	1.72	5.25	3.31	0.52	2.28	4.11	9.38	44.52
Rain Days.	22	22	16	16	10	8	22	20	7	15	14	25	197

YEAR'S TOTAL.

REGISTER OF RAINFALL IN 1916

Kept at Hope. (Gauge No. 56)

in the County of Derbyshire.

by (Mr) D.W. Chadwick. Hope,
Via: Sheffield.

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Hope, (Mid Rly)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 555 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.45	.07	.19	-	-	.16	.17	-	-	-	.20	-	1
2	.20	.28	.34	-	-	-	-	-	.16	.23	.02	-	2
3	.02	.37	.04	-	-	.05	-	-	.42	.27	.15	-	3
4	.23	.31	-	.02	.50	.59	-	-	.22	.43	.53	-	4
5	.15	.02	-	-	.10	.93	-	-	-	.60	.82	-	5
6	.89	1.09	.08	-	.29	.05	.42	-	-	.36	.49	.03	6
7	.11	.02	.31	-	.05	-	.20	-	-	.11	.02	.14	7
8	.01	.04	.32	.01	.04	.19	-	-	-	.03	.42	.28	8
9	.08	.02	-	-	.30	.05	.15	-	.02	-	.21	.07	9
10	.08	.10	.08	.28	-	.18	-	-	.10	.10	.03	.02	10
11	.05	-	.28	.32	-	.17	.01	-	.10	-	-	.07	11
12	.20	.55	.25	.40	.20	-	.30	.04	.03	.08	-	.02	12
13	.02	.08	.11	.32	.05	-	.01	.19	-	.19	-	.08	13
14	.01	.31	.19	.22	.35	-	-	.31	.02	.14	-	.12	14
15	.01	.82	.39	.02	.02	.02	.02	.18	.20	.16	.01	-	15
16	.01	.58	.52	.43	-	-	.19	.14	-	.05	-	-	16
17	.07	.24	-	1.25	-	-	.03	-	.47	.17	-	-	17
18	-	1.13	.02	.48	-	-	-	.04	.35	.24	1.22	.25	18
19	.20	-	.22	.21	-	-	-	.10	.05	-	.54	.07	19
20	.18	-	.20	.12	.18	-	.04	-	-	-	-	.15	20
21	.15	.08	.09	-	.28	-	-	-	-	-	.01	.06	21
22	-	-	-	-	-	.05	-	-	-	.09	.20	.03	22
23	.05	.12	.02	.05	-	.15	-	.18	-	.05	-	.47	23
24	-	.46	-	-	-	.13	-	.07	-	.10	.02	.11	24
25	.02	.28	.48	-	.05	-	-	.17	-	.11	.47	-	25
26	.04	.21	.22	-	-	-	-	.19	-	.16	.08	-	26
27	.01	.18	.03	-	.03	-	-	.40	-	.43	.01	.05	27
28	-	.22	.08	-	-	.11	-	.02	-	.09	-	.75	28
29	.01	.57	.01	-	-	.38	-	-	-	.54	.02	.04	29
30	-	X	-	-	.01	.14	-	-	-	.24	-	.07	30
31	-	X	-	X	.05	X	-	-	X	.35	X	.75	31
Total	3.25	8.15	4.37	4.13	2.50	3.35	1.54	2.03	2.14	5.32	5.47	3.63	45.88
Rain Days.	25	25	23	14	16	16	11	13	12	25	20	21	221

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at **H O P E** (Gauge No. 56)

in the County of **Derbyshire.**
(Mr) **D.W. Chadwick. Hope**
by **Via: Sheffield.**

Lat. _____ Long. _____
Time of Observation **9.A.M.**
Nearest Railway Station **Hope. (Mid Ry)**
Diameter of Funnel of Rain Gauge **5** in. **2689**
Height of top of Gauge above Ground **1** ft. **0** in.
" " " " Sea Level **555.0** ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.32	—	.14	—	.20	.12	—	.11	—	1
2	.25	—	—	—	—	.19	—	.10	—	.05	.05	.09	2
3	.13	—	—	—	—	.11	—	.06	—	.18	.05	.14	3
4	.19	—	.37	—	—	—	—	.03	—	.32	.02	—	4
5	.25	—	.03	—	—	—	—	.04	—	.43	.20	—	5
6	.03	—	—	—	—	.05	—	—	—	.38	.41	.09	6
7	.32	—	—	—	—	.45	—	—	—	.97	.14	.08	7
8	.88	—	—	.20	—	—	—	.71	—	.84	.65	.13	8
9	.03	—	—	.55	—	—	—	.03	.03	.16	.68	—	9
10	.24	—	.95	.30	.85	—	—	.09	—	.03	—	—	10
11	.35	—	—	.45	—	—	—	.34	—	.40	—	—	11
12	.11	—	—	.08	.39	—	—	.22	—	.07	—	.13	12
13	.12	—	—	.32	—	—	—	.31	.28	.04	.04	.15	13
14	.08	—	—	—	—	—	—	.04	—	.07	—	.30	14
15	.18	—	—	.06	.03	—	.10	—	—	.02	—	.31	15
16	.05	.22	.12	.24	—	—	.17	.19	.20	.05	—	.69	16
17	.04	—	—	—	.40	.09	.25	.17	.25	.14	—	—	17
18	.05	—	.09	.24	.04	.04	.55	.18	—	.04	—	—	18
19	.04	.32	.42	.02	.18	.22	—	—	.15	—	.02	—	19
20	—	.04	—	—	.24	.09	—	—	.13	—	.64	—	20
21	—	—	.10	—	—	.11	—	.18	—	.02	—	—	21
22	—	—	.05	—	.04	—	—	.12	.09	.21	.15	—	22
23	—	.03	—	—	.23	.04	—	.33	.06	.39	.03	—	23
24	—	.04	.02	—	—	.18	—	—	—	.58	—	.15	24
25	—	.04	.30	—	—	—	—	.45	—	—	.47	—	25
26	—	—	—	—	—	—	—	.58	.25	—	1.25	—	26
27	—	.03	—	—	—	.22	.16	.34	—	—	.56	.05	27
28	—	—	.23	—	—	.05	—	1.20	—	.39	.11	.32	28
29	—	X	—	—	.15	—	—	.39	—	.11	.02	—	29
30	—	X	.46	—	—	—	.05	.26	—	.31	.06	.11	30
31	—	X	.24	X	.02	X	—	.14	X	—	X	.10	31
Total	3.33	0.78	3.22	2.72	1.87	1.92	1.22	6.60	1.52	6.10	5.72	2.90	38.18
Rain Days	18	7	13	11	11	14	6	25	10	24	20	15	174

REGISTER OF RAINFALL IN 1918.

Kept at Hope (Gauge No. 56)

in the County of Derby

by (Mr) D. W. Chadwick, Hope, via Sheffield.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Hope (Mid. Rly).

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 555 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.10	--	--	.10	--	--	--	.92	.07	.31	.43	1
2	--	.09	--	--	--	--	--	--	.42	.02	--	.19	2
3	.01	.04	--	--	--	--	--	.55	.02	.02	--	--	3
4	--	.03	.11	--	.64	--	--	--	.39	.32	.43	.47	4
5	.01	--	.04	.24	--	.64	--	.18	.32	.18	--	--	5
6	--	.90	--	.52	--	.88	--	.05	--	.23	--	--	6
7	--	.14	--	.38	--	--	--	.02	.42	.19	.28	.01	7
8	.02	.50	.14	--	--	--	.42	.03	.68	.06	.08	.02	8
9	1.10	.75	--	.07	--	.27	--	--	.50	.68	--	--	9
10	.19	.23	.02	--	--	--	.32	--	.02	--	--	.08	10
11	.63	.24	.02	--	.10	--	.19	--	.12	--	--	.49	11
12	.03	.28	--	.38	.05	.08	.31	--	.67	--	--	.09	12
13	.01	.02	--	--	--	--	--	--	.90	.09	--	.17	13
14	1.01	.01	--	.03	--	--	.18	.01	.45	.17	--	.25	14
15	.05	--	--	--	--	--	.15	--	.60	--	--	.22	15
16	--	--	--	--	--	--	.35	.12	.09	--	--	.45	16
17	.33	--	--	--	.11	--	.39	.08	.22	.11	--	.30	17
18	.48	--	.11	--	--	.54	.42	--	.50	--	--	.61	18
19	.12	.04	.18	--	--	--	.11	.19	.35	--	--	.40	19
20	.05	.23	--	.10	--	.11	.12	--	.12	.17	--	.09	20
21	.12	.38	--	.12	.19	.12	--	--	.46	.19	--	.14	21
22	.02	.07	--	.03	.23	.29	.13	.02	.05	.02	--	1.04	22
23	.08	--	--	--	.93	--	.04	--	.27	--	.28	.20	23
24	--	--	--	--	--	--	.15	.03	.05	.08	.07	.15	24
25	--	--	--	--	.01	.14	.08	.17	.05	.08	--	--	25
26	--	.19	--	--	--	.02	.12	.26	.33	--	.11	.11	26
27	--	.19	.03	--	--	.04	--	.36	.91	.02	.11	.79	27
28	--	.11	.50	--	--	--	--	.17	.16	--	.25	1.03	28
29	--	~~X~~	--	--	--	--	--	.03	.15	--	.07	.10	29
30	--	~~X~~	.50	--	--	--	--	.22	.02	--	.19	.12	30
31	--	~~X~~	.40	~~X~~	--	~~X~~	--	.15	~~X~~	.05	~~X~~	.10	31
Total	4.27	4.54	2.05	1.87	2.36	2.93	3.42	2.62	10.16	2.75	2.18	8.05	YEAR'S TOTAL 47.20
Rain Days	18	20	11	9	9	11	16	18	29	19	11	26	197

REGISTER OF RAINFALL IN 1919.

Kept at Hope (Gauge No. 56)

in the County of Derby

by Mr. F. W. Chadwick, Hope, via Sheffield.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Hope (Mid. Rly) 2689

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 555 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.24	---	.02	.05	.65	---	.44	.38	.12	.05	.40	.02	1
2	---	.05	.09	---	---	---	.34	.04	.15	.05	---	.53	2
3	.65	---	.02	---	.07	.17	.50	---	.05	---	.35	.25	3
4	---	---	.20	---	---	.02	.27	.11	.12	---	.02	.50	4
5	.02	---	---	---	---	---	---	---	.09	.02	---	.75	5
6	.03	---	.68	---	.63	---	---	---	.07	---	---	.24	6
7	.07	---	.05	---	---	---	---	---	---	---	---	---	7
8	.04	---	.30	---	---	.04	---	---	---	---	---	.19	8
9	.29	---	---	.02	---	---	---	---	---	---	.10	.39	9
10	.02	---	.29	.15	---	---	---	---	---	---	---	---	10
11	---	---	1.22	---	.12	---	---	---	---	---	---	---	11
12	---	---	.84	.28	---	.15	.09	---	.29	.10	---	.04	12
13	---	---	---	.50	---	---	.03	.01	.66	.08	---	.09	13
14	.56	---	---	.20	---	---	---	---	---	---	---	.02	14
15	.22	---	---	.25	---	---	---	---	---	.02	.25	.37	15
16	.41	.70	---	---	---	.09	---	---	---	---	.05	---	16
17	.11	.70	---	.18	.01	.08	.01	.13	---	---	1.00	---	17
18	---	---	.12	---	---	---	---	.20	---	---	.01	.60	18
19	.03	.30	1.06	---	---	.10	.75	.53	.22	---	.33	.36	19
20	.39	.08	.25	---	---	.23	.40	.06	---	---	.50	.42	20
21	.08	.43	.30	---	---	.11	.16	---	---	---	---	1.03	21
22	---	.14	---	---	---	.03	---	.11	.48	---	.20	.97	22
23	---	---	---	---	---	.35	---	.02	---	.65	.05	.56	23
24	---	---	---	.13	---	---	---	.04	.23	.50	.15	.16	24
25	.18	---	---	.32	.25	---	---	.58	.05	---	.29	.35	25
26	---	---	.77	.05	---	.03	---	.70	.09	---	---	.38	26
27	.10	.02	.15	.27	---	---	---	.07	---	.35	.07	.60	27
28	.31	---	---	.08	---	---	---	.47	---	.95	---	.11	28
29	---	~~---~~	---	.12	---	.08	---	.01	.06	---	---	.09	29
30	---	~~---~~	.04	.07	---	.18	---	---	---	.13	.09	.38	30
31	---	~~---~~	.26	~~---~~	---	~~---~~	.23	.01	~~---~~	---	~~---~~	.05	31
TOTAL	4.75	2.42	6.66	2.67	1.73	1.66	3.22	3.47	2.68	2.90	3.86	9.45	YEAR'S TOTAL 45.47
Days with .01 in. or more	18	8	18	15	6	14	11	17	14	11	16	26	174

REGISTER OF RAINFALL IN 1920.....

Kept at Hope (Gauge No. 56)
in the County of Derby
by Mr. D. W. Chadwick, Hope,
via Sheffield

Lat. _____ Long _____
Time of Observation 9 A.M.
Nearest Railway Station Hope (Mid. Rly)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 555 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	---	.04	---	.09	.39	---	.29	---	.23	.18	.12	.15	1
2	---	---	---	.23	.06	---	.19	.05	.16	.40	---	.08	2
3	---	---	---	.19	.29	.05	.35	.06	.15	.37	---	.37	3
4	---	---	---	.17	.15	---	.27	.46	.10	.50	---	.05	4
5	---	---	---	.14	.27	---	.09	.23	.15	.05	---	---	5
6	---	---	.47	---	.08	---	.15	---	.02	.03	---	.13	6
7	.35	---	.07	---	---	---	.24	.12	---	---	.02	---	7
8	.22	.05	---	.40	.29	---	.15	.02	---	---	.02	---	8
9	.35	.80	---	.22	---	---	.16	.02	.01	---	.02	---	9
10	.95	.78	.07	.16	---	---	.16	---	---	---	---	---	10
11	.22	.02	---	.12	.04	.27	.09	---	---	---	---	---	11
12	.09	.13	---	.23	.23	.12	.11	.25	---	---	.12	.18	12
13	.35	.19	.29	.43	---	.61	.02	---	---	---	.12	---	13
14	---	.08	.04	.29	---	.80	---	---	.45	.03	.49	---	14
15	.06	.05	.57	.25	---	---	.04	---	.20	.08	.13	---	15
16	---	---	.15	.10	.12	.06	.80	---	.09	.08	---	---	16
17	---	---	---	---	.13	---	---	.09	.28	.04	---	---	17
18	.15	---	---	.09	.29	---	---	.09	.10	---	---	---	18
19	.69	1.45	---	.16	.35	---	---	---	.02	---	---	---	19
20	.09	---	---	.29	---	.44	.12	---	---	---	---	.10	20
21	.09	---	---	.17	---	---	.38	---	---	---	---	.20	21
22	---	---	---	.14	---	.04	.34	---	---	---	---	---	22
23	---	---	---	.01	---	---	.49	.04	---	---	---	.71	23
24	.23	---	.45	.02	---	---	.02	---	---	---	---	.09	24
25	---	.30	.10	.27	---	.02	.53	---	---	---	---	.02	25
26	.11	---	---	.64	.03	---	.10	---	---	---	---	.04	26
27	.53	.23	.40	.23	.60	---	.03	---	---	---	.18	.06	27
28	1.38	---	---	.19	.22	.48	---	---	---	---	.09	.29	28
29	.07	.02	.05	.21	.90	---	.32	---	---	---	.08	.95	29
30	.24	~~---~~	---	.18	.22	.08	---	---	.14	---	.12	.36	30
31	.29	~~---~~	---	~~---~~	.12	~~---~~	.04	---	~~---~~	.58	~~---~~	---	31
TOTAL	6.46	4.14	2.66	5.62	4.78	2.97	5.48	1.43	2.10	2.39	1.51	3.78	YEAR'S TOTAL
Days with "01 in. or more	+9	13	11	27	19	17	25	12	18	17	12	16	189
Days with "04 in. or more	19	11	11	25	18	10	22	9	11	10	9	15	170

REGIST

LITTLEOVER

OLD HALL

DERBY

1912

FORM A2.
BRITISH RAINFALL.

2 ft. 6 in.
2 3/4 Direction E.

Result entered to the rule, he is earnestly

Jan. 1, following.

Kept at Littleover Old
in the County of Derby
by Ed McInnes

IMPORTANT NOTE.—Rain
previous day. If an Observer p
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—			—		.27	.01	.10	.06			.90	1
2	.01		.07	—		.29	.33	—				—	2
3	.12	.05	.05	—	.04	.12		.78	.04			.07	3
4	.10		.35	.04	.15	.79		.13	.03		.34	.06	4
5	.15	.05	.03	.02	.04	.13	.01	.18	.03		.01	—	5
6	~~1.30~~ 69	.20		—	.02	—	—	.31	~~.09~~		—	.04	6
7	—	.06		—		.09	—	.05	.09		—	.01	7
8	~~1.73~~ 45	.25	.14	.05		.37	—	.03	.15		—	—	8
9	.02	.02	.05	.15		.66	—	.08	—		—	.20	9
10	.04	.01	—	—		.27	—	.20	—		.30	.01	10
11	.07	.07	—			.07	—	.02	—		.07	.77	11
12	.06	.31	.16			.05	.46	—	—		.01	—	12
13	.01	.01	—			.22	—	.14	—	.07	.06	.01	13
14	.08	—	.65			.21	—	.08	.01	—	—	—	14
15	.17	.10	.13	—	.37	.24	—	—	—	—	—	—	15
16	.80	—	.19		.04	.01	—	.17	—	.21	.02	—	16
17	.78	—	.13		—	.41	.08	.34	—	—	.03	.28	17
18	.23	—	.08		—	—	—	—	—	.07	—	.05	18
19	.34	.13	—		—	—	.39	.46	—	.06	.02	.01	19
20	.16	—	.14		.13	—	.04	.08	.01	.28	.02	—	20
21	—	.03	.13		.59	—	.24	.04	—	.52	.04	.02	21
22	.01	—	—		.58	.37	.20	.75	—	.01	—	.21	22
23	.05	.35	.35		—	.02	.61	.39	—	—	.17	.01	23
24	.07	—	.03		—	.14	.17	.13	—	—	.01	.19	24
25	—	—	.02		—	.51	—	.58	—	—	.34	.23	25
26	—	.15	.04		—	.09	.35	1.55	—	.89	.19	.16	26
27	—	—	.02		.06	.22	.16	.02	—	.90	—	.24	27
28	—	.02	—		—	.07	.15	.42	.02	.23	.61	.33	28
29	—	.02	.05		.10	.21	.13	.11	.41	.06	—	—	29
30	—	—	.04		.22	.12	.03	—	.04	.02	—	—	30
31	—	—	.05		.20	—	.39	.19	—	—	—	.02	31
Total	4.40	1.83	2.90	.26	2.54	5.95	3.75	6.74	8.89	3.12	2.24	3.82	TOTAL for year
No. of Rain Drgs.	21	17	22	4	13	25	17	26	11	12	16	21	844

REGIST

FORM A2.
BRITISH RAINFALL.

Kept at *Litt Cove Old Hall* 3.79
in the County of *Derby* 5
by *Ed McInnes* 5.28

Pattern
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 2 ft.
Sea Level 346 ft.
Time of Observation 9 a.m.
Nearest Railway Station Name *Derby*
Distance 2 1/4 Direction *E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—			—		.27	.01	.10	.06			.90	1
2	.01		.07	—		.29	.33	—				—	2
3	.12	.05	.05	—	.04	.12		.78	.04			.07	3
4	.10		.35	.04	.15	.79		.13	.03		.34	.06	4
5	.15	.05	.03	.02	.04	.13	.01	.18	.03		.01	—	5
6	~~1.30~~	.20		—	.02	—	—	.31	~~.09~~		—	.04	6
7	~~.69~~	.06		—		.09	—	.05	.09		—	.01	7
8	~~1.73~~	.25	.14	.05		.37	—	.03	.15		—	—	8
9	.02	.02	.05	.15		.66	—	.08	—		—	.20	9
10	.04	.01	—	—		.27	—	.20	—		.30	.01	10
11	.07	.07	—			.07	—	.02	—		.07	.77	11
12	.05	.31	.16			.05	.46	—	—		.01	—	12
13	.01	.01	—			.22	—	.14	—	.07	.06	.01	13
14	.08	—	.65			.21	—	.08	.01	—	—	—	14
15	.17	.10	.13		.37	.24	—	—	—	—	—	—	15
16	.80	—	.19		.04	.01	—	.17	—	.21	.02	—	16
17	.78	—	.13		—	.41	.08	.34	—	—	.03	.28	17
18	.23	—	.08		—	—	—	—	—	.07	—	.05	18
19	.34	.13	—		—	—	.39	.46	—	.06	.02	.01	19
20	.16	—	.14		.13	—	.04	.08	.01	.28	.02	—	20
21	—	.03	.13		.59	—	.24	.04	—	.52	.04	.02	21
22	.01	—	—		.58	.37	.20	.75	—	.01	—	.21	22
23	.05	.35	.35		—	.02	.61	.39	—	—	.17	.01	23
24	.07	—	.03		—	.14	.17	.13	—	—	.01	.19	24
25	—	—	.02		—	.51	—	.58	—	—	.34	.23	25
26	—	.15	.04		—	.09	.35	1.05	—	.69	.19	.16	26
27	—	—	.02		.06	.22	.16	.02	—	.90	—	.24	27
28	—	.02	—		—	.07	.15	.42	.02	.23	.61	.33	28
29	—	.02	.05		.10	.21	.13	.11	.41	.06	—	—	29
30	—	—	.04		.22	.12	.03	—	.04	.02	—	—	30
31	—	—	.05		.20	—	.39	.10	—	—	—	.02	31
Total	4.40	1.83	2.90	.26	2.54	5.95	3.75	6.74	.89	3.12	2.24	3.82	TOTAL for year
No. of Rain Days.	21	17	22	4	13	25	17	26	11	12	16	21	38.44

82

RE

Kept at Matlock

in the County of Derby

by J. D. Evans

MATLOCK

ROCKSIDE

DERBY

1911 - 1916

911

op. in.

Above Ground ft.

Sea Level ft.

Name

Distance

Direction

Nearest Railway Station

408

BRITISH RAINFALL

FORM A2.

26 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			13		01		02	12			07		1
2	08		03		20			05			01	21	2
3	02				41			07	01	03	21	02	3
4	04		03	11	01	12		03	10	11	37	39	4
5	12		01	11				11		09		01	5
6	51							11		09	05	60	6
7	02	01								04	18		7
8	11		19						04	01	21	73	8
9	01										03	08	9
10	04	02	19									79	10
11	16							09			43	01	11
12	06		25						22		33		12
13	02		03			01					16	35	13
14		08	07		69					01	01	90	14
15		18	14							07	02	16	15
16		14	02			14				04	24	11	16
17	01			04		36					08	35	17
18		26	01	04	02	17				01	07	17	18
19		05	01	04		42	02	03	11	14	33	07	19
20	01	16		18			01	18	24	04		19	20
21		34						10	01	25	01	05	21
22		04	04	03		01		01		28	02	27	22
23		13	06			19			44	08		28	23
24	01	08	04	15		85		02		25		08	24
25	02	29	01	20	02	01			09		04	13	25
26		05		27	15	03				33	06	44	26
27		29	14	24				58	15	01		06	27
28		27	01	23		03			11		04	06	28
29			01	01		03			27	54	01	04	29
30			01	09	14	09				25	03	01	30
31			31							03			31
Total	1.24	2.39	1.74	1.74	1.65	2.46	0.05	1.50	1.79	2.70	3.51	6.56	TOTAL for year
No. of Rain Days	16	16	22	14	9	14	3	13	12	21	24	27	191

REGISTER OF RAINFALL IN 1911

Kept at Matlock Bath Rockside
in the County of Derbyshire
by J. D. Evans

PATTERN
Diameter of top _____ in.
GAUGE Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			13		01		02	12			07		1
2	08		03		20			05			01	21	2
3	02				41			07	01	03	21	02	3
4	04		03	11	01	12		03	10	11	37	39	4
5	12		01	11				11		09		01	5
6	51							11		09	05	60	6
7	02	01								04	18		7
8	11		19						04	01	21	73	8
9	01										03	08	9
10	04	02	19									79	10
11	16							09			43	01	11
12	06		25						22		33		12
13	02		03			01					16	35	13
14		08	07		69					01	01	90	14
15		18	14							07	02	16	15
16		14	02			14				04	24	11	16
17	01			04		36					08	35	17
18		26	01	04	02	17				01	07	17	18
19		05	01	04		42	02	03	11	14	33	07	19
20	01	16		18			01	18	24	04		19	20
21		34						10	01	25	01	05	21
22		04	04	03		01		01		28	02	27	22
23		13	06			19			44	08		28	23
24	01	08	04	15		85		02		25		08	24
25	02	29	01	20	02	01			09		04	13	25
26		05		27	15	03				33	56	44	26
27		29	14	24				58	15	01		06	27
28		27	01	23		03			11		04	06	28
29			01	01		03			27	54	01	04	29
30			01	09	14	09				25	03	01	30
31			31							03			31
Total	1.24	2.39	1.74	1.74	1.65	2.46	0.05	1.50	1.79	2.70	3.51	6.56	TOTAL for year 27.33
No. of Rain Days	16	16	22	14	9	14	3	13	12	21	24	27	191

St
Wrote for
June 13/10

under the my state

60x 10x 2

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Matlock, Rockside
Lower Hill
in the County of Derbyshire
by J. D. Evans

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			26			25	02	04	07			52	1
2		03	13	01		04	57		05			06	2
3	11	01	07		08	23		1.03	17			04	3
4	14		1.02	05	13	46		31	05		18		4
5	26	02			06	21	01	13	11		02	01	5
6	98	13			09	01		50				01	6
7	04	11	01		03	05		06	01			01	7
8	45	49	24	06	01	08	02		08			01	8
9	12	04	17	20		43		17			01	08	9
10	06	01		01		02		09			37		10
11	18	05				01		03			12	50	11
12	09	41	20			05	23				03	01	12
13	06	03						01	04	07	12	05	13
14	11		54	01		14		10	01			09	14
15	45	(.10)	07		50	13						40	15
16	1.21	01	38		10	10		10		13			16
17	53	01	24			19	03	36			03	25	17
18	18		09			03	02			06	01	10	18
19	38	12	01		02		60	61		06	01	03	19
20	29		25		08		09	08		23	01	04	20
21	01	02	18		57		1.04	01		47	06	04	21
22		16			57	14	13	55		01		14	22
23	05	09	32		01		64	23			24	01	23
24	17		04			10	28	14			01	17	24
25						26		22		01	30	22	25
26		06	10			07	27	82		91	22	11	26
27		01	04			29	65	04		93		22	27
28		04	03			04	32	61	09	38	83	13	28
29		03		01		14	12		72	11	06	04	29
30	04		04		18		03		04	10	01		30
31	01		13		36		13	10				05	31
Total	5.92	1.98	4.56	.35	2.79	3.47	5.20	6.34	1.44	3.47	2.64	3.34	TOTAL for year 41.50
No. of Rain Days.	23	22	23	7	15	24	19	24	12	13	19	27	228

REGISTER OF RAINFALL IN 1913

Kept at Rockside, Matlock
in the County of Derbyshire
by J. D. Evans

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

31 JAN 1914
BRITISH RAINFALL
FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			30	04					07	01	09		1
2		12	06	02		02					09	01	2
3	09	01	28		43				05	31		12	3
4	75	03	02		17	06	08		07	18	19	39	4
5	05	05	07			17	02		09	95	02		5
6	07	14	15	01	38	10	59			70		01	6
7	02	44	02		24	12	02			67	10	01	7
8		05	02		37	02		06		04	05		8
9		37	02	02	07	44	06				16	02	9
10	02	01		12	02		03	05		03	19		10
11	1.51			36		04		41		02	23		11
12					06	01					39		12
13			23	05					13		17		13
14	20	07	51	03				02		05	13		14
15	07	05	55	85					14		29		15
16	01	04	37	03		01		32			04		16
17	02	04	04	17	06	03		39			04		17
18	01		34	23	06		13				16	05	18
19	19		08	08		03			15				19
20	20		20	10						03	38		20
21	04		03		16		08	02			15		21
22	28		67					1.05	30		01		22
23	04				07	06		01	05		01	01	23
24	18			04		02					01		24
25				15					05	02		07	25
26		03	16	21	17					12		30	26
27		05		32								07	27
28	29		26	35	01					01		04	28
29	01		52	48	04			54				12	29
30	94		01		06					47	02	03	30
31	01		07		09								31
Total	5.00	1.50	4.98	3.66	2.46	1.12	1.02	2.16	1.81	3.61	2.92	1.25	31.49
Rain Days.	22	15	24	20	17	13	9	8	12	15	22	14	191

REGISTER OF RAINFALL IN 1914

Kept at Rockside, Matlock Bath
in the County of Derbyshire
by J. D. Evans

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

404
FORM A.
BRITISH RAINFALL.
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	02	10				67	16				14	1
2							72	29			51	24	2
3	02		08	01	29		12	10			01	57	3
4	29		11	42	30						63	40	4
5	07		18	21	13	17	12				10	02	5
6		12		11	14		02	03			01	35	6
7	47	06	29	07	14			05				20	7
8	10				10	91	12	26		01		01	8
9	29	03		11	01	107		30	06				9
10	22	16	03	21	02	04			06			02	10
11		14	40	07	14	04			09		99	58	11
12		07	14				06		29		15	42	12
13	03	24	27	01			01		05	19	56	36	13
14	04	36	05				04		05	48	38	15	14
15	01		16					04	02	02	15		15
16	10		07				59		12		01		16
17	05	27	20				01		60			64	17
18			02				04		03			33	18
19			04				05		05		07	09	19
20		22	03			01		07		07		01	20
21		50	01			16		04		14	01	18	21
22		07	01			03		05		39		01	22
23		09	14	01	16		02			01		02	23
24	02		22	02	06		24	10		03	08		24
25	03						27	31		75	03	38	25
26			05				04	10		18	17	27	26
27	01		02							02	14	84	27
28	12	14	14							13	02	42	28
29	06		26							66	20	02	29
30			09							10	30	41	30
31	29		03				48			15		05	31
Total	2.23	2.49	3.14	1.25	1.49	2.43	3.62	1.90	1.42	3.33	4.52	7.13	349.5
Rain Days.	19	15	26	11	11	8	18	14	11	16	20	27	196

REGISTER OF RAINFALL IN 1915

Kept at *Rockside, Matlock*

in the County of *Derbyshire*

by *J. D. Evans*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.25	.10		.36			.03	.03		.04	.28	1
2	.27	.07	.15	.28		.05	.01	.57		.14	.01	.02	2
3	.73	.01	.04	.10			.57	.17	.02		.01	.38	3
4	.07	.01			.07		.51					.90	4
5	.06	.63					.01	.09		.02	.05	.80	5
6	.18	.08		.29			.40	.02		.01		.24	6
7	.20	.49		.05			.03	.46				.13	7
8	.13	.21		.11				.15			.14		8
9		.09		.02				.02		.03	.19	.61	9
10	.60		.04					.04		.03	.14	.02	10
11	.11			.07	.29		.25	.05			.93	.31	11
12	.05			.15	.15			.01		.04	1.96		12
13	.04	.76			.22						.02	.09	13
14	.07	.01						.15	.13	.01		.33	14
15	.60	.01					.04	.36			.18	.30	15
16		.99			.08		1.51	.02				.04	16
17		.29	.02				.12					.01	17
18		.28	.23								.05		18
19		.03	.01		.06		.16			.05			19
20	.09			.05			.03	.01				.08	20
21	.09			.06			.19					.04	21
22	.02		.23	.01			.04			.01		.14	22
23	.02	.01	.09			.08	.19		.02	.49		.08	23
24			.13	.04					.43	.06		.28	24
25				.02		.64				.11		.09	25
26	.04	.35					.15		.06			.55	26
27		.09				.14	.11			.61		.45	27
28		.36	.04			.01	.01	.30		.04			28
29	.01		.03		.06	.28		.01		.01	.15	.57	29
30	.15			.02		.03		.02		.07	.03	.06	30
31	.11						.05	.04		.42		.43	31
Total	3.89	5.02	1.11	1.27	1.29	1.23	4.38	2.52	.69	2.15	3.90	7.23	34.68
Rain Days.	22	20	12	14	8	7	19	19	6	17	14	26	184

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Rockside, Matlock
in the County of Derbyshire
by J. D. Evans

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2770
353
FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	07	04	22			—							1
2	30	20	28										2
3		39											3
4	14	05			51								4
5	08	09			02								5
6	22	37	28		58								6
7	04		30		04								7
8			39										8
9			12		35								9
10	02	14	06	05	01								10
11	01	32	24	06									11
12	06	04	47	05	52								12
13		08	15	18									13
14		30	01	22	01								14
15		31	91	02	13								15
16	01	24	44	22	01								16
17	07	30		47	01								17
18		26	04	07									18
19	12	06	43	09									19
20	20		21	12									20
21	03		14	01									21
22		10											22
23	06	30											23
24		1.02											24
25		12	19		05								25
26	01	28	05										26
27		14	48										27
28		35	20										28
29		61	01										29
30		X			02								30
31		X		X	02	X			X		X		31
Total	1.44	6.11	5.62	1.56	2.28								YEAR'S TOTAL
Rain Days.	16	24	22	12	14								

RI

MATLOCK

1911

FORM A2.
BRITISH RAINFALL.

2 - JAN - 1912

Kept at The Gables
in the County of Derby
by Mr Robert M

THE GABLES
DERBY
1911 - 1912

f top five in.
p above Ground one ft.
,, Sea Level 450 ft.
9 a.m.
Name Matlock
Distance 3 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11		0.14				0.02	0.13			0.06		1
2			0.02		0.22			0.05			0.08	0.23	2
3					0.47			0.07	0.02	0.04	0.22	0.01	3
4	0.04		0.03	0.10		0.12		0.03	0.12	0.12	0.41	0.41	4
5	0.12	0.01	0.01	0.09				0.11		0.08			5
6	0.69			0.01				0.14		0.10	0.05	0.70	6
7	0.03									0.04	0.23		7
8	0.10		0.18						0.04	0.02	0.25	0.84	8
9	0.01		0.01								0.04	0.32	9
10	0.02	0.03	0.23									0.70	10
11	0.21							0.08			0.41	0.01	11
12	0.02	0.01	0.29		0.01				0.23		0.37	0.01	12
13	0.03		0.03			0.02				0.01	0.17	0.36	13
14		0.09	0.05		0.63		0.01			0.02	0.02	0.99	14
15		0.22	0.16							0.06	0.02	0.18	15
16	0.01	0.17	0.03			0.15				0.04	0.25	0.10	16
17				0.05		0.35					0.09	0.36	17
18		0.32		0.06	0.03	0.17				0.01	0.05	0.21	18
19		0.06	0.03	0.05		0.36	0.02	0.03	0.11	0.15	0.35	0.07	19
20		0.16		0.21			0.01	0.19	0.28	0.04		0.20	20
21		0.43	0.01	0.01				0.06	0.03	0.28	0.01	0.05	21
22	0.01	0.05	0.04	0.03		0.02	0.01	0.02		0.27	0.02	0.30	22
23		0.17	0.05			0.18			0.47	0.06	0.01	0.34	23
24		0.09	0.03	0.16		0.85		0.02	0.01	0.25		0.09	24
25	0.03	0.25		0.22		0.01			0.11	0.02	0.03	0.14	25
26		0.04	0.03	0.28	0.16	0.02		0.01		0.36	0.58	0.45	26
27		0.37	0.15	0.23				0.59	0.16	0.02	0.02	0.05	27
28		0.32		0.24		0.03			0.11		0.12	0.04	28
29				0.01		0.03	0.01		0.30	0.62	0.01	0.03	29
30				0.09	0.11	0.08			0.01	0.28	0.04	0.01	30
31			0.27							0.04			31
Total	1.33	2.79	1.79	1.84	1.63	3.39	0.08	1.53	2.00	2.93	3.91	7.20	TOTAL for year 29.42
No. of Rain Days	14	17	20	16	7	14	6	14	14	23	26	27	197

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at The Gables, Matlock
in the County of Derby
by Mr Robert Wildgoose

Pattern
RAIN GAUGE Diameter of top five in.
Height of top above Ground one ft.
" " " Sea Level 450 ft.
Time of Observation 9.2 a.m.
Nearest Railway Station { Name Matlock.
Distance 1/3 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 0.11	in.	in. 0.14	in.	in.	in.	in. 0.02	in. 0.13	in.	in.	in. 0.06	in.	1
2			0.02		0.22			0.05			0.08	0.23	2
3					0.47			0.07	0.02	0.04	0.22	0.01	3
4	0.04		0.03	0.10		0.12		0.03	0.12	0.12	0.41	0.41	4
5	0.12	0.01	0.01	0.09				0.11		0.08			5
6	0.69			0.01				0.14		0.10	0.05	0.70	6
7	0.03									0.04	0.23		7
8	0.10		0.18						0.04	0.02	0.25	0.84	8
9	0.01		0.01								0.04	0.32	9
10	0.02	0.03	0.23									0.70	10
11	0.21							0.08			0.41	0.01	11
12	0.02	0.01	0.29		0.01				0.23		0.37	0.01	12
13	0.03		0.03			0.02				0.01	0.17	0.36	13
14		0.09	0.05		0.63		0.01			0.02	0.02	0.99	14
15		0.22	0.16							0.06	0.02	0.18	15
16	0.01	0.17	0.03			0.15				0.04	0.25	0.10	16
17				0.05		0.35					0.09	0.36	17
18		0.32		0.06	0.03	0.17				0.01	0.05	0.21	18
19		0.06	0.03	0.05		0.36	0.02	0.03	0.11	0.15	0.35	0.07	19
20		0.16		0.21			0.01	0.19	0.28	0.04		0.20	20
21		0.43	0.01	0.01				0.06	0.03	0.28	0.01	0.05	21
22	0.01	0.05	0.04	0.03		0.02	0.01	0.02		0.27	0.02	0.30	22
23		0.17	0.05			0.18			0.47	0.06	0.01	0.34	23
24		0.09	0.03	0.16		0.85		0.02	0.01	0.25		0.09	24
25	0.03	0.25		0.22		0.01			0.11	0.02	0.03	0.14	25
26		0.04	0.03	0.28	0.16	0.02		0.01		0.36	0.58	0.45	26
27		0.37	0.15	0.23				0.59	0.16	0.02	0.02	0.05	27
28		0.32		0.24		0.03			0.11		0.12	0.04	28
29				0.01		0.03	0.01		0.30	0.62	0.01	0.03	29
30				0.09	0.11	0.08			0.01	0.28	0.04	0.01	30
31			0.27							0.04			31
Total	1.33	2.99	1.79	1.84	1.63	3.39	0.08	1.53	2.00	2.93	3.91	7.20	TOTAL for year 29.42
No. of Rain Days	14	17	20	16	7	14	6	14	14	23	26	27	197

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

2

JAN 1913

Kept at The Gables, Matlock
in the County of Derby
by Mr Robert Mildgoose

RAIN GAUGE { Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 450 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Matlock
Distance 1/2 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.01	0.32			0.24	0.01	0.03	0.05			0.54	1
2		0.02	0.15	0.02		0.03	0.55		0.04			0.05	2
3	0.10	0.04	0.08		0.08	0.23		1.04	0.18			0.03	3
4	0.15		1.20	0.05	0.15	0.43		0.38	0.03		0.21		4
5	0.33	0.03		0.01	0.06	0.24		0.11	0.07		0.01	0.01	5
6	1.05	0.16			0.11	0.02		0.53				0.01	6
7		0.12	0.01		0.04	0.04		0.05	0.01			0.01	7
8	0.74	0.53	0.26	0.08	0.02	0.07	0.02		0.07				8
9	0.12	0.04	0.19	0.26		0.41		0.17			0.01	0.08	9
10	0.05	0.01		0.01		0.04		0.11			0.42		10
11	0.22	0.03				0.02		0.03			0.13	0.56	11
12	0.02	0.39	0.23			0.05	0.22				0.02	0.01	12
13	0.14	0.02				0.02		0.01	0.03	0.09	0.11	0.06	13
14	0.12		0.57	0.01		0.13		0.11				0.10	14
15	0.45	0.09	0.06		0.54	0.14		0.01				0.42	15
16	1.38		0.42		0.11	0.09		0.10		0.14			16
17	0.28		0.27			0.23	0.02	0.37			0.02	0.30	17
18	0.20		0.07			0.01		0.01		0.05	0.01	0.09	18
19	0.36	0.13	0.01		0.02		0.60	0.69		0.06	0.01	0.03	19
20	0.30		0.32		0.09		0.08	0.07		0.26		0.03	20
21		0.03	0.21		0.53		1.20	0.01		0.56	0.04	0.02	21
22	0.01	0.17			0.55	0.16	0.14	0.49		0.01		0.20	22
23	0.09	0.09	0.34		0.01	0.01	0.66	0.28			0.28	0.01	23
24	0.12		0.04		0.02	0.11	0.32	0.18			0.01	0.18	24
25						0.27	0.01	0.17			0.34	0.17	25
26		0.07	0.10			0.06	0.28	0.89		1.01	0.25	0.16	26
27		0.02	0.03			0.31	0.66	0.03		0.92		0.34	27
28		0.04	0.02			0.05	0.46	0.63	0.09	0.39	0.69	0.16	28
29		0.03		0.02		0.15	0.12		0.78	0.11	0.05	0.04	29
30	0.05		0.03		0.18		0.01		0.04	0.10			30
31			0.15		0.41		0.15	0.10				0.04	31
Total	6.28	2.07	5.08	0.46	2.92	3.56	5.51	6.60	1.39	3.70	2.61	3.65	TOTAL for year
No. of Rain Days.	21	21	23	8	16	26	18	26	11	12	17	26	43.83
													225

REGISTER OF RAINFALL IN 1913

Kept at The Gables Matlock
in the County of Derby
by W. Robert Milderose

Lat. 53° 8' 25" N Long. 1° 32' 45" W
Time of Observation 9 a.m.
Nearest Railway Station Matlock
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft.
" " " " Sea Level 450 ft.

FORM A.
BRITISH RAINFALL
JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01		0.35	0.03					0.08	0.02	0.10		1
2		0.12	0.07	0.03							0.08	0.02	2
3	0.09	0.01	0.31		0.50				0.04	0.32		0.15	3
4	0.84	0.03	0.02		0.11	0.07	0.07		0.07	0.20	0.20	0.45	4
5	0.03	0.08	0.06			0.19	0.01		0.11	0.91	0.04		5
6	0.05	0.11	0.18	0.01	0.40	0.10	0.59			0.70		0.02	6
7		0.50	0.02		0.24	0.11	0.02			0.64	0.23	0.01	7
8	0.01	0.05	0.01		0.39	0.03		0.07		0.05	0.06		8
9		0.39	0.04	0.02	0.08	0.52	0.05				0.15		9
10	0.04	0.01		0.11		0.01	0.02	0.04		0.04	0.21		10
11	2.09			0.38		0.03		0.41		0.03	0.26	0.02	11
12					0.08	0.01				0.01	0.42		12
13	0.01		0.26	0.05				0.02	0.14		0.20		13
14	0.24	0.08	0.53	0.03				0.03	2.33	0.05	0.14		14
15	0.09	0.05	0.67	1.05					0.13		0.34		15
16		0.04	0.38	0.02			0.01		0.13		0.04		16
17	0.02	0.04	0.04	0.21	0.07	0.03			0.55		0.05		17
18			0.40	0.26	0.05		0.12				0.31	0.03	18
19	0.20		0.10	0.09		0.04	0.02		0.16	0.01	0.01		19
20	0.21		0.23	0.11					0.06	0.03	0.44		20
21			0.03		0.17			0.03			0.16		21
22	0.39		0.74			0.05	0.06	1.08	0.31				22
23	0.05				0.07	0.01		0.03	0.06		0.02	0.01	23
24	0.06			0.04							0.02		24
25				0.06					0.05	0.04	0.01	0.09	25
26		0.02	0.15	0.20	0.20			0.01	0.01	0.11		0.36	26
27		0.05	0.01	0.39						0.01		0.11	27
28	0.33		0.26	0.40	0.02					0.02		0.03	28
29	0.01		0.54	0.47	0.04			0.55			0.01	0.06	29
30	1.21		0.02		0.06					0.50	0.02	0.03	30
31	0.01		0.09		0.06								31
Total	5.99	1.58	5.51	3.96	2.54	1.20	0.97	2.27	1.90	3.69	3.52	1.39	34.52
Rain Days.	21	15	25	20	16	13	10	10	14	18	24	14	200

REGISTER OF RAINFALL IN 1914

Kept at *The Gables Matlock*
 in the County of *Derby*
 by *Mr Robert Wildgoose*

Lat. *53° 8' 23" N* Long. *1° 32' 45" W*

Time of Observation *9 a.m.*

Nearest Railway Station *Matlock*

Diameter of Rain Gauge *five* in.

Height of top of Gauge above Ground *45* ft.

" " " " Sea Level *450* ft.

BRITISH RAINFALL
 FORM A.
 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.02	0.13				0.77	0.16		0.01		0.16	1
2							0.75	0.31			0.50	0.31	2
3	0.09		0.06	0.01	0.34		0.12	0.11				0.61	3
4	0.33		0.10	0.45	0.20						0.60	0.47	4
5	0.10		0.19	0.22	0.32	0.17	0.11				0.12	0.02	5
6		0.14		0.10	0.18		0.03	0.05				0.40	6
7	0.01	0.08	0.34	0.10	0.25	0.02	0.01	0.07				0.23	7
8	0.10		0.01		0.15	0.97	0.14	0.30				0.02	8
9	0.30	0.04		0.14	0.02	1.02		0.36	0.07		0.01		9
10	0.20	0.20	0.03	0.25	0.03	0.04			0.09			0.02	10
11		0.16	0.47	0.07	0.16	0.05			0.09		0.96	0.59	11
12		0.08	0.12				0.08		0.35		0.16	0.42	12
13	0.02	0.28	0.31	0.01			0.03		0.07	0.17	0.51	0.35	13
14	0.03	0.48	0.05						0.06	0.42	0.42	0.16	14
15	0.03		0.18				0.05	0.03	0.01	0.01	0.21	0.01	15
16	0.10		0.07				0.61		0.12				16
17	0.04	0.31	0.24				0.01		0.64			0.70	17
18		0.01	0.02				0.04		0.02			0.34	18
19			0.02				0.07		0.05				19
20	0.01	0.16	0.03			0.02		0.10		0.04		0.02	20
21		0.55	0.01			0.19		0.06		0.14		0.19	21
22		0.08			0.23	0.04		0.06		0.40		0.02	22
23		0.11	0.16	0.01	0.16	0.01	0.02			0.01			23
24	0.02		0.20	0.02	0.06		0.25	0.10		0.03	0.10		24
25	0.04						0.34	0.35		0.82	0.02	0.42	25
26			0.05				0.04	0.12		0.18	0.21	0.31	26
27	0.02						0.01			0.02	0.15	0.84	27
28	0.13	0.16	0.12							0.13	0.04	0.47	28
29	0.07		0.35							0.55	0.23	0.05	29
30			0.11	0.02				0.01		0.09	0.33	0.42	30
31	0.39		0.01				0.51			0.15			31
Total	2.03	2.86	3.38	1.40	2.10	2.53	3.99	2.19	1.57	3.17	4.57	7.55	37.34
Rain Days.	19	16	25	12	12	10	20	15	11	16	16	25	197
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at The Gables, Matlock
 in the County of Derby
 by W. Robt Mildgoose

Lat. 53° 8' 23" N Long. 1° 32' 45" W.

Time of Observation 9 a.m.

Nearest Railway Station Matlock

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 450 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.30	0.28	0.10		0.39		0.01	0.03	0.02		0.06	0.28	1
2	0.09	0.09	0.20	0.31		0.06	0.01	0.59		0.15		0.02	2
3	0.80	0.01	0.05	0.12			0.52	0.18	0.02		0.01	0.39	3
4	0.07	0.02			0.08		0.67			0.01		0.88	4
5	0.09	0.64					0.01	0.11		0.02	0.05	0.82	5
6	0.18	0.10		0.33			0.41	0.02	0.01			0.27	6
7	0.21	0.52		0.05			0.02	0.46				0.14	7
8	0.15	0.25		0.15				0.16			0.12		8
9		0.11		0.02				0.02		0.04	0.24	0.72	9
10	0.66		0.05					0.05		0.03	0.15	0.02	10
11	0.12			0.05	0.26		0.25	0.05			0.96		11
12	0.06			0.16	0.18			0.01		0.04	2.02		12
13	0.03	0.77			0.25							0.05	13
14	0.04	0.05			0.01		0.05	0.13	0.12			0.37	14
15	0.66						0.02	0.40			0.18	0.34	15
16		1.03			0.08		1.49	0.01				0.04	16
17		0.37	0.02				0.14						17
18		0.31	0.19								0.05		18
19		0.04	0.01	0.02	0.07		0.17			0.04			19
20	0.12			0.06			0.03					0.07	20
21	0.09			0.06			0.22					0.04	21
22	0.02		0.22	0.02			0.02			0.01		0.14	22
23	0.02	0.05	0.10			0.08	0.15		0.02	0.49	0.01	0.07	23
24			0.11	0.04					0.41	0.10		0.31	24
25				0.02		0.64				0.11		0.08	25
26	0.05	0.38				0.02	0.16		0.08			0.53	26
27		0.11				0.14	0.10			0.65		0.66	27
28		0.42	0.08			0.01	0.02	0.30		0.04			28
29	0.01				0.07	0.31		0.02			0.15	0.55	29
30	0.18	X				0.03		0.02		0.01	0.02	0.04	30
31	0.17	X		X		X	0.03	0.04	X	0.45	X	0.53	31
Total	4.12	5.55	1.13	1.41	1.39	1.29	4.50	2.60	0.68	2.19	4.02	7.36	36.24
Rain Days.	22	19	11	14	9	8	21	18	7	15	13	24	181

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at The Gables, Matlock

in the County of Derby

by Mr Robt Wildgoose

Lat. 53° 8' 23" N Long. 1° 32' 45" W.

Time of Observation 9 a.m.

Nearest Railway Station Matlock

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft.

" " " " Sea Level 450 ft.

FORM A.
BRITISH RAINFALL.

2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.09	0.03	0.21			0.08	0.16				0.28		1
2	0.32	0.23	0.31			0.03	0.13		0.15	0.33	0.12		2
3	0.01	0.40				0.01	0.01		0.38	0.29	0.18		3
4	0.10	0.07			0.49	0.59			0.02	0.15	0.40		4
5	0.09	0.02			0.04	0.28				0.47	0.54		5
6	0.23	0.46	0.31		0.59	0.01	0.37			0.06	0.66		6
7	0.06		0.22		0.03		0.38			0.07	0.22	0.28	7
8			0.25			0.03				0.01	0.13	0.40	8
9			0.10		0.36	0.03			0.02		0.04	0.22	9
10	0.01	0.12	0.06	0.05	0.01	0.06	0.08		0.30	0.18		0.08	10
11		0.36	0.22	0.25		0.09			0.03			0.05	11
12	0.08	0.03	0.52	0.06	0.51	0.03	0.09	0.03		0.06		0.14	12
13		0.11	0.14	0.05	0.01		0.06	0.49		0.08		0.05	13
14		0.30	0.02	0.22	0.13			0.06		0.12	0.02	0.06	14
15		0.38	0.92	0.01	0.01		0.04	0.50		0.10			15
16		0.29	0.46	0.28	0.01		0.18	0.04		0.02			16
17	0.07	0.30		0.40			0.06	0.30	0.16	0.12			17
18		0.25	0.02	0.07				0.02	0.34	0.06	1.15	0.15	18
19	0.16	0.07	0.44	0.09				0.04	0.01		0.48	0.10	19
20	0.21		0.22	0.12								0.06	20
21	0.05		0.16	0.02			0.02					0.28	21
22		0.10	0.01			0.06				0.07	0.01	0.34	22
23	0.07	0.23		0.02		0.02		0.11		0.05	0.25	0.38	23
24		1.59		0.01		0.01		0.04		0.08		0.16	24
25		0.08	0.29		0.06			0.21		0.18	0.28	0.02	25
26	0.02	0.17	0.08			0.01		0.02		0.11	0.04		26
27		0.18	0.45			0.01	0.70	0.05		0.59			27
28		0.37	0.18			0.09		0.02		0.06		0.16	28
29		0.61				0.69		0.25		0.69		0.39	29
30		X			0.02	0.04				0.37		0.01	30
31		X		X	0.02	X		0.03	X	0.24	X	0.21	31
YEAR'S TOTAL													
Total	1.57	6.75	5.59	1.65	2.29	2.17	2.28	2.21	1.41	4.56	4.80	3.54	38.82
Rain Days.	15	24	22	14	14	19	13	16	9	25	16	20	207

REGISTER OF RAINFALL IN 1917

Kept at The Gables, Matlock
in the County of Derby
by W. Robert Wildgoose

Lat. 53° 8' 23" N Long. 1° 32' 45" W.
Time of Observation 9 a.m.
Nearest Railway Station Matlock
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft.
" " " " Sea Level 450 ft.

BRITISH RAINFALL FORM JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.45		0.10		0.45	0.12		0.07	0.08	1
2	0.11			0.02		0.18		0.18	0.05	0.01	0.04	0.01	2
3	0.01	0.04						0.25		0.19	0.04		3
4	0.18	0.04	0.22			0.01		0.02		0.39			4
5	0.12		0.19	0.08				0.01			0.17		5
6	0.04					0.72				0.40	0.06	0.05	6
7	0.71		0.02			0.15				0.39	0.08	0.07	7
8	0.86			0.25				0.43	0.01	0.82	0.15	0.07	8
9	0.25		0.10	0.23	0.07			0.18	0.01	0.04	0.28	0.01	9
10	0.20		0.98	0.22	0.31			0.22	0.03				10
11	0.16			0.30				0.06	0.03	0.38	0.02		11
12	0.14				0.17			0.44		0.12		0.07	12
13	0.05			0.19		0.02		0.29	0.15	0.05	0.02		13
14	0.17			0.02				0.12		0.01	0.01	0.13	14
15	0.06						0.10	0.02		0.09		0.11	15
16	0.07	0.10		0.27		0.05	0.18	0.06		0.01		0.78	16
17	0.04	0.02		0.10	0.35		0.32	0.52	0.16	0.20		0.20	17
18	0.03			0.06	0.13		0.60	0.13	0.53	0.05			18
19	0.07	0.18	0.26		0.12	0.30		0.05	0.02		0.01		19
20	0.05	0.23	0.01		0.23	0.23			0.19	~~0.04~~	0.06	0.03	20
21	0.02	0.03	0.16		0.02	0.02		0.05	0.01	0.04			21
22	0.01		0.09					0.40	0.02	0.08	0.02		22
23	0.01	0.06			0.25	0.14		0.06	0.01	0.17			23
24		0.01				0.38	0.01	0.20		0.54	0.25		24
25			0.11				0.32	0.02		0.04	0.10	0.01	25
26						0.10	0.04	0.59	0.07	0.08	0.30		26
27			0.09		0.01	0.18	0.18	0.77			0.09	0.08	27
28			0.06		0.15	0.05		0.43	0.05			0.15	28
29							0.06	0.02		0.42		0.35	29
30	0.02	X	0.26				0.05	0.23		0.05	0.04		30
31		X	0.15	X		X		0.11	X	0.01	X	0.02	31
Total	3.38	0.71	2.70	2.19	1.81	2.63	1.86	6.21	1.46	4.58	1.81	2.22	31.56
Rain Days.	23	9	14	12	11	15	10	28	16	24	19	17	198.

YEAR'S TOTAL
31.56
31.66
198.

REGISTER OF RAINFALL IN 1918

Kept at The Gables, Matlock
 in the County of Derby
 by Mr Robert Wildgoose

Lat. 53° 8' 23" N Long. 1° 32' 45" W
 Time of Observation 9 a.m.
 Nearest Railway Station Matlock
 Diameter of Funnel of Rain Gauge five in.
 Height of top of Gauge above Ground one ft. — in.
 " " " " Sea Level 450 ft.

37
 FORM A.
 BRITISH RAINFALL
 1. 19
 Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.09	0.02	0.01					0.40	0.06	0.49	0.02	1
2		0.21	0.01	0.05				0.51	0.12	0.03		0.73	2
3		0.05	0.05		0.62			0.39	0.09		0.10		3
4		0.03	0.04					0.13	0.74	0.11	0.67	0.62	4
5		0.02	0.04	0.13	0.11			0.16	0.33	0.16	~~0.88~~	0.02	5
6	0.05	0.38	0.02	0.45		0.09			0.03	0.28			6
7	0.08	0.08		0.25					0.20	0.02	0.28		7
8	0.01	0.17	0.10	0.02					0.21	0.06			8
9	0.19	0.79		0.15		0.19	0.09		0.52	0.30	0.09	0.10	9
10	0.09	0.08		0.03			0.17		0.06	0.02	0.07	0.07	10
11		0.09		0.06	0.02		0.18		0.07			0.11	11
12	0.05	0.12	0.02	0.02	0.05		0.35		0.04			0.15	12
13	0.03	0.02		0.02	0.12				0.20	0.07			13
14	0.83			0.01		0.18	0.19		0.31	0.11		0.25	14
15	0.41			0.07		0.04	0.29		0.60			0.66	15
16				0.04		0.10			0.38	0.07		0.16	16
17	0.34				0.09	0.02	0.30	0.06	0.11	0.12		0.36	17
18			0.01			0.18	0.11		0.85			0.24	18
19	0.07	0.01	0.12	0.11			0.13		0.03	0.09		0.30	19
20	0.26	0.21		0.14		0.07	0.71		0.09	0.03			20
21	0.20	0.14		0.34	0.20	0.06	0.02		0.32	0.04		0.06	21
22	0.02				0.29		0.09		0.19	0.03		0.66	22
23	0.11				<u>0.89</u>	0.07			0.08			0.03	23
24		0.07					0.15		0.12		0.09	0.10	24
25				0.03		0.03	0.25	0.63	0.06				25
26							0.50	0.05	0.06		0.07	0.12	26
27		0.07	0.03					0.32	0.20		0.04	0.25	27
28		0.14	0.30					0.13	0.04		0.20	0.65	28
29			0.01						0.36			0.04	29
30		~~X~~	0.48					0.12	0.01		0.12	0.12	30
31		~~X~~	0.27	~~X~~		~~X~~		0.08	~~X~~		~~X~~	0.01	31
Total	2.75	2.77	1.52	1.93	2.39	1.03	3.53	2.58	6.82	1.60	2.22	5.83	YEAR'S TOTAL 34.97
Rain Days.	16	19	15	18	9	11	15	11	30	17	11	24	196

REG

DERBY

Kept at

The Manor

THE MANOR HSE MELLOR

in the County of

by

William J.

DERBYSHIRE

1911, 1918.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

5 in.

above Ground one ft. in.

Sea Level 544 ft.

Name

Marple

Distance 1 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									0.00	0.00	0.06	0.00	1
2									0.00	0.10	0.08	0.00	2
3									0.00	0.00	0.23	0.00	3
4									0.20	0.22	0.33	0.00	4
5									0.00	0.00	0.00	0.10	5
6									0.00	0.03	0.33	0.40	6
7									0.00	0.02	0.07	0.78	7
8									0.00	0.00	0.05	0.00	8
9									0.00	0.00	0.00	0.00	9
10									0.06	0.00	0.00	0.52	10
11									0.00	0.00	0.30	0.00	11
12									0.00	0.00	0.17	0.42	12
13									0.00	0.00	0.09	0.00	13
14									0.00	0.00	0.03	0.34	14
15									0.00	0.00	0.00	0.30	15
16									0.00	0.00	0.17	0.00	16
17									0.00	0.00	0.04	0.09	17
18									0.00	0.00	0.18	0.00	18
19									0.21	0.18	0.04	0.00	19
20								0.45	0.42	0.00	0.00	0.10	20
21								0.20	0.00	0.12	0.00	0.53	21
22								0.00	0.00	0.45	0.04	0.11	22
23								0.00	0.23	0.12	0.00	0.00	23
24								0.02	0.20	0.24	0.00	0.45	24
25								0.00	0.00	0.40	0.00	0.27	25
26								0.07	0.70	0.00	0.00	0.15	26
27								0.90	0.00	0.00	0.00	0.35	27
28								0.21	0.09	0.00	0.00	0.08	28
29								0.02	0.37	0.31	0.00	0.40	29
30								0.00	0.00	0.39	0.00	0.00	30
31								0.00		0.05		0.04	31
Total								imp	2.48	2.63	2.24	54.1	TOTAL for year
No. of Rain Days.									9.	13.	16.	18	

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

Kept at The Manor House - Melton
in the County of Derby
by William Jowett

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground one ft. — in.
" " " Sea Level 544 ft.
Time of Observation 9 am
Nearest Railway Station Name Marple
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									0.00	0.00	0.06	0.00	1
2									0.00	0.10	0.08	0.00	2
3									0.00	0.00	0.23	0.00	3
4									0.20	0.22	0.33	0.00	4
5									0.00	0.00	0.00	0.10	5
6									0.00	0.03	0.23	0.40	6
7									0.00	0.02	0.07	0.78	7
8									0.00	0.00	0.08	0.00	8
9									0.00	0.00	0.00	0.00	9
10									0.06	0.00	0.00	0.53	10
11									0.00	0.00	0.30	0.00	11
12									0.00	0.00	0.17	0.42	12
13									0.00	0.00	0.09	0.00	13
14									0.00	0.00	0.03	0.34	14
15									0.00	0.00	0.00	0.30	15
16									0.00	0.00	0.17	0.00	16
17									0.00	0.00	0.04	0.69	17
18									0.00	0.00	0.18	0.00	18
19									0.21	0.18	0.04	0.00	19
20								0.45	0.42	0.00	0.00	0.10	20
21								0.20	0.00	0.12	0.00	0.53	21
22								0.00	0.00	0.45	0.04	0.11	22
23								0.00	0.23	0.12	0.00	0.00	23
24								0.02	0.20	0.24	0.00	0.45	24
25								0.00	0.00	0.40	0.00	0.27	25
26								0.07	0.70	0.00	0.00	0.18	26
27								0.90	0.00	0.00	0.00	0.35	27
28								0.21	0.09	0.00	0.00	0.08	28
29								0.02	0.37	0.31	0.00	0.40	29
30								0.00	0.00	0.39	0.00	0.00	30
31								0.00		0.05		0.04	31
Total								imp	2.48	2.63	2.24	54.1	TOTAL for year
No. of Rain Days.									9.	13.	16.	18	

REGISTER OF RAINFALL IN 1918

Kept at *The Manor House, Mellor*
in the County of *Derby*
by *William Goult*

Lat. *53.23* Long. *2.1*
Time of Observation *9 a.m.*
Nearest Railway Station *Morpeth 1 1/4 m.*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *on 4* ft. in.
" " " " Sea Level *524* ft.

BRITISH RAINFALL FORM A.
4.1.1919

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	2.52	2.80	2.00	2.53	2.10	2.58	3.15	2.56	6.70	2.17	1.83	3.96	38.71
Rain Days.													38.91

REGIST

MICKLEOVER
ASYLUM
DERBY

1915-1920

Kept at Mickleover
in the County of Derby
by Dr. M. L. Roman

1°34'
9 a.m.
Mickleover

rain Gauge 5 in.
above Ground 3 ft. — in.
Sea Level 380 ft.

and the result entered to the
universal rule, he is earnestly
pleased to appear in the space provided

IMPORTANT NOTE.—
previous day. If an Observer
requested to add the reading a
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.11	.03		.12			.04	.14		.04	.04	1
2	.08	.05	.19	.08		.08		.44		.26		.03	2
3	.66		.02	.15			.44	.13				.15	3
4	.01				.09		.61					.83	4
5	.06	.15						.04			.01	.35	5
6	.06	.05		.09			.60	.06				.06	6
7	.23	.36		.02			.09	.34				.25	7
8	.20	.06		.10				.05			.02		8
9		.01									.31	.35	9
10	.36		.05							.01	.22	.01	10
11	.03		.01	.03	.31		.06	.03			.48	.14	11
12	.05			.14	.16		.09	.25		.02	.43		12
13	.05	.34			.34							.04	13
14	.01							.24	.04			.26	14
15	.32				.06		.04	.01			.25	.08	15
16		.25			.03		2.29					.01	16
17		.23					.12						17
18		.16	.14				.01	.03			.03		18
19			.03		.04		.19						19
20	.12			.04				.04				.06	20
21	.04			.04			.19					.06	21
22	.01		.24				.04		.52			.02	22
23			.04			.08	.41		.03	.41		.15	23
24			.06	.03					.45	.03		.29	24
25			.01			.59	.03		.01	.10		.18	25
26		.09					.16		.02			.35	26
27		.11	.02			.02	.80			.56		.23	27
28		.26	.03			.62	.02	.19					28
29		X				.02		.04			.05	.19	29
30		X		.01		1.24		.03			.02	.01	30
31	.12	X		X		X		.06	X	.14	X	.21	31
Total	2.51	2.26	.90	.43	1.48	2.68	6.22	2.35	.44	1.56	2.19	4.44	28.09
Rain Days.	18	14	13	11	8	4	18	14	4	8	11	25	154

YEAR'S TOTAL

REGIST

Kept at Thicklesver
in the County of Derby
by Dr. H. R. Mill, Derby County, England

Lat. 53° 34' Long. 1° 34'
Time of Observation 9 a.m.
Nearest Railway Station Thicklesver
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 380 ft.

2812
2653
BRITISH RAINFALL
FORM A.
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.11	.03		.142			.044	.14		.044	.04	1
2	.08	.05	.19	.08		.08		.44		.26		.03	2
3	.66		.02	.15			.44	.13				.15	3
4	.01				.09		.61					.83	4
5	.06	.15						.044			.01	.35	5
6	.06	.05		.09			.60	.06				.06	6
7	.23	.36		.02			.09	.34				.25	7
8	.20	.06		.10				.05			.02		8
9		.01									.31	.35	9
10	.36		.05							.01	.22	.101	10
11	.03		.01	.03	.31		.06	.03			.48	.14	11
12	.05			.14	.16		.09	.25		.02	.43		12
13	.05	.34			.34							.04	13
14	.01							.24	.04			.26	14
15	.32				.06		.04	.01			.25	.08	15
16		.25			.03		<u>2.29</u>					.01	16
17		.23					.12						17
18		.16	.14				.01	.03			.03		18
19			.03		.04		.19						19
20	.12			.04				.044				.06	20
21	.04			.04			.19					.06	21
22	.01		.24				.04		.02			.02	22
23			.04			.08	.41		.03	.41		.15	23
24			.06	.03					.45	.03		.29	24
25			.01			.59	.03		.01	.10		.18	25
26		.09					.16		.02			.35	26
27		.11	.02			.02	.80			.56		.23	27
28		.26	.03			.62	.02	.19					28
29		X				.02		.04			.05	.19	29
30		X		.01		<u>1.24</u>		.03			.02	.01	30
31	.12	X		X		X		.06	X	.14	X	.21	31
Total	2.51	2.26	.90	.43	1.48	2.68	6.22	2.35	.44	1.56	2.19	4.44	28.09
Rain Days.	18	14	13	11	8	4	18	14	4	8	11	25	154

REGISTER OF RAINFALL IN 1916

Kept at County Asylum
in the County of Derby
by M. R. Rowan, M.D.

Lat. 52° 44' Long. 1° 34' W
Time of Observation 9 a.m.
Nearest Railway Station Meekley S.N.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 300 ft.

2747
Form A.
BRITISH RAINFALL
2653

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10	-	41	-	-	14	28	-	-	-	21	-	1
2	25	06	13	-	04	02	55	-	06	45	17	-	2
3	-	36	-	-	-	-	09	-	34	39	04	-	3
4	15	07	-	-	55	45	26	-	02	12	20	-	4
5	04	-	-	-	03	11	-	-	-	11	15	-	5
6	17	18	16	-	37	03	30	-	4	15	19	-	6
7	06	-	15	-	03	-	05	-	-	15	06	18	7
8	-	-	14	-	-	-	-	-	-	03	02	15	8
9	-	-	03	-	38	08	-	-	-	-	01	09	9
10	-	11	01	06	-	03	-	-	06	14	-	04	10
11	02	27	09	23	03	03	-	-	01	-	-	11	11
12	09	07	25	05	40	01	09	-	01	01	-	-	12
13	-	18	07	12	02	-	04	09	-	01	-	02	13
14	-	07	-	15	04	-	-	28	-	10	-	07	14
15	-	42	57	-	02	-	03	39	-	10	-	-	15
16	03	13	42	20	02	-	15	04	-	01	-	-	16
17	06	09	-	48	-	-	08	-	15	17	-	-	17
18	-	16	01	03	-	-	-	-	15	05	85	02	18
19	03	07	23	02	-	-	-	02	05	-	47	04	19
20	26	-	11	09	-	-	-	-	-	-	02	12	20
21	02	-	06	04	-	-	20	-	-	-	-	30	21
22	-	01	-	-	02	01	-	-	-	01	01	11	22
23	05	11	01	02	-	-	-	06	-	02	13	50	23
24	-	81	-	03	-	-	-	04	-	02	01	12	24
25	-	-	12	-	02	-	-	11	-	04	21	01	25
26	-	18	-	-	-	03	-	-	-	04	12	-	26
27	-	13	15	-	-	04	-	23	-	30	-	-	27
28	-	23	49	-	07	-	-	-	-	04	01	13	28
29	-	28	-	-	04	39	-	46	-	33	-	33	29
30	-	X	-	-	01	12	-	-	-	04	-	-	30
31	-	X	-	X	-	X	-	01	X	13	X	07	31
Total	1.33	3.95	3.61	1.52	2.09	1.46	2.12	1.73	0.85	2.96	2.88	2.41	26.91
Rain Days.	14	21	20	13	17	14	12	11	9	25	18	18	192

YEAR'S TOTAL.

REGISTER OF RAINFALL IN 1917

Kept at McKleaver County Asylum
in the County of Derby
by Chas. E. Rowan M.D.

Lat. 52° 54' N. Long. 1° 34' W. - 2 JAN 1917
Time of Observation 9 a.m.
Nearest Railway Station McKleaver G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	.14	—	.01	—	.55	.08	—	.06	.10	1
2	13	—	—	—	—	23	—	15	—	—	—	—	2
3	01	.10	—	01	—	—	—	05	—	.42	05	—	3
4	17	03	.11	—	—	—	—	—	—	51	—	—	4
5	08	—	11	05	—	—	—	02	05	31	03	—	5
6	—	—	—	—	—	36	—	—	—	12	10	01	6
7	40	—	—	—	—	16	—	—	—	64	16	03	7
8	62	—	—	15	—	—	.01	46	—	51	12	07	8
9	08	—	14	23	02	—	—	13	—	01	24	—	9
10	32	—	42	03	58	—	—	08	—	—	—	—	10
11	15	—	03	16	—	—	—	14	—	17	—	—	11
12	06	—	—	—	23	—	—	03	—	11	—	07	12
13	—	—	01	03	—	—	—	24	11	05	—	05	13
14	09	—	02	13	01	—	—	32	—	—	—	03	14
15	01	—	—	02	—	—	07	—	—	—	—	03	15
16	02	15	—	11	—	—	—	—	—	—	—	26	16
17	05	—	—	06	38	—	14	25	06	10	—	—	17
18	01	—	—	01	28	—	63	09	60	04	—	—	18
19	05	25	17	01	11	25	—	—	01	—	—	—	19
20	01	40	—	—	31	—	—	—	40	—	08	01	20
21	01	04	12	—	29	—	—	06	—	02	—	—	21
22	—	—	05	—	—	—	—	03	08	08	—	—	22
23	—	10	—	—	19	—	—	15	03	07	—	—	23
24	—	—	~~14~~	—	04	47	—	05	—	41	10	—	24
25	—	01	09	—	—	—	—	—	—	01	07	—	25
26	—	—	~~14~~	—	—	—	—	34	12	06	37	—	26
27	—	—	04	—	—	37	30	59	—	—	14	—	27
28	—	—	12	—	—	07	—	35	—	—	—	04	28
29	—	~~X~~	—	—	01	—	09	03	—	25	—	23	29
30	—	~~X~~	04	—	—	—	—	11	—	07	—	—	30
31	—	~~X~~	06	~~X~~	—	~~X~~	—	04	~~X~~	—	~~X~~	03	31
Total	2.24	1.08	1.53	1.14	2.45	1.92	1.24	4.26	1.54	3.96	1.52	.96	YEAR'S TOTAL 23.84
Rain Days.	19	8	15	14	12	8	6	23	10	20	12	13	160

REGISTER OF RAINFALL IN 1918

Kept at Mickleover
in the County of Derby
by M. L. Rowan, Med. Superintendent
County Asylum

Lat. 52° 54' N Long. 1° 36' W.
Time of Observation 9 a.m.
Nearest Railway Station Mickleover, G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 300 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.05	—	07	—	—	—	—	20	04	14	03	1
2	—	11	—	03	—	—	—	89	07	05	—	39	2
3	—	02	03	—	50	—	—	30	08	02	09	—	3
4	—	(084)	—	—	—	—	—	05	74	10	32	43	4
5	—	—	—	01	14	—	—	07	57	11	—	—	5
6	.03	09	01	22	—	07	—	—	—	01	—	02	6
7	.08	08	—	05	—	04	—	—	15	07	10	—	7
8	.01	20	17	—	—	—	—	—	11	25	—	02	8
9	.06	67	—	07	—	12	11	—	39	—	01	01	9
10	.03	01	—	08	—	—	26	—	—	02	04	04	10
11	.08	20	—	08	15	—	13	—	17	—	—	08	11
12	—	12	—	—	15	—	03	06	19	—	—	09	12
13	—	01	—	—	13	—	—	—	29	05	—	01	13
14	.33	—	—	—	—	03	05	—	15	19	—	22	14
15	.40	—	—	02	03	03	26	—	27	—	—	18	15
16	—	—	—	03	—	—	04	—	26	01	—	02	16
17	.24	—	—	—	13	02	11	—	22	06	—	12	17
18	.46	—	—	—	—	11	18	—	43	—	—	35	18
19	.03	01	15	10	—	—	10	—	—	04	—	14	19
20	.008	06	—	18	—	03	29	—	02	—	—	—	20
21	.08	01	—	09	67	—	03	—	25	02	—	03	21
22	.01	—	—	—	09	09	06	—	—	10	—	57	22
23	.07	—	—	—	83	—	18	—	03	—	01	—	23
24	—	08	—	—	—	—	04	—	03	—	08	05	24
25	—	—	—	—	—	05	41	50	—	—	—	—	25
26	—	—	—	—	—	—	39	06	05	—	13	03	26
27	—	07	—	—	—	—	—	36	16	—	10	29	27
28	—	13	33	—	—	—	—	10	—	—	25	42	28
29	—	X	—	—	—	—	—	—	(57)	—	—	01	29
30	—	X	58	—	—	—	—	02	—	—	11	07	30
31	—	X	08	X	—	X	—	02	X	—	X	—	31
Total	2.02	1.46	1.32	1.03	2.82	0.59	2.67	2.43	5.40	1.14	1.38	3.62	26.18
Rain Days.	16	18	7	13	10	10	17	11	23	16	12	24	177

REGISTER OF RAINFALL IN 1919

Kept at Derby County Asylum, Mickleover
in the County of Derby
by M.L. Rowan, Medical Superintendent.

Lat. 52°54' Long. 1°34' W
Time of Observation 9 a.m.
Nearest Railway Station Mickleover G.N.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	°32	°03	°01	-	°26	-	°06	-	°07	°17	-	°17	1
2	10	02	02	-	-	-	12	02	09	-	°13	08	2
3	98	-	01	-	05	°15	14	-	11	~~05~~	23	06	3
4	-	-	22	-	-	08	-	11	05	-	02	30	4
5	-	08	-	-	-	-	-	-	21	-	-	19	5
6	02	-	10	-	27	-	-	-	-	-	-	01	6
7	-	-	55	°05	-	-	-	-	-	-	-	-	7
8	17	-	04	02	-	03	-	-	-	-	-	-	8
9	01	-	01	02	-	-	-	-	-	-	-	-	9
10	-	-	37	05	-	-	-	-	-	-	-	11	10
11	04	-	65	-	-	-	19	-	-	-	-	02	11
12	-	-	44	-	-	33	-	-	-	03	09	-	12
13	18	-	-	08	-	-	-	-	21	02	-	18	13
14	35	-	-	17	-	-	-	-	02	-	-	-	14
15	15	-	03	05	-	-	-	-	-	-	03	22	15
16	17	80	-	-	-	-	-	-	-	-	20	-	16
17	08	39	-	02	06	06	21	-	-	-	36	-	17
18	-	-	19	-	-	-	02	11	-	-	-	25	18
19	06	25	1°03	-	-	07	~~65~~	54	21	-	07	-	19
20	40	16	22	-	-	02	46	13	-	-	36	07	20
21	05	38	03	-	-	-	16	-	-	-	01	39	21
22	-	08	-	-	-	-	16	-	50	-	07	79	22
23	-	-	-	-	-	-	-	-	-	1°03	-	02	23
24	-	-	-	19	14	01	04	-	-	39	18	-	24
25	10	-	-	04	21	-	-	22	-	-	04	06	25
26	-	-	29	05	-	02	-	03	13	-	-	22	26
27	10	-	03	35	-	01	-	-	-	-	11	03	27
28	-	-	-	02	-	-	-	57	-	-	-	28	28
29	03	~~X~~	-	-	-	02	-	08	-	37	09	08	29
30	-	~~X~~	15	05	-	13	-	-	-	02	04	10	30
31	-	~~X~~	01	~~X~~	-	~~X~~	05	-	~~X~~	01	~~X~~	39	31
TOTAL	3°31	2°19	4°40	1°16	°99	°93	2°26	1°81	1°60	2°04	2°03	4°02	YEAR'S TOTAL
Days with 0.1 in. or more	18	9	20	14	6	12	19	~~19~~	10	8	16	22	26°74 156

REGISTER OF RAINFALL IN 1920

Kept at Mickleover

in the County of Derby

by M.L.Rowan M.D.

Lat. 52°54 N. Long. 1°34 W

Time of Observation 9 a.m.

Nearest Railway Station Mickleover G.N.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	002			024	021		036		005	017		014	1
2	005			015			041			021		011	2
3	001	003		010			066		015	011		003	3
4				022	004		003	043		031			4
5					041		018	009	012	012			5
6			018	006	012		010	002				002	6
7	001		009	006	006		017						7
8	009			043	010		015						8
9		005		035				002					9
10	030	034	007	009			027						10
11	031			005	046	010	001					004	11
12	003			023		028	003	012			006	016	12
13	006	015	004	025		010							13
14	001	004	058	011			003		028		009		14
15		014	017	016			003		006	054	004		15
16				022		028	019			016			16
17	001				012	004	003		069	005			17
18	007				012		002	004	018				18
19	008	1033		027	005	011		002					19
20	010	004		020		025	002						20
21	006						020	011				003	21
22	001			020			005	004				003	22
23							014	004				039	23
24			012									012	24
25		005	012	010		003	065						25
26	018		011	007			002						26
27	012	005	002	005	011	017					037	036	27
28			006	003	005	004							28
29	002		012		041	004	012				008	063	29
30	009			022	003	009	003		010		016	033	30
31	011		003		006		002			017		013	31
TOTAL	1074	2022	1071	3086	2035	1053	3092	0093	1063	1084	0080	2052	YEAR'S TOTAL 25005
Days with 01 in. or more	21	10	13	23	15	12	25	10	8	9	6	14	166
Days with 04 in. or more	12	9	11	22	14	11	14	7	8	9	6	10	134

02/

RE

MICKLEOVER

MANOR

DERBY

1911 - 1920

9.11

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Mickleover

in the County of Derby

by W. J. Campbell

Top _____ in.

above Ground _____ ft.

Sea Level _____ ft.

Name _____

Distance _____

Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 10	in.	in. 13	in.	in.	in.	in. 06	in. 06	in.	in.	in. 04	in.	1
2			03		08			06			09	05	2
3					19			31		06	07	01	3
4	02		11	06				03	09	03	17	11	4
5	04			02				11		02			5
6	36		01	03				09		02	01	31	6
7	03										18	02	7
8	15		23								11	24	8
9	02					01					13	39	9
10	02	05	15					04			01		10
11	12							06			33		11
12			42						18		18		12
13			04								07	31	13
14	01	02	02		03					03		61	14
15		11	04							07		11	15
16		04		01		10	01			03	17	06	16
17				01		92					07	36	17
18		15		02		21				01	08	07	18
19	01	03				43	03	01	09	21	17	04	19
20		08		05				29	10	09		14	20
21	01	28		03				40		19		05	21
22			02			03		01		27	01	26	22
23		09	15			09	01		36	01		11	23
24		10		21		76				13		16	24
25		26	03	24	18	03			02			13	25
26		05		25	11	08				22	22	44	26
27		19		07				57	25	01	10	11	27
28		11		26		05			10		10		28
29				01		13	22		24	24	02	01	29
30				01		05				28		01	30
31			04										31
Total	89	1.56	1.42	1.28	59	2.89	33	2.04	1.43	1.92	2.33	4.11	TOTAL for year
No. of Rain Days	12	14	14	15	5	13	5	13	9	18	21	24	163

82

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
26 JAN 1912

404

Kept at Mickleover Manor
in the County of Derbyshire 5
by W. J. Campbell

RAIN GAUGE

Pattern

Diameter of top in.

Height of top above Ground ft. in.

" " " Sea Level ft.

Time of Observation

Nearest Railway Station

Name

Distance

Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 10	in.	in. 13	in.	in.	in.	in. 06	in. 06	in.	in.	in.	in.	1
2			03		08			06			09	05	2
3					19			31		06	07	01	3
4	02		11	06				03	09	03	17	11	4
5	04			02				11		02			5
6	36		01	03				09		02	01	31	6
7	03										18	02	7
8	15		23								11	24	8
9	02					01					13	39	9
10	02	05	15					04			01		10
11	12							06			33		11
12			42						18		18		12
13			04								07	31	13
14	01	02	02		03					03		61	14
15		11	04							07		11	15
16		04		01		10	01			03	17	06	16
17				01		92					07	36	17
18		15		02		21				01	08	07	18
19	01	03				43	03	01	09	21	17	04	19
20		08		05				29	10	09		14	20
21	01	28		03				40		19		05	21
22			02			03		01		27	01	26	22
23		09	15			09	01		36	01		11	23
24		10		21		76				13		16	24
25		26	03	24	18	03			02			13	25
26		05		25	11	08				22	22	44	26
27		19		07				57	25	01	10	11	27
28		11		26		05			10		10		28
29				01		13	22		24	24	02	01	29
30				01		05				28		01	30
31			04										31
Total	89	1.56	1.42	1.28	59	2.89	33	2.04	1.43	1.92	2.33	4.11	TOTAL for year
No. of Rain Days	12	14	14	15	5	13	5	13	9	18	21	24	163

REGISTER OF RAINFALL IN 1912

402
FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Trickleover Manor

in the County of Derbyshire

by J. Campbell

RAIN GAUGE Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			11			24	01	08	03			53	1
2			03	02		20	32					12	2
3	11		08		05	13	01	74	04			07	3
4	10		35	03	18	47		31	03		32		4
5	10	05	01	02	02	15		13	04		02		5
6	72	21				05		30				02	6
7		07	01			09		03	07				7
8	47	27	12	06		07	03	02	25			02	8
9	02		11	15		102		11				13	9
10						04		21			29		10
11	11	03				03		02			07	01	11
12	06	39	13			10	51				01	75	12
13		05				28		08		03	04	01	13
14	08		63			21		05	01				14
15	16	08	19		38	15						01	15
16	62	01	20		11	02		14		20	01	07	16
17			13			43	08	37			02		17
18			08			01				08	01	23	18
19	78	12	01				40	35		07	01	05	19
20	16		22		12		03	03		23	01		20
21		03	15		53		05	04		54	03		21
22		16			70	37	23	63				02	22
23	04	21	36		01		59	51			13	21	23
24	04	01	02			12	36	16				01	24
25			02			35		49			35	26	25
26		09	03			09	26	129		73	26	32	26
27			02		04	21	27			78		02	27
28		02				05	08	43	02	23	57	21	28
29		01	06		03	28		06	32	05	03	27	29
30	13		04		23	17	01		07	05			30
31			07		05		40	11					31
Total	3.70	1.81	3.18	28	2.45	5.33	3.64	6.69	88	2.99	2.18	3.33	TOTAL for year 36.46
No. of Rain Days.	16	17	25	5	13	26	17	25	10	11	13	21	203

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 415-
31 JAN 1914

Kept at Trickleover Manor

in the County of Derbyshire

by J. Campbell

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

_____ " _____ " _____ " _____ " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.01	.02	.02	.03				.55		.04		1
2	.01		.07	.03					.01		.03		2
3		.10	.02		.64				.02	.30		.04	3
4	.04	.01	.10		.08	.05	.02		.01	.13	.14	.50	4
5	1.10		.07			.20	.02		.04	.95	.01	.01	5
6	.06	.01	.12		.38	.16	.80			.73		.02	6
7	.03	.03	.01		.10	.03	.02			.46		.01	7
8		.06			.12	.11			.01	.04			8
9		.03	.03		.04	.68		.05			.12	.05	9
10		.38		.13	.03	.01		.35			.27		10
11	.03	.01		.53		.01		.28			.53		11
12	.63				.15	.05					.46	.01	12
13			.36	.05					.02		.17		13
14			.57	.02				.07		.09	.05		14
15	.13	.04	.46	.46					.03		.12		15
16	.02	.14	.34	.02					.11		.02		16
17	.05	.01	.02	.12		.08	.04		.03	.01	.03		17
18	.02		.23	.11	.03		.04						18
19	.01	.02	.03			.09	.01		.47		.01	.04	19
20	.07		.06	.03			.01	.01		.02	.07	.02	20
21	.17		.12		.06		.06				.21		21
22	.30		.49					.77	.40				22
23	.53				.01	.11		.02	.06		.02		23
24	.01			.05		.01		.10			.03		24
25	.09			.03					.03	.04		.01	25
26			.06	.11				.01		.15		.03	26
27		.10	.12	.53								.27	27
28				.28	.03					.03		.10	28
29	.47		.40	.58	.04			.39			.01		29
30	.01		.01		.01					.21	.04	.18	30
31	.29		.06		.01								31
Total	4.09	.95	3.77	3.10	1.76	1.59	1.02	2.05	1.79	3.16	2.38	1.29	26.93
Rain Days.	4.08	.96	3.75	17	16	13	9	10	14	13	20	14	18.44

EX 9112 London Post W.D. 6. IV. 15
REGISTER OF RAINFALL IN 1914

399
28 JAN 1915
FORM A.
BRITISH RAINFALL

Kept at Mickleover Manor
in the County of Derbyshire
by J. Campbell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.12	.08				1.52	.15		.01	.01	.35	1
2	.01						.01	.24			.36	.14	2
3			.07	.02	.12		.21	.02			.01	.21	3
4			.05	.17	.03			.05			.42	.06	4
5	.33		.24	.31	.14	.25	.15			.01	.05	.43	5
6	.12			.04	.14		.10				.02	.04	6
7		.07	.40	.03	.13		.05	.04			.01	.07	7
8	.01	.06		.04	.12	.46	.06	.39	.03			.45	8
9	.14	.01		.02	.02	.86		.13	.55			.06	9
10	.33	.02		.12	.08				.15			.01	10
11	.17	.08	.33	.02	.13	.12			.03		.77		11
12		.08	.15						.22		.16	.49	12
13		.06	.11						.02	.37	.41	.35	13
14		.11	.10				.04		.05	.13	.09	.34	14
15	.04	.12	.12						.02	.01	.12	.28	15
16	.04	.02	.02				.65		.06			.01	16
17	.02		.06				.04		.16				17
18	.01	.21					.06		.03			.36	18
19			.02				.02		.07		.02	.66	19
20		.01	.01			.01	.31					.09	20
21		.12						.10		.09	.01	.03	21
22		.29		.01	.62	.09		.10		.22		.30	22
23		.01	.10		.12	.02	.03			.05			23
24		.05	.32	.03	.28		.13	.06		.10	.17		24
25	.02	.01					.24	.16		.62	.03		25
26	.01		.05				.04	.25		.16		.33	26
27		.01							.01		.07	.23	27
28	.02	.08	.07							.04	.08	.58	28
29	.23		.12							.26	.18	.63	29
30	.04		.01	.01		.04		.01		.06	.02	.01	30
31	.01						.36			.04	.35	.22	31
Total	1.55	1.54	2.43	.82	1.93	1.85	4.02	1.70	1.40	2.17	3.00	6.73	29.16
Rain Days.	1.67	1.42		19	12	8	16	13	13	15	21	26	195

REGISTER OF RAINFALL IN 1915

Kept at Nickleover Manor
in the County of Derbyshire
by J. Campbell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
17 APR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	X	04		44			05	25		06	06	1
2	02	15	19			10		54	01	28		03	2
3	13	06	03	12			43	18				19	3
4	57				12		68					92	4
5					01	02		05			03	37	5
6	04	20	01	10			63	08				09	6
7	25	06		03		01	08	44	01			21	7
8	22	39	01	10				06				48	8
9		06		03							31	08	9
10	39	02	06				01	05		03	20		10
11	05			03	40		08	30			61	24	11
12	06			18	21		11	05		03	106	11	12
13	06				44							33	13
14	01	44						27	08			08	14
15	39				06		02	08		01	31	01	15
16	01				03		247						16
17		23					12						17
18		24	16				02	01					18
19		18	03		05		18			01			19
20	14	08		06				03					20
21	09			04			22					08	21
22	01		28						03			09	22
23	07		05			13	26		04	46	02	13	23
24	01		08	03			03		39	03		19	24
25			01			60	03		01	11		36	25
26	02						17		03			20	26
27		14	02				83			62			27
28		13	04			53	03	37		01			28
29		(25)						02			06	39	29
30	07	X		03		219		04		06	01	02	30
31	13	X		X		X	01	07	X	26	X	22	31
Total	274	263	101	75	176	358	641	269	85	191	267	488	3188
Rain Days.	24	15	14	11	9	7	20	18	9	12	10	23	169

REGISTER OF RAINFALL IN 1916

Kept at Nickleover
in the County of Derbyshire
by J. Campbell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			41		02	13	30				21		1
2	12	07	04		05	03	63		08	51	15		2
3	27	35				06	11		42	34	05		3
4	01	06			57	48			02	05	15		4
5	16	04			03	07				11	21		5
6	06	16	26		35		26			13	36		6
7	26	01	28		05		06			16	07	19	7
8	04		18							05	03	28	8
9			03		49	19			02		01	06	9
10		13	15	06		01	02		06	13		07	10
11		30	06	26	04	07			01			11	11
12	03	06	29	11	45	03		01	01	01			12
13	08	19	08	10	03			09				09	13
14		24	01	14	04			39		12			14
15		25	75	02	03		05	43	01	14			15
16		27	44	18	02		34	06		02			16
17	05	10		49			04		13	19			17
18	05	28	03	05					16	12	96	28	18
19	01	03	28	03				14	02		47		19
20	19		15	05							01	15	20
21	18		08	06	01		21					20	21
22	01	04			02					02			22
23		23		06		01		06		04	14	48	23
24	07	125	01	01		01		08		07		12	24
25		10	12		04			10		07	23		25
26		18				03					16		26
27	05	06	35			04		16		30			27
28	01	23	50	01	06					04		22	28
29	01	32			03	42		52		35		21	29
30		X				91				06			30
31	07	X		X		X		02	X	35	X	08	31
Total	1.73	4.95	4.50	1.63	2.33	1.69	2.02	2.06	94	3.38	3.21	2.54	30.98
Rain Days.	20	24	21	15	18	15	10	12	11	23	15	14	198

REGISTER OF RAINFALL IN 1917

Kept at Michleover
 in the County of Derbyshire
 by J. Campbell

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

2614
 1710
 FORM A.
 BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				24		03		61	08		07	07	1
2	14					24		14				01	2
3				03		02		06		43	06	01	3
4	21	15	12							51			4
5	10	05	15	05				04	05	38	06		5
6						43				18	12		6
7	44					19	01			52	21	02	7
8	75			12				51		51	12	08	8
9	14		30	22	07			08		02	25		9
10	40		65	04	62			11	02				10
11	17		02	16				05		15	01		11
12	10				23			06		14	01		12
13			02	04				06	12	13	01	10	13
14	16		02	08	01			43				04	14
15	02			04			08	03		02		04	15
16	01	17	02	14		03	01	01	01			12	16
17	02	01		04	43	01	16	25	07	13		19	17
18	02			03	25		61	08	62	03			18
19	06	01	16		07	25			07				19
20		15			33	03		01	27		06		20
21		45	12		34	20	01	05		01			21
22		06	06					03		06	03		22
23					21			03	02	16			23
24		06				52	01	13		45	10		24
25		02	08				01	01		03	06		25
26			01					33	13	07	42		26
27			04			43	26	72			15		27
28			06					35					28
29					01	12	08	06		14		09	29
30		X	06				03	08		17	01	21	30
31	04	X	10	X		X		05	X		X	05	31
YEAR'S TOTAL													
Total Rain Days.	2.77	1.13	1.99	1.23	2.57	2.50	1.27	4.37	1.46	4.24	1.75	1.03	26.31
	16	10	17	13	11	13	11	27	11	21	17	13	180

REGISTER OF RAINFALL IN 1918

Kept at Nichleover Manor
in the County of Derbyshire
by J. Campbell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
22-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02	09					21	05	18	03	1
2	04	07	04	03				1.23	13	06	01	45	2
3		11			52			32	09	01	29	01	3
4		02						05	84	04	34	48	4
5	01	02		05	17			09	79	10			5
6			02	26		08			02	11		04	6
7		07		05		05			13	01	11		7
8	06	08	18				01		12	07			8
9	06	21		09		18	12		45	35	02		9
10	10	57		12			31		01	03	05	06	10
11	03	06		02	15		13		21			07	11
12	04	16			11		06	03	19			10	12
13	01	22			12				28	10		01	13
14		01					09		25	09		27	14
15	38			03	03	03	29		35	07			15
16	42	01		04		03	05	01	27			04	16
17					12	05	12	01	26			16	17
18	18					12	26		38			39	18
19	45		16	12			11					14	19
20	04	06		22		05	29		02			01	20
21	09			08	58	02	06		29	03		08	21
22	07				13	12	07	01		10		54	22
23	01				93		21		05				23
24	07	08					05				07	07	24
25	01					08	42	52	01	02	02		25
26							58	12	04		14	04	26
27		08						42	23		11	30	27
28		15	37					09			25	48	28
29			61						73			02	29
30		X						04			15	08	30
31		X	08	X		X		03	X		X		31
Total	2.07	1.98	1.48	1.20	2.86	.81	3.23	2.97	6.35	1.24	1.74	3.87	29.80
Rain Days.	18	17	8	13	10	11	18	14	25	16	13	23	186

YEAR'S TOTAL.

St

Box 84

2464

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Mickleover Manor
in the County of Derbyshire
by J. Campbell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33		.03		.27		.05		.08	.19		.16	1
2	.10		.01				.15	.03	.12	.04	.13	.07	2
3	1.10	.08	.02		.08	.16	.17		.10		.26	.06	3
4			.28			.06		.15	.08		.03	.47	4
5	.01	.09		.02					.22			.20	5
6	.01		.15		.31							.01	6
7	.01		.54	.07									7
8	.17		.03	.03		.03							8
9	.01		.01	.03									9
10			.41	.05							.04	.10	10
11	.05		.91		.05		.21					.02	11
12			.30			.36	.01		.02	.08	.07		12
13	.23			.13					.24	.02	.03	.18	13
14	.35			.11					.01			.01	14
15	.15	.01	.06	.07						.02	.08	.34	15
16	.17	.48		.01							.20	.01	16
17	.08	.52		.02	.10	.07	.22				.40		17
18			.24		.02		.02	.12			.01	.29	18
19	.08	.28	1.27			.08	.77	.62	.15		.06	.01	19
20	.47	.26	.26			.02	.45	.10	.02		.39	.16	20
21	.05	.42	.11				.17		.01		.02	.33	21
22		.08						.01	.58		.06	.80	22
23			.06			.02				1.16	.02	.02	23
24				.27	.16	.02	.05			.43	.15	.01	24
25	.10			.07	.22			.26			.04	.06	25
26			.30	.03		.02		.05	.15			.35	26
27			.05	.41				.64			.11		27
28	.05			.03								.31	28
29	.08					.03		.06		.45	.08	.08	29
30		X	.16	.05		.13				.03	.07	.12	30
31		X	.03	X		X	.07		X	.04	X		31
Total	3.60	2.22	5.23	1.40	1.21	1.00	2.34	2.04	1.78	2.46	2.25	4.17	29.70
Rain Days.	20	9	21	16	8	12	12	10	13	10	20	24	175

REGISTER OF RAINFALL IN 1920.

Kept at *Nickleover Manor*
in the County of *Derbyshire*
by *J. Campbell*

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge..... in.
Height of top of Gauge above Ground..... ft..... in.
" " " " Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03			34	25		41		05	22		14	1
2	03			17			42		11	16		14	2
3	02	05		11	01	01	79	01	17	17		02	3
4				22	01		04	45		35			4
5			02		52		08	11	14	06		01	5
6			19	06	06			02	03	01		01	6
7			10	06	07		17						7
8	06	05		52	11		13						8
9	42	10		41			03	02					9
10	41	38	06	10			27				03		10
11	31		01	06		11	01					09	11
12	04	01		28		25	04	11			05	24	12
13	06	23	04	27		16							13
14	01	02	62	11		71	03		30		11	21	14
15		14	35	09			02		08	56	03		15
16				16	03		20		01	18			16
17					12	05	03		78	05		01	17
18	11				15		02	05	16				18
19	10	88		24		16		04	01				19
20	11	43		18			04		01				20
21	06						20	13				03	21
22	02			24			04					04	22
23	01						17	11				41	23
24			15	05								12	24
25		05	14	09			74						25
26	19	03	12	07	72	24	06					01	26
27	13	02	01	06	15	18	01				50	39	27
28	72		05	05	05	05						05	28
29	02		15		48	04	12				15	68	29
30	10			25	03	11	03		10		16	38	30
31	11		12		05		03			19		08	31
TOTAL	3.07	2.39	2.13	4.19	2.81	2.07	4.13	1.05	1.95	1.95	1.03	3.06	YEAR'S TOTAL
Days with 0.1 in. or more	22	13	15	24	16	12	26	10	13	10	7	19	29.83
	15	9	12	24	12	11	17	7	9	9	5	13	143

MILFORD

DERWENT HSE

DERBY

1919 - 1920

ORGANIZATION.

Kept at *Derwent House.*

in the County of *Derby*

by *Henry Fowler*

11.9.19
House is marked by Bartholomew map (1/2" = 1 mile)
Belper 1 mile to the North.
 Rain Gauge *5* in.
 Above Ground *1* ft. *9* in.
 „ Sea Level *about 250* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.01	.31	1
2											.17	.05	2
3											.25	.06	3
4											.02	.30	4
5											—		5
6											—	.07	6
7											.02	—	7
8											.03	—	8
9											—	—	9
10											.04	.15	10
11											.02	.04	11
12											.04	haze	12
13											.09	.02	13
14											.10	haze	14
15											.06	.52	15
16											.25	.01	16
17											.30	haze.	17
18											.02	.35	18
19											.07	.05	19
20											.20	.06	20
21											.02	.45	21
22											.03	.55	22
23											.03	.02	23
24											.12	haze	24
25											.06	.06	25
26											haze	.57	26
27											.11	.02	27
28	.03									.03	haze	.41	28
29											.05	.04	29
30		X									.09	.20	30
31		X		X		X		X			X	.02	31
TOTAL											2.20.	4.33.	YEAR'S TOTAL
Days with .01 in. or more											.25	.24	

REGISTER OF RAINFALL IN 1919.

Kept at Devereux House, Milford, Derby
in the County of Derby
by Henry Fowler

Lat. _____ Long. Have is marked on Bartholomew's map (1/250,000)
Time of Observation 8 a.m.
Nearest Railway Station Belper 1 mile to the North
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
Sea Level about 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.01	.31	1
2											.17	.05	2
3											.25	.06	3
4											.02	.30	4
5											-	.07	5
6											-	.07	6
7											.02	-	7
8											.03	-	8
9											-	-	9
10											.04	.15	10
11											.02	.04	11
12											.04	haze	12
13											.09	.02	13
14											.10	haze	14
15											.06	.52	15
16											.25	.01	16
17											.30	haze.	17
18											.02	.35	18
19											.07	.05	19
20											.20	.06	20
21											.02	.45	21
22											.03	.55	22
23											.03	.02	23
24											.12	haze	24
25											.06	.06	25
26											haze	.57	26
27											.11	.02	27
28	.03									.03	haze	.41	28
29											.05	.04	29
30											.09	.20	30
31												.02	31
TOTAL											2.20.	4.33.	YEAR'S TOTAL
Days with >.01 in. or more											.25	.24	

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
REGISTER OF RAINFALL IN 1920.

Kept at Gowant House Hulme Derby
in the County of Derbyshire
by H. Fowler

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Derby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

54

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	haze		21	32	56	40	02	05	—	—	13	1
2	02	—		09	haze	—	1.10	—	08	23	32	23	2
3	04	01.		—	—	—	70.	07	10	25	—	18	3
4	haze			—	—	—	—	58	haze	54	—	02	4
5	—		✓	03	72✓	—	15	08	—	10	—	01	5
6	—		✓	33	✓	—	10	01	—	01	—	—	6
7	01		✓	03	07	—	20	—	—	—	02	—	7
8	28		23	33	haze	—	16	—	—	—	—	—	8
9	47		haze	44	—	—	27	—	—	haze	—	haze	9
10	44		10	32	—	—	haze	—	—	—	—	—	10
11	24		05✓	08	45	21	03	02	—	—	—	09	11
12	04		05	34	haze	29	—	10	—	—	04	08	12
13	10		06	41	—	43	—	—	—	—	02	—	13
14	02		1.02✓	19	—	1.27	04	—	38	—	17	—	14
15	haze		04	25✓	19	haze	haze	—	08	17	04	01	15
16	—		04	25✓	19	—	34	—	01	16	—	—	16
17	—	(2.75)	04	25✓	19	—	02	—	56	—	—	—	17
18	08		—	28✓	19	—	03	06	18	09	—	—	18
19	16		—	✓	12	12	—	—	17	—	—	—	19
20	07		—	25	—	24	02	haze	—	—	—	01	20
21	haze		—	01	—	—	19	08	—	—	haze	01	21
22	03		haze	28✓	—	haze	23	—	—	—	—	07	22
23	—		29	28	—	—	09	haze	—	—	—	47	23
24	06		✓	03	—	—	—	—	—	—	—	21	24
25	01		12	15	—	05	77	—	—	—	—	—	25
26	23		12	09	—	05	—	—	—	—	—	01	26
27	09		✓	11	24	17	19✓	—	02	—	32	30	27
28	70		08	13	01	08	15	—	—	—	—	06	28
29	39		13	haze	51	haze	15	—	10	—	38	09	29
30	07	XX	—	21	01	10	02	—	07	—	—	35	30
31	15	XX	04	XX	—	XX	01	—	XX	—	XX	21	31
TOTAL	3.70	(2.76)	2.28	4.23	2.83	3.02	5.24	1.02	1.80	1.55	1.31	3.79	YEAR'S TOTAL
Days with "01 in. or more	22	(14)	17	23	13	11	24	9	12	8	9	21	(33.50)
Days with "04 in. or more	17	(9)	14	20	10	11	17	6	10	7	7	15	(183)
													(143)

REGIO

NORTON

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

Kept at

Norton

in the County of

Derby

by

Col. Sir Nath. Cr

DERBYSHIRE

1911 - 1916

Ground

ft.

8

in.

Sea Level

700

ft.

am

Name

Healy - Midland

Distance

2 1/2

Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.17	.1			.7	.14			.2	.2	1
2	.27				.11		.1	.2				.5	2
3	.3			.19	.20				.3	.5	.17		3
4			.3	.6				.4	.4	.16	.29	.32	4
5	.4							.9		.22			5
6	.1							.13		.26		.67	6
7	.4		.1								.13		7
8	.17		.10						.3	.5	.8	.45	8
9	.2					.11						.3	9
10	.2		.3					.2				.69	10
11	.32							.12			.69		11
12			.9						.65		.28		12
13			.5			.3					.9	.40	13
14		.4	.6		.52		.8				.5	.75	14
15		.15	.14	.3						.10	.1	.40	15
16		.19	.8			.13				.8	.23	.13	16
17			.2	.7							.13	.22	17
18		.38	.3	.4	.2	.29				.1		.10	18
19		.5	.2	.1		.4	.4	.3	.33	.9	.31	.5	19
20		.10		.11		.17	.3	.45	.14	.1	.9	.13	20
21	.3	.38	.3				.3	.7		.5		.1	21
22	.2	.6		.1				.9		.41	.3	.31	22
23		.29	.4	.1		.25		.1	.25	.5		.15	23
24	.1	.6	.5	.5		.13		.9		.6		.19	24
25	.10	.23	.2	.16					.13		.3	.24	25
26		.3		.16	.20	.2				.30	.34	.39	26
27		.18	.15	.20				.67	.30	.2	.14	.5	27
28	.2	.10	.3	.17		.1		.5	.9		.9	.7	28
29			.1	.10		.3	.2		.26	.29	.2	.6	29
30			.2		.16	.10				.36	.1		30
31			.35							.4		.1	31
Total	1.06	2.24	1.53	1.38	1.21	2.49	.28	2.02	2.25	2.61	3.23	5.89	TOTAL for year
No. of Rain Days.	13	14	22	16	6	12	7	15	11	19	21	25	181

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.

Kept at Morton
in the County of Derby 8
by Col. Sir Nath. Creswell KCB

RAIN GAUGE
Pattern
Diameter of top 5 in
Height of top above Ground 8 ft.
" " " Sea Level 700 ft.
Time of Observation 9 am
Nearest Railway Station { Name Healy - Midland
Distance 2 1/2 Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.17	..1			..7	-14			..2	..2	1
2	.27				.11		..1	..2				..5	2
3	..3			.19	-20				..3	..5	.17		3
4			..3	..6				..4	..4	.16	.29	.32	4
5	..4							..9		.22			5
6	..1							.13		.26		.67	6
7	..17		..1								.13		7
8	..2		.10						..3	..5	..8	.45	8
9	..2					..11						..3	9
10	..2		..3					..2				.69	10
11	.32							.12			.69		11
12			..9						.65		.28		12
13			..5			..3					..9	.40	13
14		..4	..6		.52		..8				..5	.75	14
15		.15	.14	..3						.10	..1	.40	15
16		.19	..8			.13				..8	.23	.13	16
17			..2	..7							.13	.22	17
18		.38	..3	..4	..2	.29				..1		.10	18
19		..5	..2	..1		..4	..4	..3	.33	..9	.31	..5	19
20		.10		.11		.17	..3	.45	.14	..1	..9	.13	20
21	..3	.38	..3				..3	..7		..5		..1	21
22	..2	..6		..1				..9		.41	..3	.31	22
23		.29	..4	..1		.25		..1	.25	..5		.15	23
24	..1	..6	..5	..5		134		..9		.6		.19	24
25	.10	.23	..2	.16					.13		..3	.24	25
26		..3		.16	.20	..2				..30	.34	.39	26
27		.18	.15	.20				.67	.30	..2	.14	..5	27
28	..2	.10	..3	.17		..1		..5	..9		..9	..7	28
29			..1	.10		..3	..2		.26	.29	..2	..6	29
30			..2		.16	.10				.36	..1		30
31			.35							..4		..1	31
Total	1.06	2.24	1.53	1.38	1.21	2.49	.28	2.02	2.25	2.61	3.23	5.89	TOTAL for year 2619
No. of Rain Days.	13	14	22	16	6	12	7	15	11	19	21	25	181

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

19 APR 1913

Kept at Wether (N. Sheffield)
in the County of Derby
by Col Sir Hall (Presnott K. P. B)

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4					.22								4
5					.09								5
6					.05								6
7					.05								7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15					.39								15
16					.03								16
17													17
18													18
19													19
20					.18								20
21					.77								21
22					1.21								22
23					.02								23
24					.04								24
25													25
26													26
27													27
28													28
29					.37								29
30					.24								30
31													31
Total					3.66								TOTAL for year
No. of Rain Days.					13								

REGISTER OF RAINFALL IN 1913

Kept at Norton near Sheffield
 in the County of Derby
 by Col. Sir Nathaniel Creswick KCB

Lat. 58.19 N Long. 1.29 W
 Time of Observation 9 am.
 Nearest Railway Station Reiley (Midland)
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground one ft.
 " " " " Sea Level 700 ft.

BRITISH RAINFALL
 FORM A.
 16 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			6						22	1	5		1
2	2	8	6							13	6	2	2
3	8	9	6	5	39				4	49		26	3
4	69	10		3	8		19		10	6	18	41	4
5	1	3	10			3	12		9	99			5
6	2	36	10	1	45	5	1.14		2	64		2	6
7			2		25	18				1.22	12	1	7
8		8			45	16		13		6	1.6		8
9		28	2	1	9	19	8	3			19	2	9
10	9			5			3			4	17		10
11	1.27			48		8		1			22		11
12					13						29		12
13	3		13	2					18		15		13
14	17	12	42					2		9	45		14
15	7	1	34	32			2		18		48		15
16	1	4	24	2				15	15		5		16
17	2	5		7	4				1.14		4		17
18			24	26			10			1			18
19	20		1	6					19			2	19
20	31		4	6					2	5	15		20
21					10		23	3			15		21
22	30		72		1			71	24				22
23	3				6	5	1	5	11	2	2		23
24				2		1					2		24
25				2					6	1		5	25
26		2	1	19						14		57	26
27			27	33								27	27
28	30		54	29						6		6	28
29	2		23	49	2			42			2	21	29
30	42		1		6					44	5	10	30
31			4		24								31
Total	4.06	1.26	3.66	2.78	2.37	0.75	1.92	1.55	2.74	4.46	3.02	2.02	30.59
Rain Days.	19	12	21	19	14	8	9	9	14	17	20	13	17.5

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Norton (near Sheffield)

in the County of Derby

by Col. Sir Nathaniel Creswick K.C.B.

Lat. 53.19 N Long. 1.29 W

Time of Observation 9 AM

Nearest Railway Station Healey (Midland)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 700 ft.

FORM A.
BRITISH RAINFALL
5 JUL 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06	.02			.93	.21				~~.15~~	1
2	~~.07~~						.81	.19			.43	.09	2
3	.14		.02		.08		.11	.02				.56	3
4	.28		.19	.16	.24						.48	.27	4
5	.20		.20	.17	.11	.05		.02			.04	.30	5
6		.04	.06	.28	.09		.76	.02			.02	.20	6
7		.04	.24	.08	.04			.03				.11	7
8	.12				.08	.75	.05	.15	.29	.02			8
9	.13	.01	.01	.12	.03	.99		.12				.01	9
10	.32	.15	.02	.18	.04				.04		.13		10
11			.28	.03	.02				.16		.84	.39	11
12		.09	.19			.19	.02		.24		.15	.43	12
13	.03	.10	.14				.04		.03	.02	.20	.58	13
14	.04	.21	.06				.02		.04	.49		.09	14
15	.02	.02	.17							.02	.06		15
16	.10		.03				.86		.04		.02		16
17	.06	.16	.10				.02		.30			.39	17
18			.01			.59						.10	18
19			.13				.05	.04		.06	.08	.14	19
20		.21	.04							.06			20
21		.42				.08	.0			.02	.02	.11	21
22		.01	.01		.10	.05	.04	.02		.12			22
23		.05	.04	.03	.46		.04			.21		.03	23
24	.02	.01	.35				.15	.27		.02	.09		24
25	.03						.03	.08		.72		.14	25
26			.06					.42			.08	.37	26
27	.02									.16	.08	.78	27
28	.10	.10	.04			.01				.08	.03	.27	28
29	.04		.16							.57	.15		29
30		X	.02							.15		.23	30
31	.09	X		X		X	.28		X	.16	X		31
Total	1.76	1.62	2.63	1.07	1.29	2.71	3.71	1.59	1.14	2.88	2.90	5.74	YEAR'S TOTAL 29.04
Rain Days.	18	15	25	9	11	8	16	13	8	16	17	22	178

REGISTER OF RAINFALL IN 1915

Kept at Norton near Sheffield

in the County of Derby

by Col. Serhathaniel Creswick K.C.B.

Lat. 53.19 N Long. 1.29 W

Time of Observation 9 a.m.

Nearest Railway Station Heeley (Midland)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.06	.18	.22	.24		.02	.02	.08			.20	1
2	.82		.01	.26		.02		.24		.13		.43	2
3	.04			.14			.64	.19	.05		.06	.44	3
4	.04	12	.01		.03		.47				.06	1.85	4
5	.11	.49	.04					.08		.12		.69	5
6	.14		.04	.06			.41	.02				.09	6
7	.09	.40		.04			.09	.58				.16	7
8		.03		.10				.14			.23		8
9	.21		.04	.02				.10		.06	.05	.75	9
10	.32				.32			.08		.02	.12	.45	10
11	.02		.01	.04	.40					.01	.19	.46	11
12		.70			.07					.01	2.36		12
13	.12				.02			.11		.02		.05	13
14	.58							.29	.04	.01		.23	14
15		.21		.02	.13			.73				.10	15
16		.43	.02				1.96		.04	.02		.57	16
17		.29	.38				X.04						17
18				.03									18
19	.05						.11						19
20	.05		.25	.14			.04			.02		.75	20
21												.09	21
22	.03	.05	.21	.09							.02	.10	22
23				.09			.15		.03	.35		.04	23
24				.03					.60	.04		.30	24
25	.04	.26			.64	.09						.10	25
26	.05	.28	.01			.08		.04				.56	26
27		.42	.02		.15	.02	.50			.39		.55	27
28		.07	.01		.09					.08			28
29	.12	X		.09	.03	.31					.13	.65	29
30	.08	X		.03		.10	.02			.01	.02	.08	30
31	.18	X	.02	X		X		X		.30	X	.23	31
Total	3.17	3.81	1.25	1.20	1.24	1.21	4.14	3.08	0.88	1.59	3.24	9.12	YEAR'S TOTAL 34.03
Rain Days.	20	14	15	16	8	6	14	13	7	16	10	25	164

REGISTER OF RAINFALL IN 1916

Kept at Horton / near Sheffield
 in the County of Derby
 by Col. Sir Ralph Creswick K.C.B.

Lat. 53.19.N Long. 1.29W
 Time of Observation 9 a.m.
 Nearest Railway Station Healy / Midland
 Diameter of Funnel of Rain Gauge five in.
 Height of top of Gauge above Ground one ft. — in.
 " " " " Sea Level 700 ft.

FORM A.
 BRITISH RAINFALL
 6 FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
12
37.5

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23		.31				.19			.02	.13		1
2	.38	.03	.10			.15	.13			.10	.19		2
3	.27	.10	.59					.70	.05	.30	.15		3
4	.12	.15					.15		.35	.06	.03		4
5	.06	.34			.70	.21			.01	.48	.31		5
6	.10	.08		.02	.11	.19		.01		.46	.66		6
7	.11	.44	.32		.05	.03				.03	.33	.04	7
8	.11	.05	.24		.08		.48			.16	.02	.25	8
9		.02	.32			.12					.11	.15	9
10			.02		.43	.13			.02		.03	.21	10
11	.02	.14	.04	.07		.67	.08		.13			.15	11
12		.37	.10	.21		.13			.03	.02		.10	12
13	.08	.04	1.06	.02	.48	.01	.07	.02				.04	13
14		.04	.42	.03				.19		.10		.01	14
15		.15	.11	.08	.12		.28	.29		.07			15
16		.24	.33				.08			.03			16
17		.61	.97	.10			.03	.28					17
18	.02	.15	.01	.27			.15	.08	.05	.15	.05		18
19			.03	.05					.33	.08	.08	.30	19
20	.11	.01	.31	.13		.01		.01			.05	.05	20
21	.10		.18	.05	.01		.4						21
22	.09	.65	.25							.12		.33	22
23						.04							23
24	.04			.03				.03		.02	.01	.58	24
25		.81				.07		.05		.09	.15	.16	25
26		.12	.38		.08			.03		.08	.22		26
27	.01	.21	.6					.24		.20	.02		27
28	.01	.30	.9				.02	.29	.44	.33			28
29		.34	.6		.13	.13			.03	.19		.14	29
30		X				.39		.08		.33		.29	30
31		X		X	.04	X			X	.15	X	.12	X 31
Total	18.6	5.39	6.25	10.6	2.23	2.28	14.7	16.1	14.4	3.57	2.74	2.92	YEAR'S TOTAL 292.92
Rain Days.	17	23	23	12	11	14	11	13	10	23	17	16	32.92
	106	23	1200	14.06	16.79	19.07	20.54	22.15	23.9	27	24.70	32.70	189
													190

Kept at Fairfield
in the County of Derby
by Rsr W. Vale

QUARNDON
FAIRFIELD
DERBY
1919 - 1920

at Moorlands sent in
ORGANIZATION.
919... Oct: Nov: Dec: only.
1.30W
930
Duffield
Rain Gauge 5 in.
above Ground 1 ft. in.
Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										.20	—	.22	1
2										.08	.15	.07	2
3										—	.05	.06	3
4										—	.01	.30	4
5										—	—	.20	5
6										—	.01	.04	6
7										—	—	—	7
8										—	—	—	8
9										—	—	—	9
10										—	.04	.09	10
11										—	—	.03	11
12										.08	.10	—	12
13										.08	—	.03	13
14										—	—	.01	14
15										—	.09	.44	15
16										—	.18	—	16
17										—	.36	—	17
18										—	.02	.38	18
19										—	.05	—	19
20										—	.19	.20	20
21										—	.02	.26	21
22										—	.03	.62	22
23										1.13	.07	.02	23
24										.30	.11	.02	24
25										—	.04	.15	25
26										—	—	.50	26
27										—	.18	—	27
28										.04	—	.15	28
29										.44	.07	.30	29
30		X								.04	.06	.19	30
31		X		X		X			X	.01	X	.02	31
TOTAL										2.40	1.77	4.30	YEAR'S TOTAL
Days with ".01 in. or more										10	20	23	

REGISTER OF RAINFALL IN 1919. Oct. Nov. Dec. only.

Kept at Fairfield Quarndon, Derby
in the County of Derby
by Rev W. Vale Bagshawe

Lat. 53 N Long. 1.30 W
Time of Observation 9.30
Nearest Railway Station Duffield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										.20	—	.22	1
2										.08	.15	.07	2
3										—	.05	.06	3
4										—	.01	.30	4
5										—	—	.20	5
6										—	.01	.04	6
7										—	—	—	7
8										—	—	—	8
9										—	—	—	9
10										—	.04	.09	10
11										—	—	.03	11
12										.08	.10	—	12
13										.08	—	.03	13
14										—	—	.01	14
15										—	.09	.44	15
16										—	.18	—	16
17										—	.36	—	17
18										—	.02	.38	18
19										—	.05	—	19
20										—	.19	.20	20
21										—	.02	.26	21
22										—	.03	.62	22
23										1.13	.07	.02	23
24										.30	.11	.02	24
25										—	.04	.15	25
26										—	—	.50	26
27										—	.18	—	27
28										.04	—	.15	28
29										.44	.07	.30	29
30		X								.04	.06	.19	30
31		X		X		X			X	.01	X	.02	31
TOTAL										2.40	1.77	4.30	YEAR'S TOTAL
Days with ".01 in. or more										10	20	23	

REGISTER OF RAINFALL IN 1920..

Kept at Fairfield House, Quarndonin the County of Derbyby Rev. W. Vale BagshaweLat. 53 N Long 1.30 WTime of Observation 9.30 a.m.Nearest Railway Station DuffieldDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. in." " " " Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~01~~	—	—	21	26	—	46	—	08	27	—	15	1
2	01	—	—	12	01	—	98	—	08	12	—	15	2
3	04	03	—	19	01	—	62	—	40	17	—	05	3
4	—	—	—	14	—	—	02	48	—	43	—	—	4
5	—	—	02	—	52	—	26	14	08	11	—	—	5
6	—	—	17	04	08	—	09	01	—	06	—	03	6
7	06	—	06	03	01	—	10	—	—	—	—	—	7
8	—	04	—	46	09	—	15	—	—	—	—	—	8
9	47	20	—	40	—	—	08	—	—	—	—	—	9
10	25	42	07	18	—	—	23	—	—	—	—	—	10
11	20	—	01	17	45	18	03	—	—	—	—	—	11
12	04	04	—	35	02	25	02	11	—	—	04	08	12
13	08	09	04	33	—	50	—	—	—	—	—	08	13
14	01	01	57	09	—	77	05	—	49	—	06	—	14
15	—	03	08	11	—	—	03	—	—	28	03	—	15
16	—	—	01	19	03	30	24	—	—	14	—	—	16
17	—	—	—	—	16	—	03	—	53	06	—	—	17
18	09	—	—	01	13	—	04	10	20	—	—	—	18
19	09	1.33	—	19	14	12	—	06	07	—	—	—	19
20	08	—	—	22	—	24	03	—	—	—	—	—	20
21	04	—	—	—	—	—	20	09	—	—	—	03	21
22	02	—	—	26	—	—	15	—	—	—	—	05	22
23	—	—	—	—	—	—	03	01	—	—	—	45	23
24	05	—	16	04	—	—	—	—	—	—	—	21	24
25	—	03	10	11	—	02	76	—	—	—	—	—	25
26	21	06	08	07	14	02	08	—	—	—	—	—	26
27	06	—	05	05	10	20	09	—	—	—	44	32	27
28	84	—	07	13	06	04	01	—	—	—	—	04	28
29	03	—	11	01	49	—	09	—	—	—	15	65	29
30	14	×	—	22	02	16	01	—	—	—	14	43	30
31	07	×	08	×	05	×	01	—	×	29	×	09	31
TOTAL	2.88	2.28	1.68	4.32	2.77	2.80	4.89	1.00	1.63	1.93	0.86	2.81	YEAR'S TOTAL
Days with 01 in. or more	21	11	16	26	19	12	28	8	8	10	6	15	180
Days with 04 in. or more	17	7	13	23	13	10	18	6	8	10	5	13	143

REC

26 46.

Not at

Repton

DERBY

in the County of

3 Derby

REPTON

THE CROFT

by

H.C. Hayman

1912 - 20

FORM A.
BRITISH RAINFALL.
24 FEB 1913

5 in.

Ground 1 ft. 4 in.

Sea Level 170 ft.

The result entered to the
annual rule, he is earnestly
in the space provided

IMPORTANT NO
previous day. If an O
requested to add the rea
for it at the end of thi

the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.05	.08		.06		.22	.08				1
2				.02		.24	.02		.01			.36	2
3		.04	.04			.25	.32	.77	.04			.08	3
4	.12		.37			.07	.02	.22	.05		.24	.04	4
5	.13		.08	.03	.19	1.17		.25	.07		.01		5
6	.05	.21	.91		.01	.21		.27				.09	6
7	.63	.07			.03			.02	.07			.01	7
8			.18			.08		.07	.23				8
9	.41	.23	.03			.13						.02	9
10	.03	.01		.18		.70	.03	.07				.25	10
11	.06	.02				.03		.44			.34	.01	11
12	.06	.42	.17			.05		.04			.08	.86	12
13	.07					.06	.20				.01	.01	13
14	.01		.62			.26		.06		.05	.02	.02	14
15	.08	.08	.16		.36	.06		.01					15
16	.14		.21		.03	.40		.13		.17		.11	16
17	.71		.12			.01		.44			.01		17
18	.59		.06			.26	.05	.01			.04	.33	18
19	.17	.12	.03			.01		.36		.04	.01	.05	19
20	.32		.14			.02	.38	.10		.07	.02		20
21	.15	.02	.10		.09		.07	.08	.01	.20			21
22	.03	.10			.63		.05	.45		.45	.02	.01	22
23	.07	.11	.35		.75	.33	.37	.39			.11	.26	23
24			.02			.01	.80	.17				.01	24
25	.10				.01	.04	.04		.01		.30	.19	25
26		.03	.03			.50	.26	.47		.58	.15	.40	26
27					.02	.04	.20	1.22		.83		.28	27
28		.03				.21	.06		.03	.26	.51	.30	28
29						.02	.15	.46	.25	.06			29
30					.06	.30	.27	.06	.04	.06			30
31			.03		.23		.11	.08				.03	31
Total	3.93	1.49	2.80	.31	2.41	5.52	3.40	6.86	.89	2.77	1.87	3.72	35.97
Rain Days.	20	15	20	43	13	27	26	26	11	11	15	22	201

REC

FORM A.
BRITISH RAINFALL
24 FEB 1913

Kept at Repton
in the County of Derbyshire
by H. C. Hayward

Lat. 53° 48' Long. 1° 15'
Time of Observation 9 a.m.
Railway Station Repton & Willington
of Rain Gauge 5 in.
top of Gauge above Ground 1 ft. 4 in.
Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.05	.08		.06		.22	.08				1
2				.02		.24	.02		.01			.36	2
3		.04	.04			.25	.32	.77	.04			.08	3
4	.12		.37			.07	.02	.22	.05		.24	.04	4
5	.13		.08	.03	.19	1.17		.25	.07		.01		5
6	.05	.21	.91		.01	.21		.27				.09	6
7	.63	.07			.03			.02	.07			.01	7
8			.18			.08		.07	.23				8
9	.41	.23	.03			.13						.02	9
10	.03	.01		.18		.70	.03	.07				.25	10
11	.06	.02				.03		.44			.34	.01	11
12	.06	.42	.17			.05		.04			.08	.86	12
13	.07					.06	.20				.01	.01	13
14	.01		.62			.26		.06		.05	.02	.02	14
15	.08	.08	.16		.36	.06		.01					15
16	.14		.21		.03	.40		.13		.17		.11	16
17	.71		.12			.01		.44			.01		17
18	.59		.06			.26	.05	.01			.04	.33	18
19	.17	.12	.03			.01		.36		.04	.01	.05	19
20	.32		.14			.02	.38	.10		.07	.02		20
21	.15	.02	.10		.09		.07	.08	.01	.20			21
22	.03	.10			.63		.05	.45		.45	.02	.01	22
23	.07	.11	.35		.75	.33	.37	.39			.11	.26	23
24			.02			.01	.80	.17				.01	24
25	.10				.01	.04	.04		.01		.30	.19	25
26		.03	.03			.50	.26	.47		.58	.15	.40	26
27					.02	.04	.20	1.22		.83		.28	27
28		.03				.21	.06		.03	.26	.51	.30	28
29						.02	.15	.46	.25	.06			29
30					.06	.30	.27	.06	.04	.06			30
31			.03		.23		.11	.08				.03	31
Total	3.93	1.49	2.80	.31	2.41	5.52	3.40	6.86	.89	2.77	1.87	3.72	35.97
Rain Days.	20	14	20	4	12	27	18	26	12	11	15	22	201

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
20 JAN 1914

Kept at

Repton Melkton 3

in the County of

Derby

by

H. C. Hayward

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Repton Wilkington

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07		.01				.61		.03		1
2	.01	.11	.02	.06					.03		.01		2
3	.04		.20		.81				.02	.18		.04	3
4	.942				.19		.01		.01	.02	.09	.41	4
5	.9208	.01	.08		.01	.25	.03		.07	1.21	.01		5
6	.083	.11	.10		.40	.07	.84			.23		.05	6
7		.05	.02		.13	.03				.39	.10	.01	7
8		.03	.03		.13	.07		.03		.14			8
9		.35	.05	.01	.02	.52		.04	.01		.08	.03	9
10	.02	.01		.19	.03		.01	.40			.24		10
11	1.00	.01		.38	.01	.01		.34		.02	.52		11
12		.01			.09	.02					.42		12
13	.03	.01	.31	.05				.01	.06		.11		13
14	.07		.55	.04				.04			.09		14
15		.14	.48	.34					.03	.07	.10		15
16	.05	.01	.43	.01					.36		.01	.02	16
17	.05.01	.02		.19	.02	.03	.05		.01		.01		17
18	.01		.25	.15	.03		.03			.01	.03	.03	18
19	.09		.01	.01	.02	.04			.51		.01	.02	19
20	.09.11		.11	.03					.01		.04		20
21			.12	.01	.03		.09	.01		.02	.24		21
22	.43		.46					.88	.33				22
23						.11		.02	.06		.03		23
24	.13			.03				.03			.04		24
25				.04					.03	.04	.01	.02	25
26		.09	.08	.11				.03		.15		.30	26
27		.02		.52						.03		.02	27
28	.41		.24	.30	.03				.01	.03			28
29	.01		.40	.66	.02			.29				.02	29
30	.28									.18	.03	.15	30
31			.06										31
Total	3.73	.98	4.07	3.13	1.98	1.15	1.06	2.12	2.16	2.69	2.25	1.12	26.44
Rain Days.	19	15	21	19	17	10	7	12	16	15	22	13	186

REGISTER OF RAINFALL IN 1914

Kept at

Repton

in the County of

Derbyshire

by

H. T. Hayward.

Lat. 52.50 N. Long. 1.33 W.

Time of Observation 9 a.m.

Nearest Railway Station Willington & Repton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01				1.63	.18		.02		.09	1
2	.01					.02		.19			.36	.11	2
3			.03	.02	.11		.22				.01	.02	3
4	.27		.02	.11	.05			.09			.52	.44	4
5	.09		.24	.27	.17	.25	.17			.01	.11	.01	5
6		.06		.06	.11			.02				.06	6
7		.09	.40	.03	.19		.02	.13				.19	7
8	.19		.01	.01	.16	.48	.26	.23	.02		.01	.02	8
9	.36	.01	.03	.11	.02	1.00		.05	.19			.01	9
10	.14	.07	.02	.12	.06				.18			~~.01~~	10
11		.06	.40	.04	.06	.03			.04		.79	.55	11
12	.01	.06	.14						.26		.13	.34	12
13	.01	.09	.10						.01	.31	.33	.33	13
14		.07	.06				.05		.09	.21	.16	.23	14
15	.03		.15						.02		.07	.01	15
16	.02		.05				.48		.03				16
17	.01	.11	.10				.03		.13			.23	17
18		.01					.06		.02			.55	18
19		.01	.02				.02		.06		.03	.06	19
20		.15	.02				.31					.06	20
21	.01	.31				.04	.13	.04		.11	.04	.29	21
22		.03	.01	.02	.42	.01	.03	.07		.13			22
23		.08	.10		.16	.02	.03			.03		.05	23
24	.03	.01	.24	.02	.16		.11	.05		.15	.15		24
25	.01						.07	.23		.55	.04	.23	25
26			.01				.03	.37		.10	.06	.22	26
27	.02	.01	.02							.01	.17	.36	27
28	.18	.11	.06				.01			.06	.17	.59	28
29	.02		.10		.03					.23	.03	.01	29
30				.02	.01	.11				.04	.38	.35	30
31	.07						.30			.05		.02	31
Total	1.48	1.34	2.34	.83	1.71	1.96	3.96	1.65	1.05	2.01	3.56	5.43	YEAR'S TOTAL 27.32
Rain Days.	18	18	24	12	14	9	19	12	12	15	19	27	199

REGISTER OF RAINFALL IN 1915

Kept at Repton
in the County of Derbyshire
by H. L. Haywood

Lat. 52.50 N. Long. 1.33 W.
Time of Observation 9 a.m.
Nearest Railway Station Repton & Willington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 170 ft.

FORM A.
BRITISH RAINFALL
3 JAN. 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.17	.07		.55			.09	.11	.02	.08	.1	1
2	.01	.06	.27	.11		.09		1.16		.25		.04	2
3	.1		.03	.14			.36	.2	.02			.22	3
4	.18				.14		.58	.06				.94	4
5	.62	.32			.04			.05		.01	.03	.23	5
6	.05	.15	.01	.12			.59	.06	.05			.05	6
7	.08	.38		.01		.04	.31	.39				.27	7
8	.11	.07		.02				.08			.05		8
9	.28	.03		.03				.03			.49	.53	9
10	.15		.07					.02		.02	.23		10
11	.03		.01	.04	.27		.09	.26			.69	.15	11
12	.06			.21	.17		.07	.05		.03	.85		12
13	.04	.43			.44							.06	13
14	.02	.01			.01			.13	.03	.01		.28	14
15	.37				.05		.1	.11			.33	.11	15
16	.08	.27			.05		3.04					.02	16
17		.36			.01		.05	.01				.02	17
18	.01	.13	.23				.02	.54					18
19	.01	.06	.06		.04		.21	.01					19
20	.09						.03	.01				.06	20
21	.06	.01		.07	.02		.16					.07	21
22	.03		.27	.03		.02	.1		.02			.03	22
23	.01	.02	.05			.03	.21		.05	.46		.27	23
24			.05	.06		.02			.52			.24	24
25			.02			.54	.45		.04	.09		.18	25
26	.02	.14					.29		.03			.38	26
27		.1				.03	.57			.6		.21	27
28		.28	.06			.25	.08	.23	.03	.07			28
29						.04		.05			.06	.26	29
30	.05	X		.03		.80		.04			.02	.02	30
31	.07	X		X		X	.02	.03	X	.25	X	.23	31
Total	2.66	2.99	1.2	.87	1.79	1.86	7.33	3.61	.9	1.81	2.83	4.97	YEAR'S TOTAL 32.82
Rain Days.	25	18	13	12	12	10	20	22	10	11	10	25	188

REGISTER OF RAINFALL IN 1916

Kept at Repton
in the County of Derbyshire
by H. C. Hayward

Lat. _____ Long. _____
Time of Observation 9.22
Nearest Railway Station Repton & Billington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 170 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.1		.46			.15	.14				.21		1
2	.26	.1	.12		.15		.83		.08	.55	.15		2
3		.36		.01	.01		.02		.41	.26	.065	.02	3
4	.15	.06			.54	.39	.01			.09	.17		4
5	.03	.01			.04	.08					.28		5
6	.19	.17	.15		.45	.02	.29				.3		6
7	.04		.17		.05		.11			.34	.11	.18	7
8			.12								.05	.23	8
9			.02		.39	.01			.05			.11	9
10		.13	.08	.08		.03	.04		.05	.10		.04	10
11	.05	.26	.09	.19	.01	.04	.01					.13	11
12	.09	.06	.26	.08	.45	.03	.13						12
13	.03	.2	.09	.07	.07			.13	.02	.06		.07	13
14		.37	.01	.14	.03			.15	.02	.16		.035	14
15		.42	.66	.02	.01		.07	.15	.01				15
16	.05	.13	.39	.25	.02		.08	.52		.04			16
17	.07	.09		.33			.07	.01	.19	.13			17
18	.01	.1	.05	.07				.05	.13	.015	.73		18
19	.06	.08	.26	.02				.06	.20		.45	.11	19
20	.21		.16	.12							.04	.06	20
21	.04		.11	.08	.01		.46					.26	21
22		.03		.01	.03	.03				.03		.14	22
23	.04	.26	.01	.05		.01		.05		.05	.06	.29	23
24		1.05	.01	.03		.06		.06		.05	.2	.14	24
25		.04	.15		.03			.11		.06	.2		25
26	.04	.1				.06		.04		.08	.06		26
27	.01	.12	.59			.02	.02	.21		.42			27
28		.28	.23	.03	.04					.04		.16	28
29		.21				.28		.45		.31		.33	29
30		X				.09		.03		.04			30
31		X		X		X			X	.115	X	.03	31
Total	1.47	4.63	4.19	1.58	2.33	1.30	2.28	2.02	1.16	2.94	2.875	2.335	YEAR'S TOTAL 29.11
Rain Days.	18	23	22	17	17	15	14	14	10	20	14	17	201

REGISTER OF RAINFALL IN 1917.

Kept at Repton
 in the County of Derbyshire
 by H. C. Hayward

Lat. _____ Long. _____
 Time of Observation 9.44
 Nearest Railway Station Repton & Wileington
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 170 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.12		.06		.98	.17		.03		1.
2	.06					.28		.16			.03		2
3	.04	.07		.02		.015		.06		.37	.04		3
4	.14		.06							.55		.03	4
5	.1	.06	.1	.1					.04	.26	.04		5
6						.54				.2	.105		6
7	.39					.14				.55		.04	7
8	.495			.13		.02	.045	.28		.59	.08	.04	8
9	.06		.2	.14	.055			.3	.02	.06	.11	.05	9
10	.15		.34	.05	.69			.13			.22		10
11	.18		.035	.16				.01		.22	.02		11
12	.105				.185			.21		.11	.02	.08	12
13				.055				.32	.13	.06		.02	13
14	.03		.08	.04	.03			.0051				.1	14
15	.03			.02	.03		.21			.04		.05	15
16	.03	.21		.115				.02		.08		.265	16
17			.02	.055	.345		.135	.26	.11				17
18	.035	.025			.3		.43	.06	.62	.1			18
19	.05	.18	.18		.22	.25			.05				19
20		.25		.02	.285	.02			.3		.11	.01	20
21	.01	.05	.13		.33	.055		.06		.02			21
22			.03					.05	.09	.07	.03		22
23		.1			.2			.09		.1			23
24						.71	.065	.08		.65	.08		24
25		.02	.08				.05			.02	.08		25
26								.42	.2	.03	.33		26
27			.045			.28	.3	.66			.05		27
28			.13			.12		.235				.05	28
29					.055	.02	.14	.04		.29		.23	29
30		X	.03					.14		.12			30
31		X	.04	X		X		.06	X		X	.05	31
Total	1.905	.965	1.5	1.025	2.725	2.51	1.375	4.55	1.73	4.49	1.375	1.015	YEAR'S TOTAL 25.165
Rain Days.	16	9	15	13	12	13	8	23	10	21	16	13	169

REGISTER OF RAINFALL IN 1917

Kept at Repton
in the County of Derby
by H. C. Hayward

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Repton - Wilmington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 170 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.08		.04					.2	.06	.18	.02	1
2		.06		.05				.92	.03	.06		.43	2
3		.02	.04		.5			.08	.15	.025	.15		3
4	.02	.015						.06	.65	.07	.3	.37	4
5				.05	.155			.05	.26	.09			5
6	.02	.06	.02	.29		.07			.15	.14		.03	6
7	.05	.09		.08		.07			.17	.02	.135	.01	7
8	.01	.18	.1						.12	.08	.03		8
9	.04	.5		.08	~~1.35~~	.135	.11		.38	.235		.02	9
10	.06	.03		.11	~~1.7~~		.16		.03	.04	.04	.05	10
11	.06	.045		.03	.18		.07		.135	.03		.09	11
12		.19			.13		.17	.07	.19			.08	12
13	.01				.22				.22	.07			13
14	.34				~~1.03~~	.03	.26		.14	.15		.25	14
15	.39			.06	~~1.03~~	.07	.245		.24	.02		.185	15
16	.01			.07					.14	.08		.08	16
17	.23				.12	.095	.2		.28			.19	17
18	.4				~~1.1~~	.1	.03		.3			.36	18
19	.04	.03	.15	.105	~~1.8~~		.07			.09		.23	19
20	.1	.1		.26	~~1.13~~	.06	.23		.05		.04	.01	20
21	.06	.04		.08	~~1.13~~	.01	.06		.19	.02		.05	21
22	.105				.09	.055			.06	.08		.36	22
23					~~1.86~~				.05		.02	.04	23
24		.09					.24				.06		24
25						.03	.3	.39	.02	.03	.02	.045	25
26							.195	.06	.07		.11		26
27		.12						.33	.46		.1	.27	27
28		.115	.42					.09			.23	.31	28
29					~~1.8~~				.51			.05	29
30		X	.4					.02	.01		.16	.05	30
31		X	.115	X		X		.09	X	X			31
Total	1.975	1.765	1.245	1.305	2.415	.725	2.34	2.16	5.205	1.39	1.575	3.58	YEAR'S TOTAL 25.68
Rain Days.	18	17	7	13	10	11	14	11	27	19	14	24	185

REGISTER OF RAINFALL IN 1919

Kept at Repton
in the County of Derby
by H. C. Hayward

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 170 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.38	.01	.03	.01	.225		.05			.2	.05	.2	1
2		.04	.03				.18	.08	.09	.04	.13	.07	2
3	.14		.03		.06	.2	.15	.16			.21	.09	3
4	1.09	.01	.25		.02	.07	.02	.35	.11		.03	.24	4
5	.02	.12		.02			.02		.09	.025		.19	5
6	.025		.1		.34				.18			.04	6
7			.52	.065							.02	.01	7
8	.17		.05	.055		.02			.015		.01		8
9				.07									9
10			.37	.05							.04	.11	10
11	.03		.81		.04		.25					.03	11
12	.01		.22	.06		.35				.03	.09	.01	12
13	.24			.245		.03			.165	.05		.045	13
14	.4	.03		.115					.035	.03		.01	14
15	.2	.05		.09						.05	.01	.42	15
16	.2	1.36	.05								.17		16
17	.11	.26		.03	.04	.05					.37		17
18		.01	.26				.03	.26	.08		.06	.33	18
19	.08	.25	1.01			.14	.75	.63	.18	.01	.08		19
20	.33	.15	.17			.04	.4	.18			.27	.1	20
21	.06	.35	.03				.2		.02		.02	.245	21
22		.1							.43		.06	.91	22
23			.01			.03		.01		.89	.02	.02	23
24				.2	.11	.025	.04			.435	.13	.01	24
25	.09	.02		.065	.14	.02		.26			.05	.09	25
26			.3	.08		.045		.18	.13			.30	26
27	.055			.38				.06			.02	.03	27
28				.04				.68			.01	.35	28
29	.03		.03			.035		.07		.48	.1	.17	29
30	.03	X	.14	.08		.185		.02		.045	.03	.14	30
31	.01	X		X		X	.05		X	.04	X	.02	31
Total	3.70	2.76	4.41	1.655	.975	1.24	2.14	2.78	1.685	2.325	1.98	4.18	YEAR'S TOTAL 29.83
Rain Days.	21	14	19	17	8	14	12	12	13	13	23	26	192

REGISTER OF RAINFALL IN 1920.

Kept at Repton
in the County of Derby
by H. C. Hayward

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Repton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.23	.17		.29		.05	.17	.01	.2	1
2			.01	.27	.02		.47		.1	.1		.06	2
3	.025	.09		.13		.03	.65	.03	.12	.16		.04	3
4				.25			.06	.38	.02	.32			4
5		.01	.04	.01	.38		.21	.05	.3	.11			5
6			.27	.05	.12	.1	.09	.03		.01		.04	6
7	.01		.05	.065	.05		.1						7
8	.17	.06	.005	.48	.2		.27			.01			8
9	.4	.03		.31			.09	.07	.01				9
10	.34	.29	.07	.04			.2				.1		10
11	.24	.01	.02	.2	.505	.07	.02					.04	11
12	.04	.015	.01	.22	.01	.36	.02	.2		.01	.04	.2	12
13	.06	.2	.11	.36		.11			.03		.01	.02	13
14	.02	.06	.85	.13		.22	.02		.3		.18	.02	14
15	.01	.19	.1	.155			.025		.06	.16	.06		15
16			.005	.145	.04	.31	.2		.02	.23			16
17					.135				.7	.06		.02	17
18	.12	.01		.01	.05		.09	.06	.205				18
19	.08	1.1		.23	.02	.25		.05	.09				19
20	.07	.04		.26		.17	.03		.03				20
21	.02			.01			.22	.13				.055	21
22	.05	.01		.295			.05	.04		.01	.01	.02	22
23	~~.25~~	.01					.205	.06	.01			.39	23
24			.13	.02				.01				.12	24
25		.04	.16	.09		.04	.47			.01			25
26	.205	.02	.1	.05			.03					.01	26
27	.17	.03		.06	.36	.16			.02	.02	.3	.35	27
28	.94	.02	.03	.09	.04	.03	.03					.15	28
29	.03		.13		.28	.02			.1		.12	.48	29
30	.05	~~X~~		.24	.02	.08	.1				.19	.28	30
31	.19	~~X~~	.04	~~X~~	.06	~~X~~	.085		~~X~~	.22	~~X~~	.08	31
TOTAL	3.27	2.235	2.13	4.40	2.46	1.85	4.025	1.11	2.165	1.60	1.02	2.575	YEAR'S TOTAL
Days with .01 in. or more	22	19	17	27	17	13	25	12	17	15	10	19	28.84
													28.64
													2.13

SNELSTON

Kept at Snelston

in the County of Derby

by Arthur Evans

SNELSTON

RECTORY

DERBY

1912, 1914, 17, 18.

V 1912

Repull of Lanthier

ter of top 6 in.

of top above Ground 2 ft. 6 in.

Sea Level 500 ft.

ation 10 G. H.

y Station { Name Arthur, R. Shaffer
Distance 1 1/2 Direction West

FORM A2.
BRITISH RAINFALL
JAN 1913

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(.03)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	00	00	06	00	00	05	21.21	16	00	00	00	1
2	00	00	15	00	00	00	05	06	11	00	00	02	2
3	00	00	06	00	00	00	40	00	03	00	00	11	3
4	25	01	00	00	05	00	00	1.05	06	00	00	19	4
5	18	00	03	00	06	00	00	40	00	00	58	00	5
6	22	06	00	00	07	06	00	40	07	00	00	01	6
7	62	10	00	00	06	00	00	32	00	00	00	00	7
8	00	07	00	00	05	06	00	03	63	00	00	00	8
9	20	41	15	00	00	01	00	25	31	00	00	00	9
10	00	00	21	25	00	05.5	00	09	00	00	00	00	10
11	13	00	00	00	00	02	02	00	00	00	76	05	11
12	03	00	00	00	00	00	00	00	00	00	07	64	12
13	07	35	08	00	00	30	48	00	00	00	00	01	13
14	00	00	00	00	00	00	00	00	00	07	00	06	14
15	17	00	73	00	00	45	00	30	00	01	00	00	15
16	30	15	16	00	52	00	00	02	00	00	00	00	16
17	57	00	41	00	01	20	00	20	00	26	00	00	17
18	80	02	21	00	00	15	07	46	00	00	00	00	18
19	00	00	06	00	00	00	00	00	00	18	76	05	19
20	43	40	00	00	03	00	28	42	02	20	07	00	20
21	24	00	26	00	08	02	06	21	00	45	05	00	21
22	00	00	10	00	68	00	21	00	00	76	00	05	22
23	00	00	00	00	68	15	16	45	00	00	00	24	23
24	07	00	54	00	00	02	53	07	00	00	27	00	24
25	08	01	05	00	00	20	05	72	00	00	00	21	25
26	00	01	00	00	00	10	00	27	00	00	44	19	26
27	00	05	04	00	00	15	58	80	00	1.02	27	00	27
28	00	00	08	00	00	60	77	68	00	1.10	00	26	28
29	00	03	08	00	00	30	23	00	00	30	95	17	29
30	00	00	04	00	26	02	24	04	60	05	00	00	30
31	02	00	03	00	00	00	06	00	06	00	00	00	31
Total	5.06	1.65	4.08	0.33	2.44	3.96	3.87	8.04	1.99	6.68	3.55	3.31	TOTAL for year 42.83
No. of Rain Days.	5.08	1.65	4.17	0.25	2.44	4.04	4.00	7.99	1.83	4.46	3.58	3.34	166
	17	11	14	2	11	16	17	23	4	12	10	16	

copy by W
- for V

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
6 JAN 1913

SNELSTON

Kept at Snelston Rectory

in the County of Derbyshire

by Arthur Evans

PATTERN Reynolds's London
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 500 ft.

Time of Observation 10.4.12

Nearest Railway Station { Name Arbury, R. M. P.
Distance 1 1/2 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(.03)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.00	.00	.00	.00	.00	.31.21	.16	.00	.00	.00	1
2	.00	.00	15	.00	.00	.00	05	08	11	.00	.00	.02	2
3	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	3
4	.25	.01	.00	.00	.05	.00	.00	1.05	.06	.00	.00	.19	4
5	.18	.00	.03	.00	.06	.00	.00	.00	.00	.00	.58	.00	5
6	.22	.06	.00	.00	.07	.00	.00	.00	.00	.00	.00	.00	6
7	.12	.10	.00	.00	.00	.00	.00	.32	.00	.00	.00	.00	7
8	.00	.07	.00	.00	.05	.06	.00	.00	.00	.00	.00	.00	8
9	.20	.41	.15	.00	.00	.01	.00	.25	.31	.00	.00	.00	9
10	.00	.00	.21	.25	.00	.5.5	.00	.09	.00	.00	.00	.00	10
11	.12	.00	.00	.00	.00	.00	.00	.00	.00	.00	.76	.05	11
12	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.07	.66	12
13	.07	.35	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	13
14	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06	14
15	.17	.00	.73	.00	.00	.45	.00	.30	.00	.01	.00	.00	15
16	.30	.15	.16	.00	.52	.00	.00	.02	.00	.00	.00	.00	16
17	.57	.00	.41	.00	.01	.20	.00	.20	.00	.26	.00	.00	17
18	.80	.02	.21	.00	.00	.15	.07	.46	.00	.00	.00	.00	18
19	.00	.00	.00	.00	.00	.00	.00	.00	.00	.18	.76	.05	19
20	.43	.40	.00	.00	.03	.00	.28	.42	.03	.20	.07	.00	20
21	.24	.00	.26	.00	.00	.00	.00	.21	.00	.45	.05	.00	21
22	.00	.00	.10	.00	.00	.00	.21	.00	.00	.76	.00	.05	22
23	.00	.00	.00	.00	.00	.15	.16	.45	.00	.00	.00	.24	23
24	.07	.00	.54	.00	.00	.02	.53	.07	.00	.00	.27	.00	24
25	.08	.00	.00	.00	.00	.20	.05	.12	.00	.00	.00	.21	25
26	.00	.01	.00	.00	.00	.10	.00	.27	.00	.00	.44	.19	26
27	.00	.00	.04	.00	.00	.15	.58	.80	.00	1.02	.27	.00	27
28	.00	.00	.00	.00	.00	.60	.33	.68	.00	1.10	.00	.26	28
29	.00	.03	.00	.00	.00	.30	.23	.00	.00	.30	.45	.17	29
30	.00	.00	.00	.00	.26	.02	.24	.04	.60	.05	.00	.00	30
31	.02	.00	.00	.00	.00	.00	.00	.00	.00	.06	.00	.00	31
Total	5.08	1.65	4.08	0.33	2.44	3.46	3.87	8.04	1.44	4.46	3.55	3.31	42.83
No. of Rain Days.	17	11	14	2	11	16	17	23	4	12	10	16	166

REGISTER OF RAINFALL IN 1914

Kept at Saltley Rectory
in the County of Derbyshire
by Arthur Evans

Lat. _____ Long. _____
Time of Observation 9.5 AM
Nearest Railway Station Nottingham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.26	.13	.00	.00	.00	.00	.45	.00	.00	.08	.27	1
2	.00	.00	.09	.00	.00	.00	.05	.27	.00	.00	.00	.17	2
3	.00	.00	.00	.00	.00	.00	.52	.52	.00	.00	.45	.19	3
4	.00	.00	.27	.07	.37	.00	.08	.00	.00	.00	.00	.37	4
5	.30	.00	.10	.28	.25	.00	.00	.00	.00	.00	.35	.36	5
6	.17	.00	.28	.25	.21	.08	.20	.06	.00	.00	.45	.00	6
7	.00	.08	.00	.07	.25	.03	.00	.08	.00	.00	.03	.20	7
8	.00	.06	.43	.00	.18	.01	.08	.27	.00	.00	.00	.22	8
9	.30	.00	.00	.00	.23	.38	.04	.37	.07	.00	.00	.00	9
10	.51	.02	.05	.10	.00	.55	.00	.43	.16	.00	.03	.00	10
11	.08	.08	.03	.35	.18	.00	.00	.00	.28	.00	.00	.00	11
12	.00	.13	.66	.05	.67	.07	.00	.00	.00	.00	.46	.61	12
13	.00	.10	.21	.00	.00	.00	.03	.00	.54	.00	.37	.31	13
14	.02	.16	.12	.00	.00	.00	.04	.00	.09	.52	.37	.40	14
15	.00	.50	.16	.00	.00	.00	.05	.00	.02	.24	.23	.11	15
16	.00	.00	.17	.00	.00	.00	.00	.00	.00	.00	.27	.00	16
17	.00	.00	.06	.00	.00	.00	1.00	.00	.21	.00	.00	.00	17
18	.00	.19	.16	.00	.00	.00	.04	.00	.57	.00	.00	.38	18
19	.00	.00	.03	.00	.00	.01	.05	.00	.04	.00	.00	.47	19
20	.00	.03	.00	.00	.10	.00	.21	.00	.17	.00	.03	.11	20
21	.00	.19	.03	.00	.00	.00	1.05	.00	.00	.00	.00	.10	21
22	.00	.43	.00	.00	.04	.13	.00	.00	.00	.22	.00	.31	22
23	.00	.08	.00	.00	.00	.17	.00	.13	.00	.20	.17	.00	23
24	.00	.08	.23	.06	.00	.00	.21	.00	.00	.05	.08	.00	24
25	.00	.01	.92	.05	.14	.00	.24	.16	.00	.09	.27	.00	25
26	.07	.00	.00	.00	.00	.00	.25	.42	.00	.08	.20	.42	26
27	.03	.00	.00	.00	.00	.00	.11	.30	.00	.15	.00	.81	27
28	.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.10	.30	28
29	.44		.37	.00	.02	.00	.00	.00	.00	.02	.00	.00	29
30	.02	X	.11	.00	.00	.00	.00	.00	.00	.19	.00	.00	30
31	.00	X	.07	X	.00	X			X	.05	X	.41	31
Total	2.30	2.25	4.47	1.38	2.04	1.35	5.14	3.00	2.09	2.61	4.35	6.52	37.49
Rain Days.	23	20	22	9	12	9	19	12	10	12	17	19	16

REGISTER OF RAINFALL IN 1917

Kept at Inelston Hall
 in the County of Derby.
 by A. Bennett (Gardener to H. Stanton Esq.)

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Clifton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft. 9 in.
 " " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.12		.10		.33	.18			.26	1
2	.13					.7		.10			.10	.6	2
3	.7	.17				.8				.43			3
4	.30	.3	.13					.6		.64			4
5	.15		.15	.14					.5	.26	.22		5
6	.2					.40				.30	.12	.3	6
7	.67					.18				.56	.25	.14	7
8	.34			.16		.2		.66		.87	.16	.9	8
9	.4		.14	.36	.4			.36		.3	.28		9
10	.41		.68	.4	.48			.23	.8				10
11	.22			.20				.10		.33	.2		11
12	.8				.36			.26		.19		.6	12
13	.2			.13				.19	.20		.2	.3	13
14	.8			.7	.6			.51				.6	14
15				.1			.24			.6		.7	15
16	.4	.15		.17		.16	.13	~~.40~~	.2			.35	16
17	.1	~~.3~~	.3	.17	.32		.22	.49	.7	.10		.9	17
18		.3		.1	.33		.67	.14	.61	.17			18
19	.4	.27	.26		.12	.17		.2	.2		.2		19
20	.3	.30			.24	.43		.12	.21		.32		20
21		.3	.11		.22	.9		.3		.6			21
22	.2		.10					.8	.8	.13	.10		22
23		.20			.21	.3		.7		.10		.2	23
24						.64		.21		.57	.17	.5	24
25		.4	.13					.3			.14		25
26						.4		.42	.12		.89		26
27						.25	.28	.73		.20	.34	.2	27
28		.1	.6			.4		.42				.9	28
29			.1		.48		.11	.34		.22		.14	29
30		X	.5				.3	.38			.8		30
31		X	.10	X		X		.8	X		X		31
Total	2.67	1.23	1.95	1.58	2.86	2.65	1.75	6.36	1.64	5.22	3.23	1.56	32.70
Rain Days.	12	10	13	12	11	15	7	25	11	18	16	16	166

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Sutton Hall Gardens
in the County of Derby
by A. Bennett for Mr. L. A. Stanton Esq.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Stilton 7 1/2
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.13		.9	.8				.61	.9	.25	.3	1
2		.15		.14				.54	.13	.7		.44	2
3		.3	.3		.53			.14	.15	.3	.16		3
4	.6	.2						.6	1.32	.12	.30	.56	4
5		.1		.4	.17			.9	.11	.34	.13		5
6	.5	.22	.2	.33		.20			.20	.20		.2	6
7	.2	.10		.13		.2			.48	.3			7
8		.26	.16	.3			.2		.9	.5		.4	8
9	.23	.53		.6		.21	.3		.51	.55		.6	9
10	.6	.11		.8			.35		.3	.2	.11	.11	10
11	.11	.13					.2		.20			.09	11
12	.12	.25	.2		.12		.63		.40			.12	12
13	.1								.42	.6			13
14	.37					.6	.20		.48	.13		.32	14
15	.30				.1		.31		.48			.23	15
16						.1	.18		.33			.12	16
17	.25				.12		.61	.6	.3	.6		.22	17
18						.26	.42		.79			.29	18
19	.5	.3	.28	.4			.14			.4		.30	19
20	.10	.9		.20		.4	.45		.9			.2	20
21	.11	.4		.11	.38	.10	.8	.1	.20	.6		.12	21
22	.1				.63	.10	.23		.9	.1		.65	22
23	.4						.8		.11				23
24							.5		.8		.11	.9	24
25					.3	.2	.12	.69	.2	.2			25
26		.5					.45		.15		.15	.6	26
27		.10				.1		.67	.13		.24	.42	27
28		.8	.31						.4		.36	.63	28
29									.44				29
30		X	.43					.15			.25	.4	30
31		X	.16	X		X		.4	X		X		31
Total	182	2.33	1.41	1.31	2.07	1.06	4.40	25.4	8.11	1.88	2.06	5.01	34.30
Rain Days.	16	18	8	11	9	11	18	10	28	17	10	23	179

YEAR'S TOTAL

REGIST

SPONDON

THE HOMESTEAD
DERBY

1914-1919

Kept at The Homestead
in the County of Derby
by Henry Fowler

A.M. Spndon
5 in.
ve Ground 1 ft. 6 in.
Sea Level 255 ft.

FORM A.
BRITISH RAINFALL
18 JAN 1915

IMPORTANT NOTE.

If the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Trace.	Trace.	0.02	-	-	-	1.03	0.13.		Trace.	Trace.	0.06.	1
2	-	-	-	-	-	-	-	0.25.	-	-	0.36.	0.07	2
3	-	-	0.03	0.03	0.13.	-	0.21.	0.04.	-	-	0.04	0.01	3
4	-	-	0.03	0.13	0.11.	-	-	0.04	-	-	0.46.	0.35	4
5	0.42	-	0.16	0.25	0.31	0.18.	0.12.	0.06.	-	Trace	0.01	0.03	5
6	-	0.04	-	0.04	0.17.	-	0.06.	-	-	-	0.01	0.05.	6
7	-	0.08	0.32	0.05.	0.11	Trace.	0.10	0.34.	-	-	0.01	0.25.	7
8	0.10.	-	-	0.02.	0.12	0.56	Trace both days	0.01.	-	Trace	0.01	0.03	8
9	0.28	0.02	0.32	0.08.	0.01.	0.83	-	0.03.	-	-	0.03	Trace	9
10	0.14.	0.06	Rain both days	0.09.	0.04.	-	-	-	0.05	-	0.01	0.01.	10
11	-	0.05	0.02	0.02	0.06	0.09.	-	-	0.06	-	0.65.	0.42.	11
12	-	0.05	0.13	-	-	Trace	-	-	0.07	0.32 Rain both days	0.03	0.36.	12
13	-	0.10.	0.14	-	-	-	-	-	0.22.	-	0.41	0.28	13
14	0.04	0.10.	0.05.	-	-	-	0.04	-	Trace	0.14	0.26	0.27	14
15	0.02	-	0.15.	-	-	-	-	-	0.04	-	0.05.	0.02	15
16	0.02	-	0.03	-	-	-	0.50.	-	Trace	-	Trace	-	16
17	0.02	0.15.	0.05	-	-	-	0.07.	-	0.01.	-	-	0.26	17
18	Trace	Trace	Trace	-	-	Trace	0.09.	-	0.22.	-	-	0.55	18
19	Trace.	0.01	0.01	-	-	-	0.10.	-	0.02.	-	0.07	0.06.	19
20	-	0.09	-	-	-	0.04	0.05.	0.32	0.03.	Trace.	-	0.02	20
21	-	0.26	-	-	-	0.02.	0.02.	0.04.	0.02.	0.07	Trace	0.15.	21
22	Trace.	Trace	0.06	0.01	0.35	0.03.	0.01.	-	-	0.28	-	-	22
23	-	0.05	0.32	-	0.35	0.02	0.10.	0.04	-	Rain both days.	-	-	23
24	0.02	0.01	Rain both days	0.01.	0.10	-	0.07	0.10.	-	0.07	0.19.	0.01.	24
25	Trace	-	0.01	-	-	-	0.13.	0.49	-	0.48.	0.02	0.15.	25
26	-	-	0.03	-	-	-	0.02	Rain both days.	-	0.15.	0.05.	0.20	26
27	0.02	0.01	-	-	-	-	-	-	Trace.	Trace	Trace	0.40	27
28	0.21	0.07	0.05.	-	-	-	-	-	-	0.04.	0.31	0.70	28
29	0.03	X	0.12	-	0.01	-	-	-	-	0.30	Trace.	0.18	29
30	0.02	X	Trace	Trace	0.01	0.09	-	-	-	0.04.	0.42.	0.18	30
31	0.10.	X	-	X	Trace.	X	0.34.	-	X	0.08.	X	0.09	31
Total	1.44.	1.15.	2.03	0.73	1.70.	1.86	3.06	1.89	0.74	1.97.	3.39.	5.00	YEAR'S TOTAL 24.96
Rain Days.	19	19	24	17	15	17	19	14	13	18	24	28	217.

W. 8,000. X 14. 16 22 11 14 9 19 14 10 13 19 27 188

REGISTER OF RAINFALL IN 1914

Kept at The Homestead Spaldon

in the County of Derby

by Henry Fowler

Lat. _____ Long. _____

Time of Observation 8 A.M.

Nearest Railway Station Spaldon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 255 ft.

FORM A.
BRITISH RAINFALL
18 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	Trace.	Trace.	0.02	-	-	-	1.03	0.13.		Trace.	Trace.	0.06.	1	
2	-	-	-	-	-	-	-	0.25.	-	-	0.36.	0.07	2	
3	-	-	0.03	0.03	0.13.	-	0.21	0.04.	-	-	0.04	0.01	3	
4	-	-	0.03	0.13	0.11.	-	-	0.04	-	-	0.46	0.35	4	
5	0.42	-	0.16	0.25	0.31	0.18.	0.12.	0.06.	-	Trace	0.01	0.03	5	
6	-	0.04	-	0.04	0.17.	-	0.06.	-	-	-	0.01	0.05.	6	
7	-	0.08	0.32	0.05.	0.11	Trace.	} Rained both days.	0.10	0.34	-	-	0.01	0.25	7
8	0.10.	-	-	0.02.	0.12.	0.56		0.01.	-	Trace	-	0.03	8	
9	0.28	0.02	} Rain both days.	0.32	0.08.	0.01.	0.83	-	0.03.	-	-	0.03	Trace	9
10	0.14.	0.06		0.09.	0.04	-	-	-	0.05	-	0.01	0.01.	10	
11	-	0.05		0.02	0.06	0.09.	-	-	0.06	-	0.65.	0.42.	11	
12	-	0.05	0.13	-	-	Trace	-	-	0.07	} 0.32 Rain both days.	0.03	0.36.	12	
13	-	0.10.	0.14	-	-	-	-	-	0.22.		0.41	0.28	13	
14	0.04	0.10.	0.05.	-	-	-	0.04	-	Trace.	0.14	0.26	0.27	14	
15	0.02	-	0.15.	-	-	-	-	-	0.04	-	0.05.	0.02	15	
16	0.02	-	0.03	-	-	-	0.50.	-	Trace	-	Trace	-	16	
17	0.02	0.15.	0.05	-	-	-	0.07.	-	0.01.	-	-	0.26	17	
18	Trace	Trace	Trace	-	-	Trace	0.09.	-	0.22.	-	-	0.55	18	
19	Trace.	0.01	0.01	-	-	-	0.10.	-	0.02.	-	0.07	0.06.	19	
20	-	0.09	-	-	-	0.04	0.05.	0.32	0.03.	Trace.	-	0.02	20	
21	-	0.26	-	-	-	0.02.	0.02.	0.04.	0.02.	0.07	Trace	0.15.	21	
22	Trace.	Trace	0.06	0.01	0.35	0.03.	0.01.	-	-	} 0.28 Rain both days.	-	-	22	
23	-	0.05	0.32	-	0.25.	0.02	0.10.	0.04	-		-	-	23	
24	0.02	0.01	} Rain both days.	0.01.	0.10	-	0.07	0.10.	-	0.07	0.19.	0.01.	24	
25	Trace	-		0.01	-	-	-	0.13.	0.49	-	0.48.	0.02	0.15.	25
26	-	-	0.03	-	-	-	0.02	} Rain both days.	-	0.15.	0.05.	0.20	26	
27	0.02	0.01	-	-	-	-	-		Trace.	Trace	Trace	0.40	27	
28	0.21	0.07	0.05.	-	-	-	-	-	-	0.04.	0.31	0.70	28	
29	0.03.	X	0.12	-	0.01	-	-	-	-	0.30	Trace.	0.18	29	
30	0.02	X	Trace	Trace	0.01	0.09	-	-	-	0.04.	0.42.	0.18	30	
31	0.10.	X	-	X	Trace.	X	0.34.	-	X	0.08.	X	0.09	31	
Total	1.44.	1.15.	2.03	0.73.	1.70.	1.86	3.06	1.89	0.74	1.97.	3.39.	5.00	YEAR'S TOTAL 24.96	
Rain Days.	19	19	24	12	15	17	19	14	13	18	24	28	217.	

W. 8,000. X 14 16 22 11 14 9 19 14 10 13 19 27 188

Bad REGISTER OF RAINFALL IN 1915

Kept at The Handseall Spout in the County of Derby by Dorothea E. Fowler (Miss)

Lat. Long. Time of Observation 8 am Nearest Railway Station Spaulter Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground 1 ft. 6 in. Sea Level about 250 ft.

FORM A. BRITISH RAINFALL 1 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16	10	27	-	47	-	1.01	01	10	-	12	Trace	1
2	10	18	20	-	-	09	45	43	Trace	20	Trace	-	2
3	31	Trace	1	-	-	-	-	68	04	-	01	-	3
4	Trace	Trace	13	-	03	-	73	Trace	Trace	-	Trace	-	4
5	18	30	-	-	20	-	-	03	-	01	04	-	5
6	02	1	-	Trace	-	-	67	05	-	Trace	Trace	-	6
7	06	05	25	Trace	-	06	Trace	44	-	-	04	Trace	7
8	18	-	15	Trace	-	-	Trace	64	-	-	02	05	8
9	01	-	08	-	-	01	-	61	-	Trace	18	Trace	9
10	Trace	-	20	Trace	-	-	Trace	17	-	Trace	44	20	10
11	-	-	31	21	32	-	13	07	-	02	52	03	11
12	02	10	13	06	19	-	03	10	-	02	1.17	01	12
13	02	Trace	14	15	43	-	1	Trace	-	Trace	Trace	Trace	13
14	-	-	10	12	-	-	-	-	-	01	-	Trace	14
15	-	14	Trace	17	03	-	Trace	-	-	04	30	Trace	15
16	-	-	55	Trace	02	-	2.65	-	-	Trace	Trace	02	16
17	-	-	52	21	-	-	-	-	-	Trace	-	13	17
18	-	35	Trace	38	-	-	01	-	-	-	01	Trace	18
19	-	-	14	05	04	-	18	-	Trace	Trace	Trace	05	19
20	1	1	05	02	-	-	Trace	Trace	Trace	-	Trace	04	20
21	06	52	15	09	-	-	18	-	06	Trace	38	Trace	21
22	-	Trace	10	02	-	02	04	-	52	02	-	12	22
23	-	7	-	Trace	-	11	15	-	Trace	40	-	12	23
24	-	-	-	03	-	Trace	Trace	-	-	02	11	02	24
25	50	-	Trace	-	-	54	07	-	01	14	02	08	25
26	40	-	16	-	-	04	12	-	-	Trace	31	19	26
27	05	-	08	-	-	22	72	-	-	55	02	Trace	27
28	10	Trace	46	1	-	01	07	18	Trace	33	04	-	28
29	Trace	-	-	-	03	-	-	04	Trace	Trace	Trace	10	29
30	Trace	X	-	-	-	Trace	-	-	-	-	-	05	30
31	10	X	Trace	X	1.01	X	Trace	06	X	23	X	Trace	31
Total	2.27	1.81	4.17	1.51	2.83	1.10	7.21	3.51	73	1.99	3.73	1.76	32.02
Rain Days.	16	9	20	12	11	9	16	14	5	13	17	15	32.07

REGISTER OF RAINFALL IN 1915

Kept at The Homestead, Spandan, Derby
in the County of Derby
by Dorothea Fowler

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Spandan M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level about 250 ft.

FORM A.
BRITISH RAINFALL.
8. MAY 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.03.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	.05	-	.47	-	-	.01	10	-	12.	Trace	1
2	.06	13	18	13	-	.09	.01	43	Trace	20	Trace	-	2
3	.05	Trace	.02	12	.03	-	45	.06	.04	-	.01	-	3
4	.04	-	-	-	-	-	.13	Trace	Trace	-	Trace	-	4
5	.06	26	-	Trace	20	-	.01	.03	-	01	.04	-	5
6	.03	.09	Trace	11	-	-	-	.05	-	Trace	Trace	-	6
7	14	30	-	.01	-	.06	Trace	.04	-	-	.04	Trace	7
8	19	.04	Trace	-	Trace	-	Trace	.07	-	-	.02	.05	8
9	.02	-	-	15	-	.01	-	.01	.03	Trace	18	Trace	9
10	<u>1.41</u>	-	.03	Trace	-	-	Trace	17	.02	Trace	44	20	10
11	.03	-	Trace	.01	19	-	13	.07	-	.02	52	30	11
12	33	-	.04	23	32	-	.03	10	-	.01	1.17	10	12
13	.07	36	Trace	-	-	-	-	Trace	.01	Trace	Trace	Trace	13
14	.01	-	-	-	43	-	-	-	Trace	.01	-	Trace	14
15	.37	-	-	-	.02	-	Trace	-	-	.04	30	Trace	15
16	.01	18	-	.01	.03	-	<u>2.65</u>	-	-	-	Trace	.02	16
17	-	29	Trace	Trace	-	-	-	-	-	-	-	13	17
18	.01	.09	15	-	-	-	.01	-	-	Trace	.01	Trace	18
19	-	.07	Trace	-	.04	-	18	-	Trace	Trace	Trace	.02	19
20	-	-	-	.01	-	-	Trace	Trace	-	Trace	Trace	.13	20
21	23	-	-	.03	-	.02	18	-	-	-	38	.05	21
22	13	-	22	-	-	11	.04	-	.06	.02	-	.12	22
23	.01	.03	16	.03	-	-	15	-	52	40	-	.12	23
24	-	-	Trace	.04	-	54	Trace	-	Trace	.02	11	.08	24
25	-	-	.02	-	-	.04	.07	-	-	14	.02	.19	25
26	-	12	-	-	-	22	12	-	.01	Trace	31	Trace	26
27	-	.09	.01	-	Trace	Trace	.02	-	-	55	.02	-	27
28	-	34	.03	.02	.03	.01	.07	18	-	33	.04	.10	28
29	-	-	-	Trace	-	-	-	.04	-	Trace	Trace	.05	29
30	.07	~~X~~	-	-	-	Trace	-	-	Trace	~~X~~	-	.04	30
31	13	~~X~~	Trace	~~X~~	Trace	~~X~~	Trace	.06	~~X~~	23	~~X~~	Trace	31
Total	3.42	239	0.91	0.90	1.76	1.00	4.25	1.36	0.79	1.98	3.73	1.70	24.15
Rain Days.	22	14	11	13	10	9	16	14	8	13	17	16	163

REGISTER OF RAINFALL IN 1918.

Kept at *Sp. The Homeslead Spandon.*
 in the County of *Derby.*
 by *Mrs Dorothea Fowler.*

Lat. _____ Long. _____
 Time of Observation *8 a.m.*
 Nearest Railway Station *Spandon*
 Diameter of Funnel of Rain Gauge *5* in.
 Height of top of Gauge above Ground *2* ft. *6* in.
 " " " " Sea Level *250* ft.

FORM A.
 BRITISH RAINFALL
 28 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	-	.04	-	.03	-	49	14	-	.01	Trace	1
2	.02	-	Trace	-	-	32	-	14	Trace	-	.02	-	2
3	17	-	-	.04	-	Trace	Trace	15	Trace	10	.03	-	3
4	Trace	-	10	Trace	-	-	-	.05	.03	52	.08	-	4
5	.09	-	.08	.05	-	-	-	.06	-	Trace	.01	.08	5
6	.07	-	Trace	Trace	-	29	-	Trace	-	29	.05	-	6
7	.02	-	-	.02	-	20	-	Trace	-	42	.04	Trace	7
8	39	-	-	.01	-	-	-	49	-	53	.06	Trace	8
9	74	-	Trace	.09	-	-	.03	10	.03	Trace	29	17	9
10	.06	-	20	.05	55	-	-	.07	Trace	.05	.01	-	10
11	-	-	10	-	-	-	-	Trace	13	.02	-	-	11
12	34	-	.02	.02	11	-	-	Trace	Trace	.06	Trace	-	12
13	.02 ²	-	.01	.03	-	-	-	23	Trace	.02	-	14	13
14	.03	-	Trace	10	-	-	-	13	-	-	-	Trace	14
15	.05	.03	-	.01	.09	-	20	.09	-	.02	Trace	17	15
16	Trace	.02	-	Trace	-	-	Trace	12	-	Trace	-	Trace	16
17	.06	.05	-	10	29	11	20	.05	.03	Trace	-	-	17
18	10	-	Trace	.05	35	-	-	10	53	.02	-	-	18
19	.07	Trace	.01	.07	.07	20	-	.05	.01	Trace	Trace	-	19
20	.04	55	.08	-	30	.05	-	Trace	28	Trace	15	-	20
21	.05	.09	.05	-	15	-	-	.09	.05	.01	Trace	.02	21
22	-	.02	Trace	Trace	-	-	-	.07	13	.06	-	-	22
23	-	Trace	-	-	20	Trace	-	-	Trace	57	18	.05	23
24	-	10	Trace	-	.07	58	-	44	.03	Trace	~~005~~	22	24
25	-	Trace	.02	-	-	-	20	60	Trace	Trace	22	-	25
26	-	Trace	17	-	-	-	-	47	Trace	.01	.06	-	26
27	-	.02	Trace	-	-	50	-	.04	Trace	-	Trace	.05	27
28	-	-	.04	Trace	-	.05	20	15	-	.05	-	.08	28
29	-	-	.06	-	.01	Trace	.08	.06	-	Trace	-	17	29
30	-	~~X~~	Trace	-	-	Trace	Trace	14	-	.05	-	.06	30
31	-	~~X~~	.02	~~X~~	-	~~X~~	Trace	16	~~X~~	Trace	~~X~~	.04	31
Total	235	0.88	0.96	0.68	2.19	2.33	0.91	4.54	1.39	2.80	1.27	1.25	YEAR'S TOTAL 21.55.
Rain Days.	18	8	14	14	10	10	6	25	11	17	15	12	164.

REGISTER OF RAINFALL IN 1918

Kept at The Hornstead Spander
in the County of Deely
by Dorothy Jowler

Lat. 52° 10' Long. 8° 20'
Time of Observation 8 a.m.
Nearest Railway Station Spander
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level about 250. ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	32	18	05	-	-	-	-	20	01	16	10	1
2	-	Trace	02	-	-	-	-	30	10	-	Trace	02	2
3	06	-	05	04	51	-	-	14	05	-	24	40	3
4	05	23	-	07	Trace	-	-	05	75	03	28	Trace	4
5	-	-	02	05	11	-	-	17	35	13	-	31	5
6	07	32	-	20	Trace	05	-	Trace	04	10	-	Trace	6
7	-	-	-	04	Trace	03	-	Trace	21	06	09	03	7
8	Trace	20	07	01	-	-	-	-	12	06	-	Trace	8
9	09	14	03	08	-	11	15	-	35	28	02	02	9
10	08	11	-	03	-	-	-	-	02	1	-	02	10
11	02	02	-	04	17	-	-	-	09	Trace	03	04	11
12	04	16	-	Trace	10	-	06	-	17	-	Trace	05	12
13	Trace	Trace	Trace	-	13	-	10	-	35	01	"	12	13
14	27	05	-	-	-	-	08	-	29	17	"	01	14
15	14	Trace	-	05	01	-	30	-	16	Trace	-	19	15
16	17	-	02	08	-	-	01	Trace	35	02	Trace	12	16
17	31	-	-	Trace	-	06	27	03	32	-	-	05	17
18	20	-	-	-	-	09	08	-	-	-	-	13	18
19	03	Trace	12	-	-	-	01	-	01	15	-	32	19
20	04	-	01	41	-	07	02	-	Trace	Trace	-	35	20
21	-	-	-	Trace	45	02	03	-	23	06	Trace	01	21
22	-	11	-	-	50	01	-	Trace	-	08	01	03	22
23	30	12	01	-	79	-	07	-	04	-	Trace	49	23
24	-	-	-	-	-	-	10	-	05	04	02	Trace	24
25	-	-	-	-	-	-	48 ⁴⁸	30	02	Trace	05	03	25
26	Trace	-	Trace	-	-	-	40	08	05 ⁰⁵	-	Trace	Trace	26
27	02	-	Trace	-	-	-	-	38 ³⁸	19 ¹⁹	-	10	08 ⁰⁸	27
28	-	-	23	-	-	-	-	02	Trace	-	07	23	28
29	Trace	-	-	-	-	-	-	Trace	55 ⁵⁵	-	13 ¹³	53	29
30	-	X	44	-	-	-	-	02	01	-	01	01	30
31	-	X	06	X	-	X	-	03	X	-	X	09	31
Total	189	167	126	115	277	0.44	2.16	1.52	5.07	1.19	1.21	3.78	24.11
Rain Days	16	10	13	13	9	8	15	11	26	15	13	26	175

Kept at The Howstead Sporden
in the County of Derby
by Henry Fowler

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Sporden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.05	.02	.01	.23	-	.15	-	.05	.17			1
2	.10	.06	.01	-	.01	~~.04~~	.13	.02	.10	.09			2
3	.12	haze	.02	-	.07	.04	.11	-	.09	-			3
4	.03	.01	.01	-	.01	.09	haze	.10	.05	haze			4
5	.07	.05	.25	haze	-	.01	haze	haze	.18	haze			5
6	.02	.05	haze	~~haze~~ .02	.01	-	-	-	haze	-			6
7	.02	.03	.50	~~.01~~ .02	haze	~~.04~~	-	-	haze	-			7
8	.11	-	.03	.03	-	.02	-	-	-	-			8
9	haze.	-	.03	.02	-	-	-	-	-	-			9
10	.01	-	.37	.05	-	-	-	-	-	haze			10
11	.05	-	.60	haze	.15	-	.27	-	-	-			11
12	haze	-	.36	.05	haze.	.30	.03	-	.02	.04			12
13	.17	.01	.04	.15	-	.01	-	-	.21	haze			13
14	.35	.01	-	.17	-	-	-	-	.02				14
15	.30	.10	haze	.06	-	-	-	-	+				15
16	.15	.90	haze	.01	-	-	-	-	-				16
17	.03	.60	-	.05	.03	.03	.24	-	-				17
18	.01	.04	.21	-	.01	-	.03	.11	.01				18
19	.04	.25	1.20	-	-	.04	.70	58 ⁵⁵	.14				19
20	.34	.09	.25	-	-	.06	.59	.18	haze				20
21	.06	.37	.09	-	-	haze	.17	-	-	haze			21
22	haze	.10	haze	-	-	-	.01	-	.52	-			22
23	.01	haze	haze	-	-	-	-	-	.07	.73			23
24	.02	.02	-	.13	.11	haze	.12	-	haze	.54			24
25	.07	-	-	.02	.26	haze	-	.28	-				25
26	.01	-	.29	.06	-	haze	-	.17	.08				26
27	.04	-	.04	.32	-	.01	-	haze	-				27
28	.07	haze	-	.05	-	-	-	.51	-				28
29	.04	X	haze	haze	-	.01	-	.12	-				29
30	haze	X	.13	.08	-	.12	-	haze	-				30
31	haze	X	haze	X	-	X	.06	haze	X	X			31
TOTAL	2.41.	2.74.	4.45.	1.29	0.89.	0.74	2.61.	2.04.	1.54.	1.57.			YEAR'S TOTAL
Days with .01 in. or more	26.	17	19	18	10.	12.	13	9	13.	7			

REGI

2657

2656
FORM A.
BRITISH RAINFALL
-6 FEB 1914

Kept at Spondon
in the County of Derby
by Henry. Jowl

SPONDON HALL

1913 - 20

m.
Spondon
5 in.
Ground ft. in.
Sea Level ft.

IMPORTANT NOTE
previous day. If an Observer is requested to add the reading at 9 a.m. on 1st January for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

the result entered to the general rule, he is earnestly requested to enter it in the space provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04.	-	-	02	-	-	-	-	42.	-	-	04	1
2	02.	haze	06	01.	-	-	-	-	-	-	03.	-	2
3	01.	11	02	-	haze	-	-	-	01	-	-	-	3
4	04.	-	14	-	66.	-	-	-	01	-	04	02	4
5	88.	-	-	-	11	01.	-	-	01	36.	14	35	5
6	02.	01	09.	-	03	04.	-	02	03	75.	haze	02	6
7	-	08	11	01	37	08.	85	-	-	44.	-	01	7
8	-	04	02.	haze	06	03	-	-	-	45.	06	02	8
9	-	01	-	-	18	09	-	haze.	01	12.	04	haze	9
10	-	40	03	01.	01	80.	-	01.	-	-	13	02	10
11	01.	haze	haze.	08	haze	-	-	27.	-	haze.	33	-	11
12	98	haze	-	38.	-	-	-	23.	-	-	39	-	12
13	-	01	-	haze.	09	-	-	haze	-	haze.	49	-	13
14	haze.	haze	23	08	-	-	-	haze.	08.	-	15	-	14
15	15	01	48	-	-	-	-	08	-	10.	04	-	15
16	-	06	36.	33.	-	-	-	haze	09.	haze	07.	-	16
17	haze.	01.	-	05.	-	-	-	21.	16.	-	01.	-	17
18	02	04	37	11	05	-	01	-	10	01.	haze.	-	18
19	01.	-	16	10	07	-	06.	-	haze.	-	05.	04	19
20	05.	-	-	-	-	-	haze.	-	27	-	01	03	20
21	10	-	11	02.	-	-	-	-	03.	12	09.	-	21
22	01	-	07	-	01.	-	06	haze.	-	-	20	-	22
23	41.	-	43	-	-	-	-	87.	32.	-	01	-	23
24	09.	-	01	-	-	-	-	12	07.	-	01	-	24
25	-	-	-	02.	-	-	-	04	-	-	02	-	25
26	01	haze	-	04.	-	-	-	-	03.	02 ⁰¹	haze.	04.	26
27	-	12	13.	08.	19.	-	-	02.	01.	19	-	18	27
28	-	07	01	47	-	-	-	-	-	haze.	haze	02	28
29	47	X	15	57.	01.	-	-	-	haze	04	-	-	29
30	01	X	31	47.	02	-	-	44.	-	-	-	19	30
31	26	X	-	X	-	X	-	-	X	18	X	03	31
Total	3.59	0.77	3.29	2.87.	1.86	1.05	0.98	2.31	1.65.	2.78	2.31.	0.97	24.63
Rain Days.	3.55	0.77	3.31	2.85	1.86	1.05	0.98	2.73	1.23	2.78	2.35	0.97	24.63
	20	13.	20	19	14	6	4	12	16	12	21	13	170
													169

Kept at *Spondon. Derby.*
 in the County of *Derby.*
 by *Henry. Fowler.*

Lat. _____ Long. _____
 Time of Observation *8 A.M.*
 Nearest Railway Station *Spondon*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

2656
 FORM A.
 BRITISH RAINFALL
 -6 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	-	-	.02	-	-	-	-	42.	-	-	04	1
2	02	hace	06	01.	-	-	-	-	-	-	03.	-	2
3	01.	11	} ⁰² 16	02	-	hace	-	-	01	-	-	-	3
4	04.	-	14	-	06	-	-	-	01	-	04	02	4
5	88.	-	-	-	11	01.	-	-	01	36	14	35	5
6	02	01	09.	-	} ⁰³ 40	04.	-	02	03	75.	hace	02	6
7	-	08	11	.01	37	08.	.85	-	-	44.	-	01	7
8	-	04	02.	hace	06	03	-	-	-	45.	06	02	8
9	-	01	-	-	18	09	-	hace.	01	12.	04	hace	9
10	-	40	03	01.	01	80.	-	01.	-	-	13	02	10
11	01.	hace	hace.	08	hace	-	-	27.	-	hace.	33	-	11
12	.98	hace	-	38.	-	-	-	23.	-	-	39	-	12
13	-	01	-	hace.	09	-	-	hace	-	hace.	49	-	13
14	hace.	hace	23	08	-	-	-	hace.	08.	-	15	-	14
15	.15	01	.48	-	-	-	-	08	-	10.	04	-	15
16	-	06	.36.	33.	-	-	-	hace	09.	hace	07.	-	16
17	hace.	04.	-	05.	-	-	-	21.	16.	-	01.	-	17
18	02	04	37	11	.05	-	.01	-	10	01.	hace.	-	18
19	01.	-	16	10	07	-	06.	-	hace.	-	05.	04	19
20	05.	-	-	-	-	-	hace.	-	27	-	01	03	20
21	10	-	11	02.	-	-	-	-	03.	12	09.	-	21
22	01	-	07	-	01.	-	06	hace.	-	-	20	-	22
23	41.	-	43	-	-	-	-	87.	32.	-	01	-	23
24	} 09	-	01	-	-	-	-	12	07.	-	01	-	24
25	-	-	-	02.	-	-	-	04	-	-	02	-	25
26	01	hace	-	04.	-	-	-	-	03.	02 ⁰¹	hace.	04.	26
27	-	12	13.	08.	19.	-	-	02.	01.	19	-	18	27
28	-	07	01	47	-	-	-	-	-	hace.	hace	02	28
29	47	X	15	57	01.	-	-	-	hace	04	-	-	29
30	01	X	31	47.	02	-	-	44.	-	-	-	19	30
31	26	X	-	X	-	X	-	-	X	18	X	03	31
Total	3.59	.97	3.29	2.87.	1.86	1.05	0.98	2.31	1.65.	2.78	2.31.	0.97	24.68
Rain Days.	3.55	.97	3.31	2.85	1.86	1.05	.98	2.73	1.23	2.78	2.35	.97	24.63
	20	13.	20	19	14	6	4	12	16	12	29	13	170
													169

REG

2656

Kept at the Derby Sewage

SPONDON

in the County of

DERBY

S. W.

by J. Ward

1911-20

BRITISH RAINFALL FORM A2. 2656 JAN 1 1911

1 ft. 3 in. vel 135.36 ft. n.

Spoudon 150 Direction S. W.

IMPORTANT NOTE.—
previous day. If an Observer does not conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11				.04	.05			.01		1
2	.10		.03		.03	.04		.04			.04	.04	2
3				.01	.15			.13		.04	.06	.03	3
4	.02		.06	.04				.02	.10	.08	.16	.10	4
5	.02			.03				.02		.01	.01		5
6	.24							.03		.02	.03	.30	6
7		.05	.02	.01						.11	.08	.04	7
8	.11		.21								.10	.21	8
9	.04		.01								.14	.02	9
10	.03	.05	.10					.04				.44	10
11	.14							.24			.30	.01	11
12	.03		.35						.12		.14		12
13			.04						.02		.04	.29	13
14	.01	.03	.01		.53					.01		.50	14
15		.10	.06							.04		.08	15
16	.01	.03				.04				.01	.23	.04	16
17						.04					.04	.11	17
18		.22				.10				.01	.05	.05	18
19		.01			.01	.09	.02		.13	.05	.13	.06	19
20	.01	.08		.04			.01	.25	.09	.11		.20	20
21		.30	.02					.33	.15	.34		.04	21
22		.05	.02	.05						.50	.01	.23	22
23		.06	.13			.14			.51			.08	23
24		.10	.06	.13		.93				.10		.15	24
25		.28		.21	.16	.02			.03		.04	.11	25
26		.01		.24	.14	.01				.23	.32	.42	26
27		.22	.13	.08	.01			.52	.19	.01	.01	.09	27
28		.14		.25		.04			.04		.10	.01	28
29						.15			.14	.20	.01	.01	29
30				.05		.06				.22		.01	30
31			.02		.01					.02			31
Total	0.49	1.46	1.38	1.20	1.04	2.61	0.10	1.43	1.52	2.14	2.11	3.43	TOTAL for year 20.11
No. of Rain Days.	12	16	14	12	8	11	3	11	11	19	22	24	169

REG

Kept at the Derby Sewage Works Spondon

in the County of

Derby 6

by J. Ward Esq. M. Inst. C.E.

Pattern
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 1 ft. 3 in.
" " " Sea Level 135.36 ft. π
Time of Observation 9.0 a.m.
Nearest Railway Station { Name Spondon
Distance 150 yds Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11				.04	.05			.01		1
2	.10		.03		.03	.04		.04			.04	.04	2
3				.01	.15			.13		.04	.06	.03	3
4	.02		.06	.04				.02	.10	.08	.16	.10	4
5	.02			.03				.02		.01	.01		5
6	.24							.03		.02	.03	.30	6
7		.05	.02	.01						.11	.08	.04	7
8	.11		.21								.10	.21	8
9	.04		.01								.14	.02	9
10	.03	.05	.10					.04				.44	10
11	.14							.24			.30	.01	11
12	.03		.35						.12		.14		12
13			.04						.02		.04	.29	13
14	.01	.03	.01		.53					.01		.50	14
15		.10	.06							.04		.08	15
16	.01	.03				.04				.01	.23	.04	16
17						.94					.04	.11	17
18		.22				.10				.01	.05	.05	18
19		.01			.01	.09	.02		.13	.05	.13	.06	19
20	.01	.08		.04			.01	.25	.09	.11		.20	20
21		.30	.02					.33	.15	.34		.04	21
22		.05	.02	.05						.50	.01	.23	22
23		.06	.13			.14			.51			.08	23
24		.10	.06	.13		.93				.10		.15	24
25		.28		.21	.16	.02			.03		.04	.11	25
26		.01		.24	.14	.01				.23	.32	.42	26
27		.22	.13	.08	.01			.52	.19	.01	.01	.09	27
28		.14		.25		.04			.04		.10	.01	28
29						.15			.14	.20	.01	.01	29
30				.05		.06				.22		.01	30
31			.02		.01					.02			31
Total	0.49	1.46	1.38	1.20	1.04	2.61	0.10	1.43	1.52	2.14	2.11	3.43	TOTAL for year 20.11.
No. of Rain Days.	12	16	14	12	8	11	3	11	11	19	22	24	169

REGISTER OF RAINFALL IN 19 12.

Kept at
Derby Sewage Works, Spondon.

in the County of
Derby.

by
J. Ward. Esq. M. Inst. C. E.

Lat.
Long.

Time of Observation
9.0 a.m.

Nearest Railway Station
Spondon.

Diameter of Rain Gauge
5
ins.

Height of top of Gauge above Ground
1
ft.
3
ins.

Sea Level
135.36
ft.

BRITISH RAINFALL

JAN 1912

DISTANCE
150 yds.

DIRECTION
S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.24		.05	.04			.49	1
2		.01	.01			.25	.32					.04	2
3	.10		.02		.04	.18	.01	.68	.06			.04	3
4	.10		.30	.01	.13	.66		.34	.01		.24		4
5	.16	.04	.03		.05	.04		.10	.04		.02		5
6	.64	.18			.02	.01		.22				.05	6
7		.04				.08		.03	.01				7
8	.38	.23	.12	.04		.84	.01		.05			.01	8
9	.03	.01	.08	.16		.30		.04				.15	9
10	.01		.01					.09	.01		.31	.01	10
11	.08	.03				.12		.01			.08	.43	11
12	.06	.40	.11			.05	.34						12
13	.01	.01				.24				.05	.04		13
14	.10		.46			.20		.09					14
15	.12	.10	.13		.30	.15		.01				.04	15
16	1.10		.14		.04	.06		.15		.19	.01		16
17	.65		.13			.34	.04	.32			.02	.29	17
18	.28		.06			.01				.04	.01	.04	18
19	.25	.10	.01		.01		.40	.30		.04	.01		19
20	.20		.11		.26		.03	.05		.23			20
21	.01		.10		.54		.09	.03		.52		.02	21
22	.01	.12			.46	.42	.23	.63		.01		.20	22
23	.03	.15	.31		.01	.03	.38	.43			.10	.02	23
24	.12	.01	.03			.05	.48	.13			.01	.23	24
25		.01	.03			.26		.40		.01	.36	.23	25
26		.04	.06			.12	.31	1.03		.65	.15	.10	26
27			.02		.03	.21	.10	.05		1.03		.24	27
28		.03				.02	.14	.41	.03	.25	.58	.33	28
29			.04		.03	.10	.13	.03	.52	.09	.02		29
30	.01	X	.01		.65		.01		.09	.05			30
31		X	.04	X	.13	X	.38	.09	X		X	.03	31
Total	4.45	1.54	2.42	0.21	2.43	5.04	3.43	5.41	0.89	3.19	1.96	3.35	YEAR'S TOTAL 34.92
Rain Days.	22	14	25	3	15	25	14	25	10	13	15	20	204

REGISTER OF RAINFALL IN 1913.

Kept at Derby Sewage Works, Spondon.
in the County of Derby.
by J. Ward Esq. 196 Inst. C.E.

Lat. 52° 54' 40" Long. 1° 23' W.
Time of Observation 9.0 am.
Nearest Railway Station Spondon. 150 yds. S.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 ins.
" " " " Sea Level 135.36 ft.

FORM A.
BRITISH RAINFALL
3-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	.05	.01	-	-	-	-	.42	-	.03	-	1
2	.01	.10	.02	.01	-	-	-	-	.02	-	.03	-	2
3	.05	-	.16	-	.66	-	-	-	.01	.01	-	.04	3
4	.83	-	.01	-	.12	.01	.02	-	-	.33	.15	.40	4
5	.03	.01	.08	-	-	.02	.02	.01	.03	.80	.01	-	5
6	.01	.09	.11	-	.32	.06	.58	-	-	.41	-	.01	6
7	-	.04	.03	.01	.10	.03	-	-	-	.48	.02	.01	7
8	-	.01	-	-	.22	.08	-	-	-	.11	.03	-	8
9	-	.38	.04	.01	.02	.41	-	.02	-	-	.13	.02	9
10	-	.01	-	.08	.01	-	-	.28	-	-	.35	-	10
11	1.09	-	-	.38	-	.01	-	.23	-	-	.39	-	11
12	-	-	-	.01	.15	.03	-	-	-	-	.51	-	12
13	.03	.01	.28	.06	-	-	-	-	.06	-	.18	-	13
14	.08	.01	.48	.02	-	-	-	.08	-	.10	.04	-	14
15	.04	.06	.40	.39	-	-	-	-	.06	-	.10	-	15
16	.02	.01	.38	.02	-	-	-	.15	.15	-	.01	-	16
17	.01	.04	.04	.11	.03	.04	.01	-	.10	-	-	-	17
18	.02	-	.26	.09	.05	-	.06	-	-	-	.05	.04	18
19	.05	-	.08	-	-	.05	.01	-	.24	-	.01	.03	19
20	.10	-	.12	.02	-	-	-	-	.02	.12	.08	-	20
21	.01	-	.09	-	.02	-	.04	-	.01	-	.21	-	21
22	.40	-	.46	-	-	-	-	.91	.33	-	.01	-	22
23	.01	-	.01	-	-	.09	-	.12	.06	-	.02	-	23
24	.09	-	-	.02	-	.02	-	.14	-	-	.02	-	24
25	-	-	-	.05	-	.01	-	-	.03	.01	-	.04	25
26	-	.13	.14	.10	.04	-	-	.03	-	.19	-	.19	26
27	-	.02	.01	.50	-	-	-	-	-	-	-	.02	27
28	.46	-	.15	.66	.02	-	-	-	-	.04	-	.01	28
29	.01	X	.31	.42	.02	-	-	.43	-	-	-	.21	29
30	.28	X	.01	-	-	-	-	-	-	.18	.04	.03	30
31	-	X	.04	X	-	X	-	-	X	.01	-	-	31
Total	3.64	0.94	3.26	3.02	1.83	1.16	0.44	2.40	1.62	2.49	2.42	1.05	YEAR'S TOTAL 25.45
Rain Days.	22.	14	25	20	14	13	7	11	14	13	22	13.	188

REGISTER OF RAINFALL IN 1914

Kept at Derby Sewage Works Spondon

in the County of Derby

by J Ward Esq M. Inst C.E.

Lat. 52° 54' 40" Long. 1° 23' 11"

Time of Observation 9.0 am

Nearest Railway Station Spondon

Diameter of Rain Gauge 5 ins

Height of top of Gauge above Ground 1 ft. 3 ins

Sea Level 135.36 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this, almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02				1.04	.23			.01	.05	1
2							.01	.24			.41	.08	2
3			.03	.05	.10		.24	.03			.01	.01	3
4	.31		.04	.14	.11			.04			.42	.39	4
5	.08		.14	.28	.30	.14	.14	.01			.02	.03	5
6		.04		.04	.15			.02				.05	6
7		.09	.35	.05	.13	.01	.01	.04			.01	.24	7
8	.11		.01	.02	.14	.62	.08	.24				.02	8
9	.31	.01	.04	.09	.01	.83		.03	.04			.01	9
10	.14	.08		.10	.03				.09				10
11		.05	.24	.03	.06	.09			.02		.81	.45	11
12	.01	.05	.14						.20		.08	.38	12
13	.01	.09	.12							.31	.41	.32	13
14	.02	.09	.04				.04		.04	.18	.20	.23	14
15	.03		.14								.09	.01	15
16	.02		.02				.54		.01				16
17	.02	.13	.05				.06		.21			.30	17
18							.09		.02			.56	18
19		.01	.01				.09		.04		.05	.04	19
20		.09	.03			.02	.06	.04	.02	.09		.03	20
21		.30				.02	.02	.02		.24	.01	.29	21
22		.01	.02		.49	.01	.01	.05		.09			22
23		.06	.04	.01	.11		.04			.03			23
24	.02		.28		.09		.11	.09		.04	.21		24
25	.01		.01				.13	.25		.50	.02	.24	25
26			.03				.02	.14		.15	.05	.23	26
27	.03										.20	.33	27
28	.22	.08	.04							.05	.11	.44	28
29	.04	X	.13		.01					.30	.02	.01	29
30		X				.10				.05	.48	.21	30
31	.11	X		X		X	.35		X	.06	X	.02	31
Total	1.49	1.18	2.18	0.81	1.43	1.84	3.14	1.62	0.42	2.15	3.64	5.33	YEAR'S TOTAL 25.89
Rain Days.	14	15	23	10	13	9	19	15	10	13	20	26	190

REGISTER OF RAINFALL IN 1915

Kept at Deely Sewage Works, Spaldon
in the County of Derby
by John Ward M. Inst. C.E.

Lat. 52° 54' 40" Long. 1° 23' W
Time of Observation 9.0 am
Nearest Railway Station Spaldon M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 135.36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.14	.04	-	.49	-	-	.03	.24	.01	.11	.06	1
2	.08	.04	.19	.12	-	.08	.01	.40	.01	.17	-	.03	2
3	.51	-	.02	.13	-	-	.24	.86	.03	-	-	.21	3
4	.05	-	-	-	.04	-	.91	.01	-	-	-	.96	4
5	.06	.26	-	-	.20	-	-	.02	-	.01	.02	.33	5
6	.03	.11	-	.11	-	-	.68	.06	-	-	-	.06	6
7	.20	.32	-	.02	-	.07	.09	.45	-	-	-	.25	7
8	.18	.04	-	.14	-	-	-	.06	-	-	.03	.01	8
9	-	.01	-	-	-	-	-	-	-	-	.18	.47	9
10	.34	-	.07	-	-	-	-	.19	-	.02	.35	.01	10
11	.03	-	.01	.03	.32	-	.12	.07	-	-	.59	.14	11
12	.04	-	-	.20	.19	-	.03	.08	-	.02	1.15	-	12
13	.04	.37	-	-	.44	-	-	-	-	-	-	.04	13
14	-	.03	-	-	-	-	-	.22	.07	-	-	.21	14
15	.39	-	-	-	.03	-	-	-	-	-	.32	.06	15
16	.01	.20	-	-	.02	-	2.30	-	-	.02	-	.02	16
17	-	.31	-	-	.01	-	.18	-	-	-	-	.01	17
18	-	.09	.17	-	-	-	.02	-	-	-	.01	-	18
19	-	.06	.01	-	.03	-	.17	-	-	-	-	-	19
20	.21	-	-	.04	-	-	-	-	-	-	-	.09	20
21	.14	-	-	.03	-	-	.17	-	.01	-	-	.06	21
22	.01	-	.24	.02	-	.02	.06	-	-	-	-	.03	22
23	-	.03	.04	-	-	.13	.14	-	.05	.30	-	.23	23
24	-	-	.12	.03	-	-	.01	-	.46	.05	-	.25	24
25	-	-	.02	.01	-	.54	.06	-	-	.11	-	.17	25
26	-	.12	.01	-	-	-	.11	-	.02	-	-	.33	26
27	-	.08	-	-	-	.01	.76	-	-	.53	-	.22	27
28	-	.38	.03	-	-	.17	.01	.24	-	.01	-	-	28
29	-	X	-	-	.03	.02	-	-	-	-	.04	.30	29
30	.06	X	-	.03	-	.04	-	.03	-	.02	.03	.02	30
31	.15	X	X	X	X	X	.01	.04	X	.28	X	.18	31
Total	2.62	2.59	0.97	0.91	1.80	1.08	6.08	2.76	0.89	1.55	2.83	4.75	YEAR'S TOTAL 28.83
Rain Days.	19	17	13	13	11	9	20	15	8	13	11	2)	176

REGISTER OF RAINFALL IN 1916

Kept at Drury Sewage Works - Spendon
in the County of Drury
by John Ward M. Inst. C.E.

Lat. 52° 54' 40" Long. 1° 23' W.
Time of Observation 9.0 am.
Nearest Railway Station Spendon M.R.
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 3 ins
" " " Sea Level 135.36 ft.

BRITISH RAINFALL FORM A.
2636
3 JAN. 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	-	.34	-	-	.29	.15	-	-	-	.17	-	1
2	.38	.06	.18	-	.06	.02	.48	-	.04	.35	.18	-	2
3	-	.28	-	-	-	-	.12	-	.63	.34	.05	-	3
4	.16	.04	-	-	.50	.31	-	-	.02	.06	.19	-	4
5	.07	-	-	-	.05	.05	-	-	-	.09	.13	-	5
6	.16	.24	.35	-	.25	.03	.42	-	.01	.15	.27	-	6
7	.08	-	.33	-	.03	-	.19	-	-	.16	.09	.16	7
8	.01	-	.18	-	-	-	-	-	-	.07	.08	.21	8
9	-	-	.02	-	.42	.02	-	-	.03	-	.02	.07	9
10	-	.10	.05	.07	-	.05	.02	-	.04	.14	-	.05	10
11	.02	.33	.12	.21	-	.15	.01	-	.04	-	-	.07	11
12	.02	.04	.15	.11	.55	.04	.08	-	-	.02	-	-	12
13	-	.22	.05	.11	.05	.01	.02	.09	-	.02	-	.08	13
14	-	.07	-	.16	.08	-	-	.21	-	.16	-	-	14
15	-	.39	.65	.03	-	-	.05	.37	-	.02	-	-	15
16	.04	.20	.70	.21	.03	-	.19	.41	-	.01	-	-	16
17	.04	.10	-	.42	-	-	.04	.05	.11	.18	-	-	17
18	.01	.15	.03	.03	-	-	-	.03	.12	.04	1.01	.08	18
19	.07	-	.26	.02	-	-	-	.02	.18	-	.45	.06	19
20	.22	.08	.15	-	-	-	-	-	-	-	.03	.05	20
21	.02	.03	-	.03	-	-	.06	-	-	-	-	.27	21
22	-	.02	.01	-	.02	.04	-	-	-	.04	-	.35	22
23	.06	.28	-	.02	-	-	-	.04	-	.05	.13	.40	23
24	-	1.18	-	.03	-	.03	-	.04	-	.03	.04	.13	24
25	-	.28	.16	-	.05	-	-	.13	-	.09	.32	.02	25
26	.03	.10	-	-	-	.02	-	-	-	.07	.07	.01	26
27	.02	.13	.73	-	-	-	-	.15	.05	.17	-	-	27
28	-	.30	.26	-	-	.01	-	-	-	.03	-	.15	28
29	-	.27	.05	-	.02	.36	-	.53	-	.29	-	.26	29
30	-	X	-	-	-	.13	-	.02	-	.06	-	.01	30
31	-	X	-	X	-	X	-	.03	X	.12	X	.05	31
Total	1.50	4.89	4.77	1.45	2.11	1.56	1.83	2.12	1.27	2.76	3.23	2.48	29.97
Rain Days.	18	23	20	13	13	16	13	14	11	25	16	19	201
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1917

Lat. 52° 54' 40" Long. 1° 23' W

Time of Observation 9 0 a.m.

Nearest Railway Station Spondon. M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 135.36 ft.

Kept at Derby Sewage Works, Spondon.

in the County of Derby.

by John Ward, M. Inst. C.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.09		.02		.54	.12		.08	.08	1
2	.17					.33		.14	.02				2
3	.02	.11				.02		.13		.39	.04		3
4	.10	.02	.12					.05		.41			4
5	.07		.08	.06				.13	.04	.17	.08		5
6	.02					.49				.16	.09	.02	6
7	.49		.01			.15				.41	.09	.02	7
8	.68			.12			.02	.48		.49	.12	.14	8
9	.06		.12	.17	.02			.16		.02	.27	.02	9
10	.38		.46	.04	.64			.06	.03		.02		10
11	.09		.04	.12						.11			11
12	.08				.20	.15		.02		.11		.03	12
13	.07		.01	.03				.21	.11	.03	.01	.01	13
14	.15		.01	.08	.01			.18				.03	14
15	.03				.07		.18	.02		.02	.01	.10	15
16	.03	.08		.17		.01		.02				.25	16
17		.02	.03	.06	.28	.10	.13	.17	.09	.07		.02	17
18	.03	.01		.03	.30		.54	.07	.62	.02			18
19	.07	.23	.14		.05	.20		.10	.03				19
20	.03	.28	.01		.34	.06			.21		.04	.01	20
21	.01	.04	.08		.16	.11		.06		.02	.01		21
22	.01	.01	.08					.07	.09	.08	.01		22
23	.01	.05			.21			.06	.05	.15			23
24		.01	.01		.03	.55		.03	.01	.41	.15		24
25		.01	.07				.04			.03	.12		25
26			.01					.43	.13	.05	.26		26
27			.07			.42	.20	.52			.08		27
28			.12			.16		.30		.01		.10	28
29		X			.02		.08	.07		.27		.22	29
30	.02	X	.03				.02	.14		.08	.02	.02	30
31		X	.03	X		X		.05	X		X	.04	31
Total	2.63	0.87	1.53	0.97	2.33	2.77	1.21	4.21	1.53	3.51	1.52	1.11	YEAR'S TOTAL 24.19
Rain Days.	23	12	20	11	13	14	8	26	12	22	19	16	196 days

REGISTER OF RAINFALL IN 19 18.

Kept at Derby Sewage Works, Spondon.

in the County of Derby.

by John Ward M.Inst.C.E.

Lat. 52.54.40 Long. 1.23

Time of Observation 9.0 am

Nearest Railway Station M. S. Spondon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft.

Sea Level 135.36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.08	.02	.06	-	-	-	-	.27	.04	.15	.02	1
2	-	.13	-	.07	-	-	-	.37	.13	.04	.01	.41	2
3	-	.02	.04	-	.55	-	-	.14	.06	.01	.21	-	3
4	.01	.01	.01	-	-	-	-	.06	.90	.04	.26	.33	4
5	-	-	-	.04	.12	-	-	.14	.33	.12	-	-	5
6	.02	.06	-	.21	-	.07	-	-	.05	.11	-	.03	6
7	.02	.08	-	.27	-	.02	-	-	.30	-	.09	-	7
8	.01	.21	.16	.02	-	-	-	-	.08	.10	-	.02	8
9	.06	.76	-	.08	-	.11	.13	-	.38	.27	.03	.02	9
10	.06	.04	-	.04	-	-	.09	-	.01	.02	.04	.03	10
11	.07	.10	-	.02	.14	-	.09	-	.10	.01	-	.05	11
12	.01	.17	-	-	.11	-	.14	.02	.12	-	-	.12	12
13	-	.01	-	-	.11	-	-	-	.17	.09	-	.01	13
14	.29	-	-	-	-	.02	.15	-	.18	.15	-	.21	14
15	.37	-	-	.06	.01	.03	.29	-	.32	-	-	.14	15
16	.02	-	-	.08	-	-	.01	.02	.16	-	-	.05	16
17	.21	-	-	-	.04	.06	.22	.02	.35	.09	-	.14	17
18	.38	-	-	-	-	.08	.23	-	.28	-	-	.47	18
19	.05	-	.12	.11	-	-	.07	-	-	.05	-	.15	19
20	.05	.06	-	.18	-	.04	.06	-	.01	.01	-	.01	20
21	.09	.04	-	.07	.48	.01	.06	-	.24	.04	-	.03	21
22	.03	-	-	-	.66	.05	.06	-	-	.08	-	.50	22
23	.08	-	-	-	.91	-	.24	-	.05	-	-	-	23
24	.01	.09	-	-	-	-	.02	-	.04	.02	.05	.03	24
25	-	-	-	-	-	.03	.36	.28	.01	.02	-	-	25
26	-	-	-	-	-	-	.15	.07	.06	-	.14	.07	26
27	-	.03	-	-	-	-	-	.37	.18	-	.08	.24	27
28	-	.14	.27	-	-	-	-	.02	-	-	.17	.62	28
29	-	X	-	-	-	-	-	-	.62	-	.01	.02	29
30	-	X	.42	-	-	-	-	-	.02	-	.10	.09	30
31	-	X	.07	X	-	X	-	-	X	-	X	-	31
Total	1.90	2.03	1.11	1.31	3.13	.52	2.37	1.51	5.42	1.31	1.34	3.81	25.76
Rain Days	20	17	8	14	10	11	17	11	27	19	13	25	192
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1919.

Kept at Derby Sewage Works Spondon
in the County of Derby
by J. Ward Esq. Boro Surveyor

Date 52° 54' 40" Long 1° 23' W.
Time of Observation 9.0 a.m.
Nearest Railway Station Spondon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 125.36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	.02	.02		.24		.26		.05	.15	.04	.15	1
2	.11	.04	.01		.01		.15	.01	.10	.06	.18	.05	2
3	.96		.01		.05	.06	.04		.09		.20	.04	3
4			.22		.04	.06		.11	.05		.02	.45	4
5	.01	.08	.01	.01			.01		.14			.15	5
6	.01		.09		.36				.01		.01	.02	6
7	.02		.44	.02									7
8	.12		.03	.03		.02							8
9			.03	.02									9
10			.33	.04							.04	.05	10
11	.03		.46		.23		.25					.01	11
12	.01		.36	.04		.31	.05		.01	.03	.05		12
13	.19			.21		.01			.20	.02		.05	13
14	.34	.01		.13					.03				14
15	.22	.12		.03						.01	.02	.39	15
16	.16	.98									.14	.01	16
17	.05	.36		.03	.02	.04	.24				.33	.01	17
18		.02	.21				.03	.15	.02		.02	.28	18
19	.03	.24	1.22			.06	.94	.55	.12		.09	.02	19
20	.31	.13	.21			.03	.46	.14	.01		.23	.10	20
21	.08	.36	.02				.19		.02		.02	.45	21
22		.09							.65		.02	.60	22
23		.01							.01	.94	.02	.02	23
24				.12	.13	.01	.11			.36	.13		24
25	.08			.12	.34			.24	.04		.04	.10	25
26			.29	.02		.01		.14			.01	.23	26
27	.08	.01	.03	.31						.01		.04	27
28				.05				.56		.01		.33	28
29	.04	X						.08		.69	.04	.11	29
30	.03	X	.14	.04		.13				.04	.02	.11	30
31	.01	X	.03	X		X	.04		X	.04	X	.02	31
TOTAL	3.13	2.44	4.46	1.28	1.42	.74	2.83	1.98	1.61	2.42	1.46	3.49	YEAR'S TOTAL
Days with "1 in. or more	22	14	20	16	9	11	13	9	16	12	21	25	188

REGISTER OF RAINFALL IN 19 20

Kept at Spondon Sewage works
in the County of Derby
by Borough Surveyor

Lat. 52° 54' 40" Long. 1° 23' W
Time of Observation 9 am
Nearest Railway Station Spondon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 135.36 ft.

2358
2636
BRITISH RAINFALL
FORM A
JAN 1921
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.20	.18		.29	.01	.06	.15	.01	.15	1
2				.12	.01		.56		.06	.56		.10	2
3	.02	.03		.14		.01	.68	.01	.14	.16		.04	3
4				.14			.03	.36		.45		.02	4
5			.02	.01	.42		.22	.10	.04	.04		.01	5
6		.01	.36	.04	.10		.08	.01		.01		.02	6
7			.04	.05	.05		.08						7
8	.10	.04		.48	.12		.32	.01					8
9	.40	.04		.24			.02						9
10	.39	.38	.05	.02			.15				.02	.01	10
11	.30		.02	.11	.40	.18	.02					.02	11
12	.04		.01	.22	.02	.23	.02	.04			.04	.12	12
13	.06	.12	.04	.20		.34			.01				13
14	.01	.02	.61	.08		.58	.02		.22		.09	.02	14
15		.12	.20	.12			.01		.06	.22	.06		15
16		.01		.19	.01	.44	.16		.03	.08			16
17					.12	.01	.02		.68	.04		.01	17
18	.09			.05	.05		.02	.04	.10				18
19	.08	1.19		.08	.03	.14		.04	.04				19
20	.08	.04		.14		.24	.03						20
21	.06						.20	.13				.03	21
22	.03	.01		.18			.05					.06	22
23		.01					.13					.40	23
24	.02		.09	.06								.11	24
25		.03	.12	.10		.02	.55						25
26	.14	.02	.10	.04	.04		.02					.01	26
27	.10	.02		.03	.14	.22	.52			.01	.26	.34	27
28	.91		.04	.09	.01	.03	.02					.04	28
29	.02		.13		.30	.01	.12				.08	.63	29
30	.08	X		.22	.01	.10	.02		.08		.18	.31	30
31	.10	X	.05	X	.04	X	.10		X	.24	X	.14	31
Total	3.04	2.18	1.94	3.44	2.11	2.61	4.46	0.75	1.55	2.02	.44	2.59	24.46
Rain Days.	21.	16.	15.	26	18	14	28	10.	12	11	8.	21.	200

REGIS

Kept at *Water Works*
Stanton
 in the County of *Devon*

by *Frank Worrall, A.M.*
Engineer &

IMPORTANT NOTE

previous day. If an Obs
 requested to add the readi
 for it at the end of this paragraph. Full instructions for the measurement of rain,
 the selection and placing of rain gauges, and particulars as to the British Rainfall
 Organization are given in "Rules for Rainfall Observers," sent post-free on application to
 Dr. H. R. MILL, 62, Camden Square, London, N.W.

2647 - 105715
STANTON - 37 - 8th Dec W.W.

1915 - 1920

782802

15

Long.

9 a.m.
 ation *Melbourne*

of Rain Gauge *8* in. *2647*

Gauge above Ground *1* ft. *2* in.

" Sea Level *144* ft.

n. and the result entered to the
 st universal rule, he is earnestly
 ing year in the space provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.09</i>	<i>.14</i>	<i>.04</i>	<i>-</i>	<i>.58</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>.04</i>	<i>.09</i>	1
2	<i>.08</i>	<i>.08</i>	<i>.19</i>	<i>.12</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>.43</i>	<i>-</i>	<i>.18</i>	<i>-</i>	<i>.03</i>	2
3	<i>.52</i>	<i>-</i>	<i>.03</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>.50</i>	<i>.20</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>.20</i>	3
4	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.93</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.92</i>	4
5	<i>.05</i>	<i>.31</i>	<i>-</i>	<i>-</i>	<i>.15</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>.24</i>	5
6	<i>.03</i>	<i>.12</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>.64</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	6
7	<i>.18</i>	<i>.36</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.15</i>	<i>.04</i>	<i>.33</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>.26</i>	7
8	<i>.10</i>	<i>.04</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	8
9	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.34</i>	<i>.46</i>	9
10	<i>.41</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.15</i>	<i>-</i>	<i>-</i>	<i>.18</i>	<i>-</i>	10
11	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>.23</i>	<i>-</i>	<i>.09</i>	<i>.44</i>	<i>-</i>	<i>-</i>	<i>.58</i>	<i>.13</i>	11
12	<i>.05</i>	<i>-</i>	<i>-</i>	<i>.18</i>	<i>.14</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.94</i>	<i>-</i>	12
13	<i>.02</i>	<i>.48</i>	<i>-</i>	<i>-</i>	<i>.40</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	13
14	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>.25</i>	14
15	<i>.39</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>.04</i>	<i>.14</i>	<i>-</i>	<i>-</i>	<i>.35</i>	<i>.12</i>	15
16	<i>-</i>	<i>.31</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>3.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	16
17	<i>-</i>	<i>.24</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.21</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	17
18	<i>-</i>	<i>.04</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	18
19	<i>-</i>	<i>.08</i>	<i>.04</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>.19</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	19
20	<i>.11</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	20
21	<i>.08</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>.13</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	21
22	<i>.02</i>	<i>-</i>	<i>.18</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	22
23	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>.13</i>	<i>.16</i>	<i>-</i>	<i>.04</i>	<i>.21</i>	<i>-</i>	<i>.18</i>	23
24	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.54</i>	<i>.03</i>	<i>-</i>	<i>.19</i>	24
25	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.82</i>	<i>.18</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>.21</i>	25
26	<i>.02</i>	<i>.15</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>.31</i>	26
27	<i>-</i>	<i>.09</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.44</i>	<i>-</i>	<i>-</i>	<i>.48</i>	<i>-</i>	<i>.25</i>	27
28	<i>-</i>	<i>.19</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>.25</i>	<i>.10</i>	<i>.21</i>	<i>.08</i>	<i>.04</i>	<i>-</i>	<i>-</i>	28
29	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>.25</i>	29
30	<i>.04</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.29</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	30
31	<i>.10</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>.03</i>	<i>X</i>	<i>.20</i>	<i>X</i>	<i>.22</i>	31
Total	<i>2.30</i>	<i>2.44</i>	<i>.82</i>	<i>.66</i>	<i>1.54</i>	<i>1.44</i>	<i>4.29</i>	<i>2.19</i>	<i>.85</i>	<i>1.25</i>	<i>2.62</i>	<i>4.61</i>	<i>28.40</i>
Rain Days.	<i>18.</i>	<i>15</i>	<i>11</i>	<i>9</i>	<i>4</i>	<i>14</i>	<i>18</i>	<i>15</i>	<i>8</i>	<i>9</i>	<i>9</i>	<i>23</i>	<i>149</i>

YEAR'S TOTAL

REGI

RAINFALL IN 19 15

Kept at *Water Works Pumping Station*
Stanton-by-Bridge
 in the County of *Derbyshire*

by *Frank Worrall, A.M.I.C.E.*

Engineer & Surveyor, Long Eaton U.D.C.

Lat. _____ Long. _____

Time of Observation *9 a.m.*

Nearest Railway Station *Melbourne*

Diameter of Funnel of Rain Gauge *8* in.

Height of top of Gauge above Ground *1* ft. *2* in.

Sea Level *144* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.14	.04	—	.58	—	—	—	.03	—	.04	.09	1
2	.08	.08	.19	.12	—	.08	—	.43	—	.18	—	.03	2
3	.52	—	.03	.09	—	—	.50	.20	.02	—	—	.20	3
4	.01	—	—	—	—	—	.93	—	—	—	—	.92	4
5	.05	.31	—	—	.15	—	—	.04	—	—	.03	.24	5
6	.03	.12	—	.09	—	—	.64	.01	—	—	—	.06	6
7	.18	.36	—	—	—	.15	.04	.33	.02	—	—	.26	7
8	.10	.04	—	.05	—	—	—	.04	—	—	.03	—	8
9	—	.05	—	—	—	—	—	—	—	—	.34	.46	9
10	.41	—	.09	—	—	—	—	.15	—	—	.18	—	10
11	—	—	—	.03	.23	—	.09	.44	—	—	.58	<i>Sumo</i> .13	11
12	.05	—	—	.18	.14	—	.05	—	—	.02	.94	—	12
13	.02	.48	—	—	.40	—	—	—	—	—	—	.05	13
14	—	—	—	—	—	—	—	.03	.02	—	—	.25	14
15	.39	—	—	—	.04	—	.04	.14	—	—	.35	.12	15
16	—	.31	—	—	—	—	<i>3.04</i>	—	—	—	—	—	16
17	—	.24	—	—	—	—	.21	—	—	—	—	.01	17
18	—	.04	.09	—	—	—	.02	—	—	—	—	—	18
19	—	.08	.04	—	.03	—	.19	—	—	—	—	—	19
20	.11	—	—	.04	—	—	—	.05	—	—	—	.04	20
21	.08	—	—	.03	—	—	.13	—	—	—	—	.05	21
22	.02	—	.18	—	—	—	.06	—	—	—	—	.03	22
23	—	—	.03	—	—	.13	.16	—	.04	.21	—	.18	23
24	—	—	.06	.03	—	—	—	—	.54	.03	—	.19	24
25	—	—	—	—	—	.82	.18	—	—	.04	—	.21	25
26	.02	.15	—	—	—	—	.08	—	.04	—	—	.31	26
27	—	.09	.03	—	—	—	.44	—	—	.48	—	.25	27
28	—	.19	.04	—	—	.25	.10	.21	.08	.04	—	—	28
29	—	—	—	—	—	.05	—	.02	—	—	.04	.25	29
30	.04	<i>X</i>	—	—	—	.29	—	.01	—	.05	—	—	30
31	.10	<i>X</i>	—	<i>X</i>	—	<i>X</i>	—	.03	<i>X</i>	.20	<i>X</i>	.22	31
Total	2.30	2.44	.82	.66	1.54	1.44	4.29	2.19	.85	1.25	2.62	4.61	28.40
Rain Days.	18.	15	11	9	4	14	18	15	8	9	9	23	149

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916.

Kept at Stanton by Bridge
in the County of Derbyshire
by _____

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Melbourne (M.R.)
Diameter of Funnel of Rain Gauge 8" in 2647
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 144 ft.

2740
FORM A.
BRITISH RAINFALL
16 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	—	.41	—	—	.15	.13	—	—	—	.18	—	1
2	.25	.13	.14	—	.30	—	.79	—	.04	.34	.09	—	2
3	—	.35	—	—	—	—	.02	—	.13	.31	.65	—	3
4	.17	.04	—	—	.50	.38	.03	—	—	.09	.17	—	4
5	.03	—	—	—	.05	.16	—	—	—	.08	.20	—	5
6	.15	.12	.08	—	.34	.02	.40	—	—	.05	.40	—	6
7	—	—	.14	—	.01	—	.18	—	—	.08	.12	.16	7
8	—	—	.10	—	—	—	—	—	—	—	—	.16	8
9	—	—	.05	—	.32	.05	—	—	.04	—	—	.07	9
10	—	—	.09	.09	—	—	—	—	.03	.08	—	.03	10
11	.03	.27	.07	.19	—	.21	.66	—	.02	—	—	.09	11
12	.09	.04	.11	—	.53	.03	.30	—	—	—	—	—	12
13	—	.18	.05	.08	.04	—	—	.14	—	—	—	.06	13
14	—	snow .07	—	.07	.01	—	—	.15	—	.13	—	—	14
15	—	.63	.56	—	—	—	.06	.31	—	.07	—	—	15
16	.04	.11	.46	.24	.01	—	.24	.23	—	—	—	—	16
17	.04	.08	—	.38	—	—	.05	.06	.15	.19	—	—	17
18	—	.13	.03	.03	—	—	—	.01	.12	.02	.84	.05	18
19	.06	.06	.29	—	—	—	—	.09	.11	—	.44	—	19
20	.18	—	.05	.16	—	—	—	—	—	—	.03	.08	20
21	.05	—	.02	.18	—	—	.10	—	—	—	—	.25	21
22	—	—	—	.03	—	.04	—	—	—	.03	—	.31	22
23	.05	snow .23	—	.06	—	—	—	.03	—	.05	.11	snow .29	23
24	—	snow 1.46	—	—	—	.09	—	—	—	.04	—	snow .11	24
25	—	—	.17	—	.05	—	—	.14	—	.08	.28	—	25
26	.03	snow .05	—	—	—	.03	—	—	—	.06	.10	—	26
27	—	.09	.28	—	—	—	—	.13	—	.29	—	—	27
28	—	.21	snow .30	—	—	—	—	—	—	.02	—	.17	28
29	—	.22	—	—	—	.22	—	.59	—	.34	—	.29	29
30	—	X	—	—	—	.11	—	—	—	.03	—	—	30
31	—	X	—	X	—	X	—	.02	X	.11	X	.03	31
Total	1.29	4.44	3.40	1.51	2.16	1.49	2.36	1.88	.64	2.49	3.04	2.15	26.88
Rain Days.	14	15 4 snow	18 1 snow	11	11	12	12	12	8	21	13	13 2 snow	164

REGISTER OF RAINFALL IN 1917.

Kept at Water Works Pumping Station
Stanton-by-Bridge
in the County of Derbyshire
by Foreman in Charge of Works
Hong Salou Urban District Council.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Melbourne MR.
Diameter of Funnel of Rain Gauge 8 in. 2647
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 144 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.06 ^s	-	-	-	.74	.26	-	.01	.05	1
2	.10	-	-	-	-	.27	-	.15	-	-	-	-	2
3	-	.07 ^s	-	-	-	-	-	.08	-	.36	.06	-	3
4	.08	.08	.09 ^s	-	-	-	-	-	-	.56	-	-	4
5	.06	-	.03 ^s	-	-	-	-	-	.04	.23	.05	-	5
6	-	-	-	-	-	.50	-	-	-	.22	.10	-	6
7	part snow .38	-	-	-	-	.02	-	-	-	.43	.07	.03	7
8	do. .38	-	-	.13 ^s	-	.02	.03	.41	-	.53	.10	.12 ^s	8
9	.03	-	.11 ^s	.14 ^s	.04	-	-	.08	-	.02	.22	.02 ^s	9
10	snow .25	-	.40	.06 ^s	.98	-	-	.06	-	-	-	-	10
11	part snow .17	-	.01	.16 ^s	-	-	-	-	-	.21	-	-	11
12	.03	-	-	-	.24	.02	-	.05	-	.10	.01	-	12
13	snow .10	-	-	.08	-	-	-	.16	.10	.02	-	.04	13
14	-	-	-	.01	-	-	-	.23	-	-	-	.07	14
15	.04	-	-	.04	.05	-	.57	-	-	.03	.01	.10 ^s	15
16	-	-	-	-	-	-	-	.05	-	-	-	.17 ^s	16
17	.03	-	.04	.16	.44	.61	.28	.19	.12	.04	-	-	17
18	.06	.08	-	.04	.28	-	.34	-	.63	.02	-	-	18
19	-	.11	.11	-	.08	.18	-	-	.02	-	-	-	19
20	-	.21	-	-	.35	.06	-	-	.18	-	.06	.01	20
21	-	.04	.09 ^s	-	.39	.16	-	.07	-	-	-	-	21
22	-	-	.04	-	-	-	-	.09	.08	.06	-	-	22
23	-	-	-	-	.20	-	-	.10	-	.03	-	.01	23
24	-	.07	-	-	-	.61	-	-	-	.63	.10	-	24
25	-	-	.06 ^s	-	-	-	.05	-	-	.01	.06	-	25
26	-	-	-	-	-	-	-	.43	.27	.03	.22	-	26
27	-	-	.04	-	-	.63	.25	.59	-	-	.05	-	27
28	-	-	.09	-	-	.12	-	.23	-	-	-	.06	28
29	-	-	-	-	-	.02	.07	-	-	.34	-	.22	29
30	-	X	-	-	-	-	-	.18	-	.11	-	.02	30
31	-	X	.03 ^s	X	-	X	-	.10	X	-	X	-	31
Total	1.71	.66	1.14	.88	3.05	3.22	1.59	3.99	1.70	3.98	1.12	.92	23.96
Rain Days.	13	7	13	10	10	13	7	19	9	20	14	13	148

REGISTER OF RAINFALL IN 1918

Kept at Stanton-by-Bridge
in the County of Derbyshire
by Lough Eaton Urban District Council

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Melbourne M. 20. 26. 47
Diameter of Funnel of Rain Gauge 8 in. 10
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 144 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.07	-	.06	-	-	-	-	.19	.04	.19	-	1
2	-	.07	-	.08	-	-	-	.83	.04	-	-	.41	2
3	-	.07	.04	-	.63	-	-	.06	.07	.04	.20	-	3
4	-	.02	-	-	-	-	-	.08	.87	-	.35	.26	4
5	-	-	-	.06	.17	-	-	.08	.35	.14	-	-	5
6	-	.03	-	.27	-	.08	-	.02	.01	.14	-	-	6
7	^s .09	.10	-	.15	-	-	-	-	.35	-	.11	-	7
8	^s .03	.15	-	-	-	-	-	-	.11	.06	-	-	8
9	.01	.58	-	.09	-	.05	.12	-	.37	.18	.02	.02	9
10	.03	-	-	.05	-	-	-	-	.02	.03	-	.03	10
11	.04	.08	-	.02	.19	-	.10	-	.04	-	-	.08	11
12	-	.15	-	-	.09	-	.18	.02	.08	-	-	.09	12
13	-	-	-	-	-	-	-	-	.23	.04	-	-	13
14	^s .32 .39	-	-	-	-	-	.86	-	.18	.10	-	.24	14
15	^s .50	-	-	.08	-	-	.23	-	.24	-	-	.21	15
16	-	-	-	.07	-	.05	-	.02	.14	-	-	.05	16
17	.19	-	-	-	.02	.11	.22	-	.51	.08	-	.19	17
18	.42	-	-	-	-	.09	.24	-	.29	-	-	.37	18
19	.04	-	.09	^s .07	-	-	.03	-	-	.07	-	.18	19
20	.06	.10	-	^s .24	-	.04	.15	-	.02	-	-	-	20
21	.11	-	-	.05	.37	.02	.02	-	.08	.05	-	.08	21
22	-	-	-	-	.26	.02	.05	-	-	.08	-	.24	22
23	.10	-	-	-	.98	-	.09	-	.04	-	-	.01	23
24	-	.11	-	-	-	-	-	-	.03	-	.07	.02	24
25	-	-	-	-	-	.11	.19	.38	-	.03	-	-	25
26	-	-	-	-	-	-	.09	.05	.08	-	-	.02	26
27	-	^s .06	-	-	-	-	-	.19	.47	-	.15	.17	27
28	-	^s .14	.31	-	-	-	-	.04	-	-	.21	.25	28
29	-	-	-	-	-	-	-	-	.57	-	-	.04	29
30	-	X	.32	-	-	-	-	-	-	-	.08	.05	30
31	-	X	.08	X	-	X	-	.10	X	-	X	-	31
Total	2.04	1.73	.84	1.29	2.71	.57	2.57	1.87	5.38	1.08	1.32	3.01	24.47
Rain Days.	14	14	5	13	8	9	14	12	25	14	9	21	158

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at *Nutcracker Pumping Station*
Stanton - By - Bridge
in the County of *Derbyshire*
by *Engineer-in-Charge*

Lat. _____ Long _____
Time of Observation *9 a.m.*
Nearest Railway Station *Melbourne 2647*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *2* in.
" " " " Sea Level *144* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	-	-	-	.13	-	.48	-	.05	.15	-	.21	1
2	.11	.06 ^s	.03	-	-	-	.14	.09	.06	-	.14	.04	2
3	-	-	.02	-	.05	.07	.12	-	.09	-	.23	.08	3
4	-	-	.27	-	-	.06	-	.44	.10	-	-	.22	4
5	.02	.09 ^s	-	-	-	-	-	-	.19	-	-	.14	5
6	.02	-	.10	.02	.29	-	-	-	-	-	.01	.10	6
7	-	-	.41	-	-	-	-	-	-	-	-	-	7
8	.13	-	.08	.03	-	.03	-	-	-	-	-	-	8
9	-	-	-	.04	-	-	-	-	-	-	-	-	9
10	-	-	.35	.02	-	-	-	-	-	-	.04	.09	10
11	-	-	1.03	-	.10	-	.26	-	-	.03	-	-	11
12	.04	-	.19	.07	-	.30	.02	-	.02	-	.05 ^s	-	12
13	.23	-	-	.27	-	-	-	-	.25	.01	-	.03	13
14	.38	-	-	.11	-	-	-	-	.03	-	-	-	14
15	.18	-	-	.05	-	-	-	-	-	.02	-	.35	15
16	.15	1.45	-	-	-	-	-	-	-	-	.19 ^s	-	16
17	.06	.48	-	.05	.04	.03	.05	-	-	-	.27	-	17
18	-	-	.19	-	-	-	.03	.24	-	-	-	.22	18
19	.05	.27	.30	-	-	.09	1.17	.55	.17	-	.07	-	19
20	.23	1.08	.18	-	-	.03	.56	.16	-	-	.30 ^s	.12	20
21	.05	.36	.01 ^s	-	-	-	.20	-	-	-	.02	.26	21
22	-	.14	-	-	-	-	-	-	.43	-	.03	.69	22
23	-	-	-	-	-	-	-	-	-	.97	-	-	23
24	-	-	-	.13	.08	.02	.05	-	-	.35	.17	.08	24
25	.07	.05	-	.03	.21	-	-	.23	-	-	-	.05	25
26	-	-	.32	.04	-	.02	-	.17	.06	-	.03	.27	26
27	.10 ^s	-	-	slut- .31	-	-	-	-	-	-	-	.05	27
28	-	-	-	.03	-	-	-	.63	-	-	-	.28	28
29	.05	-	-	-	-	.03	-	.10	-	.50	.10 ^s	.16	29
30	-	~~X~~	-	.07	-	.17	-	.04	-	.05	.02	.16	30
31	-	~~X~~	-	~~X~~	-	~~X~~	.09	-	~~X~~	.01	~~X~~	-	31
TOTAL	2.24	3.98	3.48	1.24	1.00	.85	3.14	2.65	1.45	2.09	1.64	3.60	YEAR'S TOTAL
Days with ".01 in. or more	14	9	14	15	4	11	12	10	11	9	15	20	27.48 150

REGISTER OF RAINFALL IN 1920.

Kept at Shanton-by-bridge

in the County of Derbyshire

by Frank Wall Proc. M. Inst. C.E.
Engineer in Charge
Pumping Station

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Melbourne (M.R.)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 144 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.



Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.17	-	.06	.21	.09	.05	.06	-	.10	.23	.18	1
2	-	-	-	.23	.17	-	.24	-	.08	.19	-	.15	2
3	-	-	-	.25	-	-	.57	-	.05	.14	-	.04	3
4	.06	.07	-	.14	-	.02	.94	.02	.10	.15	-	.03	4
5	-	-	-	.17	-	-	.06	.34	.06	.39	-	-	5
6	-	-	.04	-	.39	-	.26	.06	.11	.07	-	-	6
7	-	-	.19	.04	.04	-	.09	-	-	-	-	-	7
8	-	-	.04	.06	.06	-	.12	-	-	-	-	-	8
9	.11	.07	-	.57	.12	-	.19	-	-	-	-	-	9
10	.32	-	-	.28	-	-	-	.03	-	-	-	-	10
11	.26	.27	-	.03	-	-	.25	-	-	-	.05	-	11
12	.21	-	.06	.07	.40	.14	-	-	-	-	-	-	12
13	.03	-	-	.21	-	.26	-	.07	-	-	.03	.27	13
14	.06	.16	.04	.38	-	.04	-	-	-	-	-	-	14
15	-	.06	.74	.11	-	.22	.40	-	.26	-	.10	-	15
16	-	.14	.21	.15	-	-	-	-	-	.08	.05	-	16
17	-	-	-	.13	.03	.23	.14	-	.10	.18	-	-	17
18	-	-	-	-	-	-	-	-	.51	-	-	.02	18
19	.12	-	-	-	.17	-	.05	.05	.13	.03	-	-	19
20	.08	.26	-	.16	-	.09	-	.03	.04	-	-	-	20
21	.06	.05	-	.23	-	.13	.02	-	-	-	-	-	21
22	.07	-	-	-	-	-	.22	.10	-	-	-	.02	22
23	.04	-	-	.24	-	-	.06	-	.02	-	-	.02	23
24	-	-	-	-	-	-	.18	.03	-	-	-	.34	24
25	-	-	.11	-	-	-	-	-	-	-	-	.10	25
26	-	-	.15	.06	-	.04	.42	-	-	-	-	-	26
27	.18	.06	.10	.04	-	-	-	-	-	-	-	.02	27
28	.21	-	-	.07	.12	.15	.03	-	-	-	.25	.32	28
29	.01	-	-	.03	-	.02	-	-	-	-	-	.11	29
30	.03	~~X~~	.19	-	.39	.08	.12	-	-	-	.11	.44	30
31	.04	~~X~~	~~X~~	~~X~~	.02	~~X~~	-	~~X~~	~~X~~	~~X~~	~~X~~	.34	31
TOTAL	.17	-	.06	.21	.09	.05	.06	-	.10	.23	.18	.04	YEAR'S TOTAL
Days with .01 in. or more	3.06	2.14	1.93	3.66	2.00	1.47	4.42	.73	1.56	1.46	.82	2.40	25.62
Days with .04 in. or more	17.28	15.9	12.7	23.2	12.2	13.2	20.2	10.4	11.2	9.4	7.1	15.5	159.28
	16.15	9.40	12.4	21.2	10.2	11.2	18.2	5.6	11.0	8.2	6.2	10.2	136.17

RE

Kept at

Totle

in the County of

Derby

by

W. A. W.

TOTLEY HALL

DERBY

1911-1920

FORM A2.
BRITISH RAINFALL.

8-JAN-1912

in.

round 1 ft.

a Level 700 ft.

we bore 2 Totley

distance 2 Direction S.

e result entered to the

al rule, he is earnestly

in the space provided

of rain,

Rainfall

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this page
the selection and placing of
Organization are given in "R"
Dr. H. R. MILL, 62, Camden

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.20				.08	.09		.08	.04		1
2	.30		.06		.17							.10	2
3	.03			.01	.18			.02			.22	.01	3
4	.04		.06	.12				.03	.05	.12	.36	.26	4
5	.04		.02	.07				.15		.19	.01		5
6	.44		.03					.18		.15	.50	.79	6
7	.04		.06								.17		7
8	.13		.19						.02	.05	.11	.68	8
9						.11				.24		.08	9
10	.04	.03	.08									.91	10
11	.34							.01			.57	.07	11
12	.06		.18						.63		.43	.01	12
13			.06								.10	.35	13
14		.06	.04		.37		.02				.05	.77	14
15		.15	.17	.02	.01					.09	.03	.25	15
16		.32	.06	.05		.12	.01			.07	.19	.07	16
17		.01	.06	.03		.57						.27	17
18		.32	.02	.03		.25	.05			.01	.20	.12	18
19		.16		.01		.08		.06	.39	.23	.24	.08	19
20		.12		.14		.02		.64	.28	.02	.01	.14	20
21		.43		.01		.01		.11	.05	.21		.03	21
22	.02	.06		.02			.02	.06		.24		.30	22
23		.33	.03	.02		.30	.02	.02	.24	.02		.16	23
24	.02	.12	.03	.11	.14	1.00		.06		.07		.25	24
25	.10	.27		.26		.01			.16	.03		.45	25
26		.06		.26					.01	.32	.50	.46	26
27		.18	.16	.30				.66	.38	.02	.02	.05	27
28		.13	.02	.24		.02		.08	.38		.06	.14	28
29			.02	.26		.10			.31	.36	.01	.05	29
30			.06	.03	.13	.16			.01	.42	.01		30
31			.13		.07					.12			31
Total	1.60	2.75	1.74	1.99	1.07	2.69	.20	2.17	~~2.69~~	3.06	3.83	6.85	TOTAL for year
No. of Rain Days.	13	16	22	19	7	13	6	14	13	21	21	26	30.64

RE

FORM A2.
BRITISH RAINFALL.

Kept at

Tottenham

in the County of

Derby

by

W. A. Milner.

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 700 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Dore & Tottenham
Distance 2 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.20				.08	.09		.08	.04		1
2	.30		.06		.17							.10	2
3	.03			.01	.18			.02			.22	.01	3
4	.04		.06	.12				.03	.05	.12	.36	.26	4
5	.04		.02	.07				.15		.19	.01		5
6	.44		.03					.18		.15	.50	.79	6
7	.04		.06								.17		7
8	.13		.19						.02	.05	.11	.68	8
9	.					.11				.24		.08	9
10	.04	.03	.08									.91	10
11	.34							.01			.57	.07	11
12	.06		.18						.63		.43	.01	12
13			.06								.10	.35	13
14		.06	.04		.37		.02				.05	.77	14
15		.15	.17	.02	.01					.09	.03	.25	15
16		.32	.06	.05		.12	.01			.07	.19	.07	16
17		.01	.06	.03		.57						.27	17
18		.32	.02	.03		.25	.05			.01	.20	.12	18
19		.16		.01		.08		.06	.39	.23	.24	.08	19
20		.12		.14		.02		.64	.28	.02	.01	.14	20
21		.43		.01		.01		.11	.05	.21		.03	21
22	.02	.06		.02			.02	.06		.24		.30	22
23		.33	.03	.02		.30	.02	.02	.24	.02		.16	23
24	.02	.12	.03	.11	.14	1.00		.06		.07		.25	24
25	.10	.27		.26		.01			.16	.03		.45	25
26		.06		.26					.01	.32	.50	.46	26
27		.18	.16	.30				.66	.38	.02	.02	.05	27
28		.13	.02	.24		.02		.08	.38		.06	.14	28
29			.02	.26		.10			.31	.36	.01	.05	29
30			.06	.03	.13	.16			.01	.42	.01		30
31			.13		.07					.12			31
Total	1.60	2.75	1.74	1.99	1.07	2.69	.20	2.17	~~2.33~~	3.06	3.83	6.85	TOTAL for year
No. of Rain Days.	13	16	22	19	7	13	6	14	13	21	21	26	30.64

REGISTER OF RAINFALL IN 1912

Kept at

Totley Hall

in the County of

Derby

by

W. A. Milner

Pattern
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 1 ft.
" " " Sea Level 700 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Dore & Ilkley
Distance 2 miles

FORM A2.
BRITISH RAINFALL
JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04	.13			.66	.07	.01	.08			1.33	1
2			.11	.05		.19	.61		.08			.06	2
3	.29	.05	.25		.14	.40	.01	.95	.28			.09	3
4	.20	~~.11~~	.49	.30	.21	.67		.50	.12		.28		4
5	.40	.06			.11	.11		.15	.20		.02		5
6	.87	.08						.30				.05	6
7		.06	.02	.03		.06	.01	.14	.06				7
8	.42	.39	.16	.09		.03	.14		.18				8
9	.12	.05	.12	.45		.14		.15				.09	9
10	.06			.01		.03		.09			.58		10
11	.16	.07		.01				.02			.08	.98	11
12	.07	.59	.08			.11	.90						12
13	.01							.07	.05	.14	.10		13
14	.08		.47	.02		.07		.14			.23		14
15	.23	.05	.13		.62	.17		.02			.31		15
16	1.02		.15		.14	.12		.08		.12	.01		16
17	.50	.02	.16			.30	.11	.19			.84		17
18	.17		.15				.02	.05			.18		18
19	.08	.08	.27				.64	.46			.03	.01	19
20	.25		.25		.28	.16	.15	.16		.28		.02	20
21	.01		.24		.62		.60			.29	.03	.05	21
22	.01	.08			.99	.11	.14	.49		.10		.12	22
23	.12		.30			.15	.73	.33				.04	23
24	.14		.03			.17	.22	.26			.12	.17	24
25			.02			.25		.17			.44	.17	25
26		.15	.09			.02	.17	.94		1.20	.16	.28	26
27		.02	.24			.27	.80			.88		.15	27
28			.05			.13	.24	.47	.14	.17	.76	.05	28
29			.26	.04	.14	.11	.20		.72	.10	.07	.10	29
30	.08		.10		.26	.05	.05		.05	.08			30
31			.30		.33		.27	.25				.02	31
Total	5.29	1.80	4.57	1.00	3.84	4.48	6.08	6.39	1.91	3.27	2.71	5.45	TOTAL for year
No. of Rain Days.	22	15	25	9	11	24	20	24	10	10	12	24	4679

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
- 2 JAN 1914

Kept at Totley Hall
in the County of Derby
by W. A. Milner

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Dore & Totley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.08	.07	.04					.14		.02		1
2		.07	.10	.02						.15	.12	.03	2
3	.08	.03	.24	.02	.28				.06	.50	.01	.37	3
4	.73	.11			.09		.12		.09	.02	.18		4
5	.05		.10			.26			.11	1.00		.02	5
6	.03		.10		.38	.10	1.00		.02	.88			6
7		.40	.08		.32	.24	.02			1.07	.06		7
8	.01	.10	.02		.56	.13	.04	.13		.82	.12		8
9		.36	.04	.01		.27				.15	.17		9
10	.05	.02	.01		.02	.10				.06	.15		10
11	.95			.48		.14				.04	.27		11
12					.02					.01	.25		12
13	.06		.15	.06					.13		.23		13
14	.14		.50	.15							.15		14
15	.12	.07	.49	.53			.05		.15		1.32		15
16	.02	.03	.25	.07				.02	.49		.15		16
17	.04			.24	.02				.61		.06		17
18	.04			.43	.08	.03					.16	.01	18
19	.22		.06	.23					.31		.02		19
20	.35		.05	.05							.21		20
21	.04		.01					.04		.07	.23		21
22	.24		1.04		.03			.75	.24		.25		22
23	.12					.10		.10	.12	.02			23
24	.27			.05							.01		24
25				.08					.07		.01	.12	25
26			.26							.15		.85	26
27		.09	.01	.43						.02		.25	27
28	.25		.25	.32						.06		.05	28
29	.02		.45	.41	.10			.50			.01	.15	29
30	.47			.01	.03					.45	.11	.06	30
31	.62		.05		.02					.01			31
Total	4.32	1.36	4.33	3.63	1.95	1.37	1.23	1.54	2.54	4.68	4.27	1.91	33.13
Rain Days.	23	11	22	19	13	9	5	6	13	15	24	10	173

W. A. Milner

REGISTER OF RAINFALL IN 1914

Kept at Totley Hall
 in the County of Derby
 by W. A. Milner

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Dore & Totley
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 700 ft.

FORM A.
 BRITISH RAINFALL
 11 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07				.80	.14				.23	1
2		.15	.03				.45	.18		.02	.26	.11	2
3	.10		.19		.12		.03	.10			.02	.63	3
4	.49		.30	.15	.28						.65	.47	4
5	.16		.23	.15	.25		.14	~~.45~~			.30	.49	5
6		.04	.25	.33	.12	.06	.12	.05				.24	6
7	.02		.20		.10	.03		.07				.17	7
8	.21		.02	.02	.20	.02	.09	.22	.48			.03	8
9	.25	.01		.15	.02	.90		.14					9
10	.24	.18	.01	.19	.10	1.05	.08		.05		.12	.01	10
11		.15	.33	.06	.03	.01	.02		.34		1.12	.45	11
12		.21	.14		.03	.14			.49		.24	.48	12
13		.14	.16			.02	.05		.10		.68	.49	13
14	.05	.34	.06						.01	.53	.28	.18	14
15	.02	.04	.23						.08	.04	.14		15
16	.10		.09				.62		.12				16
17	.06		.14				.03		.46			.64	17
18			.04						.05		.02	.28	18
19		.01	.10						.06		.07	.49	19
20		.27	.08							.08		.24	20
21		.60	.01			.54				.10		.17	21
22		.06			.15	.12	.13	.03				.03	22
23		.01	.07		.30		.10			.27			23
24	.03		.28	.06	.14		.39	.43			.13	.04	24
25	.05			.05			.23	.17		.79	.11	.29	25
26	.04		.10				.02	.23		.25		.23	26
27	.05		.08							.06	.12	.92	27
28	.15	.22	.05				.12			.10	.03	.34	28
29	.08		.13							.71	.12	.07	29
30		X						.02			.22	.40	30
31	.28	X		X		X	.25		X	.22	X	.02	31
Total	2.39	2.43	3.39	1.16	1.84	2.89	3.67	1.78	2.24	3.17	4.63	8.14	37.72
Rain Days.	18	15	26	9	13	10	18	12	11	12	18	27	189

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Totley Hall
in the County of Derby
by W. A. Milner

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Sore & Totley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 700 ft.

FORM A.
BRITISH RAINFALL
8 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'32	'21	'03		'36			'07	'08			'35	1
2	'09	'17	'24	'18		~~'03~~	'03		'01			'03	2
3	'89		'03	'10		~~'39~~	'37		'02			'37	3
4	'05	'01			'08	~~'70~~	'70	'01				'65	4
5	'05	'21	'05					'08				'60	5
6	'17	'20				'33	'33	'08			'07	'21	6
7	'39	'39	'05			~~'14~~	'14	'64		'01		'36	7
8	'27	'21						'20			'12	'05	8
9		'06						'12			'30	'58	9
10	'65		'03					'04		'02	'41	'10	10
11	'27				'45					'08	'73	'62	11
12	'06				'31			'08			<u>1.85</u>		12
13	'09	'76			'10			'28				'10	13
14	'05	'03				~~'02~~	'02		'01			'33	14
15	'94					~~'01~~	'01				'34	'13	15
16		'46			'13	~~'17~~	'17	'03				'02	16
17		'34				~~'17~~	'17	'04					17
18		'34						'01			'03		18
19	'01	'13	'17		'02	'26	'26					'01	19
20	'14					~~'06~~	'06					'12	20
21		'01				~~'21~~	'21					'06	21
22		'01		'06		~~'14~~	'14					'08	22
23	'03		'24	'03		~~'07~~	'07			'48	'03	'17	23
24				'05			'02		'47	'08		'40	24
25			'02	'05		'90	'07		'07	'02		'11	25
26	'03	'49				'03						'05	26
27		'28				'18				'52		'68	27
28		'57				'02		'36		'08		'02	28
29						'50		'01			'15	'74	29
30	'27	X		'04		'05		'03			'02	'03	30
31	'13	X		X		X		'08	X	'31	X	'40	31
Total	4.90	4.82	.86	.57	1.45	1.68	4.32	2.16	.66	1.60	4.05	7.37	YEAR'S TOTAL 34.38
Rain Days.	20	19	9	7	7	6	16	17	6	9	11	28	155

made

Ord. CSE

2821

REGISTER OF RAINFALL IN 1916

BRITISH RAINFALL FORM A.
6 JAN 1917

Kept at Totley Hall
in the County of Derby
by W. A. Milner

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Don + Totley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'37	'05	'28			'15	'18				'28		1
2	'33	'19	'35				'08		'11	'24	'07		2
3	~~'40~~	'40	'02			'02	'11		'50	'24	'20		3
4	'17	'07			'60	'38	'03		'17	'19	'54		4
5	'17	'01			'05	'57				'50	'65	'01	5
6	'30	'68	'30		1'00	'05	'32			'07	'47	'02	6
7	'12	'01	'32	'01	'17		'41			'35	'15	'18	7
8		'03	'75			'07				'01	'13	'05	8
9	'02		'10		'40	'16	'02		'05		'05	'61	9
10	'05	'07	'06	'17	'36	'40	'05		'13	'04	'02	'08	10
11	'03	'41	'35	'21		'10	'01		'05			'16	11
12	'10	'06	'68	'06			'27	'02				'08	12
13		'08	'38	'26			'01	'19				'03	13
14		'25	'03	'24	'21			'29		'15	'02	'04	14
15		'74	'66	'03			'09	'27	'04	'13			15
16		'48	'55	'20			'09	'35		'01			16
17	'03	'17		'71			'07	'03		'15	'02		17
18		'41	'01	'16				'03	'22		1'38	'06	18
19	'19	'03	'39	'23				'05	'24		'48		19
20	'20		'33	'07				'02	'02		'02	'14	20
21	'10		'15	'01								'20	21
22		'10		~~'05~~						'12		'38	22
23	'06	'18		'05		'01		'05		'03	'18	'28	23
24		'85	'02	'04		'16		'08		'07		'24	24
25		'16	'40		'06			'17		'19	'37	'02	25
26		'24	'11					'07		'17	'10		26
27	'02	'38	'09					'20		'27			27
28	'01	'52	'11			'28	'06			'02	'01	'09	28
29	'02	'45	'01			'52		'04	'03	'66		'45	29
30		~~'45~~				'06			'01	'16		'02	30
31		~~'45~~		~~'01~~		~~'06~~			~~'01~~	'25	~~'01~~	'54	31
Total	2'24	7'04	6'45	2'45	2'85	2'93	1'80	1'86	1'57	4'02	5'14	3'68	42'03
Rain Days.	18	26	24	15	8	14	15	15	12	22	19	21	209

REGISTER OF RAINFALL IN 1917

Kept at Totley Hall
in the County of Derby
by W. A. Milner

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Dore & Totley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 700 ft.

FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12			.34		.07		.30	.23		.12	.08	1
2	.22					.13		.10			.03	.06	2
3	.01	.16		.02		.05		.19		.13	.12	.01	3
4	.10	.01	.14					.09		.26			4
5	.23		.13	.10				.01	.03	.16	.12		5
6	.01			.03		.19				.31	.20	.02	6
7	.35					.24				.81	.06	.08	7
8	.54			.38				.60		.75	~~.33~~		8
9	.04		.10	.08	.10			.01		.17	~~.33~~		9
10	.34		.75	.11	.18			.20	.03	.01	~~.37~~		10
11	.16		.01	.51	.01			.44		.37		.01	11
12	.12			.02	.17			.27		.08		.07	12
13	.12			.25	.02	.12		.24	.17	.06		.02	13
14	.40	.01	.04	.10				.12				.18	14
15	.06			.01	.01		.05			.04		.18	15
16	.17	.09		.21		.12	.04	.09				1.06	16
17	.05	.02	.03	.09	.46	.04	.16	.24	.02	.04		.16	17
18	.04		.01	.05	.05		.50	~~.08~~	.36	.04			18
19	.04	.20	.27		.14	.25		~~.08~~	.05		.10		19
20	.04	.22	.02		.30	.39		<u>.01</u>	.10		.16	.04	20
21	.01	.03	.15		.06	.06		.05		.04			21
22	.05		.16			.07		.19	.04	.04	.03		22
23	.01	.03			.15	.07		.09	.01	.25			23
24						.24		.09		.68	.35		24
25		.01	.22							.04	.20		25
26			.01				.06	.36	.12	.06	.39		26
27			.07			.20	.17	.82	.02		.21	.14	27
28			.05			.08		.81				.07	28
29	.01		.03		.02		.05	.08		.36		.08	29
30	.02	X	.69				.10	.15		.05	.05		30
31	.01	X	.25	X	.01	X		.09	X	.03	X	.02	31
Total	3.27	.78	3.23	2.30	1.68	2.32	1.13	5.72	1.28	4.78	2.84	2.28	31.58
Rain Days.	26	10	19	15	14	16	8	26	12	23	16	27	31.51

REGISTER OF RAINFALL IN 1918

Kept at Totley Hall
in the County of Derby
by W. A. Milner

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station One mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 700 ft.



IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06	.03	.02	.02				.32	.07	.44	.02	1
2		.12		.06				.39	.20	.02		.51	2
3		.02	.09		.88			.38	.03		.10		3
4		.02	.05		.01			.06	.56	.07	.42	.41	4
5			.03	.02	.37			.19	.41	.36		.01	5
6		.49	.03	.41		.10		.02	.01	.14		.01	6
7	.09	.05		.10			.01		.58	.10	.20		7
8	.01	.36	.02	.04			.05		.57	.07	.06		8
9	.61	.79	.06	.20		.13	.07		.60	.36	.02	.02	9
10	.13	.10		.07			.19			.01	.13	.09	10
11	.41	.09		.02	.11		.15		.15			.05	11
12	.07	.19	.01	.32	.06	.01	.65		.25			.20	12
13	.05	.02		.07	.06				.42	.09			13
14	.62			.01		.16	.15		.65	.08		.20	14
15	.38					.06	.39		.95			.23	15
16				.01		.06	.20	.02	.19	.06		.28	16
17	.33		.06		.09		.97	.09	.08	.10		.27	17
18	.32		.01	.01		.10	.14		.87			.35	18
19	.12		.25	.09			.10	.03	.14	.10		.47	19
20	.08	.16		.07		.08	.02		.10	.10			20
21	.20	.14		.05	.39	.11			.33	.11		.03	21
22	.05	.04				.10	.10		.18	.05		.70	22
23	.05				.51		.11		.15		.04	.10	23
24		.08					.16		.08	.01	.05	.08	24
25						.05	.18	.22	.03	.03			25
26		.01					.24	.04	.30		.08	.13	26
27		.08	.01			.02		.26	.31	.01	.05	.30	27
28		.09	.40					.07	.20		.14	.51	28
29									.13			.25	29
30		X	.47			X		.03	.01		.09	.28	30
31		X	.19	X		X		.04	X		X	.01	31
Total	3.52	2.91	1.71	1.57	2.50	.98	3.88	1.84	8.80	1.94	1.82	5.51	36.98
Rain Days.	16	19	15	17	10	12	18	14	29	20	13	26	208

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Totley Hall
in the County of Derby
by W. A. Milner

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Sovereign
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.53	.04			.40		.23	.05		.13	.09	.31	1
2	.16	.03	.07		.25		.22	.16	.40	.02	.21	.06	2
3	.95				.04	.12	.82		.11		.32	.24	3
4	.09		.28			.02	.12	.15	.16		.03	.43	4
5	.08	.05	.02		.05		.01		.18		.01	.61	5
6	.02		.28		.72					.07	.02	.37	6
7	.05		.34		.07						.01	.01	7
8	.26		.03							.03			8
9	.03		.07			.03					.05		9
10			.19	.05						.01	.03	.12	10
11			1.18	.09	.05		.04				.03		11
12			.80	.15		.18	.12		.28	.01	.02		12
13	.27			.27		.03	.02		.87	.13	.01	.05	13
14	.29		.01	.24				.04	.12		.10	.02	14
15	.32	.11		.06							.05	.35	15
16	.29	.72		.10		.02	.02				.17	.01	16
17	.13	.96		.02		.08	.12	.09			.39		17
18			.24		.01		.03	.21	.06		.02	.49	18
19	.08	.27	1.40			.08	1.50	.48	.03		.40	.01	19
20	.35	.10	.55			.12	.63	.09	.04		.46	.16	20
21	.08	.39	.01			.01	.13		.03		.01	.55	21
22		.17						.06	.49		.12	.76	22
23						.12			.05	.82	.07	.33	23
24				.28	.09	.03	.02	.03		.61	.16	.10	24
25	.07			.44	.15	.02		.60			.18		25
26	.03		.44	.08				.30	.15	.02	.02	.41	26
27	.15		.19	.25				.03			.04	.10	27
28	.04	~~2.84~~		.08		.01		1.08		.05		.37	28
29	.11		.08	.03				.04		1.45		.20	29
30	.07	~~X~~	.17	.09		.35				.10	.15	.21	30
31	.02	~~X~~	.01	~~X~~		~~X~~	.14		~~X~~	.12	~~X~~	.04	31
TOTAL	4.47	2.84	6.36	2.23	1.83	1.02	4.17	3.41	2.97	3.57	3.17	6.58	YEAR'S TOTAL
Days with ".01 in. or more	24	10	20	15	10	15	16	15	14	14	27	6.31	42.62
												25	42.35

REGISTER OF RAINFALL IN 192.....

Kept at Totterly Hall
in the County of Devon
by W. A. Milner

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Dore & Totterly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'02		'02	'22	'32	'01	'30	'02	'10	'14	'11	'12	1
2				'32	'02		'22		'16	'18		'26	2
3		'02		'57	'17	'08	'62		'11	'38		'21	3
4	'02			'11	'01		'16	'35	'03	'61		'06	4
5			'04	'01	'19		'08	'07	'07	'05		'03	5
6			'29	'17	'04		'10			'02		'10	6
7	'18		'22	'03			'33						7
8	'17	'08		'57	'14		'75	'09		'01			8
9	'23	'35	'01	'56			'17	'05		'03	'01		9
10	'43	'61	'04	'29			'19	'01					10
11	'63	'19	'12	'23	'31	'37						'15	11
12	'06	'04	'04	'49	'02	'14	'02	'10			'05	'04	12
13	'25	'15	'12	'38		1.00					'02	'05	13
14	'07	'04	'68	'14		1.07	'06		'47	'05	'43	'01	14
15	~~'07~~	'10	'11	'35		'01	'01		'05	'27	'01	'04	15
16			'10	'05			'66		'01	'12	'05		16
17			'04		'14	'09	'62	'02	'31	'10		'02	17
18	'04			'09	'18		'01	'01	'04				18
19	'58	1.95		'13	'05	'09		'13	'04				19
20	'10	'10		'30		30	'07	'02				'01	20
21	'06			'02			'26	'06				'15	21
22	'06			'25			'17	'02				'14	22
23				'01			'11					'40	23
24	'04		'28								'01	'25	24
25		'06	'11	'14			'58					'01	25
26	'24	'15	'21	'31	'01	'04	'18						26
27	'32	'05	'02	'23	'23	'26	'01			'01	'31	'32	27
28	1.42		'11	'16	'07	'06	'04		'02		'01	'10	28
29	'14		'24	'02	'66	'02	'18		'02		'13	'84	29
30	'20	~~X~~		'22	'12	'05			'10		'15	'31	30
31	'12	~~X~~	'10	~~X~~	'08	~~X~~	'02		~~X~~	'39	~~X~~	'11	31
TOTAL	5.38	3.89	2.90	6.37	2.76	3.59	5.32	'95	1.53	2.36	1.29	3.73	YEAR'S TOTAL
Days with '01 in. or more	22	14	20	28	18	15	26	13	14	14	12	23	216
Days with '04 in. or more	20	13	18	23	15	12	20	7	10	10	7	18	173

W. A. Milner

REGIS

ILKESTON

S.W.

TROWELL

DERBY

1915-1920

Kept at Ilkeston (S.W.)
in the County of Derby
by H. J. Kilford,

ig. 1°20'

9 a.m.

Trowell (Midland Railway)

Rain Gauge 6 in.

above Ground 1 ft. 11 in.

Sea Level 133.84 ft.

and the result entered to the

Jan. 1, following.

IMPORTANT NOTE

previous day. If an Observer does not conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.19	.10		.43				.05		.10	.04	1
2	.03	.03	.14	.15		.06		.39		.11		.02	2
3	.47			.12			.51	.56	.03			.26	3
4	.07				.16		1.11	.03				.91	4
5	.06	.23									.01	.36	5
6		.18		.10			.48					.03	6
7	.18	.33		.09		.17	.04	.31				.20	7
8	.12	.03						.02			.01		8
9	.01	.01				.02					.10	.47	9
10	.42		.06	.01				.17			.10		10
11	.02			.03	.29		.10	.03			.56		11
12	.03			.17	.20			.05		.02	.97		12
13		.37			.31								13
14		.02						.10	.04			.29	14
15	.33						2.16	.18			.30	.16	15
16		.18					.20						16
17		.19						.01					17
18		.05	.01										18
19		.04			.02		.16						19
20	.25			.03								.14	20
21	.13						.17					.07	21
22	.01	.01	.22	.05			.02					.01	22
23	.02	.02	.02			.03	.14		.07	.27		.18	23
24			.09	.01				.52	.06		.27		24
25						.25	.05			.11	.13		25
26		.15					.08				.32		26
27		.8				.09	.28			.78	.18		27
28		.42	.02			.12	.02	.20		.02			28
29					.01	.37		.02			.05	.34	29
30	.06	X		.01		.05			X		X		30
31	.14	X		X		X	.01	.01	X	.23	X	.11	31
Total	2.43	3.25	.66	.44	1.42	1.18	5.53	2.10	.41	1.60	2.20	4.49	YEAR'S TOTAL 26.36
Rain Days.	18	18	8	11	4	9	16	14	5	8	9	20	143

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Ilkeston (Sewage Disposal Works)
in the County of Derby
by A. J. Kilford, Borough Engineer

Lat. 52° 58' N. Long. 1° 20'
Time of Observation 9 a.m.
Nearest Railway Station Yarrowell. (Midland Railway)
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 133.84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.19	.10		.43				.05		.10	.04	1
2	.03	.03	.14	.15		.06		.39		.11		.02	2
3	.47			.12			.51	.56	.03			.26	3
4	.04				.16		1.18	.03				.91	4
5	.06	.23									.01	.36	5
6		.18		.10			.48					.03	6
7	.18	.33		.09		.14	.04	.31				.20	7
8	.12	.03						.02			.01		8
9	.01	.01				.02					.10	.47	9
10	.42		.06	.01				.14			.10		10
11	.02			.03	.29		.10	.05			.56		11
12	.03			.14	.20			.05		.02	.94		12
13		.34			.31								13
14		.02						.10	.04			.29	14
15	.33						2.16	.18			.30	.16	15
16		.18					.20						16
17		.19						.01					17
18		.05	.01										18
19		.04			.02		.16						19
20	.25			.03								.14	20
21	.13						.14					.04	21
22	.01	.01	.22	.05			.02					.01	22
23	.02	.02	.02			.05	.14		.04	.24		.18	23
24			.09	.01				.52	.06			.24	24
25						.25	.05			.11		.13	25
26		.15					.08					.32	26
27		.8				.09	.25			.48		.18	27
28		.42	.02			.12	.02	.20		.02			28
29					.01	.34		.02			.05	.34	29
30	.06	X		.01		.05							30
31	.14	X		X		X	.01	.01	X	.23	X	.11	31
Total	2.43	3.25	.66	.44	1.42	1.18	5.53	2.10	.41	1.60	2.20	4.49	YEAR'S TOTAL 26.34
Rain Days.	18	18	8	11	4	9	16	14	5	8	9	20	143

REGISTER OF RAINFALL IN 1916

Kept at Ilkeston (Sewage Disposal Works)
in the County of Derbyshire
by Henry J. Kelford, Borough Surveyor.

Lat. 52° 54' N Long. 1° 14' W.
Time of Observation 9 a.m.
Nearest Railway Station Lough
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 133.84 ft.

BRITISH RAINFALL FORM A.
4 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
1916

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	-	.20	-	-	.09	.21	-	-	-	-	-	1
2	.29	.09	.16	-	.19	.01	.54	-	.03	.25	.23	-	2
3	-	.31	-	-	-	-	-	-	.49	.32	.08	-	3
4	.14	-	-	-	.48	.24	-	-	-	.04	.03	-	4
5	.03	-	-	-	.02	.04	-	-	-	.04	.12	-	5
6	.04	.21	.12	-	.20	-	.29	-	-	.08	.22	-	6
7	.01	-	.10	-	.03	-	.18	-	-	.16	.32	.16	7
8	-	-	.09	-	-	-	-	-	-	.14	.12	.26	8
9	-	-	.01	-	.43	.30	-	-	-	-	.01	.01	9
10	-	.10	.03	.10	-	.08	.01	-	.03	.09	-	.06	10
11	-	.33	.09	.15	-	.03	-	-	.01	-	-	.03	11
12	.04	.01	.23	.06	.61	.03	.02	-	-	.04	-	-	12
13	-	.23	.04	.10	.04	-	-	.11	-	-	-	.08	13
14	-	.15	-	.16	.04	-	-	.24	-	.13	-	-	14
15	-	.26	.44	-	-	-	.05	.44	-	-	-	-	15
16	.01	.13	.51	.14	-	-	.08	.12	-	-	-	-	16
17	.03	.06	-	.22	-	-	-	-	.08	.13	-	-	17
18	-	.18	-	-	-	-	.01	-	.15	.02	1.03	-	18
19	.04	.02	.32	.06	-	-	-	-	.14	-	.35	.09	19
20	.19	-	.12	.06	-	-	-	-	-	-	-	.03	20
21	.02	-	.04	-	-	-	-	-	-	-	-	.22	21
22	-	.03	-	-	-	.03	-	-	-	.02	-	-	22
23	.03	.14	-	.06	-	-	-	.01	-	.03	.10	.35	23
24	-	.11	-	-	-	-	-	.02	-	.01	.01	.24	24
25	-	.08	.14	-	.09	-	-	.19	-	.04	.16	.12	25
26	-	.05	.24	-	-	.04	-	-	-	.04	.04	-	26
27	-	.14	-	-	-	-	.10	.42	-	.13	-	-	27
28	-	.21	.34	-	-	.05	-	-	-	.01	-	.14	28
29	-	.24	-	-	.05	.34	-	.56	-	.28	-	.25	29
30	-	X	-	-	-	.03	-	-	-	.02	-	-	30
31	-	X	-	X	-	X	-	.01	X	.11	X	.02	31
YEAR'S TOTAL													
Total	1.03	3.14	3.34	1.14	2.24	1.34	1.49	2.15	.96	2.22	2.82	2.09	24.02
Rain Days.	13	21	18	10	11	13	10	10	4	22	14	15	164

REGISTER OF RAINFALL IN 1914

Kept at

Ilkeston Sewage Disposal Works

in the County of

Derbyshire

by

Henry J. Kelford, Borough Surveyor

Lat. 52° 57' N. Long. 1° 14' W.

Time of Observation 9 a.m.

Nearest Railway Station Loughborough (Midland Ry.)

Diameter of Funnel of Rain Gauge six in.

Height of top of Gauge above Ground 1 ft. 11 in.

Sea Level 133.84 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.06		.02		.51	.16		.05		1
2	.11			.02		.25		.11				.03	2
3								.21		.32			3
4		.05*						.02		.30			4
5	.05		.18	.05*					.16	.11	.06		5
6	.01					.39				.14	.05		6
7	.35		.05*			.10				.46	.03		7
8	.58			.12*				.28		.54	.05	.11	8
9	.02			.11*				.09			.23	.08	9
10	.10*		.52	.06*	.40			.10	.03		.01		10
11	.32		.01	.16*				.01		.15			11
12	.04				.14			.02		.14			12
13	.03			.05				.19	.06	.01			13
14	.02		.03	.04				.09		.01		.04	14
15	.10				.04		.33					.04	15
16	.04	.10		.22								.24	16
17			.10	.06	.20	.19	.10	.14	.09	.05			17
18	.04*			.02	.14		.55	.03	.08				18
19		.18	.09		.10	.16		.14					19
20	.01	.24	.01		.33	.12			.14			.02	20
21		.01	.04*		.01	.08		.05		.01			21
22			.05*				.22	.14	.09	.10			22
23		.04			.25			.19	.04				23
24					.04	.48		.02		.43	.14		24
25		.01	.10				.04			.01	.05		25
26			.06					.19	.08	.02	.14		26
27			.04			.29		.53			.04		27
28						.23	.22	.13				.10	28
29							.08	.01		.31		.09	29
30		X	.01				.01	.11			X		30
31		X	.01	X		X		.04	X		X	.04	31
Total	1.82	.66	1.33	1.00	1.68	2.31	1.55	3.38	.93	3.44	.88	.49	19.44
Rain Days.	15	4	15	12	10	11	8	24	10	14	11	10	150

* Snow

REGISTER OF RAINFALL IN 1918

Kept at Ilkington
in the County of Derbyshire
by Henry J. Lloyd, Borough Surveyor.

Lat. 52° 54' N Long. 1° 14' W.
Time of Observation 9.2.18
Nearest Railway Station Ilkington
Diameter of Tunnel of Rain Gauge 2 1/2 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 123.84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.08	.03						.14	.02	.16		1
2	.04	.13		.03				.29	.02	.01		.43	2
3					.64			.24	.04		.25		3
4		.01						.04	.44	.04	.26	.22	4
5				.04	.08			.23	.75	.15			5
6		.04		.30		.05			.30	.13			6
7		.05		.13					.26	.01			7
8		.14	.05	.02					.04	.04	.09		8
9	.21	.41		.09		.04	.20		.34	.23	.01		9
10	.19	.02		.01			.11			.01	.01		10
11	.03	.10			.16		.08		.08			.02	11
12		.12	.02		.11		.05		.03			.10	12
13					.06				.19	.13			13
14	.25					.02	.13		.14	.12		.21	14
15	.23			.11			.23		.30			.14	15
16				.06				.01	.18	.14		.03	16
17	.26				.01	.02	.39	.01	.38	.08		.13	17
18	.35					.05	.11		.21			.28	18
19	.02		.08	.04			.06			.03		.12	19
20	.01	.05		.21		.04	.02						20
21	.07	.06		.04	.23	.05			.16	.06			21
22	.03				.15	.02	.06			.13		.48	22
23	.09				.31		.20		.03			.01	23
24									.03	.04	.04		24
25		.05					.26	.36	.01		.02		25
26							.08	.05	.02		.14	.09	26
27								.31	.20		.06	.15	27
28			.19					.04			.25	.42	28
29		.14							.50				29
30		~~X~~	.46					.01			.08	.12	30
31		~~X~~	.04	~~X~~		~~X~~			~~X~~		~~X~~		31
Total	1.48	1.46	.84	1.14	1.45	.35	1.98	1.59	4.52	1.34	1.34	3.28	20.46
Rain Days.	13	14	4	12	9	8	14	11	24	14	12	16	154

REGISTER OF RAINFALL IN 1919.

Kept at Ilkerton
in the County of Derbyshire
by Henry J. Kiford Borough Surveyor

Lat 52° 54' Long 1° 14'
Time of Observation 9 a.m.
Nearest Railway Station Bowell (Chadland Ry.)
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 133.84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.03	.01	-	.16	-	.14	-	.03	.17	-	.20	1
2	.11	.03	-	-	-	-	.26	-	.08	.11	.08	.02	2
3	.90	-	-	-	.05	.04	.19	-	.04	-	.12	.01	3
4	-	-	.22	-	-	.09	.02	.09	.09	-	.02	.11	4
5	-	.10	-	-	-	-	-	-	.21	-	-	.10	5
6	-	-	.09	-	.82	-	-	-	.01	-	.01	.02	6
7	.03	-	.50	-	-	-	-	-	-	-	-	-	7
8	.08	-	.02	-	-	-	-	-	-	-	-	-	8
9	-	-	.02	.01	-	-	-	-	-	-	-	-	9
10	-	-	.26	.04	-	-	-	-	-	-	.03	.05	10
11	.03	-	.82	-	.09	-	.25	-	-	-	-	-	11
12	-	-	.40	.06	-	.25	-	-	-	-	.05	-	12
13	.38	-	-	.18	-	-	-	-	.14	.04	-	.01	13
14	.41	-	-	.13	-	-	-	-	.03	-	-	-	14
15	.19	-	-	.01	-	-	-	-	-	.01	-	.34	15
16	.12	.33	-	.03	-	-	-	-	-	-	.21	-	16
17	.08	.54	-	.05	.01	.02	.25	-	-	-	.20	-	17
18	-	-	.14	-	-	-	.04	.11	-	-	-	.18	18
19	.03	.24	1.41	-	-	.08	.69	.54	.08	-	.11	.06	19
20	.48	.11	.24	-	-	.03	.38	.13	-	-	-	.04	20
21	.11	.40	.02	-	-	-	.14	-	-	-	.01	.26	21
22	-	.08	-	-	-	-	-	-	.36	-	-	.34	22
23	-	-	-	-	-	-	-	-	.02	1.00	.02	-	23
24	-	-	-	.14	.18	-	.03	-	-	.33	.09	-	24
25	.04	-	-	-	.08	-	-	.35	-	-	.01	.12	25
26	-	-	.31	.01	-	-	-	.21	.11	-	-	.26	26
27	.09	-	-	.32	-	-	-	.01	-	.01	.01	.05	27
28	.02	-	-	.02	-	-	-	.58	-	-	-	.35	28
29	.03	~~X~~	-	-	-	-	-	.08	-	.44	.06	.09	29
30	-	~~X~~	.06	.09	-	.13	-	-	-	.03	.02	.17	30
31	-	~~X~~	-	~~X~~	-	~~X~~	.03	-	~~X~~	.01	~~X~~	-	31
TOTAL	3.28	1.89	4.58	1.09	1.39	.64	2.42	2.10	1.20	2.15	1.05	2.48	YEAR'S TOTAL 24.54
Days with .01 in. or more	18	9	15	13	4	4	12	9	12	10	16	20	148

REGISTER OF RAINFALL IN 1920..

Kept at Ilkeston
in the County of Derbyshire
by Henry J. Kelford Boro' Surveyor

Lat. 52° 54' N. Long 1° 17' W.
Time of Observation 9 a.m.
Nearest Railway Station Grovel. (N.R.)
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 133.84 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				19	10	02	33		02	12		11	1
2				10			43		05	12		11	2
3		02		14			74	03	06	07		09	3
4				05			10	44		45		01	4
5			01		29		22	02		03		05	5
6			10	03	07		15	01					6
7			03	03			07						7
8	15	04		30	06		32						8
9	38	06		27				02					9
10	25	42	06	06			15						10
11	14		01	15	20	06		08					11
12	03			23		14	01	02			02	17	12
13	06	04	05	14		13			01				13
14			45	08		08	01		14		04		14
15		14	27	10			01		05	11	02		15
16				15			16		03	03			16
17					11				50	06			17
18	10			15	09			01	03				18
19	04	66		03		12		15	05				19
20	04	14		16			02		05				20
21							18	06				01	21
22	02			20			06					02	22
23							07					40	23
24			08	02								11	24
25		01	10	08		01	80						25
26	10	01	07	05			09						26
27	10	02		02	13	18					33	36	27
28	88		02	04			02				07	03	28
29	01		09		11		07				09	58	29
30	06	~~X~~		24		04			04		15	36	30
31	11	~~X~~	05	~~X~~	08	~~X~~	06		~~X~~	15	~~X~~	12	31
TOTAL	2.47	1.56	1.39	3.01	1.24	.78	4.07	.84	1.03	1.14	.72	2.53	YEAR'S TOTAL
Days with "01 in. or more	16	11	14	25	10	9	22	10	12	9	7	15	20.78?
Days with "04 in. or more	13	7	10	20	10	7	14	4	8	7	5	11	119

REGIS

WHALEY BRIDGE
MOSLEY HALL
DERBY

Kept at Mosley Hall
in the County of Derby
by S. A. Howsmith

1911-1920

FORM A2.
BRITISH RAINFALL
17 JAN 1912

3 etc in.
Ground 1 ft. in.
Sea Level 760 ft.
M 8 Months 9 All 4 Months
Name Whaley Bridge
Distance 3/4 mi Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. *ab 9 PM* ← I → *ab 9 AM*

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.190	—	—	—	—	—	.226	.051	—	—	.186	—	1
2	.097	—	.400	—	.280	—	.100	.005	—	.020	.012	.064	2
3	.160	.020	.230	—	.495	—	—	.020	—	—	.433	.028	3
4	.006	—	.045	.035	.020	—	—	.010	.080	.037	.449	.188	4
5	.014	—	.012	.046	.030	—	.006	.282	—	.254	—	—	5
6	.910	—	.055	—	—	—	—	.500	—	.035	.440	.790	6
7	.051	—	.003	.018	—	—	—	—	—	.013	.178	.014	7
8	.065	—	.018	—	—	—	—	—	—	—	.142	.710	8
9	.164	—	.482	—	—	—	.020	—	—	—	—	.064	9
10	—	.032	.042	.002	—	—	—	—	—	—	—	.980	10
11	.377	—	.130	—	—	—	—	.055	—	—	.420	—	11
12	.057	.010	.395	—	—	—	—	—	.610	—	.730	—	12
13	.028	—	.067	—	.017	.011	—	—	—	—	.215	.460	13
14	.026	.385	—	—	.291	—	—	—	—	—	.140	.630	14
15	—	.022	.151	—	—	—	.007	—	—	.004	.072	.320	15
16	—	.584	.009	.035	—	.027	.010	—	—	.004	.145	.146	16
17	.012	—	.124	—	—	.270	.042	—	—	—	.146	.207	17
18	—	.091	.007	.018	—	.380	.007	.018	—	—	.234	.208	18
19	—	.194	—	.125	.004	.006	—	—	.168	.260	.213	.160	19
20	—	.092	—	.042	—	—	.116	.005	.212	.006	—	.484	20
21	.004	.450	—	.337	—	.027	—	.454	—	.225	—	.030	21
22	—	.175	—	.108	—	.052	.100	.325	—	.455	.040	.166	22
23	.017	.376	.005	—	.026	.121	.010	.058	.195	.135	.006	.350	23
24	.004	—	—	—	—	.980	—	.035	—	.214	—	.190	24
25	—	.197	.029	.507	—	.510	.095	—	.236	.035	—	.380	25
26	.040	.120	—	.260	.033	.234	—	.025	—	.457	.140	.442	26
27	—	.208	.018	.444	.020	.018	—	.406	.776	—	.025	.062	27
28	—	.340	.013	.460	—	—	—	.326	.123	—	.080	.461	28
29	—	—	—	.442	—	.120	—	.004	.513	.508	.010	.165	29
30	—	—	—	.115	—	.100	.022	—	—	.460	.012	—	30
31	—	—	.050	—	.344	—	—	—	—	.085	—	.023	31
Total	3.222	3.296	2.285	2.994	1.560	2.856	.761	2.579	2.913	3.207	4.468	7.722	TOTAL for year 38.88
No. of Rain Days.	16	16	19	15	10	14	13	15	9	16	23	26	195

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Mosley Hall Whaley Bridge

in the County of Derby

by S. A. Howarth

Pattern *open*
RAIN GAUGE Diameter of top 8.5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 760 ft.
Date of Observation 9 P.M. 8 Months 9 A.M. 4 Months
Nearest Railway Station { Name Whaley Bridge
Distance 3/4 m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. ab 9 P.M. $\leftarrow I \rightarrow$ ab 9 A.M.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.190	—	—	—	—	—	.226	.051	—	—	.186	—	1
2	.097	—	.400	—	.280	—	.100	.005	—	.020	.012	.064	2
3	.160	.020	.230	—	.495	—	—	.020	—	—	.433	.028	3
4	.006	—	.045	.035	.020	—	—	.010	.080	.037	.449	.188	4
5	.014	—	.012	.046	.030	—	.006	.282	—	.254	—	—	5
6	.1910	—	.055	—	—	—	—	.500	—	.035	.440	.790	6
7	.051	—	.003	.018	—	—	—	—	—	.013	.178	.014	7
8	.065	—	.018	—	—	—	—	—	—	—	.142	.710	8
9	.164	—	.482	—	—	—	.020	—	—	—	—	.064	9
10	—	.032	.042	.002	—	—	—	—	—	—	—	.980	10
11	.377	—	.130	—	—	—	—	.055	—	—	.420	—	11
12	.057	.010	.395	—	—	—	—	—	.610	—	.730	—	12
13	.028	—	.067	—	.017	.011	—	—	—	—	.215	.460	13
14	.026	.385	—	—	.291	—	—	—	—	—	.140	.630	14
15	—	.022	.151	—	—	—	.007	—	—	.004	.072	.320	15
16	—	.584	.009	.035	—	.027	.010	—	—	.004	.145	.146	16
17	.012	—	.124	—	—	.270	.042	—	—	—	.146	.207	17
18	—	.091	.007	.018	—	.380	.007	.018	—	—	.234	.208	18
19	—	.194	—	.125	.004	.006	—	—	.168	.260	.213	.160	19
20	—	.092	—	.042	—	—	.116	.005	.213	.006	—	.484	20
21	.004	.450	—	.337	—	.027	—	.454	—	.225	—	.030	21
22	—	.175	—	.108	—	.052	.100	.325	—	.455	.040	.166	22
23	.017	.376	.005	—	.026	.121	.010	.058	.195	.135	.006	.350	23
24	.004	—	—	—	—	.980	—	.035	—	.214	—	.190	24
25	—	.197	.029	.509	—	.510	.095	—	.236	.035	—	.380	25
26	.040	.120	—	.260	.033	.234	—	.025	—	.457	.140	.442	26
27	—	.208	.018	.444	.020	.018	—	.406	.776	—	.025	.062	27
28	—	.340	.013	.460	—	—	—	.326	.123	—	.080	.461	28
29	—	—	—	.442	—	.120	—	.004	.513	.508	.010	.165	29
30	—	—	—	.115	—	.100	.022	—	—	.460	.012	—	30
31	—	—	.050	—	.344	—	—	—	—	.085	—	.023	31
Total	3.222	3.296	2.285	2.994	1.560	2.856	.761	2.579	2.913	3.207	4.468	7.722	TOTAL for year 38.88
No. of Rain Days.	16	16	19	15	10	14	13	15	9	16	23	26	195

REGISTER OF RAINFALL IN 1912

Kept at Mosley Hall Whaley Bridge
 in the County of Derby
 by S. Snowsmith

Lat. _____ Long. _____
 Time of Observation 9 A.M.
 Nearest Railway Station Whaley Bridge
 Diameter of Rain Gauge 8.815 in.
 Height of top of Gauge above Ground 1 ft. 2 in.
 " " " " Sea Level 780 ft.

BRITISH RAINFALL
 FORM A.
 3- JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.002	.018	.124	—	—	.050	.200	.056	.267	—	—	1.136	1
2	.003	—	.151	.120	.082	.093	.396	—	.094	—	—	.158	2
3	.503	—	.050	—	.025	.200	—	.530	.403	—	.010	.052	3
4	.714	—	.836	.254	.055	.353	—	.758	.150	—	.464	—	4
5	.422	—	—	—	.118	.205	—	.084	.193	—	.046	.015	5
6	.330	.070	—	—	.072	.002	—	.190	.007	.013	—	—	6
7	—	.050	.032	.015	.050	.034	—	.053	.590	.006	—	.010	7
8	.314	.300	.182	.192	.003	.020	.160	.056	.346	—	.045	—	8
9	.130	.005	.273	.562	.002	.042	—	.116	—	—	.085	.116	9
10	.212	.002	—	.004	—	.016	.012	.090	.010	—	.517	—	10
11	.084	.006	—	.010	.006	—	.002	.053	—	—	.015	1.150	11
12	.110	.093	.312	—	—	.065	.058	—	—	—	—	.070	12
13	.002	.002	.012	—	—	—	—	.430	.015	.038	.045	.303	13
14	.048	—	.610	.004	—	.190	—	.520	.027	.007	—	.446	14
15	.236	.060	.298	.004	.887	.434	—	.240	.003	—	—	.207	15
16	.627	—	.230	—	.053	.197	—	.076	.006	.310	.010	.013	16
17	.090	.029	.022	—	.032	.740	.021	.220	.003	.003	.005	.765	17
18	.060	.005	.030	—	—	.010	—	.030	—	.306	.046	.200	18
19	.065	.058	.387	—	—	.016	.516	.288	—	.030	.038	.010	19
20	.175	—	.130	—	.096	.116	—	.313	—	.480	.024	.024	20
21	—	.004	.050	—	.206	—	—	.046	—	.440	.040	.056	21
22	—	.180	—	—	.250	.357	.020	.650	—	.038	—	.164	22
23	.002	.122	.191	—	—	—	.250	1.200	—	—	.474	.022	23
24	.048	—	.034	—	—	.058	.002	.150	—	.010	—	.175	24
25	.003	.036	.020	—	—	.444	.012	—	—	.012	.534	.322	25
26	—	.160	.204	—	—	.030	.515	.422	—	.826	.262	.205	26
27	—	.007	.410	—	—	.306	.526	—	—	.640	.050	.134	27
28	—	.083	.016	—	—	.016	.623	.443	.047	.235	.287	—	28
29	—	—	.080	—	.002	.030	.358	.007	.427	.025	.024	.086	29
30	.060	—	.287	—	.133	.007	.192	.009	.008	.032	—	—	30
31	—	—	.272	—	.062	—	.444	.240	—	—	—	.043	31
Total	4.240	1.290	5.293	1.165	2.134	4.031	4.307	7.270	2.596	3.451	3.021	5.832	44.63
Rain Days.	18	16	26	6	15	25	16	27	15	17	20	25	227
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Mosley Whaley Bridge
 in the County of Cheshire
 by S. Arnou Smith

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

BRITISH RAINFALL FORM A. 424
 31 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	034		254	040	017				186		090	004	1
2		050	096	050		123					076	012	2
3	036	046	450		555		015			450		420	3
4	560	160	023		020	010	134			040	086	580	4
5	206	073	152		100	184	103			104	008	015	5
6	076	116	257		570	125	877			230	020	009	6
7		310	036		296	302	012			252	100	019	7
8	004	010	034		256	052		270	024	023	057	005	8
9		424	310	090	046	610	120	084			087	190	9
10	015	012	100	204	023		076	005	050	022	033	040	10
11	600			370		360		110	004	018	092	026	11
12	113					010			060	010	404	008	12
13			650	010			096	085	225		331	004	13
14	122	012	400	150				054		312	566	086	14
15	083		374	415			070	110	057	008	334	047	15
16			073	053			014	033	014	009	313		16
17	032		020	370	187	015	040		154	008	070		17
18	026		296	513	170	053	134		004		136	004	18
19	195		005	200	002	142	016		133	028	050		19
20	063		133	054	037		003		083	020	370		20
21			124		175		046	028			198		21
22	417		1110		020			933	243		010		22
23	030		020		222	160		114	054		082	030	23
24	378			137		324		030		007	026	066	24
25				070					087	004	026	268	25
26		024	043	427		007			012	050		840	26
27		020		315		068				046	070	158	27
28	245		297	545	062	020				040	055	041	28
29			292	810	067			202		091	054	010	29
30	516		005		003			007		616	185		30
31			150		064					025			31
Total	3.754	1.257	5.704	4.823	2.892	2.565	1.756	2.065	1.390	2.413	3.929	2.882	35430
Rain Days.	19	12	26 ²⁵	19	18	17	14	14	14	22	28	20	222

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
13 JAN 1915

Kept at Mosley Hall Whaley Bridge
in the County of Derby
by S. Snowsmith

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.840	1.040	—	.028	.003	.500	1
2							.196	.570	—	.060	.343	.350	2
3							.112	.060	—	.050	.002	.976	3
4							—	.048	—	—	.225	.494	4
5							.009	—	—	.023	.330	.080	5
6							.018	.024	—	—	.025	.092	6
7							—	.072	—	—	.072	.234	7
8							.014	.202	.026	.036	—	.069	8
9							—	.390	.009	—	.100	—	9
10							—	—	.131	—	.230	.006	10
11							—	—	.586	—	.865	.290	11
12							.222	—	.940	—	.025	.153	12
13							.030	—	.109	—	1.230	.150	13
14							.090	—	.133	.023	.260	.220	14
15							~~1.060~~	—	.040	—	.062	.002	15
16							1.060	—	.353	—	—	—	16
17							.060	—	.700	—	—	.720	17
18							.020	—	.220	—	—	.206	18
19							.032	—	.140	—	.050	.280	19
20							—	.680	—	.066	—	—	20
21							—	.012	—	.080	.010	.074	21
22							.084	.070	—	.260	—	.005	22
23							.354	—	—	.003	.007	.010	23
24						.054	.480	.460	—	—	.212	—	24
25						—	.500	.188	—	.720	.073	.350	25
26						—	.250	.266	—	.400	.425	.210	26
27						~~0.20~~	—	.002	—	.276	.278	1.150	27
28						.020	.020	—	.007	.044	.080	.155	28
29						.003	—	.013	—	.210	.143	.320	29
30		X				—	—	.025	—	.010	.165	.412	30
31		X		X		X	.190	—	X	.154	X	—	31
Total							4.571	4.122	3.394	2.443	5.655	7.508	YEAR'S TOTAL
Rain Days.							20	16	13	16	22	25	

REGISTER OF RAINFALL IN 1914

Kept at Mosley Hall
in the County of Derbyshire
by S. Arrowsmith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

405
FORM A.
BRITISH RAINFALL.
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			180			034	830	1040		030	006	490	1
2	018		030				192	560		060	340	345	2
3	178		233	0057	176		112	060		045	004	972	3
4	690		850	226	354			046			222	486	4
5	075		695	345	374	322	006			023	328	077	5
6		037	170	280	280		015	021			023	088	6
7	007	037	160	284	324	170		072			012	228	7
8	435			032	717	300	010	199	026	036		067	8
9	540	010	013	190	046	394		384	007		100		9
10	143	154	066	180	044	040			132		230	006	10
11		595	452	053	066	150			582		864	280	11
12		265	085		120	010	218		940		523	146	12
13		188	190	066	052		026		106		1230	140	13
14	004	147	076				085		133	020	250	223	14
15		004	455						039		057	002	15
16	024		122				1040		355				16
17	012	580	200				058		690			720	17
18	007		152			066	008		220			206	18
19		033	030				026		137		054	280	19
20		132	120					674		068			20
21		546				068	002	012		080	011	074	21
22		178	010	020	412	086	084	068		258		005	22
23		013	070	110	256	165	354			004	007	014	23
24	050	004	400	202	002	056	477	458			216		24
25	176						500	185		720	072	350	25
26	004		004				248	260		400	423	207	26
27	203							002		280	272	1150	27
28	200	292	100		005	020	020		008	044	076	155	28
29	093		092	007	030	003		012		190	132	320	29
30			120					025		004	150	412	30
31	165		114		030		194			150			31
Total	3024	3215	5189	2000	3288	1884	4505	4078	3375	2412	5602	7443	46015
Rain Days.	17	15	26	14	16	14	20	16	13	15	23	25	214

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at *Mosley Hall*

in the County of *Derbyshire?*

by *S. Arrowsmith* *Old Gauge*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26												1
2	.02	.33	.047		.693		.030	.043	.247		.004	.270	2
3	.35	.28	.260	.397		.076	.080	.355	.003	.072		.012	3
4	.07		.138	.155		.003	.260	.115		.006	.006	.293	4
5	.06	.02			.149		.720			.005	.002	.590	5
6	.44	.50	.255			.008	.003	.018				.526	6
7	.72	.09	.031	.247			.372	.162		.003	.028	.374	7
8	.45	.66	.003	.063			.580	.605			.017	.360	8
9		.42	.003	.117			.031	.247			.202	.094	9
10	.75	.09	.003	.031			.080	.002		.016	.690	.423	10
11	.27		.116	.030			.051	.167		.022	.146	.027	11
12	.29		.080	.027	.417		.184	.002			.312	.493	12
13	.41		.005	.230	.028		.080	.002		.242	.740		13
14	.08	.50	.029				.002	.003		.004		.140	14
15	.121	.002	.013	.061	.033		.062	.534	.239	.003		.266	15
16			.006					.128	.111		.280	.120	16
17		.616	.004	.074	.100		.100	.095	.003			.003	17
18	.05	.217	.060				.060	.004		.003	.004		18
19	.05	.470	.072							.003	.012		19
20	.31	.133	.115	.075	.024		.130				.004	.003	20
21	.32	.010	.084	.034	.003		.151	.070				.480	21
22	.01	.046	.003	.090			.265	.002		.002		.222	22
23	.03		.145	.016		.008	.270	.017			.002	.407	23
24		.002	.128			.073	.049		.006	.316		.082	24
25			.050	.034					.178	.017		.220	25
26	.02					.950	.022		.003	.015	.006	.303	26
27		.310				.060	.715		.004			.410	27
28		.126				.295	.338			.460		.100	28
29	.01	.450	.003			.040	.002	.520		.125		.008	29
30	.22				.061	.032	.012	.011		.010	.120	.317	30
31	.29		.002	.087		.565		.030	.003	.007	.010	.043	31
							.004	.165		.330		.582	31
Total	6.69	5.272	1.649	1.794	1.508	2.110	5.653	3.297	.797	1.661	2.585	8.168	41.184
Rain Days.	24	18	17	18	8	10	23	17	5	13	13	26	192

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL

Kept at Mosley Hall
in the County of Derbyshire ?
by S. Arncliffe

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	26	34	25		69		03	04	25		01	27	1
2	02	28	26	39		08	08	36		07		01	2
3	35		14	16			26	12			01	29	3
4	07	02			15		72					59	4
5	06	50	25			01		02				53	5
6	44	09	03	25			37	16			03	37	6
7	72	66		06			59	62			02	36	7
8	45	44		11			03	25			20	09	8
9		09		03			08			02	69	50	9
10	75		12	03			05	17		02	15	03	10
11	27		08	03	42		19				32	50	11
12	29		01	23	03		08			24	81		12
13	42	64	03							01		14	13
14	08		01	06	03		06	53	24			27	14
15	121			01				13	11		28	12	15
16		62		07	10		110	10					16
17		23	06				06						17
18	05	48	08								01		18
19	05	14	12	08	02		13				01		19
20	31	01	08	03			15	07				48	20
21	33	05		09			26					22	21
22	01		15	02		01	27	02			01	41	22
23	03		13			07	05		01	32		09	23
24			05	05					18	02		22	24
25						96	02			02	01	30	25
26	02	31				06	72					42	26
27		13				29	34			47		109	27
28		46				04		51		12		01	28
29	01				06	03	01	01		01	12	32	29
30	22	X		09		57		03		01	01	05	30
31	30	X		X		X		17	X	35	X	59	31
Total	672	549	165	179	150	212	565	331	79	168	269	827	4166
Rain Days.	24	18	17	18	8	10	23	17	5	13	16	26	195

REGISTER OF RAINFALL IN 1916

Kept at Mosley Hall
in the County of Lancashire Derby
by S. Arrowsmith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12	08	04			25	31	02			16		1
2	28	42				02	01		15	30	01	01	2
3		59		06		05	43		60	24	15	02	3
4	29	36			42	1.11	01		03	33	39		4
5	06	02			05	87				60	81		5
6	1.14	1.05	05		30	05	33			40	44	05	6
7	04		04		15	08	41			43	05	33	7
8	02	07	17		07	18	02			03	60	15	8
9	15	01	02		40	17	05				18	19	9
10	02	09		27	01	17	17		05	06		04	10
11	04	37	06	59	01	06	05		20			13	11
12	19	19	09	11	22	01	44	07	06	21		02	12
13		11	06	11	01		19	41		26		13	13
14	03	18		15	58			32	08	44		02	14
15	01	49	58	02	02		05	47	29	16			15
16	03	28	47	42			16	28	01	15			16
17	12	31		1.00			09	03	72	15		01	17
18		67		38			01	17	59	25	36	24	18
19	38	02	25	21				17	06		12	09	19
20	22		16	22	06		01	01			03	08	20
21	12			03	03		17				01		21
22		03		03	01	04				09		10	22
23	08	09	03	06		06		08		04	16	53	23
24		20		01		15		07		09		11	24
25	06	06	32		04	01		09		13	54	03	25
26	06	02	15			01		30		21	05		26
27		07						31	04	53		01	27
28		06								06	05	32	28
29		20				35				47		58	29
30		X				23				19	01	02	30
31		X		X	05	X		12	X	57	X	64	31
Total	3.46	6.04	2.49	3.67	2.43	3.87	2.91	2.92	2.88	6.39	4.12	3.85	45.03
Rain Days.	21	26	15	16	17	19	18	16	13	25	18	24	228

REGISTER OF RAINFALL IN 1916

Kept at Mosley Hall
in the County of Cheshire Derby
by S. Arrowsmith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

2734
354
FORM A.
BRITISH RAINFALL
20 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	112	078	035			240	318	020			164		1
2	280	418				022	003		147	300	012	010	2
3		587		058		048	430		593	235	155	024	3
4	290	360		002	420	1106	008		030	330	390		4
5	057	020			044	874		004	005	592	816		5
6	1140	1054	052		297	046	330			395	440	045	6
7	034	004	036		144	080	403			434	050	340	7
8	022	060	158		068	177	020			028	604	130	8
9	145	010	022		400	166	048				176	190	9
10	020	088		278	005	165	168		049	058	004	038	10
11	038	367	054	587	006	053	050		196			116	11
12	187	188	086	114	220	005	442	068	055	207	003	026	12
13		107	057	108	007		192	407	004	263		126	13
14	025	176		150	582		002	322	080	434		024	14
15	013	493	580	018	016		050	460	300	160			15
16	030	280	466	420	004		166	282	005	147			16
17	120	308	003	1008			090	028	720	150	004	013	17
18		677		387			007	167	594	248	320	240	18
19	382	020	246	206				170	058		114	090	19
20	222		157	220	058		009	010			026	080	20
21	118			030	026		170				010	003	21
22	002	028		027	014	037	004			090		094	22
23	082	052	030	056		056		083		040	157	530	23
24		155		012		145		068		093		120	24
25	060	026	328		044	012		088		130	550	034	25
26	062	010	134			010		305		207	045		26
27		050	004					316	043	526		010	27
28	003	032							002	057	047	324	28
29	002	190				345				464		576	29
30		X				230		004		184	008	018	30
31		X		X	054	X	004	115	X	574	X	646	31
Total	3446	5838	2448	3681	2411	3817	2914	2917	2881	6346	4095	3847	44637
Rain Days.	21	26	15	16	17	18	17	16	14	25	18	24	226

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Mosley Hall, Whaley Bridge
in the County of Derbyshire
by S. Arrowsmith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04			.17		.13		.30	.27		.13	.17	1
2	.59			.07		.17		.18	.01	.05	.04	.01	2
3	.08	.17				.16				.32		.01	3
4	.20	.03	.10							.80			4
5	.21		.16	.12					.04	.23	.22		5
6	.14					.31				.34	.36	.11	6
7	.63		.01			.06				.48	.13	.08	7
8	.24			.55		.19		.48	.06	.64	.35	.09	8
9			.07	.31	.05			.05		.22	.49		9
10	.27		.78	.17	.09			.10		.06			10
11	.24			.13				.22	.05	.59	.01	.01	11
12	.07	.01	.01	.04	.49			.15		.18	.01	.12	12
13	.04			.20	.24			.15	.35	.03	.03	.27	13
14	.04		.01	.13	.08			.23		.01	.02	.24	14
15	.02			.03	.03		.28	.01		.03		.29	15
16	.02	.16		.28		.14	.19	.19		.04	.03	.34	16
17	.01	.01	.29	.33	.17	.01	.38	.44	.29	.25	.02	.03	17
18	.03		.04	.22	.03		.55	.02	.43	.01			18
19	.01	.13	.34	.02	.06	.15		.01			.06		19
20	.02	.20	.01	.01	.13	.34			.05		.71		20
21		.03	.08		.06	.25		.07		.10	.07		21
22			.05			.12		.04	.26	.28	.21		22
23		.06	.01		.12	.13		.19	.01	.43	.01	.25	23
24			.03		.01	.43		.67		.55	.18	.09	24
25		.15	.15					.13			.11		25
26							.08	.63	.30	.07	1.13		26
27			.03		.19	.25	.17	.63			.32	.04	27
28		.18	.18			.03	.02	.80	.01	.04	.07	.04	28
29			.01		.02		.15	.29		.54	.02	.07	29
30	.02	X	.27					.20		.15	.01		30
31		X	.24	X	.01	X	.02	.26	X		X	.02	31
Total	2.92	1.13	2.87	2.78	1.78	2.87	1.84	6.44	2.13	6.44	4.74	2.28	38.22
Rain Days.	20	11	21	16	16	16	9	25	13	25	25	19	216

REGISTER OF RAINFALL IN 1917

Kept at Mosley Hall, Whaley Bridge
in the County of Derbyshire
by S. Arrowsmith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	037			050		130		302	263		128	160	1
2	588			040		167		176	003	054	036	007	2
3	075	160	050			150		002		322	003	008	3
4	202	035	130							805			4
5	210			115					037	228	214		5
6	138			003		314				340	363	110	6
7	610		008			062				475	130	080	7
8	200			554		185		477	054	637	350	085	8
9			060	296	052			050		216	487		9
10	250		770	140	090			100		060			10
11	254	003	003	127				210	052	583	014	010	11
12	073	010	012	038	480			148	002	172	007	124	12
13	040			194	246			145	354	025	030	275	13
14	030		014	125	077			222		010	022	236	14
15	018			030	030		280	010	003	028		290	15
16	024	160		276		136	188	185		036	026	290	16
17	012	013	290	327	160	010	380	440	295	254	020	024	17
18	030		040	220	030		550	020	427	014			18
19	010	130	343	024	060	148	003	005	004		064		19
20	016	202	012	010	124	334			046		706		20
21		028	075		058	246		064		100	065		21
22	004		044			117		035	257	286	210		22
23		062	010		117	130		184	008	430	010	250	23
24			028		004	432		668		546	178	086	24
25		147	140			003		130			103		25
26		002	002			003	082	626	300	064	1134		26
27			034	004	185	244	168	614			317	036	27
28		174	180			025	018	810	007	040	070	035	28
29			008		023		150	295		536	018	065	29
30	020	X	266					197		150	010		30
31		X	235	X	006	X	017	260	X		X	018	31
Total	2.841	1.126	2.754	2.573	1.742	2.836	1.836	6.375	2.112	6.411	4.715	2.189	37.510
Rain Days.	20	11	21	16	15	16	9	25	12	25	25	19	2184

REGISTER OF RAINFALL IN 1918

Kept at Mosley Hall, Whaley Bridge
in the County of Derbyshire
by S. Arrowsmith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
22-1 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		13	01	04	11				85	21	48	17	1
2	01	12		07				21	45	05		81	2
3		02			35			11	06	08	02	02	3
4	13	04						16	26	39	34	41	4
5	02		01	13	09		01	36	35	27	01	01	5
6	05	1.20	01	57		63	01	14		29	01	01	6
7	08	28		30				01	70	20	28		7
8	08	17	12				45	02	1.00	17	04	06	8
9	46	1.04		03		41	03		41	37	03	01	9
10	09	50					10		04	11	36	11	10
11	42	22	06	08	10		11		24			12	11
12	08	48	03	20	12	05	56		34			39	12
13	01	02			06	01			40	14		02	13
14	46					42	05		52	06	01	25	14
15	16					08	33		90			33	15
16						02	55	16	15	03		39	16
17	28				72	06	12	16	06	08		33	17
18	38		05			06	66		59			67	18
19	13	06	16	09			17	22	27	03	01	76	19
20	12	24	01	09		14	41		10	01			20
21	09	44		10	40	33	01		42	07		05	21
22	01	05			33	08	11	04	05	01	01	75	22
23	10	02			96	01	12		15		03	11	23
24		10					24	01	10	04	08	37	24
25						02	06	45	10	11	03		25
26		16					11	05	45	01	10	14	26
27		15	07			18		48	64		17	71	27
28		04	69					27	26		57	97	28
29									06		01	26	29
30		X	28					23	03		12	14	30
31		X	69	X		X		35	X		X		31
Total	3.16	5.48	2.19	1.70	3.24	2.50	4.21	3.43	9.95	2.73	2.71	8.37	49.67
Rain Days.	20	21	13	11	10	15	20	18	29	21	20	27	225

REGISTER OF RAINFALL IN 1919

Kept at Mosley Hall
in the County of Derbyshire
by S. Arrowsmith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	62		04	09	85		33	24	23	35	05	25	1
2	13		23				46	15	03	19	04	23	2
3	94				07	18	26		07		18	38	3
4	27		30		01	02	39	23	15		04	23	4
5	06	03	01	03	10							70	5
6	07	01	78		59							68	6
7	16		35	01					02		05		7
8	16		04	01		06							8
9	12		17	08							04		9
10			84	11	01						03	23	10
11			50	16	30		07			02		01	11
12			27	19		39	10			10	01		12
13	32			35		12	01	01	97	36		04	13
14	43			35			04		01	07	03	05	14
15	24	01	03	12						02	01	39	15
16	25	40		02		05	03				30	02	16
17	12	06	01	20	04	28	02	30			1.17	07	17
18			31				01	55	29		02	30	18
19	06	11	70			27	72	21	28		31	20	19
20	26	13	15			38	08	05	02		14	1.11	20
21	06	36	02			01	26		03		05	45	21
22		29				08	01	05	76		21	1.27	22
23				01		21		02		78	12	24	23
24				11	08			03	32	21	22	19	24
25	19	02		13	11	20		43			24	04	25
26	01		81	09		09		97	28		02	65	26
27	32	01	06	18		01		05	01		02	05	27
28	01			01		02		33		04		37	28
29	06		03	05		06		16		53		17	29
30	01	X	18	33		32		03		05	15	21	30
31		X	08	X		X	36		X		X	12	31
Total	4.87	1.43	5.91	2.63	2.16	2.75	3.15	3.81	3.47	2.72	3.45	8.65	46.00
Rain Days.	23	11	22	21	10	18	16	17	15	12	23	27	215

REGISTER OF RAINFALL IN 1920.

Kept at *Whaley Bridge, Mosley Hall*
in the County of *Derbyshire*
by *S. Arrowsmith*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	01	05	20	27	03	30	05	12	09	04	15	1
2			04	10	02		22		22	10		19	2
3	07	18	02	07	10	05	41	16	22	31		05	3
4	01			17			07	64	12	42		12	4
5		01	08		100		11	46	49	19		01	5
6			63	29	26		04	02	01	02		06	6
7	09		07	01			25						7
8	38	10		35	17		67	18					8
9	37	96		26			33	16	03		01		9
10	73	91	09	08			36					01	10
11	43	11	04	13	27	33	01					06	11
12	10	13	01	40	03	17	01	26			20	05	12
13	27	29	21	26		54	04	01			16	01	13
14	03	07	20	20		55	05		88	10	58		14
15		19	09	64			09		02	03	02		15
16		01	14	52	14	39	44		09	06	01		16
17	01		06		21		01	20	32	01			17
18	34			11	47		08	04	11				18
19	34	130		12	66	19	01	05	14				19
20	25	01		33		12	16					84	20
21	02						56	09				20	21
22	14			55		05	39	04				23	22
23	01		01	05			15	29				31	23
24	03		43	06			03	01				25	24
25	02	13	31	24		05	42						25
26	26	16	40	57	01	01	19						26
27	41	02	09	43	164	69	03				21	10	27
28	70	02	19	54	27	11	08				01	19	28
29	12		17	01	72	05	55				11	73	29
30	26		01	35	05	09			21		16	40	30
31	26		03		26		01			62		10	31
TOTAL	5.67	4.61	3.37	7.04	6.55	3.42	6.07	2.66	2.98	1.95	1.51	3.26	YEAR'S TOTAL
Days with 0.1 in. or more	26	18	23	27	18	16	30	16	14	11	11	20	49.09— 230

REGIST

WHALEY BRIDGE
ELNOR LANE
DERBY
1911-1912

Kept at Elnor Lane
5/8 mile east of Takal Parish C
in the County of Derbyshire
by Wesshaw

FORM A2.
BRITISH RAINFALL
15 MAY 1912

in
ound 1 ft. 0 in.
Level 750 ft.
a.m.
me Whaley B
distance 1 1/2 miles Direction N. by W.

IMPORTANT NOTE.—Rain should be measured daily at the same time as the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.57		.01	.01	.06	—	—	.19	—	—	1
2			.20		.30	—	—	—	—	.04	.06	.07	2
3					.33	—	.01	.02	—	.01	.45	.02	3
4			.18	.10	.04	—	—	.08	.07	.03	.38	.23	4
5			.03	.01		—	—	.28	—	.29	—	—	5
6			.05			—	—	.44	—	.05	.34	.56	6
7						—	—	—	—	—	.18	.02	7
8			.53			—	.02	—	—	—	.22	.87	8
9						—	—	—	—	—	—	—	9
10			.18			—	—	—	—	—	—	1.00	10
11					.02	—	—	.06	.03	—	.51	—	11
12			.52		.05	—	—	—	.59	—	.71	—	12
13			.03		.03	—	—	—	—	—	.25	.44	13
14			.06		.17	—	—	—	—	—	.12	.65	14
15			.09	.05		—	—	—	—	—	.10	—	15
16			.11	.06		.06	.03	—	—	—	.19	.32	16
17				.02		.58	.02	—	—	—	.17	.17	17
18			.01	.02		.16	—	—	—	—	.36	.16	18
19				.13		.01	.13	—	.19	.20	.24	.15	19
20				.25		.03	.07	.40	.28	.02	—	.48	20
21						.03	.08	.28	—	.21	—	.04	21
22				.11		.03	.06	.07	—	.34	.04	.15	22
23					.04	.30	—	—	.22	.13	—	.30	23
24			.02	.20		1.45	—	.04	—	.16	—	.20	24
25				.60		.08	.11	—	.23	.05	—	.32	25
26				.31	.05	.09	.12	.04	—	.42	.17	.40	26
27			.04	.62		—	—	.72	.90	—	.04	.06	27
28				.27		.11	.02	—	.11	—	.10	.40	28
29				.35		.14	—	—	.52	.44	—	.18	29
30				.12	.22	.30	.02	.02	—	.45	.01	—	30
31			.04			X	—	—	X	.10	X	.01	31
Total			2.66	3.22	1.26	3.37	.70	2.51	3.14	2.94	4.83	7.20	TOTAL for year
No. of Rain Days.			16	16	11	14	13	13	10	16	21	25	

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
15 MAY 1912

Kept at *Alma Lane*
 $\frac{5}{8}$ mile east of Takal Parish Church in Cheshire
in the County of *Derbyshire*
by *W. Shaw*

Pattern *Standard*
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *0* in.
" " " Sea Level *750* ft.
Time of Observation *8.45 a.m.*
Nearest Railway Station { Name *Whaley B.*
Distance *1 1/2* miles Direction *N. by W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.57		.01	—	.01	.06	—	—	.19	—	1
2			.20		.30	—	—	—	—	.04	.06	.07	2
3					.33	—	.01	.02	—	.01	.45	.02	3
4			.18	.10	.04	—	—	.08	.07	.03	.38	.23	4
5			.03	.01		—	—	.28	—	.29	—	—	5
6			.05			—	—	.44	—	.05	.34	.56	6
7						—	—	—	—	—	.18	.02	7
8			.53			—	.02	—	—	—	.22	.87	8
9						—	—	—	—	—	—	—	9
10			.18			—	—	—	—	—	—	1.00	10
11					.02	—	—	.06	.03	—	.51	—	11
12			.52		.05	—	—	—	.59	—	.71	—	12
13			.03		.03	—	—	—	—	—	.25	.44	13
14			.06		.17	—	—	—	—	—	.12	.65	14
15			.09	.05		—	—	—	—	—	.10	—	15
16			.11	.06		.06	.03	—	—	—	.19	.32	16
17				.02		.58	.02	—	—	—	.17	.17	17
18			.01	.02		.16	—	—	—	—	.36	.16	18
19				.13		.01	.13	—	.19	.20	.24	.15	19
20				.25		.03	.07	.40	.28	.02	—	.48	20
21						.03	.08	.28	—	.21	—	.04	21
22				.11		.03	.06	.07	—	.34	.04	.15	22
23					.04	.30	—	—	.22	.13	—	.30	23
24			.02	.20		1.45	—	.04	—	.16	—	.20	24
25				.60		.08	.11	—	.23	.05	—	.32	25
26				.31	.05	.09	.12	.04	—	.42	.17	.40	26
27			.04	.62		—	—	.72	.90	—	.04	.06	27
28				.27		.11	.02	—	.11	—	.10	.40	28
29				.35		.14	—	—	.52	.44	—	.18	29
30				.12	.22	.30	.02	.02	—	.45	.01	—	30
31			.04			X	—	—	X	.10	X	.01	31
Total			2.66	3.22	1.26	3.31	.70	2.51	3.14	2.94	4.83	7.20	TOTAL for year
No. of Rain Days.			16	16	11	14	13	13	10	16	21	25	

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
20 JAN 1913

Kept at *Shro Lave*
in the County of *Derbyshire*
by *W. Shaw*

Lat. _____ Long. _____
Time of Observation *8.45 a.m.*
Nearest Railway Station *Whaley B.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *750* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.10	—	—	.06	.10	.06	.23	—	.01	.53	1
2	—	—	.15	.10	.07	.27	.41	—	.05	—	—	.08	2
3	.41	—	.02	—	.03	.27	.01	.70	.42	—	.01	.05	3
4	.57	—	.80	.21	.07	.26	—	.77	.13	—	.44	—	4
5	.40	—	.01	—	.11	.27	—	.08	.27	—	.05	.01	5
6	.40	.09	—	—	.08	.01	—	.14	.02	—	—	—	6
7	—	.04	.02	.02	.08	.01	—	.09	.31	—	—	.01	7
8	.33	.32	.19	.17	—	.04	.13	.05	.22	—	.03	—	8
9	.15	.01	.27	.58	.01	.10	—	.10	—	—	.60	.09	9
10	.10	—	—	—	—	.02	.16	.02	—	—	—	—	10
11	.20	.01	—	—	—	—	.16	—	—	—	.02	1.13	11
12	.11	.10	.34	—	—	.07	.16	—	—	—	—	.08	12
13	—	.01	—	—	—	—	—	.52	—	.04	.04	.22	13
14	.05	—	.61	—	—	.73	.17	.53	.04	.02	—	.42	14
15	.20	.06	.31	—	.97	.06	.10	.17	—	—	—	.18	15
16	.35	—	.24	—	.06	.71	.10	—	.28	—	—	.02	16
17	.35	.03	.09	—	.05	.71	.26	—	.01	—	—	.85	17
18	.18	.01	.06	—	—	.02	—	—	—	.31	—	.17	18
19	.07	.06	.25	—	—	.02	.30	—	.04	—	—	—	19
20	.17	—	.10	—	.12	.14	.43	—	.46	.07	.03	—	20
21	.01	.01	.14	—	.25	.01	—	—	.59	.06	.11	—	21
22	—	.14	—	—	.22	.35	.42	—	.03	—	.11	—	22
23	—	.18	.20	—	—	—	1.40	—	—	.39	.20	—	23
24	.05	.02	—	—	—	.14	.10	—	—	—	.17	—	24
25	—	.09	.12	—	—	.35	.03	—	—	—	.48	.10	25
26	—	.09	.12	—	—	.03	.43	.49	—	.84	.28	.07	26
27	—	.02	.39	—	—	.34	.78	—	—	.70	.39	.13	27
28	—	.07	.02	—	—	.03	.56	.49	.05	.25	—	—	28
29	—	—	.14	—	—	.10	.41	.02	.53	.03	—	.07	29
30	.08	X	.31	—	.16	.07	.13	.01	—	—	.53	—	30
31	—	X	.27	X	.17	X	.38	.21	X	.02	X	.03	31
Total	4.18	1.36	5.27	1.08	2.45	4.15	4.15	7.60	2.29	3.62	3.40	4.86	44.41
Rain Days.	19	19	25	5	15	(27)	(18)	25	12	14	17	25	(22)

YEAR'S TOTAL

WHATSTANDWELL

W. W

DERBY

1912-15. 20

BRITISH RAINFALL
FORM A.
7 FEB 1913

5" in.

Above Ground 1 ft. 0 in.

Sea Level 246 ft.

and the result entered to the universal rule, he is earnestly year in the space provided

Jan. 1, following.

01

Kept at Meerbrook Sough
in the County of Whatst
by W. W. Smith

IMPORTANT NOTE.—I previous day. If an Observer requested to add the reading a for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.00	.00	.14	.00	.00	.25	.00	.01	.04	.00	.00	.46	1
2	.00	.02	.10	.01	.00	.05	.39	.00	.03	.00	.00	.06	2
3	.09	.00	.06	.00	.06	.20	.00	.86	.13	.00	.01	.08	3
4	.21	.00	1.04	.00	.13	.54	.00	.40	.02	.00	.28	.00	4
5	.47	.04	.00	.00	.08	.22	.01	.11	.04	.00	.01	.01	5
6	.25	.12	.00	.00	.00	.02	.00	.69	.00	.00	.00	.02	6
7	.00	.11	.02	.00	.12	.06	.00	.12	.02	.00	.00	.02	7
8	.57	.49	.19	.12	.01	.05	.01	.01	.06	.00	.00	.00	8
9	.00	.03	.26	.29	.00	.54	.00	.20	.00	.00	.02	.07	9
10	.09	.01	.00	.02	.00	.13	.00	.14	.00	.00	.38	.00	10
11	.18	.03	.00	.00	.00	.01	.00	.05	.00	.00	.11	.73	11
12	.08	.27	.22	.00	.00	.02	.49	.00	.00	.00	.02	.00	12
13	.04	.02	.00	.00	.00	.10	.00	.02	.01	.06	.10	.00	13
14	.13	.00	.54	.00	.00	.02	.00	.16	.00	.00	.00	.14	14
15	.36	.10	.12	.00	.57	.25	.00	.02	.00	.01	.00	.41	15
16	.49	.00	.46	.00	.15	.06	.00	.14	.00	.18	.00	.01	16
17	.52	.00	.25	.00	.00	.27	.05	.49	.00	.00	.03	.29	17
18	.18	.00	.08	.00	.00	.01	.00	.00	.00	.11	.00	.11	18
19	.32	.14	.07	.00	.02	.03	.49	.48	.02	.08	.02	.02	19
20	.27	.00	.25	.00	.09	.01	1.38	.08	.00	.38	.00	.01	20
21	.00	.02	.22	.00	.52	.00		.36	.00	.58	.04	.05	21
22	.02	.15	.00	.00	.51	.42	.21	.05	.00	.00	.00	.26	22
23	.08	.07	.31	.00	.00	.00	1.35	.31	.00	.00	.31	.02	23
24	.12	.00	.05	.00	.00	.10		.12	.00	.00	.02	.30	24
25	.01	.02	.00	.00	.00	.28	.01	.18	.00	.00	.41	.17	25
26	.00	.07	.11	.00	.00	.02	.53	.84	.00	1.09	.38	.04	26
27	.00	.00	.06	.00	.00	.24	.42	.03	.00	.98	.00	.31	27
28	.00	.03	.12	.00	.00	.08	.32	.76	.08	.60	.00	.20	28
29	.00	.04	.00	.00	.29	.06	.20	.02	.70	.12	.99	.02	29
30	.04	X	.02	.00	.19	.00	.02	.00	.07	.07	.00	.00	30
31	.00	X	.15	X	.44	X	.22	.13	X	.00	X	.01	31
Total	4.82	1.78	4.84	.44	3.18	4.04	6.10	7.01	1.22	4.26	3.13	3.85	44.70
Rain Days.	21	19	23	4	14	29	18	27	12	12	16	25	218

Kept at Meerbrook Sough Pumping Station
Whatstandwell
in the County of Derby
by W. B. Smith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 246 ft.


IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
'01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.17	.00	.00	.25	.00	.01	.04	.00	.00	.46	1
2	.00	.02	.10	.01	.00	.05	.39	.00	.03	.00	.00	.06	2
3	.09	.00	.06	.00	.06	.20	.00	.86	.13	.00	.01	.08	3
4	.21	.00	1.04	.00	.13	.54	.00	.40	.02	.00	.28	.00	4
5	.47	.04	.00	.00	.08	.22	.01	.11	.04	.00	.01	.01	5
6	.25	.12	.00	.00	.00	.02	.00	.69	.00	.00	.00	.02	6
7	.00	.11	.02	.00	.12	.06	.00	.12	.02	.00	.00	.02	7
8	.57	.49	.19	.12	.01	.05	.01	.01	.06	.00	.00	.00	8
9	.00	.03	.26	.29	.00	.54	.00	.20	.00	.00	.02	.07	9
10	.09	.01	.00	.02	.00	.13	.00	.14	.00	.00	.38	.00	10
11	.18	.03	.00	.00	.00	.01	.00	.05	.00	.00	.11	.73	11
12	.08	.27	.22	.00	.00	.02	.49	.00	.00	.00	.02	.00	12
13	.04	.02	.00	.00	.00	.10	.00	.02	.01	.06	.10	.00	13
14	.13	.00	.54	.00	.00	.02	.00	.16	.00	.00	.00	.17	14
15	.36	.10	.12	.00	.57	.25	.00	.02	.00	.01	.00	.41	15
16	.79	.00	.46	.00	.15	.06	.00	.17	.00	.18	.00	.01	16
17	.52	.00	.25	.00	.00	.27	.05	.49	.00	.00	.03	.29	17
18	.18	.00	.08	.00	.00	.01	.00	.00	.00	.11	.00	.11	18
19	.32	.14	.07	.00	.02	.03	.49	.48	.02	.08	.02	.02	19
20	.27	.00	.25	.00	.09	.01	1.38	.08	.00	.38	.00	.01	20
21	.00	.02	.22	.00	.52	.00		.36	.00	.58	.04	.05	21
22	.02	.15	.00	.00	.51	.42	.21	.05	.00	.00	.00	.26	22
23	.08	.07	.31	.00	.00	.00	1.35	.31	.00	.00	.31	.02	23
24	.12	.00	.05	.00	.00	.10		.12	.00	.00	.02	.30	24
25	.01	.02	.00	.00	.00	.28	.01	.18	.00	.00	.41	.17	25
26	.00	.07	.11	.00	.00	.02	.53	.84	.00	1.09	.38	.04	26
27	.00	.00	.06	.00	.00	.24	.42	.03	.00	.98	.00	.31	27
28	.00	.03	.12	.00	.00	.08	.32	.76	.08	.60	.00	.20	28
29	.00	.04	.00	.00	.29	.06	.20	.02	.70	.12	.99	.02	29
30	.04	X	.02	.00	.19	.00	.02	.00	.07	.07	.00	.00	30
31	.00	X	.15	X	.44	X	.22	.13	X	.00	X	.01	31
Total	4.82	1.78	4.87	.44	3.18	4.04	6.10	7.01	1.22	4.26	3.13	3.85	44.70
Rain Days.	21	19	23	4	14	29	18	27	12	12	16	25	218

REGISTER OF RAINFALL IN 1913

Kept at Heerbrook Waterworks
Whatstandwell
in the County of Derby
by Alfred G Smitty



Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 245 ft.

FORM A.
BRITISH RAINFALL
FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
not reg.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.00	.30	.00	.00	.00	.00	.00	.00	.00	.06	.02	1
2	.02	.12	.06	.00	.00	.00	.00	.00	.11	.00	.00	.00	2
3	.08	.00	.31	.00	.53	.00	.00	.00	.04	.18	.01	.14	3
4	.98	.02	.01	.04	.13	.04	.03	.00	.02	.29	.24	.01	4
5	.04	.05	.09	.00	.00	.14	.00	.04	.12	1.19	.02	.52	5
6	.04	.09	.12	.00	.42	.04	.41	.00	.00	.61	.01	.02	6
7	.00	.35	.01	.00	.24	.08	.00	.00	.00	.59	.13	.02	7
8	.00	.04	.04	.02	.29	.05	.00	.02	.00	.18	.02	.01	8
9	.00	.34	.03	.00	.00	.53	.00	.00	.00	.01	.22	.01	9
10	.05	.01	.00	.02	.02	.01	.02	.13	.00	.02	.30	.00	10
11	1.02	.00	.00	.12	.00	.01	.00	.00	.00	.04	.33	.00	11
12	.00	.00	.00	.41	.11	.02	.00	.00	.00	.00	.34	.02	12
13	.01	.05	.24	.02	.00	.00	.00	.00	.13	.00	.21	.00	13
14	.12	.10	.48	.06	.00	.00	.00	.04	.00	.09	.10	.00	14
15	.00	.00	.59	.04	.00	.00	.00	.00	.00	.01	.24	.00	15
16	.09	.03	.30	.45	.00	.00	.00	.01	.33	.00	.04	.00	16
17	.00	.00	.13	.03	.02	.00	.00	.00	.24	.00	.03	.00	17
18	.03	.00	.35	.24	.04	.00	.12	.00	.00	.00	.18	.00	18
19	.11	.00	.09	.23	.00	.00	.00	.00	.19	.00	.00	.03	19
20	.01	.00	.08	.04	.00	.00	.00	.00	.03	.01	.33	.02	20
21	.00	.00	.08	.14	.19	.00	.09	.00	.00	.00	.12	.00	21
22	.42	.00	.40	.00	.00	.00	.00	.46	.33	.00	.01	.00	22
23	.00	.00	.00	.06	.03	.04	.00	.04	.04	.00	.02	.00	23
24	.18	.00	.01	.01	.00	.03	.00	.45	.00	.00	.00	.01	24
25	.01	.00	.00	.04	.00	.00	.00	.00	.05	.04	.00	.04	25
26	.01	.04	.06	.09	.00	.00	.00	.00	.00	.13	.00	.41	26
27	.01	.08	.10	.16	.00	.00	.00	.00	.00	.00	.00	.00	27
28	.36	.00	.24	.36	.00	.00	.00	.00	.00	.00	.00	.00	28
29	.01	X	.51	.36	.04	.00	.00	.59	.00	.03	.02	.00	29
30	.98	—	.00	.43	.28	.00	.00	.00	.00	.44	.00	.12	30
31	.01	—	.00	X	.00	X	.00	.00	X	.00	X	.10	31
Total	4.60	1.35	4.96	3.70	2.40	1.11	.94	2.11	1.69	3.89	3.04	1.53	31.38
Rain Days.	23	13	24	22	13	11	5	9	12	16	22	16	186

REGISTER OF RAINFALL IN 1914

Kept at Whatstandwell (Meerbrook)
Sough W.W.
in the County of Derby
by ILKESTON & HEANOR
WATER BOARD

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
15 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.33	.12	.00	.00	.00	.93	.29	.00	.00	.00	.47	1
2	.00	.01	.01	.00	.00	.00	.64	.22	.00	.00	.05	.22	2
3	.04	.00	.10	.00	.30	.00	.00	.22	.00	.00	.40	.48	3
4	.35	.00	.13	.46	.28	.00	.00	.00	.00	.00	.51	.36	4
5	.00	.00	.20	.33	.17	.17	.11	.00	.00	.00	.11	.05	5
6	.15	.13	.00	.09	.19	.00	.08	.14	.00	.00	.01	.34	6
7	.01	.09	.33	.11	.18	.00	.02	.04	.00	.00	.00	.21	7
8	.10	.00	.00	.00	.14	.59	.09	.31	.22	.00	.00	.15	8
9	.03	.05	.01	.07	.02	.84	.00	.57	.09	.00	.02	.00	9
10	.24	.10	.00	.00	.04	.02	.00	.00	.08	.00	.01	.02	10
11	.00	.15	.41	.24	.14	.03	.00	.00	.10	.00	1.01	.75	11
12	.00	.06	.15	.00	.00	.00	.06	.00	.39	.00	.19	.09	12
13	.05	.29	.14	.01	.00	.16	.01	.00	.08	.30	.21	.44	13
14	.03	.48	.08	.00	.00		.04	.00	.01	.49	.38	.15	14
15	.00	.01	.17	.00	.00		.00	.01	.08	.01	.19	.00	15
16	.15	.00	.08	.00	.00		.80	.00	.66	.00	.00	.00	16
17	.03	.33	.15	.00	.00		.01	.00	.01	.00	.00	.56	17
18	.00	.00	.01	.00	.00	.02	.12	.00	.00	.00	.00	.36	18
19	.00	.00	.00	.00	.00		.06	.00	.07	.00	.05	.12	19
20	.00	.20	.03	.00	.06		.02	.02	.00	.05	.00	.04	20
21	.00	.43	.00	.00	.00	.05	.00	.00	.00	.16	.00	.08	21
22	.00	.11	.01	.00	.34	.02	.00	.14	.00	.44	.00	.06	22
23	.03	.07	.12	.02	.13	.00	.04	.00	.00	.01	.02	.00	23
24	.00	.01	.22	.02	.00	.00	.20	.13	.00	.05	.04	.00	24
25	.04	.00	.11	.00	.00	.00	.29	.34	.00	.81	.12	.39	25
26	.03	.00	.05	.00	.00	.00	.03	.12	.00	.23	.31	.36	26
27	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.18	.81	27
28	.00	.15	.15	.00	.00	.00	.00	.00	.00	.14	.07	.47	28
29	.06	X	.37	.00	.00	.00	.00	.00	.00	.45	.14	.00	29
30	.00	X	.08	.05	.00	.00	.00	.02	.00	.09	.00	.00	30
31	.03	X	.02	X	.00	X	.59	.00	X	.06	X	.07	31
Total	1.57	3.00	3.25	1.40	1.99	1.88	4.14	2.54	1.79	3.29	4.02	7.05	35.95
Rain Days.	17	18	25	10	12	8	19	14	11	14	20	24	19

REGISTER OF RAINFALL IN 1915

Kent at Whatstandwell (Meerbrook Sough W.W.)
in the County of Derby
by Alfred E Smith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2834
FORM A
BRITISH RAINFALL
24 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.31	.11	.00	.00	.00	.04	.01	.03	.02	.05	.09	1
2	.10	.12	.21	.23	.00	.00	.01	.62	.00	.14	.00	.02	2
3	.81	.00	.03	.15	.00	.00	.54	.34	.41	.00	.00	.36	3
4	.08	.00	.00	.00	.07	.00	.58	.01	.00	.00	.00	1.06	4
5	.04	.44	.00	.00	.00	.00	.00	.08	.00	.03	.05	.93	5
6	.10	.12	.00	.31	.00	.00	.49	.20	.00	.00	.00	.15	6
7	.26	.49	.00	.03	.00	.00	.01	.34	.00	.00	.00	.16	7
8	.26	.15	.00	.21	.00	.00	.00	.00	.00	.00	.10	.05	8
9	.02	.08	.00	.03	.00	.00	.00	.14	.00	.03	.31	.61	9
10	.65	.00	.03	.00	.00	.00	.00	.06	.00	.00	.26	.04	10
11	.09	.06	.00	.03	.20	.00	.15	.00	.00	.00	.63	.31	11
12	.04	.85	.00	.09	.00	.00	.00	.00	.00	.00	1.58	.00	12
13	.03	.01	.00	.00	.22	.00	.01	.16	.00	.00	.18	.09	13
14	.03	.00	.00	.00	.02	.00	.00	.68	.09	.00	.03	.33	14
15	.66	.84	.00	.00	.02	.00	.06	.03	.00	.15	.00	.30	15
16	.00	.36	.00	.00	.05	.00	1.50	.00	.00	.00	.00	.04	16
17	.00	.34	.00	.00	.00	.00	.09	.00	.00	.00	.02	.01	17
18	1.00	.09	.21	.00	.00	.00	.00	.00	.00	.00	.00	.04	18
19	.00	.00	.00	.00	.08	.00	.16	.00	.00	.00	.00	1.53	F 19
20	.15	.00	.00	.04	.00	.00	.03	.00	.00	.00	.00	1.53	W 20
21	.04	.00	.00	.05	.00	.00	.24	.00	.00	.00	.00	1.53	W 21
22	.02	.02	.25	.05	.00	.00	.02	.00	.00	.00	.00	1.53	W 22
23	.00	.00	.05	.00	.00	.09	.09	.00	.02	.51	.00	1.53	23
24	.00	.00	.00	.35	.00	.00	.00	.00	.00	.05	.00	1.53	24
25	.00	.00	.00	.00	.00	.00	.09	.00	.04	.13	.00	1.53	25
26	.04	.45	.00	.00	.00	.02	.11	.00	.02	.03	.00	1.53	W 26
27	.00	.18	.00	.00	.00	.09	.12	.00	.00	.42	.00	1.53	W 27
28	.00	.58	.05	.00	.00	.04	.02	.31	.00	.04	.00	.02	28
29	.00	X	.00	.00	.05	.05	.00	.01	.00	.02	.15	.39	29
30	.19	X	.00	.00	.00	.03	.00	.00	.00	.05	.15	.02	30
31	.21	X	.00	X	.00	X	.03	.10	X	.22	X	.20	31
Total	4.96	5.55	.94	1.60	.71	.31	4.45	3.15	.60	2.21	3.51	6.65	YEAR'S TOTAL 34.64
Rain Days.	22	18	8	12	8	6	21	15	6	14	12	9	171

REGISTER OF RAINFALL IN 1920.

Kept at Heerbrook Sough PS Wharfedale
in the County of West York
by

Lat. 53° 54' N Long. 1° 30' 50" W 23 MAR 1921
Time of Observation 9 am
Nearest Railway Station Wharfedale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	00	30	005	25	46	00	48	00	13	24	00	30	1
2	00	00	00	13	01	00	16	00	13	17	31	42	2
3	00	02	00	59	00	01	1.23	00	08	33	00	17	3
4	04	00	00	03	005	00	01	79	00	63	00	00	4
5	00	005	12	10	54	00	05	10	04	00	00	06	5
6	00	32	28	14	07	00	10	00	00	00	00	05	6
7	25	00	005	05	00	00	21	01	00	00	00	09	7
8	00	01	00	28	22	00	00	01	00	00	00	00	8
9	00	71	00	12	00	07	00	00	00	00	00	00	9
10	69	20	18	31	00	00	49	00	00	01	00	00	10
11	66	02	00	20	00	05	05	00	00	03	005	09	11
12	05	025	00	45	47	39	31	01	00	02	06	00	12
13	19	135	12	79	00	51	00	00	00	00	00	00	13
14	02	00	65	20	00	1.70	00	00	00	00	00	03	14
15	01	18	12	62	00	00	00	00	75	00	00	05	15
16	05	00	11	05	00	01	00	00	005	55	00	01	16
17	00	005	01	00	17	00	59	04	006	00	00	007	17
18	14	18	00	09	24	00	09	00	00	00	06	00	18
19	00	00	00	43	18	11	05	00	00	00	00	00	19
20	39	00	00	38	00	20	12	06	00	00	00	00	20
21	00	00	00	20	00	00	06	10	00	00	00	07	21
22	00	00	005	20	00	00	15	005	00	04	00	06	22
23	01	00	00	005	00	00	35	00	005	00	00	68	23
24	04	00	40	02	00	00	03	00	00	00	00	23	24
25	03	1.70	10	15	00	00	61	00	00	00	00	01	25
26	24	00	12	18	04	00	07	00	00	00	00	03	26
27	12	00	04	00	35	21	02	00	00	00	44	28	27
28	00	08	10	31	14	16	05	00	00	00	005	06	28
29	00	005	12	05	36	01	23	00	00	00	25	76	29
30	00	X	10	36	05	22	00	00	005	00	06	09	30
31	30	X	00	X	06	X	00	00	X	10	X	66	31
TOTAL	3.250	3.895	2.585	6.685	3.365	3.65	5.51	1.125	1.151	2.12	1.130	4.207	38.673
Days with "01 in. or more	15	13	15	27	15	13	23	8	5	10	5	21	170
Days with "04 in. or more	13	9	14	25	14	10	20	5	5	4	5	17	146
YEAR'S TOTAL													38.673

REGIST

WILLINGTON

W. W. MILTON

1912-1913
1915

Kept at Milton (Swadlin

in the County of Der

by J. D. M. Elcalf

IMPORTANT NOTE.

previous day. Note Observer

requested to add the reading

for it at the end of this day

the selection and placing of rain gauges, and particulars as to the

Organization are given in "Rules for Rainfall Observers," sent post-free on application to

Dr. H. R. MILL, 62, Camden Square, London, N.W.

Instructions for the measurement of rain, as to the British Rainfall

Jan. 1, following.

1913

FORM A.
BRITISH RAINFALL

7 FEB 1913

2.2 m

Repton, Willington

5" in.

above Ground ft. 6 in.

Sea Level ft.

and the result entered to the

but that he is earnestly

year in the space provided

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						.23							1
2						.25	.31						2
3			.04			.08		1.01				.50	3
4	.14		.04		.39	1.00		.08					4
5	.20		.45			.16		.32			.26		5
6		.19	.06			.08		.11					6
7	.83	.12				.12							7
8	.09	.22				.18			.36				8
9	.08					.03							9
10						.06		.22					10
11						.06		.26			.29	1.25	11
12	.12	.44	.41			.05	.24						12
13	.07												13
14	.12		.50					.08					14
15	.11	.08			.38	.86							15
16	.65							.14					16
17	.35		.23			.27		.45				.44	17
18	.11		.25										18
19	.33		.02				.47	.39					19
20			.18		.13			.17		.55			20
21		.12	.06		.67			.07		.46	.20		21
22	.19				.71	.35		.02					22
23	.10						1.04	.37			.11	.26	23
24	.07		.22				.14						24
25			.11			.42		.71			.31		25
26		.25				.07				.62			26
27			.04			.16	.15	1.03		.92			27
28							.35	.43		.26	.58		28
29						.06	.10						29
30					.30	.10			.39	.15			30
31					.10		.36	.14				1.26	31
Total	3.46	1.42	2.61	—	2.68	4.59	3.16	6.86	.75	2.96	1.75	3.71	33.65
Rain Days.	16	7	14	—	7	20	9	18	2	6	6	5	109

Days of Rain quite incorrect.

REGIST

Kept at Milton (Swadlincote + Ashby WW)
in the County of Derby 5
by J D M et al

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Repton - Wellington
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground _____ ft. 6 in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
7 FEB 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. ~~Note Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph.~~ Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
1.26

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.23							1
2						.25	.31						2
3			.04			.08		1.01				.50	3
4	.14		.04		.39	1.00		.08					4
5	.40		.45			.16		.32			.26		5
6		.19	.06			.08		.17					6
7	.83	.12				.12							7
8	.09	.22				.18			.36				8
9	.08					.03							9
10						.06		.22					10
11						.06		.26			.29	1.25	11
12	.12	.44	.41			.05	.24						12
13	.07												13
14	.12		.50					.08					14
15	.11	.08			.38	.86							15
16	.65							.14					16
17	.35		.23			.27		.45				.44	17
18	.11		.25										18
19	.33		.02				.47	.39					19
20			.18		.13			.17		.55			20
21		.12	.06		.67			.07		.46	.20		21
22	.19				.71	.35		.52					22
23	.10						1.04	.37			.11	.26	23
24	.07		.22				.14						24
25			.11			.42		.71			.31		25
26		.25				.07				.62			26
27			.04			.16	.15	1.03		.92			27
28							.35	.43		.26	.58		28
29						.06	.10						29
30					.30	.10			.39	.15			30
31					.10		.36	.14				1.26	31
Total	3.46	1.42	2.61	—	2.68	4.59	3.16	6.56	.75	2.96	1.75	3.71	YEAR'S TOTAL 33.65
Rain Days.	16.	7	14	—	7	20	9	18	2	6	6	5	129

Day 7 Rain quite incorrect.

REGISTER OF RAINFALL IN 1913

Kept at Milton (Swadlucote Ashby W.R.)
in the County of Derby
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
7 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				'02					'60				1
2		'10	'09	'04					'04		'04		2
3			'19		'49				'01	'15		'03	3
4	'62				'36						'09	'50	4
5	'30		'07			'10			'05	1.13			5
6		'08	'08		'35	'14	1.0			'23			6
7		'04			'13		'02			'37	'08	'03	7
8					'11	'04				'12			8
9		'40	'08		'02	'50		'50			'81	'02	9
10				'16				'30			'37		10
11	'51	'01		'29							'10		11
12	'01				'19						'07		12
13	'10		'27	'04				'05			'07		13
14	'01		'54	'03					'02	'06	'02		14
15	'04		'40	'29					'03				15
16	'01	'14	'36						'26		'02		16
17	'01	'02	'06	'17		'08	'02						17
18			'22	'14			'02				'05	'06	18
19	'09		'09		'02	'02			'41		'23		19
20	'10		'12	'02									20
21					'03		'08	'85	'02				21
22	'39		'45						'32		'05		22
23						'09		'07	'06				23
24	'10			'03									24
25				'03				'02	'03			'03	25
26		'09		'20						'19		'21	26
27		'01	'09	'45									27
28	'42		'21	'16	'04			'34		'03		'02	28
29			'39	'49							'02	'10	29
30	'24									'18			30
31			'05										31
Total	2.95	.89	3.76	2.86	1.74	.97	1.15	2.13	1.85	2.46	2.02	1.00	YEAR'S TOTAL 23.78
Rain Days.	15	9	18	16	10	7	5	7	12	9	14	9	131

REGISTER OF RAINFALL IN 1915

Kept at Milton N.W.
 in the County of Derby
 by J. S. Metcalfe

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Widlington - Repton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level _____ ft.

1807
 24 FEB 1916
 FORM A.
 BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.12	.22				.90	.17	.21				1
2	.11	.14	.15					.83					2
3		.08	.25	.05	.64	.1		.15					3
4	.67		.03				1.02						4
5	.05			.09	.06			.03					5
6	.05				.08		.67	.04					6
7	.02			.11			.25						7
8	.17	.05		.07		.02		.42					8
9	.13	.03						.07					9
10		.03											10
11	.38		.05				.18	.33					11
12	.03				.15		.02	.02					12
13	.03			.25	.23								13
14	.02				.34								14
15		.40						.11					15
16	.26						3.07						16
17		.17			.08		.08						17
18	.07	.28						.08					18
19		.1	.09				.10				3.04		19
20		.07	.02				.03						20
21	.11						.15						21
22	.08						.08						22
23	.06		.17				.22						23
24			.03				.48						24
25	.07		.05				.25						25
26				.03		.87	1.34						26
27							.05						27
28						.07							28
29						.1							29
30		X				.08		.12					30
31		X		X		X		.02	X		X	4.02	31
Total	2.25	1.44	1.05	.54	1.58	1.18	8.83	2.33	.21		3.04	4.02	YEAR'S TOTAL 26.47
Rain Days.													

See over

over

REC

WIRKSWORTH
BRIDGE HSE
DERBY
1911 - 1915

311

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at *Wirksworth*
in the County of *Derb*
by *J. Gibbs*

bp 5 in.
above Ground 1 ft. in.
„ Sea Level 500 ft.

Nearest Railway Station

Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			14		01		03	11			05		1
2	09		03		15			07			03	17	2
3	02			02	35			08	01		14		3
4	04		02	08		05		04	17	06	28	28	4
5	06			06				22		04			5
6	78		01					12		13	05	55	6
7	06									04	16		7
8	10		24						13	01	11		8
9	01					02					05	87	9
10	04	05	30									66	10
11	15							17			41	01	11
12	03		35						21		34		12
13			03			01					17	39	13
14		08	05		90						03	95	14
15		19	10							03	03	18	15
16		11		02		16					20	10	16
17	01		02	04		31					07	41	17
18		31		03	03	22				10	14	15	18
19		20	01	01		18	04	03	18	07	21	06	19
20		10		19		02	03	42	16	24		17	20
21		48		01		02		18	05	27		04	21
22		03		03		01				05		37	22
23		12	07			14			63	26	02	30	23
24		13	03	27		84		02				12	24
25	05	28	02	27	01					31		16	25
26		04		24	15	01					37	47	26
27		30	10	37	02			50	22	01	03	11	27
28		14		22		06			10		16	05	28
29						07	01		28	54		03	29
30				06	04	12			02	28	05	01	30
31			24							06			31
Total	1.44	2.56	1.76	1.92	1.66	2.24	.11	1.96	2.16	2.50	3.10	6.61	TOTAL for year 28.02
No. of Rain Days	13	15	17	16	9	16	4	12	12	17	22	24	177

REGISTER OF RAINFALL IN 1911

407
26 JAN 1912
BRITISH RAINFALL
FORM A2.

Kept at Kirksworth, Bridge House
in the County of Derbyshire
by J. Gibbs

RAIN GAUGE
Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. _____ in.
" " " Sea Level 500 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.09		.03		.15			.07			.03	.17	2
3	.02			.02	.35			.08	.01		.14		3
4	.04		.02	.08		.05		.04	.17	.06	.28	.28	4
5	.06			.06				.22		.04			5
6	.78		.01					.12		.13	.05	.55	6
7	.06									.04	.16		7
8	.10		.24						.13	.01	.11		8
9	.01					.02					.05	.87	9
10	.04	.05	.30									.66	10
11	.15							.17			.41	.01	11
12	.03		.35						.21		.34		12
13			.03			.01					.17	.39	13
14		.08	.05		.90						.03	.95	14
15		.19	.10							.03	.03	.18	15
16		.11		.02		.16					.20	.10	16
17	.01		.02	.04		.31					.07	.41	17
18		.31		.03	.03	.22				.10	.14	.15	18
19		.20	.01	.01		.18	.04	.03	.18	.07	.21	.06	19
20		.10		.19		.02	.03	.42	.16	.24		.17	20
21		.48		.01		.02		.18	.05	.27		.04	21
22		.03		.03		.01				.05		.37	22
23		.12	.07			.14			.63	.26	.02	.30	23
24		.13	.03	.27		.84		.02				.12	24
25	.05	.28	.02	.27	.01					.31		.16	25
26		.04		.24	.15	.01					.37	.47	26
27		.30	.10	.37	.02			.50	.22	.01	.03	.11	27
28		.14		.22		.06			.10		.16	.05	28
29						.07	.01		.28	.54		.03	29
30				.06	.04	.12			.02	.28	.05	.01	30
31			.24							.06			31
Total	1.44	2.56	1.76	1.92	1.66	2.24	.11	1.96	2.16	2.50	3.10	6.61	TOTAL for year 28.02
No. of Rain Days	13	15	17	16	9	16	4	12	12	17	22	24	177

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Kirkworth Greengates
in the County of Derbyshire
by T. Gibbs

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			22			18		19	06			47	1
2		01	12	02		09	43	04	01			09	2
3	21	01			03	18	01	1.20	15	01		09	3
4	26		1.03	14	17	48		27	01		02		4
5	51	05	01		07	13	01	10	11		37		5
6	1.09					05		42				02	6
7		23	01			06		09	08			02	7
8	56	45	22	11	06	04	03	01	09			01	8
9	07	05	21	31		74		15			03	08	9
10		05		02		10		19			50		10
11	23	01			01	01		06			13	84	11
12	10	25	29			06	14				02	01	12
13	04	01				15		01		06	12	09	13
14	15		59			05		22		03		13	14
15	36	11	24		53	24		03				42	15
16	1.28		44		15	04		17		24			16
17	74		19			38		45			02	28	17
18	18		30			01	06			13		13	18
19	32	15	06			04	45	57	01	20	03	02	19
20	23		14		10	01	17	12		46	03	01	20
21			39		77		1.47			68	04	04	21
22	01	18			50	16	25	67		01	01	30	22
23	09	07	34		01	02	61	42			34	02	23
24	11	01	05			10	20	13			02	38	24
25		01	01			31		35		01	44	20	25
26		09	10			05	35	80		1.05	38	01	26
27		01	07			32	67	01		93		30	27
28		05	04			07		75		53	80	19	28
29		02				23	35	05	69	10	10	02	29
30	03		02		13	01	07			08			30
31	01		16		37		23	15				02	31
Total	6.58	1.82	5.25	60	2.90	4.31	5.50	7.62	1.21	4.52	3.40	4.19	TOTAL for year
No. of Rain Days.	21	20	24	5	13	29	17	27	9	15	18	26	4790

REGISTER OF RAINFALL IN 1913

31 JAN 1914
BRITISH RAINFALL
FORM A. 418

Kept at Kirkworth, Greengates
in the County of Derbyshire
by J. Gibbs

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.28	.05					.14		.06		1
2	.01	.10	.04	.05						.01			2
3	.09	.01	.31		.55				.06	.55	.06	.21	3
4	.93	.01	.01		.09	.01	.07		.02		.28	.45	4
5	.04	.06	.08			.19	.04			1.20			5
6	.05	.10	.12		.40	.08	.57			.72			6
7		.36	.02		.15	.09				.60	.14		7
8		.06	.02		.24	.06			.10	.06			8
9		.40	.05	.01	.15	.62							9
10	.05	.01		.11	.05	.03	.02	.15		.01	.20		10
11	1.57			.46		.03		.15		.01	.53		11
12				.03	.11						.44		12
13	.03		.28	.05				.05					13
14		.06	.45						.14	.10			14
15		.08	.54	.80					.09		.24		15
16	.07	.02		.08			.02	.02	.11		.08		16
17	.02		.44	.23	.23	.15					.05		17
18	.03		.37	.25			.10				.24		18
19	.15		.11	.05	.01	.02			.28	.05		.05	19
20	.24		.08	.12							.35		20
21	.03		.02				.10	.05	.34		.24		21
22	.42		.74		.05			.79	.05				22
23	.06							.03			.03		23
24	.20			.03				.02	.05		.05	.06	24
25	.01			.07						.05		.47	25
26		.04	.20	.19						.14			26
27		.03	.01	.40				.01					27
28	.38		.25	.28	.05					.04			28
29	.01		.47	.43				.47			.01	.02	29
30	1.04		.01		.15					.49		.08	30
31			.10		.01							.02	31
Total	5.49	1.35	5.00	3.69	2.24	1.28	.92	1.74	1.38	4.03	3.00	1.36	31.48
Rain Days.	22	15	24	19	14	10	7	10	11	14	16	8	140

SL

Cudworth Hotel. 8th Dec. 5.11.15

REGISTER OF RAINFALL IN 1914

402
28 JAN 1915
BRITISH RAINFALL FORM A

Kept at Greengates, Hirksworth
in the County of Derbyshire
by J. Gibbs

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.18				1.09	.15			-	.15	1
2	.04						.60	.40			.48	.24	2
3	.38			.04	.39		.13	.17			-		3
4	.15		.43	.40	.27					.01	.57	.89	4
5			.22	.35	.24	.21	.25				.10	.07	5
6	.07	.13	.02	.07	.26		.10	.07					6
7	.16	.07	.39	.14	.19			.12				.58	7
8	.34			.03	.16	.72	.14	.46	.01				8
9	.23			.04		.80		.55	.23		.04		9
10		.10	.01	.29	.23				.12				10
11		.17	.50	.03		.04					1.20	.69	11
12		.09	.14				.04	.43				.48	12
13	.01	.29	.27	.01			.02	.15	.28	.89			13
14		.55	.09				.06		.42	.32	.60		14
15	.01							.01	.07		.12		15
16	.04		.25				.88		.02				16
17	.02	.32	.18						.61			(1.00)	17
18			.03							.01			18
19		.01	.01				.12				.05		19
20		.24				.03		.01		.05		.11	20
21	.01	.54	.02			.12	.08	.02		.13		.14	21
22		.09			.23			.14		.36		.04	22
23		.08	.21	.05	.12		.08	.03		.01	.14		23
24	.03	.01	.27	.04	.03	.02	.19	.07		.23			24
25	.05		.04				.24	.44		1.00		.44	25
26			.09				.09	.16			.35	.30	26
27	.03											.79	27
28	.21	.17	.10							.18	.04	.44	28
29	.08		.39									.13	29
30			.09	.02						.71	.48	.30	30
31	.37		.04				.61					.08	31
Total	2.29	2.86	3.97	1.51	2.12	1.94	4.72	2.80	1.64	3.39	4.78	7.47	39.43
Rain Days.	18	15	24	13	12	8	29	15	9	14	16	24	187

REGISTER OF RAINFALL IN 1915

and for month 30.11.16

Kept at *Greengates, Kirkworth*
in the County of *Derbyshire*
by *T. Gibbs*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	19	35	07		42	09							1
2	15		23	17				1.27					2
3	82	10	05	19			66						3
4	06	01					45						4
5	10	49	01		01								5
6	12	15					41	10					6
7	30	53	01	31			07	66					7
8	38	16						15					8
9	01	12		05									9
10	66		03				02	09					10
11	16				21		14						11
12	13			13	19		01						12
13	07	72			22			36					13
14	03	06											14
15	59							22					15
16	01	79			15		1.60						16
17		38					18						17
18		29											18
19		10			09								19
20	18	01	28	21									20
21	10			06									21
22			18	02									22
23		05	08			11							23
24				05			63						24
25				01		1.00							25
26	05	36				07	14						26
27		16				04							27
28		64				12	17	33					28
29					08	02							29
30	17	X				04	01						30
31	18	X		X		X	01		X		X		31
Total	4.46	5.47	.94	1.20	1.37	1.49	4.50	3.18					YEAR'S TOTAL
Rain Days.	21	20	11	11	10	8	16	10					

REGIST

Kept at Manor House
in the County of Derby
by Thomas M

WIRKSWORTH
MANOR HSE
DERBY

1911-1920

FORM A2.
BRITISH RAINFALL
14 JUN 1912
inches
round see letter in.
a Level 498 ft.
m
ame Wirksworth
istance 1/4 mile Direction W
he result entered to the
sal rule, he is earnestly
r in the space provided

IMPORTANT NOTE.—Rain
previous day. If an Observer p
requested to add the reading at 9
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	—	.16	0.21	.04	—	.12	—	—	—	.07	.03	1
2	—	—	.17	—	—	—	.03	.11	—	—	.04	.01	2
3	.10	—	.04	—	.18	—	—	.06	—	—	.05	.18	3
4	.03	—	—	—	.38	.03	—	.08	—	.02	.16	.01	4
5	.04	—	.02	.06	—	—	—	.04	.18	.07	.33	.28	5
6	—	—	.01	.02	—	—	—	.27	—	.05	—	—	6
7	.77	—	.01	—	—	—	—	.15	—	.15	—	.58	7
8	.03	—	—	—	—	—	—	—	—	.05	.17	—	8
9	.09	—	.21	—	—	—	—	—	.10	.01	.19	.86	9
10	.01	—	—	—	—	—	—	—	—	—	.06	.03	10
11	.04	.05	.35	—	—	—	—	—	—	—	—	.65	11
12	.16	—	—	—	—	—	—	.15	—	—	.43	.02	12
13	.02	—	.42	—	—	—	—	—	.22	—	.38	.02	13
14	.01	—	.02	—	—	—	—	—	—	—	.20	.36	14
15	—	.09	.04	—	.93	—	—	—	—	.01	.01	.95	15
16	—	.21	.10	—	—	—	—	—	—	.07	.03	.18	16
17	—	.13	—	—	—	.23	—	—	—	.02	.19	.10	17
18	—	—	.02	.04	—	.31	—	—	—	—	.06	.42	18
19	—	.39	.01	.02	—	.22	—	—	—	—	.08	.16	19
20	—	.22	.01	.01	—	.22	.03	.02	.16	.09	.21	.05	20
21	—	.10	—	.21	—	.02	.02	.44	.7	.06	—	.18	21
22	—	.56	—	—	—	.03	—	.12	—	.24	.02	—	22
23	—	.03	—	.03	—	.15	—	—	—	.27	.01	.36	23
24	—	.16	—	—	—	.96	—	—	.64	.06	.01	.29	24
25	—	.14	.06	.27	—	.02	—	—	—	—	—	.13	25
26	—	.31	.02	.35	—	—	—	—	.07	.26	.01	.14	26
27	—	.04	—	.29	—	—	—	—	—	.33	.39	.50	27
28	—	.32	.09	.39	.04	—	—	.54	.20	—	.02	.09	28
29	—	—	—	.25	—	.05	—	—	.11	—	.13	.04	29
30	—	—	—	—	—	.05	—	—	.30	.57	.02	.02	30
31	—	—	—	—	—	—	—	—	—	.28	.27	.01	31
Total	1.37	2.75	1.76	2.15	1.57	2.29	.20	1.98	2.05	2.87	3.27	6.65	TOTAL for year
No. of Rain Days.	12	14	18	13	6	13	4	11	10	19	25	27	28.65
W. 8,000, X. 1	1.30	2.91	1.81	1.98	1.53	2.41	.08	1.98	2.05	2.68	3.23	6.62	28.58

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
14 JUN 1912

Kept at Manor House Worksouth
in the County of Derby
by Thomas Atkinson

RAIN GAUGE { Pattern The pattern should be
Diameter of top 5 inches
Height of top above Ground in ft.
" " " Sea Level 498 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Worksouth
Distance 1/2 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(-)
etc.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	—	.16	.021	.04	—	.12	—	—	—	.07	.03	1
2	—	—	.17	—	—	—	.03	.11	—	—	.04	.01	2
3	.10	—	.04	—	.18	—	—	.06	—	—	.05	.18	3
4	.03	—	—	—	.38	.03	—	.08	—	.02	.16	.01	4
5	.04	—	.02	.06	—	—	—	.04	.18	.07	.33	.28	5
6	—	—	.01	.02	—	—	—	.27	—	.05	—	—	6
7	.77	—	.01	—	—	—	—	.15	—	.15	—	.58	7
8	.03	—	—	—	—	—	—	—	—	.05	.17	—	8
9	.09	—	.21	—	—	—	—	—	.10	.01	.19	.86	9
10	.01	—	—	—	—	—	—	—	—	—	.06	.03	10
11	.04	.05	.35	—	—	—	—	—	—	—	—	.65	11
12	.16	—	—	—	—	—	—	.15	—	—	.43	.02	12
13	.02	—	.42	—	—	—	—	—	.22	—	.38	.02	13
14	.01	—	.02	—	—	—	—	—	—	—	.20	.36	14
15	—	.09	.04	—	.93	—	—	—	—	.01	.01	.95	15
16	—	.21	.10	—	—	—	—	—	—	.07	.03	.18	16
17	—	.13	—	—	—	.23	—	—	—	.02	.19	.10	17
18	—	—	.02	.04	—	.31	—	—	—	—	.06	.42	18
19	—	.39	.01	.02	—	.22	—	—	—	—	.08	.16	19
20	—	.22	.01	.01	—	.22	.03	.02	.16	.09	.21	.05	20
21	—	.10	—	.21	—	.02	.02	.44	.7	.06	—	.18	21
22	—	.56	—	—	—	.03	—	.12	—	.24	.02	—	22
23	—	.03	—	.03	—	.15	—	—	—	.27	.01	.36	23
24	—	.16	—	—	—	.96	—	—	.64	.06	.01	.29	24
25	—	.14	.06	.27	—	.02	—	—	—	—	—	.13	25
26	—	.31	.02	.35	—	—	—	—	.07	.26	.01	.14	26
27	—	.04	—	.29	—	—	—	—	—	.33	.39	.50	27
28	—	.32	.09	.39	.04	—	—	.54	.20	—	.02	.09	28
29	—	—	—	.25	—	.05	—	—	.11	—	.13	.04	29
30	—	—	—	—	—	.05	—	—	.30	.57	.02	.02	30
31	—	—	—	—	—	—	—	—	—	.28	.27	.01	31

Total	1.37	2.75	1.76	2.94	1.57	2.79	.20	1.98	2.05	2.67	3.23	6.65	TOTAL for year
No. of Rain Days.	14	145	18	13	6	13	5	11	10	19	25	27	28.65
W. 8,000, X.	1.30	2.91	1.81	1.98	1.53	2.41	.08	1.98	2.05	2.68	3.23	6.62	28.58

copy to W.D.
11.11.13

REGISTER OF RAINFALL IN 1912

BRITISH FORM A.
RAINFALL
4-JAN-1913

Kept at Manor House Workswood
in the County of Derby
by H. B. Atkinson

Lat. 53.4 Long. 1.34
Time of Observation 9 a.m.
Nearest Railway Station Workswood
Diameter of Rain Gauge 5 inches
Height of top of Gauge above Ground 1 ft.
Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(.02)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.02	.15	—	.34	—	.20	—	.03	—	—	1
2	—	.02	.24	—	—	.21	—	.01	.06	—	—	.56	2
3	—	.02	.11	.02	—	.08	.42	—	.31	—	—	.06	3
4	.22	.01	.02	—	.01	.16	—	1.14	.16	—	—	.08	4
5	.26	.02	1.07	.15	.18	.56	—	.32	.01	—	.39	—	5
6	.59	.03	—	.10	.06	.12	.01	.09	.12	—	.02	—	6
7	1.06	.11	—	—	.09	—	—	.40	—	—	—	.02	7
8	—	.11	—	—	.06	.08	—	.08	.07	—	—	.01	8
9	.54	.41	.22	.08	—	.03	—	—	.08	—	—	.01	9
10	.47	.08	.21	.35	—	.75	—	.22	—	—	.03	.13	10
11	.03	—	—	.01	—	.07	.01	.16	—	—	.52	—	11
12	.23	.02	—	—	—	~~.04~~	—	.04	—	—	.12	.84	12
13	.08	.13	.32	—	—	.04	.11	—	—	—	.02	.02	13
14	.04	—	—	—	—	.15	—	.16	—	.05	.12	.08	14
15	.14	—	.59	—	—	.04	—	.03	—	.01	—	.14	15
16	.36	.10	.19	—	.53	.24	—	.17	—	—	—	.41	16
17	1.33	—	.42	—	.22	.03	—	.44	—	.24	—	—	17
18	.38	.01	.22	—	—	.38	.05	—	—	—	.02	.29	18
19	.21	—	.13	—	—	.01	—	.57	—	.11	.01	.14	19
20	.30	.13	.04	—	.01	.02	.42	.12	.01	.22	.03	.02	20
21	.22	.04	.15	—	.09	—	.18	—	—	.46	.02	.01	21
22	—	.13	.35	—	.73	—	1.54	.69	—	.71	.02	.05	22
23	.02	—	—	—	.48	.15	.22	.45	—	—	—	.28	23
24	.05	—	.34	—	—	.16	.58	.11	—	—	.34	.02	24
25	.13	.08	.05	—	—	.15	.21	.32	—	—	.02	.21	25
26	.04	.01	.01	—	—	.26	—	.80	—	—	.44	.21	26
27	.01	.09	.10	—	—	.03	.34	.01	—	1.01	.45	.18	27
28	—	.01	.07	—	—	.33	.65	.78	—	.92	—	.32	28
29	—	.03	.03	—	—	.04	.36	.05	.06	.54	.72	.19	29
30	—	—	—	—	—	.24	.20	—	.61	.09	—	.02	30
31	—	—	.02	—	.13	—	.06	.01	—	.08	—	.02	31
Total	6.73	1.59	4.92	.86	2.49	4.67	5.36	7.37	14.9	4.47	3.29	4.32	47.56
Rain Days.	23	21	23	7	12	26	16	25	10	13	17	26	219
	22	22		6	13	25	17	24	11	12		27	

REGISTER OF RAINFALL IN 1913

FORM A
BRITISH RAINFALL
2-JAN 1914

Kept at Moor House Works
in the County of Derby
by Thomas Atkinson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Works
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft.
Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
none

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	—	.08	—	—	—	—	—	—	—	.03	1
2	.01	—	.27	.06	—	—	—	—	.06	—	.05	—	2
3	.01	—	.04	.04	.08	.01	—	—	—	—	.05	.02	3
4	.07	—	.35	—	.49	—	—	—	.05	.56	.28	.21	4
5	.98	.01	—	—	.11	.02	.07	—	.01	.22	.04	.46	5
6	.04	.05	.09	—	.02	.18	.04	.01	.09	1.26	—	.04	6
7	.04	.09	.12	—	.39	.08	.56	—	—	.75	.04	.02	7
8	—	.32	.02	—	.15	.09	—	—	—	—	.13	.02	8
9	—	.04	.02	—	.12	.06	—	—	—	.58	—	.01	9
10	.05	.39	.06	.02	.14	.73	—	—	—	.06	.18	—	10
11	1.30	—	.01	.12	.05	.02	.02	.09	—	—	.24	.01	11
12	—	—	—	.42	—	.02	—	.21	—	.01	.29	—	12
13	.03	—	—	—	—	.02	—	—	—	—	.44	—	13
14	.24	—	.28	.04	—	—	—	.02	.14	—	.18	—	14
15	.06	.07	.46	.03	—	—	—	.04	—	.10	.06	—	15
16	.01	.07	.55	.79	—	—	—	—	.09	—	.29	—	16
17	.02	.01	.42	.04	—	—	.02	—	.16	—	.09	—	17
18	—	.01	.02	.21	.10	.17	.01	—	.39	—	.05	—	18
19	—	—	.35	.25	.15	—	.09	—	—	—	.14	.03	19
20	.15	—	.13	.04	.01	—	—	—	.28	—	—	.01	20
21	.22	—	.08	—	—	—	—	.04	—	.04	.38	—	21
22	.03	—	.02	—	.10	—	.11	.79	—	—	.27	—	22
23	.48	—	.76	—	—	—	—	.04	.33	—	—	—	23
24	.03	—	—	—	.04	.07	—	.01	.08	—	.05	—	24
25	.20	—	—	.03	—	.02	—	—	—	—	.05	—	25
26	.01	—	—	.07	—	—	—	—	.04	.03	—	.06	26
27	—	.03	.18	.19	—	—	—	—	—	.12	—	.44	27
28	—	.03	.01	.39	—	—	—	—	—	—	—	—	28
29	.33	—	.24	.27	.04	—	—	—	—	.02	—	.02	29
30	.01	—	.45	.44	.08	—	—	.44	—	—	—	.08	30
31	.94	—	—	—	—	—	—	—	—	.48	—	.02	31
Total	5.28	1.12	4.93	3.53	2.07	1.49	.92	1.69	1.72	4.23	3.30	1.48	YEAR'S TOTAL 31.76
Rain Days.	24	12	.23	19	16	13	8	10	12	13	20	16	186

REGISTER OF RAINFALL IN 1914

Kept at Manor House Wirksworth
 in the County of Derby
 by Thomas Atkinson

Lat. 53.4 Long. 1.34
 Time of Observation 9 a.m.
 Nearest Railway Station Wirksworth
 Diameter of Rain Gauge 5 inches
 Height of top of Gauge above Ground one ft. in.
 " " " " Sea Level 498 ft.

FORM A.
 BRITISH RAINFALL
 2 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.17	—	—	—	1.19	.18	—	—	—	.16	1
2	—	—	.01	—	—	—	.62	.28	—	.01	.44	.25	2
3	.04	—	.21	—	.40	—	—	.21	—	—	—	.62	3
4	.38	—	.22	.45	.29	—	—	—	—	—	.53	.37	4
5	.15	—	.23	.34	.26	.20	.26	—	—	—	.08	.07	5
6	—	.12	.02	.07	.26	—	.10	.18	—	—	—	.33	6
7	.01	.66	.38	.14	.19	—	.01	—	—	—	—	.31	7
8	.16	—	—	.03	.17	.66	.15	.46	—	—	—	.03	8
9	.35	.08	—	.08	.02	.75	—	.52	.21	—	.04	—	9
10	.23	.11	—	.24	.08	—	—	—	.12	—	—	.02	10
11	—	.13	.48	.08	.11	.08	—	—	.12	—	1.28	.58	11
12	—	.09	.13	—	—	—	.03	—	.43	—	.25	.41	12
13	.01	.28	.27	—	—	—	.01	—	.10	.26	.62	.40	13
14	.03	.55	.10	—	—	—	—	—	—	.57	.33	.21	14
15	—	.01	.18	—	—	—	—	—	.08	.01	.21	—	15
16	.04	—	.10	—	—	—	.93	—	.04	—	—	—	16
17	.02	.31	.16	—	—	—	.02	—	.53	—	—	.54	17
18	—	—	.12	—	—	—	.08	—	.04	—	—	.43	18
19	—	.01	.03	—	—	—	.07	—	.05	—	.03	.11	19
20	—	.22	.02	—	—	—	.03	—	—	.03	—	.03	20
21	—	.49	—	—	—	.15	—	.01	—	.11	.01	.11	21
22	—	.09	.03	—	.24	.07	.02	.14	—	.34	—	.01	22
23	—	.08	.21	.04	.11	—	.04	—	—	.01	—	.02	23
24	—	.02	.27	.04	.02	.03	—	.09	—	.03	.14	—	24
25	.04	—	.03	—	—	—	.23	.46	—	1.03	.05	.43	25
26	—	—	.08	—	—	—	.08	.15	—	.13	.32	.30	26
27	.02	—	—	—	—	—	—	—	—	.02	.22	.78	27
28	.21	.17	.11	—	—	—	—	—	—	.13	.05	.45	28
29	.07	—	.37	—	—	—	—	—	—	.36	.14	.13	29
30	.02	X	.08	.01	—	—	—	—	—	.04	.36	.28	30
31	.36	X	.04	X	—	X	.60	—	X	.17	X	.08	31
Total	2.14	2.82	4.05	1.52	2.15	1.94	4.47	2.68	1.72	3.25	5.10	7.46	YEAR'S TOTAL 39.30
Rain Days.	17	17	26	11	12	7	18	11	10	16	18	27	190

REGISTER OF RAINFALL IN 1915

Kept at Manor House Worksworth
in the County of Derby
by Thomas Atkinson

Lat. 53.4 Long. 1.34
Time of Observation 9 am
Nearest Railway Station Worksworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	18	34	13	—	44	—	—	—	04	—	03	23	1
2	16	09	24	16	—	09	03	62	—	21	—	02	2
3	82	02	05	21	—	—	55	48	—	—	—	36	3
4	08	01	—	—	—	—	57	04	—	—	05	110	4
5	10	48	—	—	02	—	01	10	—	08	—	77	5
6	11	14	01	29	—	—	41	03	—	—	—	17	6
7	30	49	01	—	—	—	07	60	—	—	—	17	7
8	40	14	02	11	—	—	—	15	—	—	—	04	8
9	—	12	—	05	—	—	—	01	—	02	28	65	9
10	67	—	—	—	19	—	02	10	—	04	27	04	10
11	16	—	—	02	19	—	14	07	—	—	68	28	11
12	14	—	—	13	22	—	01	—	—	04	110	04	12
13	08	63	—	—	—	—	—	—	—	—	—	03	13
14	04	06	—	—	04	—	—	31	11	02	—	38	14
15	62	—	—	—	09	—	—	22	—	—	26	28	15
16	01	85	—	—	—	—	1.63	03	—	01	—	39	16
17	—	38	—	—	—	—	33	—	—	—	—	04	17
18	—	31	22	—	09	—	02	—	—	—	—	02	18
19	—	12	02	02	—	—	18	—	—	03	—	01	19
20	21	02	—	08	—	—	03	—	—	—	—	10	20
21	09	—	—	05	—	—	27	—	—	—	—	04	21
22	01	—	21	—	—	—	01	—	—	—	—	14	22
23	01	05	09	—	—	—	17	—	02	59	—	06	23
24	—	—	07	05	—	—	—	—	46	04	—	33	24
25	—	—	01	—	—	1.01	06	—	02	10	—	28	25
26	06	36	—	—	—	03	—	—	03	—	—	55	26
27	—	16	—	—	—	04	17	—	—	74	—	53	27
28	—	64	02	—	08	13	01	34	—	06	—	—	28
29	01	—	—	—	—	02	—	—	—	—	14	39	29
30	13	X	—	—	—	03	—	—	—	09	5	03	30
31	23	X	—	X	—	X	02	—	X	29	X	39	31
Total	462	5.41	110	1.17	1.36	1.35	471	3.10	.68	2.36	2.86	7.86	36.58
Rain Days.	23	20	13	11	9	7	21	14	6	15	9	30	178

REGISTER OF RAINFALL IN 1916

Kepaat Manor House Worksop
in the County of Derby
by Thos Atkinson

Lat. 53.4 Long. 1.34
Time of Observation 9 a.m.
Nearest Railway Station about 500 yds
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 498 ft.

FORM A.
BRITISH RAINFALL.

3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.01	.26	—	.01	.40	.22	—	.01	—	.28	—	1
2	.26	.23	.17	—	—	—	.18	—	.15	.32	.15	—	2
3	.02	.35	.02	—	—	—	—	—	.62	.48	.15	—	3
4	.16	.05	—	—	.42	.64	.08	—	.02	.14	.42	—	4
5	.16	.01	—	—	.02	.10	—	—	—	.49	.43	—	5
6	.27	.43	.16	—	.54	—	.52	—	—	.04	.53	—	6
7	.14	—	.14	—	.04	—	.42	—	—	—	.12	.25	7
8	—	—	.15	—	—	.02	—	—	—	—	.05	.22	8
9	—	—	.14	—	.47	—	—	—	.02	—	.08	.22	9
10	.03	.15	.05	.07	—	.12	.04	—	.18	.19	.01	.06	10
11	.04	.33	.11	.35	.02	.23	.02	—	.05	—	—	.08	11
12	.06	.06	.11	.10	.47	.03	.26	.01	—	.16	—	.09	12
13	—	.15	.12	.15	.02	—	—	.44	—	.10	—	.03	13
14	—	.26	.01	.31	.14	—	.08	.16	—	—	.01	.06	14
15	—	.46	.62	.03	—	—	—	.33	—	.05	—	—	15
16	.01	.33	.49	.33	—	—	.26	.12	.01	.02	—	—	16
17	.12	.32	—	.61	—	—	.02	.43	.37	.16	—	—	17
18	—	.26	.03	.15	—	—	—	.01	.32	.11	.74	.20	18
19	.27	.21	.48	.08	—	—	—	.03	—	—	.32	.06	19
20	.22	—	.08	.19	—	—	—	—	—	—	—	.15	20
21	.08	—	—	.05	—	—	.11	—	—	—	—	.26	21
22	—	.06	—	.01	—	.08	—	.01	—	.07	.02	.24	22
23	.07	.10	.01	.03	—	.02	—	.12	—	.05	.22	.42	23
24	—	.75	—	—	—	.10	—	.07	—	—	—	.16	24
25	—	.09	.19	—	—	.02	—	.23	—	—	.46	.04	25
26	.02	.12	.08	—	—	.03	—	.02	—	.30	—	—	26
27	—	.11	.24	—	—	—	—	.24	—	.52	—	—	27
28	—	.10	.14	—	—	—	—	—	—	.10	.04	.22	28
29	—	.58	—	—	—	.70	—	.32	—	.52	—	.42	29
30	—	X	—	—	—	—	—	.01	—	.31	—	.02	30
31	—	X	—	X	—	X	—	—	X	.40	X	.48	31
Total	2.06	5.52	3.80	2.46	2.15	2.49	2.21	2.55	1.75	4.53	4.03	3.68	37.23
Rain Days.	17	24	22	14	10	13	12	16	10	20	17	20	195

REGISTER OF RAINFALL IN 1917

Kept at Manor House Worksworth
in the County of Derby
by J. D. Atkinson

Lat. 53.4 Long. 1.34 Time of Observation 9 a.m.
Nearest Railway Station Worksworth 500 yds
Diameter of Funnel of Rain Gauge 5 inches
Height of top of Gauge above Ground 1 ft. 498 ft.
Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	—	.21	—	.10	—	.58	.24	—	.07	.17	1
2	.18	—	—	.03	—	.12	—	.26	.22	—	.01	—	2
3	.02	.06	—	.02	—	—	—	.18	—	.37	.06	—	3
4	.25	—	.08	—	—	—	—	.02	—	.58	—	—	4
5	.14	.02	.14	.09	—	—	—	.01	.06	.22	.12	—	5
6	.06	—	.06	—	—	.45	—	—	—	.37	.15	—	6
7	.03	—	—	—	—	.24	—	—	—	.79	.29	.07	7
8	.65	—	—	.33	—	—	—	1.00	—	1.16	.21	.06	8
9	.18	—	.16	.43	.04	—	—	.26	—	—	.28	.05	9
10	.33	—	.97	.21	.39	—	—	.20	—	.09	—	—	10
11	.13	—	—	.23	—	—	—	.02	.02	.38	.03	—	11
12	.14	—	—	—	.33	—	—	.15	.77	.17	—	.12	12
13	.03	—	—	.13	—	—	—	.24	.21	.03	.02	.03	13
14	—	—	—	.12	—	—	—	.06	—	.08	—	.19	14
15	.02	—	—	.02	.33	—	.17	.13	—	.13	—	.13	15
16	.03	.12	—	—	—	.03	.02	.04	—	.02	—	.42	16
17	.04	—	.01	.11	.43	—	.25	.52	.06	.31	—	.05	17
18	.03	.03	.02	.03	.11	—	.76	.06	.84	.03	—	—	18
19	.07	.24	.33	—	.08	.24	.01	.12	.03	—	.06	—	19
20	.04	.22	.01	—	.21	.12	—	.04	.15	—	.15	.03	20
21	.02	.04	.19	—	—	.03	—	.04	—	.06	—	—	21
22	.03	.02	.07	—	—	—	—	.43	.04	.07	.03	—	22
23	.03	.10	—	—	.34	.07	—	.33	.02	.32	—	—	23
24	.02	.02	—	—	—	.52	—	.25	—	.73	.34	.02	24
25	—	.03	.14	—	—	—	.03	.03	—	.06	.28	—	25
26	—	.01	—	—	—	.28	—	.60	.09	.14	.48	—	26
27	—	—	.09	—	.03	.24	.29	.82	—	.63	.28	—	27
28	—	—	.14	—	—	.08	.01	.40	.01	—	.01	.10	28
29	—	—	—	—	.13	—	—	.04	—	.39	.01	.14	29
30	—	X	.20	—	—	—	.03	.41	.67	.10	.07	.01	30
31	—	X	.17	X	—	X	—	.14	X	.08	X	.01	31
Total	2.49	.91	2.78	1.96	2.42	2.52	1.57	7.38	3.43	6.71	2.95	1.60	36.72
Rain Days.	23	12	16	13	11	13	9	29	15	25	20	16	202

REGISTER OF RAINFALL IN 1918

Kept at Wicksnorth, Mansfield
in the County of Derby
by T Atkinson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.10	.02	02					.58	.08	.35	.03	1
2		.24						.80	.10	.04	.01	.74	2
3		.05	.06		.57			.38	.07	.03	.09	.24	3
4		.03	.02					.01	.89	.14	.15	.68	4
5		.05	.02	.18				.22	.41	.28		.01	5
6		.47	.02	.43	.11	.14			.14	.21		.04	6
7	.12	.09	.15						.26	.02	.24	.01	7
8	.41	.24	.02						.17	.05			8
9		.69		.13		.18	.02		.59	.42		.05	9
10	.08	.18		.02			.32		.03	.02	.12	.11	10
11	.14	.25		.06			.03		.19			.08	11
12	.04	.20		.09			.26	.10	.11			.22	12
13		.02		.62			.23		.21	.09		.02	13
14	.62					.18	.23		.30	.13		.30	14
15				.03		.02	.28		.69	.01		.40	15
16				.03			.02	.03	.48	.02		.15	16
17	.20				.12	.08	.31	.07	.04	.09		.29	17
18	.54					.15	.44		.78			.33	18
19	.06		.23	.13		.11	.16		.03	.05		.25	19
20		.18				.12	.39		.09	.01	.02	.15	20
21	.19	.10		.30	.51	.17	.02		.23	.02		.09	21
22	.02	.01			.42		.16		.22	.04		.65	22
23	.10				.08		.03		.10			.07	23
24	.02					.03	.30	.11	.11		.10	.05	24
25							.24	.61	.03				25
26						.02		.06	.11			.12	26
27		.07	.36				.01	.47	.24		.18	.39	27
28		.09						.11	.09		.22	.86	28
29									.42			.07	29
30		X	.67					.10			.14	.09	30
31		X	.19	X		X		.08	X		X	.02	31
Total	25.4	3.06	1.76	1.33	3.52	1.20	3.45	3.15	7.71	1.75	2.04	6.51	38.07
Rain Days.	13	18	11	10	8	12	18	14	29	19	11	29	191

REGISTER OF RAINFALL IN 1919.

Kept at Main House Workwood
in the County of Derby
by Ed Atkinson

Lat. 53.4 Long. 1.34
Time of Observation 9 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~58~~	08	07		27		07	01	05	18	03	25	1
2	15	02					18	05	04		16	08	2
3	1.35		38		09		26		08		18	13	3
4	05		33		02		04	23	28		04	39	4
5					01				42		01	33	5
6	02		22		55					09	02		6
7	01										01		7
8	32		03								03		8
9											03		9
10			60	20						01		31	10
11	03		64	04			15				01	03	11
12			58	11		49	12		02	03	02	03	12
13	43		38						53	29	04	04	13
14	42	07		42		10			02	03	02	03	14
15	41	11		05				01			03	69	15
16	19	83		05							11	02	16
17	16	38	22	06	07		10	05			45	02	17
18		13	66					41	02		03	50	18
19	26	32	68				89	47	14		24	10	19
20	119	13	30			01	40	01				25	20
21	07	50			11		26	03	05		02	38	21
22		11			10	09			88		14	67	22
23						02		02		134	03	04	23
24				12	42		05	02		46	10	06	24
25	11			07	15			65	01		08		25
26				08		03	01	30	19			88	26
27	13			19				03				03	27
28			03	08				1.06		03	02	48	28
29								03		73	03	14	29
30	04	X		08		18				04	13	46	30
31	04	X		X		X	08		X	04	X	04	31
TOTAL	5.96	2.68	4.74	1.93	1.79	.92	2.61	3.38	2.73	3.27	2.01	6.38	YEAR'S TOTAL
Days with '01 in. or more	20	11	13	14	10	7	13	16	14	12	26	26	38.40 182

REGISTER OF RAINFALL IN 1920.

Kept at Mavor House Workswork
 in the County of Derby
 by Thos Atkinson

Lat. 53.4 Long. 1.34
 Time of Observation 9 am
 Nearest Railway Station Workswork
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 1 in.
 " " " " Sea Level 500 ft. 6m

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	.02	.20	.40		.24	.05	.15	.15	.03	.18	1
2	—	—	—	.18	.02	.04	.31	—	.12	.16	—	.30	2
3	.10	.02	—	.56	—	—	.83	.02	.08	.33	—	—	3
4	.03	—	—	.06	.02	—	.03	.71	—	.49	—	—	4
5	—	—	—	—	.70	—	.14	.12	—	.13	—	—	5
6	—	—	.23	.07	.14	—	.07	.02	—	.02	—	.13	6
7	.03	.01	.04	—	.07	—	.26	—	—	—	—	—	7
8	.35	.01	—	.45	.18	—	.32	.04	—	—	—	—	8
9	.56	.42	—	.35	—	—	.07	—	—	—	—	—	9
10	.42	.57	.14	.29	—	—	(.58)	—	—	—	—	—	10
11	.42	.02	.10	.14	.51	.30	—	—	—	—	—	.14	11
12	.06	.04	.02	.46	.01	.27	.05	—	—	.05	.09	—	12
13	.19	.19	.09	.64	—	.74	—	—	—	.02	.04	—	13
14	.03	.03	.45	.17	—	1.06	.07	—	.95	.30	.30	—	14
15	.02	—	.32	.68	—	—	.05	—	.04	—	.05	—	15
16	—	.18	.13	.05	—	.05	.66	—	.01	.16	—	—	16
17	.01	—	.05	—	.16	.01	—	.02	.44	.05	—	.03	17
18	.10	.01	—	—	.28	—	—	.07	.10	—	—	—	18
19	.26	1.23	—	.05	.15	.09	.01	.04	.12	—	—	—	19
20	.13	.09	—	.13	—	.25	—	—	—	—	—	—	20
21	.02	—	—	.32	—	—	.21	.12	—	—	—	—	21
22	.04	.19	—	.40	—	—	.28	—	—	—	—	—	22
23	.01	—	—	.01	—	—	.21	.03	—	—	—	.52	23
24	.02	—	.48	.02	—	—	—	—	—	—	—	.20	24
25	.03	—	.10	.23	—	.01	.75	—	—	—	—	—	25
26	.28	.08	.14	.20	.14	.29	—	—	—	—	—	.03	26
27	.13	—	.02	.15	.36	.29	.13	—	—	—	.48	.37	27
28	.82	.06	.11	—	.12	.18	.07	—	—	—	.28	.40	28
29	.03	—	—	.01	.38	.07	.36	—	—	—	—	.72	29
30	.15	—	—	.32	.04	.24	.22	—	.08	—	—	.51	30
31	.20	—	.14	—	.04	—	.06	—	—	.34	—	.18	31
TOTAL	44.6	3.16	2.58	6.14	3.72	3.89	5.90	12.4	2.09	2.20	1.27	3.80	YEAR'S TOTAL
Days with ".01 in. or more	27	17	17	25	18	15	24	11	10	12	17	13	40.39
Days with ".04 in. or more	16	10	13	22	15	13	22	7	9	10	6	11	155